



## Full wwPDB EM Validation Report ⓘ

Apr 16, 2024 – 07:23 am BST

PDB ID : 7PJU  
EMDB ID : EMD-13460  
Title : Structure of the 70S ribosome with tRNAs in hybrid state 2 (H2)  
Authors : Petrychenko, V.; Peng, B.Z.; Schwarzer, A.C.; Peske, F.; Rodnina, M.V.;  
Fischer, N.  
Deposited on : 2021-08-24  
Resolution : 9.50 Å (reported)  
Based on initial models : 5LZD, 6YSS, 4AQY

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev92  
Mogul : 1.8.4, CSD as541be (2020)  
MolProbity : **FAILED**  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : **FAILED**  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36

## 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 9.50 Å.

There are no overall percentile quality scores available for this entry.

MolProbity failed to run properly - the sequence quality summary graphics cannot be shown.

## 2 Entry composition [i](#)

There are 60 unique types of molecules in this entry. The entry contains 147243 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	0	56	444	269	94	80	1	0	0

- Molecule 2 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
2	1	50	409	263	75	71	0	0

- Molecule 3 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	2	46	377	228	90	57	2	0	0

- Molecule 4 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	3	64	504	323	105	74	2	0	0

- Molecule 5 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	4	38	302	185	65	48	4	0	0

- Molecule 6 is a protein called 50S ribosomal protein L10.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
6	5	131	647	385	131	131	0	0

- Molecule 7 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	6	66	522	323	99	94	6	0	0

- Molecule 8 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
8	A	2903	62339	27816	11471	20149	2903	0	0

- Molecule 9 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
9	B	120	2570	1144	468	838	120	0	0

- Molecule 10 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	C	271	2082	1288	423	364	7	0	0

- Molecule 11 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	D	209	1565	979	288	294	4	0	0

- Molecule 12 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	E	201	1552	974	283	290	5	0	0

- Molecule 13 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	F	177	1410	899	249	256	6	0	0

- Molecule 14 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	G	176	Total	C	N	O	S	0	0
			1323	832	243	246	2		

- Molecule 15 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	H	149	Total	C	N	O	S	0	0
			1111	699	197	214	1		

- Molecule 16 is a protein called Ribosomal protein L11.

Mol	Chain	Residues	Atoms				AltConf	Trace
16	I	141	Total	C	N	O	0	0
			693	411	141	141		

- Molecule 17 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	J	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 18 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	K	122	Total	C	N	O	S	0	0
			938	587	180	165	6		

- Molecule 19 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	L	143	Total	C	N	O	S	0	0
			1045	649	206	189	1		

- Molecule 20 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	M	136	Total	C	N	O	S	0	0
			1074	686	205	177	6		

- Molecule 21 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
21	N	120	960	593	196	166	5	0	0

- Molecule 22 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	O	116	892	552	178	162		0	0

- Molecule 23 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	P	114	917	574	179	163	1	0	0

- Molecule 24 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
24	Q	117	947	604	192	151		0	0

- Molecule 25 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
25	R	103	816	516	153	145	2	0	0

- Molecule 26 is a protein called Ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
26	S	110	857	532	166	156	3	0	0

- Molecule 27 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
27	T	93	738	466	139	131	2	0	0

- Molecule 28 is a protein called Ribosomal protein L24.

Mol	Chain	Residues	Atoms				AltConf	Trace
28	U	102	Total	C	N	O	0	0
			779	492	146	141		

- Molecule 29 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	V	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 30 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	W	75	Total	C	N	O	S	0	0
			575	356	116	102	1		

- Molecule 31 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	X	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 32 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	Y	63	Total	C	N	O	S	0	0
			509	313	99	95	2		

- Molecule 33 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	Z	58	Total	C	N	O	S	0	0
			449	281	87	79	2		

- Molecule 34 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	a	1540	Total	C	N	O	P	0	0
			33050	14748	6057	10705	1540		

- Molecule 35 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	b	218	Total	C	N	O	S	0	0
			1704	1081	305	311	7		

- Molecule 36 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	c	206	Total	C	N	O	S	0	0
			1624	1028	305	288	3		

- Molecule 37 is a protein called Ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	d	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 38 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	e	157	Total	C	N	O	S	0	0
			1141	709	218	208	6		

- Molecule 39 is a protein called 30S ribosomal protein S6, fully modified isoform.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	f	100	Total	C	N	O	S	0	0
			817	515	148	148	6		

- Molecule 40 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	g	151	Total	C	N	O	S	0	0
			1181	735	227	215	4		

- Molecule 41 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	h	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 42 is a protein called 30S ribosomal protein S9.



Mol	Chain	Residues	Atoms					AltConf	Trace
42	i	127	Total	C	N	O	S	0	0
			1022	634	206	179	3		

- Molecule 43 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	j	98	Total	C	N	O	S	0	0
			786	493	150	142	1		

- Molecule 44 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	k	116	Total	C	N	O	S	0	0
			869	535	173	158	3		

- Molecule 45 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	l	123	Total	C	N	O	S	0	0
			955	590	196	165	4		

- Molecule 46 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	m	114	Total	C	N	O	S	0	0
			883	546	178	156	3		

- Molecule 47 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	n	101	Total	C	N	O	S	0	0
			799	498	165	133	3		

- Molecule 48 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	o	88	Total	C	N	O	S	0	0
			714	439	144	130	1		

- Molecule 49 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	p	82	Total	C	N	O	S	0	0
			649	406	128	114	1		

- Molecule 50 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	q	80	Total	C	N	O	S	0	0
			648	411	121	113	3		

- Molecule 51 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	r	65	Total	C	N	O	S	0	0
			535	339	100	95	1		

- Molecule 52 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	s	82	Total	C	N	O	S	0	0
			658	421	125	110	2		

- Molecule 53 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	t	85	Total	C	N	O	S	0	0
			665	411	137	114	3		

- Molecule 54 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	u	65	Total	C	N	O	S	0	0
			506	313	105	87	1		

- Molecule 55 is a RNA chain called P-site tRNA(fMet).

Mol	Chain	Residues	Atoms					AltConf	Trace	
55	v	77	Total	C	N	O	P	S	0	0
			1642	733	297	534	77	1		

- Molecule 56 is a RNA chain called P-site fMet-Phe-tRNA(Phe).

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	N	O	P			S
56	w	76	1631	731	291	531	76	2	0	0

- Molecule 57 is a protein called Dipeptide (FME-PHE).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
57	y	2	20	15	2	2	1	0	0


- Molecule 58 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
58	z	11	230	103	35	81	11	0	0

- Molecule 59 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	AltConf
59	4	1	Total Zn 1 1	0
59	6	1	Total Zn 1 1	0

- Molecule 60 is APRAMYCIN (three-letter code: AM2) (formula: C<sub>21</sub>H<sub>41</sub>N<sub>5</sub>O<sub>11</sub>).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
60	a	1	37	21	5	11	0

MolProbity failed to run properly - this section is therefore empty.

### 3 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	1737	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	30	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	1200	Depositor
Magnification	59000	Depositor
Image detector	FEI FALCON III (4k x 4k)	Depositor

## 4 Model quality [i](#)

### 4.1 Standard geometry [i](#)

MolProbity failed to run properly - this section is therefore empty.

### 4.2 Too-close contacts [i](#)

MolProbity failed to run properly - this section is therefore empty.

### 4.3 Torsion angles [i](#)

#### 4.3.1 Protein backbone [i](#)

MolProbity failed to run properly - this section is therefore empty.

#### 4.3.2 Protein sidechains [i](#)

MolProbity failed to run properly - this section is therefore empty.

#### 4.3.3 RNA [i](#)

MolProbity failed to run properly - this section is therefore empty.

### 4.4 Non-standard residues in protein, DNA, RNA chains [i](#)

46 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
8	5MU	A	1939	8	19,22,23	4.61	7 (36%)	28,32,35	3.82	10 (35%)
8	6MZ	A	1618	8	18,25,26	2.12	4 (22%)	16,36,39	2.30	3 (18%)
34	MA6	a	1518	34	18,26,27	0.97	1 (5%)	19,38,41	2.80	2 (10%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
8	PSU	A	2504	8	18,21,22	1.05	1 (5%)	22,30,33	1.92	4 (18%)
34	PSU	a	516	34	18,21,22	0.90	1 (5%)	22,30,33	1.66	5 (22%)
34	G7M	a	527	34	20,26,27	5.61	14 (70%)	17,39,42	1.87	5 (29%)
34	2MG	a	1207	34	18,26,27	2.58	7 (38%)	16,38,41	1.45	4 (25%)
8	5MC	A	1962	8	18,22,23	3.52	7 (38%)	26,32,35	1.08	2 (7%)
56	PSU	w	32	56	18,21,22	1.39	2 (11%)	22,30,33	1.93	4 (18%)
55	4SU	v	8	55	18,21,22	3.58	7 (38%)	26,30,33	2.26	5 (19%)
8	5MC	A	747	8	18,22,23	3.58	7 (38%)	26,32,35	1.20	2 (7%)
8	OMU	A	2552	8	19,22,23	2.76	7 (36%)	26,31,34	1.83	5 (19%)
8	6MZ	A	2030	8	18,25,26	2.15	3 (16%)	16,36,39	2.51	3 (18%)
34	UR3	a	1498	34	19,22,23	2.44	6 (31%)	26,32,35	1.30	1 (3%)
8	PSU	A	2580	8	18,21,22	1.11	3 (16%)	22,30,33	1.94	6 (27%)
8	PSU	A	2457	8	18,21,22	1.06	3 (16%)	22,30,33	1.81	4 (18%)
8	PSU	A	2605	8	18,21,22	1.11	2 (11%)	22,30,33	1.88	2 (9%)
34	5MC	a	1407	34	18,22,23	3.57	7 (38%)	26,32,35	1.03	1 (3%)
8	PSU	A	746	8	18,21,22	1.07	2 (11%)	22,30,33	1.81	4 (18%)
55	PSU	v	55	55	18,21,22	1.06	1 (5%)	22,30,33	1.75	4 (18%)
56	G7M	w	46	56	20,26,27	2.47	7 (35%)	17,39,42	1.10	1 (5%)
56	4SU	w	8	56	18,21,22	3.45	7 (38%)	26,30,33	2.20	4 (15%)
34	MA6	a	1519	34	18,26,27	1.04	1 (5%)	19,38,41	2.69	2 (10%)
55	H2U	v	20	55	18,21,22	3.01	5 (27%)	21,30,33	1.94	5 (23%)
8	PSU	A	1917	8	18,21,22	1.36	3 (16%)	22,30,33	1.99	5 (22%)
56	PSU	w	39	56	18,21,22	1.44	3 (16%)	22,30,33	1.97	5 (22%)
56	5MU	w	54	56	19,22,23	1.33	5 (26%)	28,32,35	2.18	8 (28%)
34	4OC	a	1402	34	20,23,24	2.86	8 (40%)	26,32,35	0.93	2 (7%)
34	2MG	a	1516	34	18,26,27	2.60	7 (38%)	16,38,41	1.48	4 (25%)
56	PSU	w	55	56	18,21,22	1.36	3 (16%)	22,30,33	2.13	5 (22%)
8	PSU	A	955	8	18,21,22	1.07	2 (11%)	22,30,33	1.87	4 (18%)
57	FME	y	101	57	8,9,10	0.60	0	7,9,11	1.29	1 (14%)
8	3TD	A	1915	8	22,23,23	6.55	11 (50%)	29,35,35	3.49	10 (34%)
34	5MC	a	967	34	18,22,23	3.62	7 (38%)	26,32,35	1.00	1 (3%)
8	PSU	A	1911	8	18,21,22	1.40	2 (11%)	22,30,33	2.03	4 (18%)
8	OMC	A	2498	8	19,22,23	2.79	7 (36%)	26,31,34	0.81	0
8	OMG	A	2251	8,56	18,26,27	1.00	1 (5%)	19,38,41	1.09	2 (10%)
34	2MG	a	966	34	18,26,27	2.54	7 (38%)	16,38,41	1.54	4 (25%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
8	2MG	A	2445	8,12	18,26,27	2.47	7 (38%)	16,38,41	1.60	4 (25%)
8	PSU	A	2604	8	18,21,22	1.06	2 (11%)	22,30,33	2.01	5 (22%)
8	2MG	A	1835	8	18,26,27	2.51	7 (38%)	16,38,41	1.47	4 (25%)
8	G7M	A	2069	8	20,26,27	2.29	7 (35%)	17,39,42	1.14	1 (5%)
8	1MG	A	745	8	18,26,27	2.53	4 (22%)	19,39,42	1.40	2 (10%)
56	MIA	w	37	56	24,31,32	2.35	4 (16%)	26,44,47	2.54	9 (34%)
55	5MU	v	54	55	19,22,23	4.66	7 (36%)	28,32,35	3.69	9 (32%)
8	2MA	A	2503	8	17,25,26	2.31	4 (23%)	17,37,40	1.31	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	5MU	A	1939	8	-	4/7/25/26	0/2/2/2
8	6MZ	A	1618	8	-	0/5/27/28	0/3/3/3
34	MA6	a	1518	34	-	0/7/29/30	0/3/3/3
8	PSU	A	2504	8	-	0/7/25/26	0/2/2/2
34	PSU	a	516	34	-	0/7/25/26	0/2/2/2
34	G7M	a	527	34	-	1/3/25/26	0/3/3/3
34	2MG	a	1207	34	-	0/5/27/28	0/3/3/3
8	5MC	A	1962	8	-	1/7/25/26	0/2/2/2
56	PSU	w	32	56	-	2/7/25/26	0/2/2/2
55	4SU	v	8	55	-	0/7/25/26	0/2/2/2
8	5MC	A	747	8	-	2/7/25/26	0/2/2/2
8	OMU	A	2552	8	-	3/9/27/28	0/2/2/2
8	6MZ	A	2030	8	-	2/5/27/28	0/3/3/3
34	UR3	a	1498	34	-	2/7/25/26	0/2/2/2
8	PSU	A	2580	8	-	0/7/25/26	0/2/2/2
8	PSU	A	2457	8	-	0/7/25/26	0/2/2/2
8	PSU	A	2605	8	-	0/7/25/26	0/2/2/2
34	5MC	a	1407	34	-	0/7/25/26	0/2/2/2
8	PSU	A	746	8	-	3/7/25/26	0/2/2/2
55	PSU	v	55	55	-	3/7/25/26	0/2/2/2
56	G7M	w	46	56	-	3/3/25/26	0/3/3/3
56	4SU	w	8	56	-	0/7/25/26	0/2/2/2
34	MA6	a	1519	34	-	3/7/29/30	0/3/3/3

Continued on next page...



Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
55	H2U	v	20	55	-	5/7/38/39	0/2/2/2
8	PSU	A	1917	8	-	0/7/25/26	0/2/2/2
56	PSU	w	39	56	-	2/7/25/26	0/2/2/2
56	5MU	w	54	56	-	0/7/25/26	0/2/2/2
34	4OC	a	1402	34	-	1/9/29/30	0/2/2/2
34	2MG	a	1516	34	-	0/5/27/28	0/3/3/3
56	PSU	w	55	56	-	2/7/25/26	0/2/2/2
8	PSU	A	955	8	-	0/7/25/26	0/2/2/2
57	FME	y	101	57	-	4/7/9/11	-
8	3TD	A	1915	8	-	9/10/26/26	0/2/2/2
34	5MC	a	967	34	-	0/7/25/26	0/2/2/2
8	PSU	A	1911	8	-	0/7/25/26	0/2/2/2
8	OMC	A	2498	8	-	2/9/27/28	0/2/2/2
8	OMG	A	2251	8,56	-	1/5/27/28	0/3/3/3
34	2MG	a	966	34	-	2/5/27/28	0/3/3/3
8	2MG	A	2445	8,12	-	2/5/27/28	0/3/3/3
8	PSU	A	2604	8	-	1/7/25/26	0/2/2/2
8	2MG	A	1835	8	-	2/5/27/28	0/3/3/3
8	G7M	A	2069	8	-	1/3/25/26	0/3/3/3
8	1MG	A	745	8	-	0/3/25/26	0/3/3/3
56	MIA	w	37	56	-	5/11/33/34	0/3/3/3
55	5MU	v	54	55	-	0/7/25/26	0/2/2/2
8	2MA	A	2503	8	-	1/3/25/26	0/3/3/3

All (220) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	A	1915	3TD	O4'-C1'	16.96	1.67	1.43
34	a	527	G7M	C2'-C1'	-16.91	1.28	1.53
8	A	1915	3TD	C2'-C1'	-15.15	1.34	1.53
8	A	1915	3TD	C6-C5	13.18	1.50	1.35
55	v	54	5MU	C2-N1	10.25	1.54	1.38
55	v	54	5MU	C6-N1	10.14	1.55	1.38
8	A	1939	5MU	C6-N1	9.98	1.55	1.38
34	a	527	G7M	O4'-C1'	9.93	1.54	1.41
55	v	54	5MU	C4-C5	9.85	1.61	1.44
8	A	1939	5MU	C2-N1	9.70	1.54	1.38
8	A	1915	3TD	C2-N1	9.61	1.49	1.37
8	A	1939	5MU	C4-C5	9.39	1.60	1.44
34	a	527	G7M	C3'-C4'	-9.28	1.29	1.53

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	A	747	5MC	C6-C5	9.11	1.49	1.34
55	v	20	H2U	C2-N1	9.09	1.48	1.35
34	a	967	5MC	C6-C5	8.92	1.49	1.34
34	a	1407	5MC	C6-C5	8.87	1.49	1.34
8	A	1962	5MC	C6-C5	8.50	1.48	1.34
8	A	1939	5MU	C4-N3	-8.43	1.23	1.38
55	v	8	4SU	C4-N3	8.41	1.46	1.37
55	v	54	5MU	C4-N3	-7.71	1.24	1.38
56	w	37	MIA	C2-S10	-7.47	1.69	1.75
56	w	8	4SU	C4-N3	7.47	1.45	1.37
8	A	2030	6MZ	C6-N6	7.27	1.46	1.35
8	A	1618	6MZ	C6-N6	7.18	1.46	1.35
56	w	37	MIA	C13-C14	7.04	1.52	1.32
56	w	8	4SU	C2-N1	6.97	1.49	1.38
55	v	8	4SU	C2-N1	6.95	1.49	1.38
8	A	1962	5MC	C4-N3	6.93	1.45	1.34
8	A	745	1MG	C2-N2	6.92	1.46	1.34
34	a	967	5MC	C4-N3	6.83	1.45	1.34
8	A	2503	2MA	C2-N3	6.78	1.45	1.31
8	A	1915	3TD	O4'-C4'	-6.61	1.30	1.45
8	A	2552	OMU	C2-N1	6.51	1.48	1.38
34	a	1407	5MC	C4-N3	6.51	1.45	1.34
8	A	747	5MC	C4-N3	6.44	1.45	1.34
55	v	20	H2U	C2-N3	6.42	1.49	1.38
34	a	1402	4OC	C4-N3	6.32	1.43	1.32
34	a	966	2MG	C2-N2	6.16	1.47	1.33
34	a	1516	2MG	C2-N2	6.11	1.47	1.33
8	A	1962	5MC	C2-N3	6.10	1.48	1.36
34	a	1207	2MG	C2-N2	6.04	1.46	1.33
34	a	1407	5MC	C2-N3	6.02	1.48	1.36
8	A	2498	OMC	C6-C5	6.01	1.49	1.35
34	a	967	5MC	C2-N3	6.00	1.48	1.36
8	A	747	5MC	C2-N3	5.96	1.48	1.36
8	A	1835	2MG	C2-N2	5.93	1.46	1.33
8	A	2552	OMU	C2-N3	5.91	1.48	1.38
34	a	1402	4OC	C6-C5	5.86	1.48	1.35
8	A	2498	OMC	C2-N3	5.83	1.48	1.36
34	a	1498	UR3	C6-C5	5.79	1.48	1.35
8	A	1915	3TD	C6-N1	5.78	1.45	1.36
56	w	8	4SU	C6-C5	5.78	1.48	1.35
56	w	46	G7M	C2-N3	5.78	1.47	1.33
55	v	8	4SU	C6-C5	5.75	1.48	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	A	2445	2MG	C2-N2	5.61	1.45	1.33
55	v	54	5MU	C6-C5	5.56	1.43	1.34
8	A	1939	5MU	C6-C5	5.55	1.43	1.34
55	v	8	4SU	C2-N3	5.54	1.47	1.38
34	a	1498	UR3	C2-N1	5.53	1.46	1.38
8	A	2498	OMC	C4-N3	5.38	1.45	1.34
56	w	8	4SU	C4-S4	-5.32	1.58	1.68
34	a	1402	4OC	C2-N3	5.27	1.47	1.36
8	A	2552	OMU	C6-C5	5.23	1.47	1.35
56	w	8	4SU	C2-N3	5.22	1.47	1.38
34	a	527	G7M	O3'-C3'	5.17	1.55	1.43
8	A	1915	3TD	C2-N3	5.14	1.50	1.38
8	A	745	1MG	C2-N3	5.11	1.43	1.34
8	A	2069	G7M	C2-N3	5.07	1.45	1.33
34	a	966	2MG	C4-N3	5.06	1.49	1.37
55	v	8	4SU	C4-S4	-4.99	1.58	1.68
56	w	46	G7M	C4-N3	4.99	1.49	1.37
55	v	20	H2U	C4-N3	4.98	1.46	1.37
34	a	967	5MC	C4-N4	4.94	1.46	1.34
8	A	1915	3TD	O3'-C3'	-4.88	1.31	1.43
8	A	1835	2MG	C4-N3	4.85	1.49	1.37
8	A	1962	5MC	C4-N4	4.75	1.46	1.34
8	A	2069	G7M	C4-N3	4.72	1.48	1.37
34	a	1207	2MG	C4-N3	4.71	1.48	1.37
34	a	527	G7M	C4-N3	4.70	1.48	1.37
8	A	2445	2MG	C4-N3	4.68	1.48	1.37
8	A	747	5MC	C4-N4	4.67	1.46	1.34
34	a	1407	5MC	C4-N4	4.67	1.46	1.34
8	A	2503	2MA	C4-N3	4.65	1.48	1.37
34	a	1516	2MG	C4-N3	4.64	1.48	1.37
8	A	745	1MG	C4-N3	4.58	1.48	1.37
34	a	1516	2MG	C2-N1	4.45	1.43	1.36
34	a	967	5MC	C6-N1	4.45	1.45	1.38
34	a	527	G7M	O4'-C4'	4.43	1.54	1.45
34	a	1207	2MG	C2-N1	4.35	1.43	1.36
56	w	46	G7M	C2-N2	4.35	1.44	1.34
34	a	1407	5MC	C6-N1	4.27	1.45	1.38
8	A	1835	2MG	C2-N1	4.23	1.43	1.36
34	a	527	G7M	C2-N2	4.20	1.44	1.34
8	A	747	5MC	C6-N1	4.17	1.45	1.38
34	a	966	2MG	C2-N1	4.14	1.43	1.36
34	a	527	G7M	C6-N1	4.12	1.44	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
34	a	1407	5MC	C2-N1	4.06	1.48	1.40
8	A	2069	G7M	C2-N2	4.05	1.43	1.34
34	a	1498	UR3	C2-N3	4.03	1.46	1.39
34	a	1402	4OC	C4-N4	4.00	1.44	1.35
8	A	1962	5MC	C6-N1	3.97	1.44	1.38
8	A	747	5MC	C2-N1	3.84	1.48	1.40
8	A	2445	2MG	C2-N1	3.80	1.42	1.36
8	A	2498	OMC	C4-N4	3.76	1.42	1.33
56	w	46	G7M	C6-N1	3.74	1.43	1.37
34	a	967	5MC	C2-N1	3.73	1.48	1.40
34	a	527	G7M	C2-N3	3.67	1.42	1.33
34	a	1402	4OC	C5-C4	3.66	1.48	1.40
8	A	747	5MC	O2-C2	-3.60	1.17	1.23
8	A	2030	6MZ	C5-C4	-3.58	1.31	1.40
8	A	1962	5MC	C2-N1	3.57	1.47	1.40
34	a	1207	2MG	C6-N1	3.54	1.43	1.37
8	A	2445	2MG	C5-C4	-3.47	1.34	1.43
34	a	967	5MC	O2-C2	-3.46	1.17	1.23
8	A	2445	2MG	O6-C6	-3.43	1.16	1.23
34	a	527	G7M	C2'-C3'	3.41	1.62	1.53
55	v	55	PSU	C6-C5	3.40	1.39	1.35
8	A	1962	5MC	O2-C2	-3.39	1.17	1.23
34	a	1402	4OC	O2-C2	-3.38	1.17	1.23
34	a	1516	2MG	C6-N1	3.38	1.42	1.37
56	w	32	PSU	C6-C5	3.32	1.39	1.35
56	w	46	G7M	C5-C6	3.31	1.54	1.45
34	a	1402	4OC	C2-N1	3.31	1.47	1.40
8	A	1618	6MZ	C5-C4	-3.30	1.32	1.40
34	a	1407	5MC	O2-C2	-3.30	1.17	1.23
8	A	2498	OMC	C2-N1	3.25	1.47	1.40
8	A	2498	OMC	C6-N1	3.24	1.45	1.38
8	A	2552	OMU	C4-N3	3.24	1.44	1.38
8	A	1835	2MG	O6-C6	-3.23	1.16	1.23
8	A	2498	OMC	O2-C2	-3.22	1.17	1.23
34	a	1516	2MG	C5-C4	-3.20	1.34	1.43
8	A	1915	3TD	C4-N3	3.18	1.47	1.40
34	a	1516	2MG	O6-C6	-3.17	1.16	1.23
8	A	2552	OMU	O4-C4	-3.15	1.18	1.24
55	v	8	4SU	C5-C4	3.14	1.46	1.42
8	A	2503	2MA	C5-C4	-3.12	1.35	1.43
8	A	1939	5MU	O2-C2	-3.12	1.17	1.23
8	A	2069	G7M	C6-N1	3.11	1.42	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
34	a	1207	2MG	C5-C4	-3.11	1.35	1.43
8	A	1835	2MG	C5-C4	-3.10	1.35	1.43
34	a	966	2MG	C5-C4	-3.08	1.35	1.43
8	A	1911	PSU	C6-C5	3.07	1.38	1.35
56	w	39	PSU	C6-C5	3.07	1.38	1.35
34	a	966	2MG	O6-C6	-3.05	1.17	1.23
34	a	1519	MA6	C5-C4	-3.05	1.32	1.40
56	w	55	PSU	C6-C5	3.04	1.38	1.35
56	w	8	4SU	C5-C4	3.03	1.46	1.42
34	a	966	2MG	C6-N1	3.03	1.42	1.37
56	w	39	PSU	C4-N3	-3.00	1.33	1.38
8	A	745	1MG	C5-C4	-2.96	1.35	1.43
34	a	1498	UR3	O2-C2	-2.95	1.17	1.22
34	a	1207	2MG	C5-C6	2.95	1.53	1.47
8	A	1835	2MG	C6-N1	2.95	1.42	1.37
8	A	1911	PSU	C4-N3	-2.91	1.33	1.38
34	a	1207	2MG	O6-C6	-2.91	1.17	1.23
34	a	1516	2MG	C5-C6	2.90	1.53	1.47
56	w	55	PSU	C4-N3	-2.86	1.33	1.38
8	A	2069	G7M	C5-C6	2.85	1.52	1.45
55	v	8	4SU	O2-C2	-2.79	1.17	1.23
8	A	1917	PSU	C6-C5	2.78	1.38	1.35
34	a	1402	4OC	C6-N1	2.77	1.44	1.38
34	a	1518	MA6	C5-C4	-2.74	1.33	1.40
56	w	46	G7M	C2-N1	2.73	1.44	1.37
34	a	1498	UR3	C6-N1	2.71	1.44	1.38
8	A	1939	5MU	O4-C4	-2.71	1.18	1.23
56	w	54	5MU	C4-N3	-2.71	1.33	1.38
8	A	2605	PSU	C6-C5	2.70	1.38	1.35
8	A	746	PSU	C6-C5	2.69	1.38	1.35
8	A	2552	OMU	O2-C2	-2.68	1.18	1.23
56	w	32	PSU	C4-N3	-2.66	1.33	1.38
56	w	8	4SU	O2-C2	-2.66	1.18	1.23
55	v	54	5MU	O2-C2	-2.63	1.18	1.23
8	A	2445	2MG	C6-N1	2.63	1.41	1.37
55	v	54	5MU	O4-C4	-2.62	1.18	1.23
8	A	2580	PSU	O4'-C1'	-2.61	1.40	1.43
8	A	1917	PSU	C4-N3	-2.56	1.34	1.38
8	A	1618	6MZ	C6-N1	-2.51	1.30	1.34
56	w	37	MIA	C5-C4	2.50	1.47	1.40
8	A	2604	PSU	C6-C5	2.48	1.38	1.35
8	A	1915	3TD	C3'-C4'	2.48	1.59	1.53

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	A	2251	OMG	C6-N1	-2.46	1.34	1.37
56	w	46	G7M	O6-C6	-2.46	1.18	1.23
55	v	20	H2U	O2-C2	-2.46	1.18	1.23
8	A	2069	G7M	O6-C6	-2.45	1.18	1.23
8	A	2504	PSU	C6-C5	2.44	1.38	1.35
8	A	1618	6MZ	C2-N3	2.43	1.36	1.32
34	a	1498	UR3	O4-C4	-2.37	1.18	1.23
34	a	527	G7M	C2-N1	2.35	1.43	1.37
56	w	54	5MU	C6-N1	-2.35	1.34	1.38
8	A	2580	PSU	C6-C5	2.32	1.38	1.35
8	A	2605	PSU	C4-C5	-2.31	1.37	1.44
56	w	54	5MU	C2-N3	-2.31	1.33	1.38
8	A	955	PSU	C4-C5	-2.29	1.37	1.44
8	A	2580	PSU	C4-C5	-2.28	1.37	1.44
8	A	746	PSU	C4-C5	-2.28	1.37	1.44
8	A	2030	6MZ	C6-N1	-2.28	1.30	1.34
8	A	2069	G7M	C2-N1	2.27	1.43	1.37
34	a	966	2MG	C5-C6	2.25	1.52	1.47
8	A	2552	OMU	C6-N1	2.24	1.43	1.38
55	v	20	H2U	O4-C4	-2.22	1.18	1.23
8	A	2445	2MG	C5-C6	2.22	1.51	1.47
8	A	2457	PSU	C6-C5	2.21	1.37	1.35
56	w	37	MIA	C2'-C1'	-2.21	1.50	1.53
56	w	39	PSU	C2-N3	-2.20	1.33	1.37
8	A	1835	2MG	C5-C6	2.18	1.51	1.47
56	w	54	5MU	C6-C5	2.17	1.38	1.34
8	A	955	PSU	C6-C5	2.16	1.37	1.35
8	A	2503	2MA	C2-N1	2.16	1.43	1.36
8	A	1917	PSU	C2-N1	-2.14	1.33	1.36
34	a	516	PSU	C6-C5	2.13	1.37	1.35
8	A	2457	PSU	C4-C5	-2.13	1.38	1.44
8	A	2457	PSU	O4'-C1'	-2.10	1.40	1.43
34	a	527	G7M	C5-C6	2.08	1.50	1.45
8	A	2604	PSU	C4-C5	-2.07	1.38	1.44
34	a	527	G7M	O5'-C5'	-2.06	1.39	1.44
56	w	55	PSU	C2-N3	-2.06	1.34	1.37
56	w	54	5MU	C4-C5	2.05	1.48	1.44
8	A	1915	3TD	O2'-C2'	2.01	1.47	1.43
34	a	527	G7M	O2'-C2'	2.01	1.47	1.43

All (179) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	A	1939	5MU	C5-C4-N3	12.04	125.59	115.31
55	v	54	5MU	C5-C4-N3	11.82	125.40	115.31
8	A	1939	5MU	C5-C6-N1	-11.07	111.95	123.34
8	A	1915	3TD	O9-P-O5'	-10.97	77.55	106.73
34	a	1518	MA6	N1-C6-N6	-10.56	105.95	117.06
55	v	54	5MU	C5-C6-N1	-10.19	112.86	123.34
34	a	1519	MA6	N1-C6-N6	-10.02	106.51	117.06
8	A	1915	3TD	O9-P-OP2	-8.34	78.04	110.68
56	w	37	MIA	C12-C13-C14	-7.95	111.68	127.14
55	v	8	4SU	C4-N3-C2	-7.72	119.84	127.34
8	A	1915	3TD	O9-P-OP1	-7.66	78.35	107.64
56	w	8	4SU	C4-N3-C2	-7.57	119.99	127.34
8	A	1618	6MZ	C9-N6-C6	-6.74	117.07	122.87
8	A	2030	6MZ	C9-N6-C6	-6.72	117.09	122.87
55	v	20	H2U	C4-N3-C2	-6.56	120.35	125.79
8	A	1911	PSU	N1-C2-N3	6.27	122.24	115.13
56	w	55	PSU	N1-C2-N3	6.18	122.14	115.13
56	w	32	PSU	N1-C2-N3	5.98	121.91	115.13
56	w	39	PSU	N1-C2-N3	5.96	121.88	115.13
8	A	1917	PSU	N1-C2-N3	5.85	121.75	115.13
55	v	8	4SU	C5-C4-N3	5.64	119.92	114.69
34	a	1519	MA6	N3-C2-N1	-5.63	119.88	128.68
8	A	2552	OMU	C4-N3-C2	-5.57	119.23	126.58
34	a	1518	MA6	N3-C2-N1	-5.55	120.00	128.68
8	A	1939	5MU	C4-N3-C2	-5.50	120.23	127.35
56	w	8	4SU	C5-C4-N3	5.49	119.78	114.69
8	A	2030	6MZ	N3-C2-N1	-5.47	120.13	128.68
8	A	1939	5MU	O4-C4-C5	-5.38	118.67	124.90
8	A	1915	3TD	N1-C2-N3	5.31	120.33	116.14
8	A	1939	5MU	N3-C2-N1	5.26	121.87	114.89
56	w	54	5MU	C4-N3-C2	-5.17	120.65	127.35
8	A	2504	PSU	N1-C2-N3	5.17	120.99	115.13
8	A	2604	PSU	C4-N3-C2	-5.17	118.89	126.34
8	A	1618	6MZ	N3-C2-N1	-5.15	120.62	128.68
8	A	2604	PSU	N1-C2-N3	5.04	120.84	115.13
8	A	2605	PSU	C4-N3-C2	-5.01	119.12	126.34
55	v	54	5MU	C4-N3-C2	-4.94	120.95	127.35
55	v	54	5MU	O4-C4-C5	-4.89	119.23	124.90
8	A	955	PSU	C4-N3-C2	-4.83	119.38	126.34
8	A	2457	PSU	C4-N3-C2	-4.81	119.41	126.34
56	w	54	5MU	C5-C4-N3	4.77	119.38	115.31
8	A	746	PSU	C4-N3-C2	-4.76	119.49	126.34
8	A	2580	PSU	C4-N3-C2	-4.74	119.52	126.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	A	2504	PSU	C4-N3-C2	-4.64	119.66	126.34
56	w	54	5MU	N3-C2-N1	4.64	121.05	114.89
8	A	955	PSU	N1-C2-N3	4.64	120.38	115.13
34	a	1498	UR3	C4-N3-C2	-4.59	120.24	124.56
8	A	2605	PSU	N1-C2-N3	4.54	120.28	115.13
8	A	2457	PSU	N1-C2-N3	4.54	120.28	115.13
55	v	55	PSU	C4-N3-C2	-4.52	119.83	126.34
55	v	55	PSU	N1-C2-N3	4.52	120.25	115.13
8	A	2580	PSU	N1-C2-N3	4.51	120.24	115.13
55	v	54	5MU	C5M-C5-C6	-4.50	116.83	122.85
34	a	527	G7M	O4'-C4'-C3'	-4.49	96.22	105.11
8	A	746	PSU	N1-C2-N3	4.41	120.13	115.13
55	v	54	5MU	N3-C2-N1	4.38	120.70	114.89
34	a	516	PSU	C4-N3-C2	-4.37	120.04	126.34
55	v	54	5MU	C5M-C5-C4	4.34	123.55	118.77
8	A	2030	6MZ	C1'-N9-C4	-4.29	119.10	126.64
56	w	55	PSU	C4-N3-C2	-4.22	120.25	126.34
56	w	37	MIA	C15-C14-C13	-4.17	110.60	122.65
8	A	2552	OMU	N3-C2-N1	4.12	120.35	114.89
8	A	1917	PSU	O2-C2-N1	-4.10	118.28	122.79
55	v	8	4SU	C5-C4-S4	-4.10	119.19	124.47
8	A	1911	PSU	C4-N3-C2	-4.08	120.46	126.34
56	w	37	MIA	C5-C6-N1	-4.07	117.43	120.81
8	A	745	1MG	C5-C6-N1	4.03	119.96	113.90
8	A	1915	3TD	C4-N3-C2	-4.01	120.26	124.61
56	w	37	MIA	C2-N3-C4	4.00	120.84	115.32
56	w	54	5MU	O4-C4-C5	-3.99	120.27	124.90
56	w	39	PSU	C4-N3-C2	-3.97	120.61	126.34
8	A	747	5MC	C5-C6-N1	-3.97	119.26	123.34
34	a	516	PSU	N1-C2-N3	3.92	119.57	115.13
34	a	966	2MG	C5-C6-N1	3.89	120.83	113.95
56	w	37	MIA	C16-C14-C13	-3.74	111.84	122.65
56	w	8	4SU	N3-C2-N1	3.71	119.81	114.89
8	A	1939	5MU	C5M-C5-C6	-3.70	117.90	122.85
8	A	2445	2MG	C5-C6-N1	3.68	120.46	113.95
8	A	2503	2MA	C5-C6-N1	3.64	120.30	114.02
8	A	1915	3TD	O5'-P-OP2	3.61	116.59	106.47
56	w	32	PSU	C4-N3-C2	-3.61	121.14	126.34
8	A	1915	3TD	OP1-P-O5'	3.60	116.32	106.73
56	w	54	5MU	C5-C6-N1	-3.60	119.64	123.34
34	a	527	G7M	O3'-C3'-C4'	3.59	121.44	111.05
55	v	54	5MU	O2-C2-N1	-3.58	118.02	122.79

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	A	1939	5MU	O2-C2-N1	-3.57	118.04	122.79
34	a	1516	2MG	C5-C6-N1	3.55	120.22	113.95
8	A	2552	OMU	C5-C4-N3	3.52	120.10	114.84
56	w	8	4SU	C5-C4-S4	-3.50	119.95	124.47
8	A	1911	PSU	O2-C2-N1	-3.50	118.93	122.79
55	v	8	4SU	N3-C2-N1	3.50	119.54	114.89
8	A	1917	PSU	C4-N3-C2	-3.50	121.30	126.34
34	a	1207	2MG	C5-C6-N1	3.50	120.12	113.95
8	A	1835	2MG	C5-C6-N1	3.44	120.03	113.95
56	w	32	PSU	O2-C2-N1	-3.42	119.02	122.79
8	A	2445	2MG	CM2-N2-C2	-3.39	116.38	123.86
34	a	967	5MC	C5-C6-N1	-3.30	119.94	123.34
56	w	55	PSU	O2-C2-N1	-3.25	119.21	122.79
56	w	55	PSU	C3'-C2'-C1'	3.24	105.41	101.64
8	A	2580	PSU	O2-C2-N1	-3.23	119.23	122.79
8	A	1915	3TD	C3'-C2'-C1'	3.22	105.39	101.64
8	A	1962	5MC	C5-C6-N1	-3.18	120.07	123.34
56	w	37	MIA	C11-S10-C2	-3.10	99.95	102.27
56	w	46	G7M	C2-N1-C6	-3.09	119.41	125.10
34	a	966	2MG	O6-C6-C5	-2.92	118.67	124.37
8	A	2504	PSU	C6-N1-C2	-2.91	119.71	122.68
56	w	37	MIA	C2-N1-C6	2.89	122.37	117.19
8	A	746	PSU	C6-C5-C4	2.87	120.21	118.20
8	A	2503	2MA	C8-N7-C5	2.86	108.44	102.99
55	v	20	H2U	N3-C2-N1	2.85	119.67	116.65
8	A	1939	5MU	C5M-C5-C4	2.84	121.90	118.77
8	A	2069	G7M	C2-N1-C6	-2.82	119.91	125.10
55	v	20	H2U	C5-C4-N3	2.81	119.81	116.65
55	v	20	H2U	C5-C6-N1	2.81	120.87	111.61
8	A	955	PSU	O2-C2-N1	-2.79	119.72	122.79
56	w	54	5MU	O2-C2-N1	-2.79	119.07	122.79
56	w	32	PSU	C3'-C2'-C1'	2.79	104.88	101.64
8	A	2552	OMU	O4-C4-C5	-2.76	120.30	125.16
8	A	1835	2MG	CM2-N2-C2	-2.71	117.87	123.86
34	a	1207	2MG	CM2-N2-C2	-2.71	117.87	123.86
34	a	1516	2MG	CM2-N2-C2	-2.71	117.87	123.86
8	A	2552	OMU	C1'-N1-C2	2.70	122.45	117.57
8	A	2445	2MG	C8-N7-C5	2.69	108.11	102.99
8	A	745	1MG	C8-N7-C5	2.66	108.07	102.99
8	A	1835	2MG	O6-C6-C5	-2.63	119.23	124.37
8	A	1939	5MU	C6-C5-C4	2.59	120.20	118.03
34	a	516	PSU	O2-C2-N1	-2.58	119.95	122.79

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	A	2580	PSU	O4'-C1'-C2'	2.57	108.77	105.14
56	w	39	PSU	O2-C2-N1	-2.56	119.97	122.79
8	A	1618	6MZ	C1'-N9-C4	-2.55	122.17	126.64
8	A	2604	PSU	O2-C2-N1	-2.55	119.99	122.79
34	a	527	G7M	CN7-N7-C8	-2.54	113.21	125.43
34	a	1407	5MC	C5-C6-N1	-2.54	120.73	123.34
34	a	1516	2MG	C8-N7-C5	2.53	107.80	102.99
8	A	2604	PSU	C6-C5-C4	2.51	119.96	118.20
56	w	54	5MU	C5M-C5-C4	2.51	121.53	118.77
34	a	1207	2MG	C8-N7-C5	2.50	107.75	102.99
8	A	955	PSU	C6-N1-C2	-2.49	120.13	122.68
55	v	55	PSU	O2-C2-N1	-2.48	120.06	122.79
55	v	54	5MU	O4-C4-N3	-2.48	115.36	120.12
8	A	1917	PSU	C3'-C2'-C1'	2.48	104.52	101.64
57	y	101	FME	O-C-CA	-2.47	118.30	124.78
8	A	2457	PSU	O2-C2-N1	-2.47	120.08	122.79
56	w	37	MIA	C4-C5-N7	-2.44	106.85	109.40
8	A	1915	3TD	O4'-C4'-C3'	-2.44	100.28	105.11
8	A	2445	2MG	O6-C6-C5	-2.43	119.62	124.37
8	A	1835	2MG	C8-N7-C5	2.41	107.58	102.99
8	A	2580	PSU	C6-N1-C2	-2.39	120.24	122.68
34	a	1207	2MG	O6-C6-C5	-2.39	119.71	124.37
56	w	55	PSU	C5-C6-N1	-2.39	118.53	122.11
34	a	527	G7M	C2-N1-C6	-2.37	120.73	125.10
8	A	2457	PSU	C6-N1-C2	-2.32	120.31	122.68
8	A	746	PSU	O2-C2-N1	-2.31	120.25	122.79
34	a	516	PSU	C6-N1-C2	-2.30	120.34	122.68
8	A	2504	PSU	O2-C2-N1	-2.30	120.26	122.79
8	A	1939	5MU	O4-C4-N3	-2.28	115.75	120.12
34	a	1516	2MG	O6-C6-C5	-2.27	119.94	124.37
55	v	55	PSU	C6-N1-C2	-2.26	120.38	122.68
55	v	8	4SU	O2-C2-N1	-2.26	119.79	122.79
56	w	39	PSU	C3'-C2'-C1'	2.22	104.23	101.64
34	a	527	G7M	N2-C2-N1	2.22	121.43	116.71
8	A	1917	PSU	C6-C5-C4	-2.20	116.66	118.20
56	w	54	5MU	C3'-C2'-C1'	2.19	105.59	101.43
8	A	1962	5MC	C5-C4-N4	-2.18	118.22	121.48
34	a	966	2MG	C8-N7-C5	2.17	107.12	102.99
55	v	20	H2U	O2-C2-N1	-2.15	120.41	123.11
56	w	37	MIA	N3-C2-N1	-2.15	123.03	126.98
8	A	2251	OMG	C5-C6-N1	2.15	117.74	113.95
8	A	1915	3TD	C6-C5-C4	2.13	119.69	118.22

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
34	a	1402	4OC	CM4-N4-C4	-2.13	118.29	122.45
56	w	39	PSU	C6-C5-C4	-2.11	116.72	118.20
34	a	1402	4OC	C6-C5-C4	2.10	119.53	116.96
34	a	516	PSU	O4'-C1'-C2'	2.10	108.10	105.14
8	A	2604	PSU	C6-N1-C2	-2.05	120.58	122.68
8	A	2580	PSU	C6-C5-C4	2.04	119.62	118.20
34	a	966	2MG	CM2-N2-C2	-2.03	119.39	123.86
8	A	1911	PSU	O3'-C3'-C4'	2.02	116.89	111.05
8	A	747	5MC	C5-C4-N3	-2.01	119.51	121.67
8	A	2251	OMG	O6-C6-C5	-2.00	120.46	124.37

There are no chirality outliers.

All (69) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
55	v	20	H2U	O4'-C1'-N1-C6
55	v	20	H2U	C2'-C1'-N1-C2
55	v	20	H2U	C2'-C1'-N1-C6
55	v	55	PSU	O4'-C1'-C5-C6
8	A	746	PSU	C2'-C1'-C5-C4
8	A	746	PSU	C2'-C1'-C5-C6
8	A	1915	3TD	C5'-O5'-P-OP1
8	A	1915	3TD	C5'-O5'-P-OP2
8	A	1915	3TD	C2'-C1'-C5-C4
8	A	1915	3TD	O4'-C1'-C5-C4
8	A	1915	3TD	C2'-C1'-C5-C6
8	A	1915	3TD	O4'-C1'-C5-C6
8	A	2030	6MZ	O4'-C4'-C5'-O5'
8	A	2030	6MZ	C3'-C4'-C5'-O5'
8	A	2251	OMG	C1'-C2'-O2'-CM2
8	A	2445	2MG	C3'-C4'-C5'-O5'
8	A	2498	OMC	O4'-C4'-C5'-O5'
8	A	2552	OMU	O4'-C1'-N1-C2
8	A	2552	OMU	O4'-C1'-N1-C6
8	A	2552	OMU	C1'-C2'-O2'-CM2
34	a	966	2MG	O4'-C4'-C5'-O5'
34	a	966	2MG	C3'-C4'-C5'-O5'
34	a	1498	UR3	O4'-C1'-N1-C2
56	w	32	PSU	O4'-C1'-C5-C4
56	w	32	PSU	O4'-C1'-C5-C6
56	w	37	MIA	C5-C6-N6-C12
56	w	37	MIA	N1-C2-S10-C11

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
56	w	37	MIA	N3-C2-S10-C11
56	w	37	MIA	C12-C13-C14-C16
56	w	39	PSU	O4'-C1'-C5-C4
56	w	39	PSU	O4'-C1'-C5-C6
56	w	55	PSU	C2'-C1'-C5-C6
57	y	101	FME	O1-CN-N-CA
57	y	101	FME	O-C-CA-CB
57	y	101	FME	CA-CB-CG-SD
8	A	1939	5MU	O4'-C4'-C5'-O5'
8	A	2498	OMC	C3'-C4'-C5'-O5'
8	A	2503	2MA	O4'-C4'-C5'-O5'
34	a	1498	UR3	O4'-C1'-N1-C6
57	y	101	FME	CB-CG-SD-CE
8	A	1835	2MG	C3'-C4'-C5'-O5'
56	w	46	G7M	C3'-C4'-C5'-O5'
8	A	1835	2MG	O4'-C4'-C5'-O5'
56	w	37	MIA	N1-C6-N6-C12
8	A	2445	2MG	O4'-C4'-C5'-O5'
34	a	1519	MA6	C5-C6-N6-C10
8	A	1939	5MU	C3'-C4'-C5'-O5'
56	w	46	G7M	O4'-C4'-C5'-O5'
8	A	1915	3TD	C4'-C5'-O5'-P
8	A	1915	3TD	O4'-C4'-C5'-O5'
8	A	1915	3TD	C3'-C4'-C5'-O5'
8	A	747	5MC	C4'-C5'-O5'-P
34	a	527	G7M	C4'-C5'-O5'-P
56	w	46	G7M	C4'-C5'-O5'-P
8	A	746	PSU	O4'-C1'-C5-C4
8	A	1939	5MU	C2'-C1'-N1-C6
34	a	1519	MA6	C5-C6-N6-C9
8	A	1939	5MU	O4'-C1'-N1-C6
55	v	55	PSU	C3'-C4'-C5'-O5'
34	a	1402	4OC	O4'-C4'-C5'-O5'
56	w	55	PSU	O4'-C1'-C5-C6
55	v	20	H2U	C4'-C5'-O5'-P
55	v	20	H2U	O4'-C1'-N1-C2
8	A	747	5MC	C2'-C1'-N1-C2
8	A	2069	G7M	O4'-C4'-C5'-O5'
8	A	2604	PSU	O4'-C4'-C5'-O5'
8	A	1962	5MC	C2'-C1'-N1-C6
55	v	55	PSU	C4'-C5'-O5'-P
34	a	1519	MA6	C4'-C5'-O5'-P

There are no ring outliers.

No monomer is involved in short contacts.

## 4.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 4.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 2 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
60	AM2	a	2001	-	40,40,40	1.63	10 (25%)	53,60,60	1.26	2 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
60	AM2	a	2001	-	-	3/12/84/84	0/4/4/4

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
60	a	2001	AM2	OA4-CA1	4.20	1.52	1.41
60	a	2001	AM2	CB3-CB4	-3.50	1.49	1.53
60	a	2001	AM2	OB1-CB1	3.29	1.50	1.41
60	a	2001	AM2	OA5-CA8	3.25	1.50	1.41
60	a	2001	AM2	OA5-CA4	2.82	1.51	1.44
60	a	2001	AM2	OA1-CA1	-2.63	1.34	1.41
60	a	2001	AM2	OA4-CA5	2.60	1.48	1.44
60	a	2001	AM2	OA8-CA8	-2.26	1.35	1.41
60	a	2001	AM2	CA7-NA7	-2.24	1.43	1.47

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
60	a	2001	AM2	OA8-CB1	-2.11	1.35	1.41

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
60	a	2001	AM2	CA9-NA7-CA7	-4.89	107.26	114.38
60	a	2001	AM2	OA5-CA4-CA5	2.11	114.19	109.75

There are no chirality outliers.


All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
60	a	2001	AM2	OB1-CB5-CB6-OB6
60	a	2001	AM2	CB4-CB5-CB6-OB6
60	a	2001	AM2	OA4-CA1-OA1-CC1

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



#### 4.7 Other polymers [i](#)

There are no such residues in this entry.

#### 4.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 5 Map visualisation

This section contains visualisations of the EMDB entry EMD-13460. These allow visual inspection of the internal detail of the map and identification of artifacts.

Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 5.1 Orthogonal projections

This section was not generated.

### 5.2 Central slices

This section was not generated.

### 5.3 Largest variance slices

This section was not generated.

### 5.4 Orthogonal standard-deviation projections (False-color)

This section was not generated.

### 5.5 Orthogonal surface views

This section was not generated.

### 5.6 Mask visualisation

This section was not generated. No masks/segmentation were deposited.



## 6 Map analysis

This section contains the results of statistical analysis of the map.

### 6.1 Map-value distribution

This section was not generated.

### 6.2 Volume estimate versus contour level

This section was not generated.

### 6.3 Rotationally averaged power spectrum

This section was not generated. The rotationally averaged power spectrum had issues being displayed.

## 7 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

## 8 Map-model fit

This section was not generated.