



Full wwPDB X-ray Structure Validation Report ⓘ

Dec 4, 2023 – 08:04 am GMT

PDB ID : 1E6S
Title : MYROSINASE FROM SINAPIS ALBA with bound gluco-hydroximolactam and sulfate
Authors : Burmeister, W.P.
Deposited on : 2000-08-23
Resolution : 1.35 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : **NOT EXECUTED**
Xtrriage (Phenix) : 1.13
EDS : **FAILED**
buster-report : **NOT EXECUTED**
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.35 Å.





Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	1551 (1.38-1.34)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS failed to run properly.

Mol	Chain	Length	Quality of chain
1	M	501	 84% 14%
2	A	2	 50% 50%
3	B	5	 80% 20%
4	C	7	 57% 43%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	BMA	C	3	-	-	X	-
4	MAN	C	6	X	-	X	-
5	NAG	M	905	-	-	X	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
8	SO4	M	925[B]	-	-	X	-

2 Entry composition

There are 10 unique types of molecules in this entry. The entry contains 5207 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called MYROSINASE MA1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	M	499	4082	2618	660	788	16	0	21	0

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	A	2	28	16	2	10	0	0	0

- Molecule 3 is an oligosaccharide called beta-D-xylopyranose-(1-2)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-3)]2-acetamido-2-deoxy-beta-D-glucopyranose.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
3	B	5	58	33	2	23	0	0	0

- Molecule 4 is an oligosaccharide called beta-D-xylopyranose-(1-2)-[alpha-D-mannopyranose-(1-3)][alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-3)]2-acetamido-2-deoxy-beta-D-glucopyranose.


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
4	C	7	80	45	2	33	0	0	0

- Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
5	M	1	14	8	1	5	0	0
5	M	1	14	8	1	5	0	0
5	M	1	14	8	1	5	0	0
5	M	1	14	8	1	5	0	0
5	M	1	14	8	1	5	0	0
5	M	1	14	8	1	5	0	0

- Molecule 6 is (2S,3S,4R,5R)-6-(HYDROXYAMINO)-2-(HYDROXYMETHYL)-2,3,4,5-TETRAHYDROPYRIDINE-3,4,5-TRIOH (three-letter code: GOX) (formula: C₆H₁₂N₂O₅).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
6	M	1	13	6	2	5	0	0

- Molecule 7 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Zn		
7	M	1	1	1	0	0

- Molecule 8 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	M	1	Total O S 5 4 1	0	0
8	M	1	Total O S 5 4 1	0	0
8	M	1	Total O S 10 8 2	0	1
8	M	1	Total O S 5 4 1	0	0
8	M	1	Total O S 5 4 1	0	0
8	M	1	Total O S 5 4 1	0	0
8	M	1	Total O S 5 4 1	0	0
8	M	1	Total O S 5 4 1	0	0

- Molecule 9 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	M	1	Total C O 7 3 4	0	1
9	M	1	Total C O 6 3 3	0	0
9	M	1	Total C O 6 3 3	0	0
9	M	1	Total C O 6 3 3	0	0

- Molecule 10 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	M	791	Total O 791 791	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS failed to run properly.


- Molecule 1: MYROSINASE MA1



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: beta-D-xylopyranose-(1-2)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: beta-D-xylopyranose-(1-2)-[alpha-D-mannopyranose-(1-3)][alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-3)]2-acetamido-2-deoxy-beta-D-glucopyranose





4 Data and refinement statistics i

EDS failed to run properly - this section is therefore incomplete.

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	135.30Å 137.20Å 80.60Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	10.00 – 1.35	Depositor
% Data completeness (in resolution range)	82.1 (10.00-1.35)	Depositor
R_{merge}	0.07	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.55 (at 1.35Å)	Xtrriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.120 , 0.152	Depositor
Wilson B-factor (Å ²)	10.9	Xtrriage
Anisotropy	0.269	Xtrriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.014 for -k,-h,-l	Xtrriage
Total number of atoms	5207	wwPDB-VP
Average B, all atoms (Å ²)	17.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.88% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: XYP, SO4, BMA, FUC, ZN, GOX, GOL, NAG, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	M	0.98	5/4283 (0.1%)	1.49	53/5825 (0.9%)

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	M	24	SER	CB-OG	7.01	1.51	1.42
1	M	178	SER	CB-OG	6.19	1.50	1.42
1	M	151	GLU	CD-OE2	-5.99	1.19	1.25
1	M	115	GLU	CD-OE2	5.23	1.31	1.25
1	M	501	PRO	N-CD	5.02	1.54	1.47

All (53) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	M	109	ARG	NE-CZ-NH2	-18.31	111.14	120.30
1	M	269	ARG	NE-CZ-NH2	-13.15	113.73	120.30
1	M	115	GLU	OE1-CD-OE2	-13.02	107.67	123.30
1	M	109	ARG	NH1-CZ-NH2	10.98	131.48	119.40
1	M	57	ARG	NE-CZ-NH2	-9.36	115.62	120.30
1	M	242	ARG	NE-CZ-NH2	-8.87	115.87	120.30
1	M	479	ASP	CB-CG-OD1	8.62	126.06	118.30
1	M	269	ARG	NE-CZ-NH1	8.21	124.41	120.30
1	M	377	ASP	CB-CG-OD1	7.91	125.42	118.30
1	M	169[A]	ASP	CB-CG-OD2	-7.68	111.39	118.30
1	M	169[B]	ASP	CB-CG-OD2	-7.68	111.39	118.30
1	M	380	ASP	CB-CG-OD1	7.57	125.11	118.30
1	M	266	ASP	CB-CG-OD2	-7.43	111.61	118.30
1	M	377	ASP	CB-CG-OD2	-7.27	111.75	118.30
1	M	162	ASP	CB-CG-OD2	-7.24	111.79	118.30
1	M	359	TYR	CB-CG-CD1	-7.24	116.66	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	M	266	ASP	CB-CG-OD1	7.11	124.70	118.30
1	M	417	ASP	CB-CG-OD1	7.05	124.64	118.30
1	M	70	ASP	CB-CG-OD2	-6.87	112.12	118.30
1	M	448	ASP	CB-CG-OD1	6.87	124.48	118.30
1	M	322	TYR	CB-CG-CD1	-6.58	117.05	121.00
1	M	109	ARG	NE-CZ-NH1	-6.37	117.11	120.30
1	M	295	TYR	CB-CG-CD1	-6.23	117.26	121.00
1	M	268	ASP	CB-CG-OD1	6.05	123.75	118.30
1	M	366[A]	TYR	CB-CG-CD1	6.04	124.62	121.00
1	M	366[B]	TYR	CB-CG-CD1	6.04	124.62	121.00
1	M	87	ASP	CB-CG-OD2	-5.81	113.07	118.30
1	M	194	ARG	NE-CZ-NH1	-5.72	117.44	120.30
1	M	429	ARG	CD-NE-CZ	5.71	131.60	123.60
1	M	177	ASP	CB-CG-OD1	5.71	123.44	118.30
1	M	313	GLU	OE1-CD-OE2	5.67	130.11	123.30
1	M	280	GLU	OE1-CD-OE2	-5.59	116.59	123.30
1	M	379	THR	O-C-N	-5.52	113.87	122.70
1	M	74	ASP	CB-CG-OD2	-5.44	113.40	118.30
1	M	477	TYR	CG-CD1-CE1	5.43	125.64	121.30
1	M	417	ASP	CB-CG-OD2	-5.43	113.42	118.30
1	M	359	TYR	CB-CG-CD2	5.42	124.25	121.00
1	M	372	GLU	OE1-CD-OE2	-5.35	116.88	123.30
1	M	359	TYR	CZ-CE2-CD2	-5.30	115.03	119.80
1	M	18	ASP	CB-CG-OD2	-5.28	113.54	118.30
1	M	418	GLU	CG-CD-OE2	-5.27	107.76	118.30
1	M	70	ASP	CB-CG-OD1	5.22	123.00	118.30
1	M	420	ARG	CD-NE-CZ	5.22	130.90	123.60
1	M	111	ARG	NE-CZ-NH2	-5.17	117.72	120.30
1	M	46	ARG	NE-CZ-NH2	-5.15	117.73	120.30
1	M	268	ASP	OD1-CG-OD2	-5.14	113.54	123.30
1	M	477	TYR	CD1-CE1-CZ	-5.13	115.18	119.80
1	M	169[A]	ASP	CB-CG-OD1	5.12	122.91	118.30
1	M	169[B]	ASP	CB-CG-OD1	5.12	122.91	118.30
1	M	380	ASP	CB-CG-OD2	-5.09	113.72	118.30
1	M	305[A]	GLU	OE1-CD-OE2	-5.04	117.25	123.30
1	M	305[B]	GLU	OE1-CD-OE2	-5.04	117.25	123.30
1	M	374	ASP	CB-CG-OD2	-5.01	113.79	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	M	4082	0	3835	97	0
2	A	28	0	25	6	0
3	B	58	0	42	6	0
4	C	80	0	58	18	0
5	M	84	0	77	22	0
6	M	13	0	12	1	0
7	M	1	0	0	0	0
8	M	45	0	0	5	0
9	M	25	0	29	1	0
10	M	791	0	0	33	1
All	All	5207	0	4078	114	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (114) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:M:21:ASN:HD21	5:M:901:NAG:C1	0.92	1.56
1:M:244:ASN:HD21	5:M:905:NAG:C1	0.96	1.54
1:M:90:ASN:HD21	5:M:902:NAG:C1	0.92	1.54
1:M:265:ASN:HD21	3:B:1:NAG:C1	0.88	1.51
1:M:218:ASN:HD21	2:A:1:NAG:C1	0.86	1.49
1:M:292:ASN:ND2	4:C:1:NAG:C1	1.71	1.49
1:M:21:ASN:ND2	5:M:901:NAG:C1	1.77	1.45
1:M:244:ASN:ND2	5:M:905:NAG:C1	1.78	1.43
1:M:218:ASN:ND2	2:A:1:NAG:C1	1.72	1.42
1:M:90:ASN:ND2	5:M:902:NAG:C1	1.77	1.40
1:M:265:ASN:ND2	3:B:1:NAG:C1	1.72	1.38
1:M:360[B]:ILE:HD11	1:M:366[B]:TYR:CZ	1.59	1.36
1:M:418:GLU:HB2	10:M:1022:HOH:O	1.16	1.29
1:M:360[B]:ILE:CG1	1:M:366[B]:TYR:CE1	2.18	1.26
1:M:360[B]:ILE:CD1	1:M:366[B]:TYR:CZ	2.20	1.25
1:M:360[B]:ILE:HD11	1:M:366[B]:TYR:OH	1.38	1.22
1:M:360[B]:ILE:HD11	1:M:366[B]:TYR:CE1	1.76	1.20

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:M:360[B]:ILE:CD1	1:M:366[B]:TYR:CE1	2.31	1.10
10:M:1005:HOH:O	4:C:6:MAN:H61	1.50	1.09
1:M:360[B]:ILE:HG12	1:M:366[B]:TYR:CD1	1.91	1.06
1:M:360[B]:ILE:HG12	1:M:366[B]:TYR:CE1	1.87	1.04
4:C:3:BMA:H61	4:C:6:MAN:H61	1.39	1.01
4:C:3:BMA:C6	4:C:6:MAN:H61	1.95	0.97
1:M:165:LYS:NZ	5:M:905:NAG:H82	1.80	0.96
1:M:246:THR:HG22	10:M:1304:HOH:O	1.65	0.95
1:M:360[B]:ILE:CD1	1:M:366[B]:TYR:OH	2.12	0.95
1:M:265:ASN:HD21	3:B:1:NAG:C2	1.81	0.92
1:M:130:LYS:HB3	10:M:1576:HOH:O	1.69	0.92
4:C:3:BMA:H61	4:C:6:MAN:C6	1.98	0.92
1:M:165:LYS:HZ1	5:M:905:NAG:H82	1.36	0.84
1:M:130:LYS:HG3	10:M:1403:HOH:O	1.80	0.80
1:M:21:ASN:HD21	5:M:901:NAG:C2	1.92	0.78
1:M:28:ASP:HA	10:M:1004:HOH:O	1.85	0.77
4:C:3:BMA:C6	4:C:6:MAN:C6	2.58	0.77
1:M:373:LYS:NZ	1:M:378:SER:OG	2.16	0.77
1:M:360[B]:ILE:HG13	1:M:366[B]:TYR:CE1	2.17	0.76
1:M:360[B]:ILE:CG1	1:M:366[B]:TYR:CD1	2.58	0.75
1:M:493:GLN:NE2	10:M:1001:HOH:O	2.18	0.75
1:M:4:ILE:HD11	1:M:445:LYS:HD2	1.70	0.74
1:M:244:ASN:HD21	5:M:905:NAG:C2	1.93	0.73
1:M:218:ASN:HD21	2:A:1:NAG:C2	1.95	0.73
1:M:115:GLU:HG3	10:M:1002:HOH:O	1.93	0.68
1:M:360[B]:ILE:CG1	1:M:366[B]:TYR:CZ	2.69	0.68
1:M:265:ASN:CG	3:B:1:NAG:C1	2.61	0.68
1:M:169[B]:ASP:HB2	1:M:240:LEU:HD21	1.78	0.66
1:M:116:LYS:HG2	10:M:1492:HOH:O	1.96	0.66
1:M:130:LYS:HB3	10:M:1648:HOH:O	1.96	0.65
1:M:265:ASN:ND2	3:B:1:NAG:C2	2.51	0.65
1:M:218:ASN:ND2	2:A:1:NAG:C2	2.58	0.63
1:M:365:HIS:HE1	10:M:1246:HOH:O	1.80	0.63
10:M:1005:HOH:O	4:C:3:BMA:C4	2.46	0.62
4:C:3:BMA:H61	4:C:6:MAN:H62	1.82	0.62
1:M:365:HIS:HD2	10:M:1658:HOH:O	1.82	0.62
1:M:292:ASN:ND2	4:C:1:NAG:C2	2.59	0.60
1:M:90:ASN:ND2	5:M:902:NAG:C2	2.60	0.59
10:M:1011:HOH:O	4:C:6:MAN:C5	2.49	0.59
4:C:3:BMA:O6	4:C:6:MAN:C6	2.41	0.59
10:M:1020:HOH:O	4:C:6:MAN:H62	2.02	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:M:360[B]:ILE:HG12	1:M:366[B]:TYR:CZ	2.34	0.57
1:M:108:LYS:HD2	10:M:1135:HOH:O	2.05	0.56
1:M:165:LYS:NZ	5:M:905:NAG:C8	2.63	0.56
1:M:244:ASN:ND2	5:M:905:NAG:O5	2.36	0.55
1:M:360[B]:ILE:HD13	1:M:366[B]:TYR:CZ	2.30	0.55
1:M:4:ILE:HD11	1:M:445:LYS:CD	2.36	0.54
1:M:21:ASN:CG	5:M:901:NAG:C1	2.71	0.54
1:M:218:ASN:CG	2:A:1:NAG:C1	2.70	0.53
1:M:360[B]:ILE:HG12	1:M:366[B]:TYR:CG	2.42	0.53
1:M:265:ASN:ND2	3:B:1:NAG:O5	2.36	0.53
1:M:165:LYS:HD2	1:M:236:LYS:HG3	1.90	0.53
1:M:218:ASN:ND2	2:A:1:NAG:O5	2.37	0.52
1:M:194:ARG:NH1	8:M:925[B]:SO4:S	2.83	0.52
1:M:122:HIS:HE1	1:M:174:GLU:O	1.92	0.51
1:M:228:HIS:CD2	10:M:1019:HOH:O	2.62	0.51
1:M:424:MET:HE3	10:M:1001:HOH:O	2.08	0.51
1:M:194:ARG:NH1	8:M:925[B]:SO4:O4	2.44	0.51
1:M:360[A]:ILE:HG23	10:M:1597:HOH:O	2.09	0.51
10:M:1005:HOH:O	4:C:3:BMA:C5	2.58	0.51
1:M:240:LEU:HD13	5:M:905:NAG:H83	1.94	0.50
1:M:95:ARG:HA	1:M:136:PHE:O	2.12	0.50
10:M:1020:HOH:O	4:C:6:MAN:C6	2.59	0.50
1:M:118[B]:ILE:HD12	1:M:174:GLU:HG3	1.94	0.49
1:M:159:GLN:NE2	10:M:1021:HOH:O	2.45	0.49
1:M:21:ASN:ND2	5:M:901:NAG:C2	2.63	0.49
1:M:187:GLN:OE1	6:M:921:GOX:N1	2.46	0.49
1:M:156:LEU:HD21	10:M:1656:HOH:O	2.13	0.48
1:M:130:LYS:CB	10:M:1576:HOH:O	2.42	0.48
1:M:360[A]:ILE:CG2	10:M:1597:HOH:O	2.61	0.48
10:M:1006:HOH:O	4:C:6:MAN:C6	2.63	0.47
1:M:115:GLU:CD	10:M:1002:HOH:O	2.52	0.47
1:M:115:GLU:OE2	10:M:1002:HOH:O	2.20	0.47
1:M:90:ASN:ND2	5:M:902:NAG:O5	2.39	0.46
1:M:194:ARG:NH1	8:M:925[B]:SO4:O1	2.36	0.45
1:M:165:LYS:CE	5:M:905:NAG:H82	2.47	0.45
1:M:165:LYS:HZ2	5:M:905:NAG:H82	1.75	0.45
1:M:292:ASN:ND2	4:C:1:NAG:O5	2.39	0.45
1:M:240:LEU:CD1	5:M:905:NAG:H83	2.46	0.45
10:M:1005:HOH:O	4:C:3:BMA:C6	2.66	0.44
1:M:368:GLY:HA3	1:M:384:TYR:O	2.18	0.44
1:M:165:LYS:HZ2	5:M:905:NAG:C8	2.31	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:M:165:LYS:HD2	1:M:236:LYS:CG	2.48	0.43
1:M:95:ARG:HB2	1:M:455:LEU:HD13	2.01	0.43
1:M:108:LYS:HE3	1:M:110:SER:OG	2.19	0.42
1:M:115:GLU:CG	10:M:1002:HOH:O	2.61	0.42
8:M:925[B]:SO4:O1	10:M:1003:HOH:O	2.21	0.42
1:M:27:SER:O	10:M:1004:HOH:O	2.22	0.42
1:M:129:ILE:CD1	1:M:178:SER:HB3	2.50	0.42
1:M:32:GLY:HA3	1:M:93:GLY:O	2.20	0.41
4:C:3:BMA:O6	4:C:6:MAN:H61	2.08	0.41
1:M:420:ARG:O	1:M:424:MET:HG2	2.20	0.41
9:M:933:GOL:C2	10:M:1007:HOH:O	2.68	0.41
1:M:194:ARG:HD2	8:M:925[B]:SO4:O1	2.21	0.41
1:M:244:ASN:ND2	5:M:905:NAG:C2	2.68	0.40
1:M:360[B]:ILE:HD11	1:M:366[B]:TYR:HE1	1.67	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:M:1004:HOH:O	10:M:1556:HOH:O[6_565]	1.95	0.25

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

There are no protein backbone outliers to report in this entry.

5.3.2 Protein sidechains [i](#)

There are no protein residues with a non-rotameric sidechain to report in this entry.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

Mogul was not executed - this section is therefore empty.

5.5 Carbohydrates [i](#)

Mogul was not executed - this section is therefore empty.

5.6 Ligand geometry [i](#)

Mogul was not executed - this section is therefore empty.

5.7 Other polymers [i](#)

Mogul was not executed - this section is therefore empty.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS failed to run properly - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS failed to run properly - this section is therefore empty.

6.3 Carbohydrates

EDS failed to run properly - this section is therefore empty.

6.4 Ligands

EDS failed to run properly - this section is therefore empty.

6.5 Other polymers

EDS failed to run properly - this section is therefore empty.