



Full wwPDB NMR Structure Validation Report ⓘ

Feb 12, 2022 – 07:13 PM EST

PDB ID : 1GB1
Title : A NOVEL, HIGHLY STABLE FOLD OF THE IMMUNOGLOBULIN BINDING DOMAIN OF STREPTOCOCCAL PROTEIN G
Authors : Gronenborn, A.M.; Clore, G.M.
Deposited on : 1991-05-15

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
ShiftChecker : 2.26
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.26

2 Ensemble composition and analysis i

This entry contains 60 models. Model 3 is the overall representative, medoid model (most similar to other models).

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:2-A:56 (55)	0.16	3

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 6 clusters and 1 single-model cluster was found.

Cluster number	Models
1	1, 7, 13, 14, 16, 20, 24, 26, 27, 32, 33, 34, 46, 47, 48, 49, 54, 56, 57, 58, 60
2	2, 3, 4, 17, 19, 31, 37, 39, 44, 45, 50, 51, 53, 55
3	6, 8, 18, 21, 22, 35, 40, 42, 52, 59
4	5, 9, 11, 15, 28, 29, 36, 38, 43
5	23, 25, 41
6	12, 30
Single-model clusters	10

3 Entry composition

There is only 1 type of molecule in this entry. The entry contains 855 atoms, of which 419 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called PROTEIN G.


Mol	Chain	Residues	Atoms					Trace	
			Total	C	H	N	O		S
1	A	56	855	273	419	67	95	1	0

4 Residue-property plots

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: PROTEIN G




4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.


4.2.1 Score per residue for model 1

- Molecule 1: PROTEIN G




4.2.2 Score per residue for model 2

- Molecule 1: PROTEIN G




4.2.3 Score per residue for model 3 (medoid)

- Molecule 1: PROTEIN G




4.2.4 Score per residue for model 4

- Molecule 1: PROTEIN G




4.2.5 Score per residue for model 5

- Molecule 1: PROTEIN G




4.2.6 Score per residue for model 6

- Molecule 1: PROTEIN G




4.2.7 Score per residue for model 7

- Molecule 1: PROTEIN G




4.2.8 Score per residue for model 8

- Molecule 1: PROTEIN G




4.2.9 Score per residue for model 9

- Molecule 1: PROTEIN G




4.2.10 Score per residue for model 10

- Molecule 1: PROTEIN G




4.2.11 Score per residue for model 11

- Molecule 1: PROTEIN G




4.2.12 Score per residue for model 12

- Molecule 1: PROTEIN G




4.2.13 Score per residue for model 13

- Molecule 1: PROTEIN G




4.2.14 Score per residue for model 14

- Molecule 1: PROTEIN G




4.2.15 Score per residue for model 15

- Molecule 1: PROTEIN G




4.2.16 Score per residue for model 16

- Molecule 1: PROTEIN G




4.2.17 Score per residue for model 17

- Molecule 1: PROTEIN G




4.2.18 Score per residue for model 18

- Molecule 1: PROTEIN G




4.2.19 Score per residue for model 19

- Molecule 1: PROTEIN G




4.2.20 Score per residue for model 20

- Molecule 1: PROTEIN G




4.2.21 Score per residue for model 21

- Molecule 1: PROTEIN G




4.2.22 Score per residue for model 22

- Molecule 1: PROTEIN G




4.2.23 Score per residue for model 23

- Molecule 1: PROTEIN G




4.2.24 Score per residue for model 24

- Molecule 1: PROTEIN G




4.2.25 Score per residue for model 25

- Molecule 1: PROTEIN G




4.2.26 Score per residue for model 26

- Molecule 1: PROTEIN G




4.2.27 Score per residue for model 27

- Molecule 1: PROTEIN G




4.2.28 Score per residue for model 28

- Molecule 1: PROTEIN G




4.2.29 Score per residue for model 29

- Molecule 1: PROTEIN G




4.2.30 Score per residue for model 30

- Molecule 1: PROTEIN G




4.2.31 Score per residue for model 31

- Molecule 1: PROTEIN G




4.2.32 Score per residue for model 32

- Molecule 1: PROTEIN G




4.2.33 Score per residue for model 33

- Molecule 1: PROTEIN G




4.2.34 Score per residue for model 34

- Molecule 1: PROTEIN G




4.2.35 Score per residue for model 35

- Molecule 1: PROTEIN G




4.2.36 Score per residue for model 36

- Molecule 1: PROTEIN G




4.2.37 Score per residue for model 37

- Molecule 1: PROTEIN G




4.2.38 Score per residue for model 38

- Molecule 1: PROTEIN G




4.2.39 Score per residue for model 39

- Molecule 1: PROTEIN G




4.2.40 Score per residue for model 40

- Molecule 1: PROTEIN G




4.2.41 Score per residue for model 41

- Molecule 1: PROTEIN G




4.2.42 Score per residue for model 42

- Molecule 1: PROTEIN G




4.2.43 Score per residue for model 43

- Molecule 1: PROTEIN G




4.2.44 Score per residue for model 44

- Molecule 1: PROTEIN G




4.2.45 Score per residue for model 45

- Molecule 1: PROTEIN G




4.2.46 Score per residue for model 46

- Molecule 1: PROTEIN G




4.2.47 Score per residue for model 47

- Molecule 1: PROTEIN G




4.2.48 Score per residue for model 48

- Molecule 1: PROTEIN G




4.2.49 Score per residue for model 49

- Molecule 1: PROTEIN G




4.2.50 Score per residue for model 50

- Molecule 1: PROTEIN G




4.2.51 Score per residue for model 51

- Molecule 1: PROTEIN G




4.2.52 Score per residue for model 52

- Molecule 1: PROTEIN G




4.2.53 Score per residue for model 53

- Molecule 1: PROTEIN G




4.2.54 Score per residue for model 54

- Molecule 1: PROTEIN G




4.2.55 Score per residue for model 55

- Molecule 1: PROTEIN G




4.2.56 Score per residue for model 56

- Molecule 1: PROTEIN G




4.2.57 Score per residue for model 57

- Molecule 1: PROTEIN G




4.2.58 Score per residue for model 58

- Molecule 1: PROTEIN G




4.2.59 Score per residue for model 59

- Molecule 1: PROTEIN G



4.2.60 Score per residue for model 60

- Molecule 1: PROTEIN G



5 Refinement protocol and experimental data overview

The models were refined using the following method: ?.

Of the ? calculated structures, 60 were deposited, based on the following criterion: ?.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
DISGEO	refinement	
X-PLOR	refinement	

No chemical shift data was provided.

6 Model quality i

6.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#Z>5	RMSZ	#Z>5
1	A	1.09±0.00	1±0/434 (0.2± 0.0%)	1.19±0.00	5±0/588 (0.9± 0.0%)
All	All	1.09	60/26040 (0.2%)	1.19	300/35280 (0.9%)

All unique bond outliers are listed below.

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
1	A	43	TRP	CG-CD2	-6.07	1.33	1.43	23	60

All unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	43	TRP	NE1-CE2-CZ2	7.97	139.16	130.40	8	60
1	A	43	TRP	NE1-CE2-CD2	-6.84	100.46	107.30	14	60
1	A	43	TRP	CG-CD1-NE1	-6.44	103.66	110.10	41	60
1	A	43	TRP	CD1-NE1-CE2	6.24	114.61	109.00	25	60
1	A	43	TRP	CD1-CG-CD2	6.02	111.11	106.30	47	60

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	428	408	408	18±3

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes
All	All	25680	24480	24480	1078

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 21.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:25:THR:O	1:A:29:VAL:HG23	0.75	1.82	58	55
1:A:22:ASP:OD2	1:A:24:ALA:HB3	0.74	1.83	26	24
1:A:5:LEU:HD12	1:A:6:ILE:H	0.72	1.44	18	2
1:A:22:ASP:OD1	1:A:25:THR:HG22	0.70	1.86	14	27
1:A:22:ASP:OD1	1:A:24:ALA:HB3	0.68	1.89	18	6
1:A:20:ALA:HB1	1:A:25:THR:HG23	0.66	1.67	18	11
1:A:5:LEU:HD12	1:A:6:ILE:N	0.65	2.06	18	2
1:A:39:VAL:HG12	1:A:39:VAL:O	0.64	1.91	7	1
1:A:18:THR:HG22	1:A:30:PHE:CE2	0.64	2.28	44	60
1:A:18:THR:HG22	1:A:30:PHE:CZ	0.63	2.28	44	29
1:A:45:TYR:CD2	1:A:52:PHE:CZ	0.63	2.86	49	60
1:A:45:TYR:CE2	1:A:52:PHE:CE2	0.61	2.88	22	60
1:A:33:TYR:CE1	1:A:37:ASN:ND2	0.60	2.69	32	6
1:A:21:VAL:HG13	1:A:22:ASP:N	0.60	2.12	36	3
1:A:4:LYS:NZ	1:A:4:LYS:CB	0.59	2.66	44	1
1:A:28:LYS:NZ	1:A:28:LYS:CB	0.58	2.65	20	1
1:A:3:TYR:CD1	1:A:3:TYR:N	0.57	2.73	55	57
1:A:21:VAL:O	1:A:21:VAL:HG22	0.57	1.99	32	4
1:A:4:LYS:O	1:A:52:PHE:N	0.56	2.39	20	60
1:A:28:LYS:CB	1:A:28:LYS:NZ	0.55	2.68	7	1
1:A:2:THR:HG23	1:A:18:THR:O	0.54	2.03	40	22
1:A:23:ALA:HB1	1:A:45:TYR:CE2	0.54	2.37	52	10
1:A:45:TYR:CE2	1:A:52:PHE:CZ	0.53	2.96	9	60
1:A:22:ASP:OD1	1:A:24:ALA:N	0.53	2.42	54	10
1:A:25:THR:OG1	1:A:28:LYS:NZ	0.53	2.41	55	2
1:A:3:TYR:CE2	1:A:45:TYR:OH	0.53	2.62	2	40
1:A:15:GLU:OE1	1:A:15:GLU:N	0.53	2.42	54	2
1:A:50:LYS:CD	1:A:50:LYS:N	0.53	2.72	13	2
1:A:22:ASP:OD2	1:A:24:ALA:N	0.52	2.42	51	13
1:A:42:GLU:O	1:A:54:VAL:HG23	0.52	2.05	5	2
1:A:28:LYS:CB	1:A:28:LYS:HZ2	0.52	2.17	20	1
1:A:34:ALA:HB1	1:A:39:VAL:O	0.52	2.05	43	3
1:A:16:THR:OG1	1:A:17:THR:N	0.51	2.43	48	4
1:A:13:LYS:CB	1:A:13:LYS:NZ	0.51	2.71	39	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:19:GLU:OE1	1:A:19:GLU:N	0.51	2.43	59	2
1:A:36:ASP:N	1:A:36:ASP:OD1	0.51	2.43	36	3
1:A:22:ASP:N	1:A:22:ASP:OD1	0.50	2.43	39	8
1:A:8:ASN:HB3	1:A:55:THR:HG23	0.50	1.82	50	60
1:A:46:ASP:OD1	1:A:48:ALA:HB3	0.50	2.07	59	5
1:A:32:GLN:O	1:A:32:GLN:NE2	0.50	2.45	36	1
1:A:22:ASP:OD1	1:A:22:ASP:N	0.50	2.45	43	5
1:A:32:GLN:OE1	1:A:33:TYR:N	0.49	2.46	26	1
1:A:15:GLU:N	1:A:15:GLU:CD	0.49	2.66	38	3
1:A:2:THR:HG23	1:A:18:THR:C	0.49	2.28	4	22
1:A:8:ASN:OD1	1:A:13:LYS:NZ	0.49	2.46	26	2
1:A:43:TRP:CE2	1:A:54:VAL:HG21	0.48	2.43	8	55
1:A:22:ASP:OD1	1:A:24:ALA:CB	0.48	2.61	18	2
1:A:13:LYS:CB	1:A:13:LYS:HZ2	0.48	2.22	39	1
1:A:25:THR:O	1:A:29:VAL:CG2	0.48	2.62	56	25
1:A:42:GLU:CD	1:A:42:GLU:N	0.48	2.67	38	6
1:A:21:VAL:CG1	1:A:22:ASP:N	0.48	2.77	24	3
1:A:28:LYS:CG	1:A:29:VAL:N	0.48	2.77	56	3
1:A:22:ASP:OD1	1:A:25:THR:CG2	0.48	2.62	33	23
1:A:10:LYS:CG	1:A:11:THR:N	0.47	2.77	3	1
1:A:42:GLU:N	1:A:42:GLU:OE1	0.47	2.47	38	1
1:A:21:VAL:HG22	1:A:21:VAL:O	0.47	2.09	51	1
1:A:40:ASP:N	1:A:40:ASP:OD1	0.47	2.46	24	1
1:A:37:ASN:ND2	1:A:37:ASN:N	0.47	2.63	3	3
1:A:35:ASN:O	1:A:37:ASN:N	0.46	2.48	52	1
1:A:21:VAL:O	1:A:21:VAL:CG2	0.46	2.64	32	1
1:A:36:ASP:C	1:A:37:ASN:ND2	0.46	2.69	15	3
1:A:37:ASN:N	1:A:37:ASN:HD22	0.46	2.08	3	1
1:A:9:GLY:CA	1:A:12:LEU:O	0.46	2.64	40	16
1:A:22:ASP:OD2	1:A:24:ALA:CB	0.46	2.64	53	4
1:A:35:ASN:C	1:A:37:ASN:N	0.46	2.68	52	5
1:A:19:GLU:N	1:A:19:GLU:CD	0.45	2.69	22	2
1:A:15:GLU:N	1:A:15:GLU:OE2	0.45	2.49	46	1
1:A:6:ILE:HD12	1:A:53:THR:OG1	0.45	2.11	2	1
1:A:28:LYS:HZ2	1:A:28:LYS:HB2	0.45	1.72	20	1
1:A:42:GLU:N	1:A:42:GLU:OE2	0.45	2.50	22	3
1:A:22:ASP:O	1:A:24:ALA:N	0.45	2.49	43	3
1:A:22:ASP:C	1:A:24:ALA:N	0.45	2.68	43	3
1:A:6:ILE:HB	1:A:53:THR:HG23	0.44	1.88	14	1
1:A:36:ASP:C	1:A:37:ASN:HD22	0.44	2.14	30	3
1:A:20:ALA:HB1	1:A:25:THR:CG2	0.44	2.43	2	5

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:39:VAL:O	1:A:39:VAL:HG12	0.44	2.11	31	1
1:A:35:ASN:ND2	1:A:35:ASN:O	0.44	2.50	45	1
1:A:39:VAL:O	1:A:39:VAL:CG1	0.44	2.62	7	1
1:A:33:TYR:C	1:A:35:ASN:N	0.44	2.71	27	3
1:A:15:GLU:O	1:A:15:GLU:OE2	0.44	2.36	54	2
1:A:21:VAL:HG13	1:A:22:ASP:OD2	0.44	2.13	57	1
1:A:39:VAL:O	1:A:40:ASP:OD1	0.44	2.36	36	6
1:A:56:GLU:OE1	1:A:56:GLU:OXT	0.43	2.37	13	2
1:A:9:GLY:O	1:A:12:LEU:O	0.43	2.36	16	5
1:A:33:TYR:CD1	1:A:33:TYR:C	0.43	2.92	22	17
1:A:30:PHE:O	1:A:33:TYR:N	0.43	2.51	48	1
1:A:40:ASP:O	1:A:56:GLU:OE2	0.43	2.37	38	12
1:A:40:ASP:O	1:A:56:GLU:OE1	0.43	2.37	8	4
1:A:19:GLU:H	1:A:19:GLU:CD	0.43	2.17	40	1
1:A:44:THR:OG1	1:A:53:THR:O	0.43	2.36	14	41
1:A:34:ALA:O	1:A:38:GLY:N	0.43	2.52	9	1
1:A:25:THR:HG23	1:A:26:ALA:N	0.43	2.28	6	1
1:A:5:LEU:CD1	1:A:6:ILE:N	0.43	2.81	18	1
1:A:18:THR:CG2	1:A:30:PHE:CE2	0.42	3.02	11	5
1:A:22:ASP:OD1	1:A:23:ALA:N	0.42	2.53	32	1
1:A:47:ASP:OD1	1:A:47:ASP:O	0.42	2.37	28	4
1:A:34:ALA:HB1	1:A:39:VAL:HB	0.42	1.91	37	2
1:A:15:GLU:O	1:A:15:GLU:OE1	0.42	2.37	20	1
1:A:46:ASP:C	1:A:48:ALA:H	0.42	2.18	22	7
1:A:46:ASP:C	1:A:48:ALA:N	0.42	2.72	22	3
1:A:33:TYR:O	1:A:35:ASN:N	0.42	2.52	27	2
1:A:4:LYS:CB	1:A:4:LYS:HZ3	0.42	2.28	44	1
1:A:56:GLU:OXT	1:A:56:GLU:OE1	0.42	2.38	52	1
1:A:40:ASP:OD1	1:A:40:ASP:N	0.42	2.52	31	2
1:A:21:VAL:HG13	1:A:22:ASP:H	0.42	1.74	36	1
1:A:56:GLU:OE1	1:A:56:GLU:CA	0.42	2.67	36	1
1:A:25:THR:CG2	1:A:26:ALA:N	0.41	2.83	6	1
1:A:35:ASN:C	1:A:37:ASN:H	0.41	2.19	45	4
1:A:15:GLU:O	1:A:15:GLU:CG	0.41	2.69	18	1
1:A:47:ASP:O	1:A:47:ASP:OD1	0.41	2.39	58	1
1:A:25:THR:O	1:A:28:LYS:N	0.41	2.54	6	1
1:A:15:GLU:CG	1:A:15:GLU:O	0.41	2.68	52	1
1:A:21:VAL:HG12	1:A:25:THR:HG21	0.41	1.91	27	1
1:A:43:TRP:CE2	1:A:54:VAL:CG2	0.40	3.04	24	1
1:A:47:ASP:OD2	1:A:47:ASP:O	0.40	2.39	8	1
1:A:31:LYS:NZ	1:A:31:LYS:CB	0.40	2.85	25	1

6.3 Torsion angles [i](#)

6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	54/56 (96%)	46±2 (85±3%)	8±2 (15±3%)	0±0 (1±1%)	24	71
All	All	3240/3360 (96%)	2740 (85%)	474 (15%)	26 (1%)	24	71

All 1 unique Ramachandran outliers are listed below.

Mol	Chain	Res	Type	Models (Total)
1	A	41	GLY	26

6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	45/46 (98%)	40±1 (88±3%)	5±1 (12±3%)	8	51
All	All	2700/2760 (98%)	2379 (88%)	321 (12%)	8	51

All 25 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	52	PHE	60
1	A	11	THR	49
1	A	15	GLU	29
1	A	56	GLU	22
1	A	28	LYS	17
1	A	36	ASP	16
1	A	4	LYS	15
1	A	40	ASP	12
1	A	10	LYS	12
1	A	13	LYS	11

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	35	ASN	11
1	A	32	GLN	11
1	A	22	ASP	10
1	A	16	THR	10
1	A	50	LYS	6
1	A	49	THR	6
1	A	25	THR	5
1	A	42	GLU	4
1	A	19	GLU	3
1	A	51	THR	3
1	A	31	LYS	3
1	A	8	ASN	2
1	A	2	THR	2
1	A	37	ASN	1
1	A	47	ASP	1

6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.6 Ligand geometry [i](#)

There are no ligands in this entry.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation

No chemical shift data were provided