

Full wwPDB X-ray Structure Validation Report (i)

Dec 3, 2023 – 04:23 pm GMT

PDB ID	:	1H5Q
Title	:	Mannitol dehydrogenase from Agaricus bisporus
Authors	:	Horer, S.; Stoop, J.; Mooibroek, H.; Baumann, U.; Sassoon, J.
Deposited on	:	2001-05-24
Resolution	:	1.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	FAILED
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.36
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

RSRZ outliers

1 Overall quality at a glance (i)

127900

The following experimental techniques were used to determine the structure: $X\text{-}RAY\;DIFFRACTION$

The reported resolution of this entry is 1.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.

Metric	Percentile	Ranks Value	9
RSRZ outliers		9.7%	
Worse		Better	
Percer	ntile relative to all X-ray structures		
Percer	ntile relative to X-ray structures of similar	esolution	
Metric	Whole archive	Similar resolution	on
	(#Entries)	(#Entries, resolution r	range(Å))

MolProbity failed to run properly - the sequence quality summary graphics cannot be shown.

2884(1.50-1.50)



2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 27197 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		Ate	oms			ZeroOcc	AltConf	Trace	
1	Δ	260	Total	С	Ν	0	S	0	0	0	
	A	200	1952	1232	335	378	7	0	0	0	
1	р	260	Total	С	Ν	0	S	0	0	0	
1	D	200	1952	1232	335	378	7	0	0	0	
1	С	260	Total	С	Ν	0	S	0	0	0	
1		200	1952	1232	335	378	7	0	0	0	
1	Л	260	Total	С	Ν	0	S	0	0	0	
1	D	200	1952	1232	335	378	7	0	0	0	
1	F	260	Total	С	Ν	0	S	0	Ο	0	
1	Ľ	200	1952	1232	335	378	7	0	0	U	
1	Б	260	Total	С	Ν	0	S	0	0	0	
1	Г	200	1952	1232	335	378	7	0		U	
1	C	260	Total	С	Ν	0	S	0	0	0	
1	G	200	1952	1232	335	378	7	0	0	0	
1	ц	260	Total	С	Ν	0	\mathbf{S}	0	0	0	
1	11	200	1952	1232	335	378	7	0	0	0	
1	т	260	Total	С	Ν	0	\mathbf{S}	0	0	0	
1	T	200	1952	1232	335	378	7	0	0	0	
1	т	260	Total	С	Ν	0	\mathbf{S}	0	0	0	
1	J	200	1952	1232	335	378	7	0	0	0	
1	K	260	Total	С	Ν	0	S	0	0	0	
	IX	200	1952	1232	335	378	$\overline{7}$		0 0		
1	т	260	Total	С	Ν	0	S	0	0	0	
		200	1952	1232	335	378	$\overline{7}$		U		

• Molecule 1 is a protein called NADP-DEPENDENT MANNITOL DEHYDROGENASE.

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	89	PRO	ALA	conflict	UNP O93868
В	89	PRO	ALA	conflict	UNP O93868
С	89	PRO	ALA	conflict	UNP O93868
D	89	PRO	ALA	conflict	UNP O93868
Е	89	PRO	ALA	conflict	UNP O93868



1	H5O	
т	now	

Chain	Residue	Modelled	Actual	Comment	Reference
F	89	PRO	ALA	conflict	UNP O93868
G	89	PRO	ALA	conflict	UNP O93868
Н	89	PRO	ALA	conflict	UNP O93868
Ι	89	PRO	ALA	conflict	UNP O93868
J	89	PRO	ALA	conflict	UNP O93868
K	89	PRO	ALA	conflict	UNP O93868
L	89	PRO	ALA	conflict	UNP O93868

• Molecule 2 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NAP) (formula: $C_{21}H_{28}N_7O_{17}P_3$).



Mol	Chain	Residues		Ate	oms			ZeroOcc	AltConf
0	٨	1	Total	С	Ν	0	Р	0	0
	A	1	48	21	7	17	3	0	0
0	р	1	Total	С	Ν	Ο	Р	0	0
	D	1	48	21	7	17	3	0	0
0	С	1	Total	С	Ν	0	Р	0	0
	U	1	48	21	7	17	3	0	0
9	Л	1	Total	С	Ν	Ο	Р	0	0
	D	1	48	21	7	17	3		0
9	F	1	Total	С	Ν	Ο	Р	0	0
	Ľ	1	48	21	7	17	3	0	0
0	F	1	Total	С	Ν	Ο	Р	0	0
			48	21	7	17	3	0	0
0	С	1	Total	С	Ν	Ο	Р	0	0
	G	1	48	21	7	17	3	U	U



Mol	Chain	Residues		Ate	oms			ZeroOcc	AltConf
9	Ц	1	Total	С	Ν	Ο	Р	0	0
2	11	1	48	21	7	17	3	0	0
9	т	1	Total	С	Ν	Ο	Р	0	0
2	1	1	48	21	7	17	3		0
9	т	J 1	Total	С	Ν	Ο	Р	0	0
2	1		48	21	7	17	3	0	0
9	K	1	Total	С	Ν	Ο	Р	0	0
	Γ	1	48	21	7	17	3	0	0
2 L	т	1	Total	С	Ν	Ο	Р	0	0
		1	48	21	7	17	3	0	U

• Molecule 3 is NICKEL (II) ION (three-letter code: NI) (formula: Ni).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	1	Total Ni 1 1	0	0
3	В	1	Total Ni 1 1	0	0
3	Е	1	Total Ni 1 1	0	0
3	F	1	Total Ni 1 1	0	0
3	Ι	1	Total Ni 1 1	0	0
3	J	1	Total Ni 1 1	0	0

• Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	130	Total O 130 130	0	0
4	В	202	Total O 202 202	0	0
4	С	251	Total O 251 251	0	0
4	D	190	Total O 190 190	0	0
4	Е	342	Total O 342 342	0	0
4	F	313	Total O 313 313	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	G	291	Total O 291 291	0	0
4	Н	302	Total O 302 302	0	0
4	Ι	311	Total O 311 311	0	0
4	J	268	Total O 268 268	0	0
4	K	284	Total O 284 284	0	0
4	L	307	Total O 307 307	0	0

MolProbity failed to run properly - this section is therefore empty.



3 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants	227.25Å 124.85Å 132.69Å	Deperitor
a, b, c, α , β , γ	90.00° 118.54° 90.00°	Depositor
$\mathbf{Posolution} \left(\overset{\circ}{\mathbf{A}} \right)$	20.00 - 1.50	Depositor
Resolution (A)	39.89 - 1.50	EDS
% Data completeness	100.0 (20.00-1.50)	Depositor
(in resolution range)	98.3 (39.89-1.50)	EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	2.92 (at 1.50 Å)	Xtriage
Refinement program	REFMAC	Depositor
P. P.	0.193 , 0.209	Depositor
n, n_{free}	(Not available) , (Not available)	DCC
R_{free} test set	5115 reflections (1.01%)	wwPDB-VP
Wilson B-factor $(Å^2)$	15.0	Xtriage
Anisotropy	0.695	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.36 , 44.7	EDS
L-test for $twinning^2$	$< L > = 0.51, < L^2 > = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	27197	wwPDB-VP
Average B, all atoms $(Å^2)$	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 7.94% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

4 Model quality (i)

4.1 Standard geometry (i)

MolProbity failed to run properly - this section is therefore empty.

4.2 Too-close contacts (i)

MolProbity failed to run properly - this section is therefore empty.

4.3 Torsion angles (i)

4.3.1 Protein backbone (i)

MolProbity failed to run properly - this section is therefore empty.

4.3.2 Protein sidechains (i)

MolProbity failed to run properly - this section is therefore empty.

4.3.3 RNA (i)

MolProbity failed to run properly - this section is therefore empty.

4.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

4.5 Carbohydrates (i)

There are no monosaccharides in this entry.

4.6 Ligand geometry (i)

Of 18 ligands modelled in this entry, 6 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond



Mal	Trune	Type Chain Res Linl				ond leng	ths	Bond angles		
IVIOI	туре				Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z >2
2	NAP	K	263	-	45,52,52	1.66	5 (11%)	56,80,80	1.66	7 (12%)
2	NAP	Ι	263	-	45,52,52	1.68	5 (11%)	56,80,80	1.58	5 (8%)
2	NAP	D	263	-	45,52,52	1.67	5 (11%)	56,80,80	1.61	5 (8%)
2	NAP	G	263	-	45,52,52	1.64	5 (11%)	56,80,80	1.79	6 (10%)
2	NAP	А	263	-	45,52,52	1.73	4 (8%)	56,80,80	1.45	5 (8%)
2	NAP	Е	263	-	45,52,52	1.65	4 (8%)	56,80,80	1.71	6 (10%)
2	NAP	J	263	-	45,52,52	1.58	6 (13%)	56,80,80	1.63	7 (12%)
2	NAP	F	263	-	45,52,52	1.66	5 (11%)	56,80,80	1.61	8 (14%)
2	NAP	С	263	-	45,52,52	1.66	5 (11%)	56,80,80	1.61	5 (8%)
2	NAP	В	263	-	45,52,52	1.60	4 (8%)	56,80,80	1.42	6 (10%)
2	NAP	L	263	-	45,52,52	1.63	<mark>5 (11%)</mark>	56,80,80	1.71	6 (10%)
2	NAP	Н	263	-	45,52,52	1.65	5 (11%)	56,80,80	1.70	7 (12%)

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAP	К	263	-	-	7/31/67/67	0/5/5/5
2	NAP	Ι	263	-	-	6/31/67/67	0/5/5/5
2	NAP	D	263	-	-	9/31/67/67	0/5/5/5
2	NAP	G	263	-	-	6/31/67/67	0/5/5/5
2	NAP	А	263	-	-	5/31/67/67	0/5/5/5
2	NAP	Е	263	-	-	8/31/67/67	0/5/5/5
2	NAP	J	263	-	-	6/31/67/67	0/5/5/5
2	NAP	F	263	-	-	7/31/67/67	0/5/5/5
2	NAP	С	263	-	-	6/31/67/67	0/5/5/5
2	NAP	В	263	-	-	6/31/67/67	0/5/5/5
2	NAP	L	263	-	-	8/31/67/67	0/5/5/5
2	NAP	Н	263	-	-	6/31/67/67	0/5/5/5

All (58) bond length outliers are listed below:



Mol	Chain	\mathbf{Res}	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	А	263	NAP	O7N-C7N	9.09	1.41	1.24
2	С	263	NAP	O7N-C7N	8.74	1.40	1.24
2	Ι	263	NAP	O7N-C7N	8.57	1.40	1.24
2	D	263	NAP	O7N-C7N	8.51	1.40	1.24
2	Е	263	NAP	O7N-C7N	8.40	1.40	1.24
2	F	263	NAP	O7N-C7N	8.36	1.40	1.24
2	Κ	263	NAP	O7N-C7N	8.36	1.40	1.24
2	G	263	NAP	O7N-C7N	8.32	1.40	1.24
2	В	263	NAP	O7N-C7N	8.24	1.39	1.24
2	Н	263	NAP	O7N-C7N	8.19	1.39	1.24
2	J	263	NAP	O7N-C7N	8.08	1.39	1.24
2	L	263	NAP	O7N-C7N	7.96	1.39	1.24
2	А	263	NAP	C2A-N3A	3.84	1.38	1.32
2	Ι	263	NAP	C2A-N3A	3.68	1.38	1.32
2	L	263	NAP	C2A-N3A	3.63	1.37	1.32
2	D	263	NAP	C2A-N3A	3.53	1.37	1.32
2	Н	263	NAP	C2A-N3A	3.49	1.37	1.32
2	F	263	NAP	C2A-N3A	3.44	1.37	1.32
2	G	263	NAP	C2A-N3A	3.42	1.37	1.32
2	Е	263	NAP	C2A-N3A	3.32	1.37	1.32
2	В	263	NAP	C2A-N3A	3.30	1.37	1.32
2	J	263	NAP	C2A-N3A	3.23	1.37	1.32
2	С	263	NAP	C2A-N3A	3.23	1.37	1.32
2	Κ	263	NAP	C2A-N3A	3.07	1.37	1.32
2	Κ	263	NAP	O3B-C3B	-2.96	1.36	1.43
2	D	263	NAP	C2N-N1N	2.93	1.38	1.35
2	Е	263	NAP	O3B-C3B	-2.83	1.36	1.43
2	F	263	NAP	C2N-N1N	2.68	1.38	1.35
2	F	263	NAP	C2A-N1A	2.68	1.38	1.33
2	Ι	263	NAP	C2A-N1A	2.67	1.38	1.33
2	G	263	NAP	O3B-C3B	-2.65	1.36	1.43
2	Н	263	NAP	C2N-N1N	2.65	1.38	1.35
2	K	263	NAP	C2N-N1N	2.61	1.38	1.35
2	F	263	NAP	O3B-C3B	-2.58	1.36	1.43
2	A	263	NAP	C2A-N1A	2.53	1.38	1.33
2	С	263	NAP	O3B-C3B	-2.52	1.37	1.43
2	С	263	NAP	C2N-N1N	2.51	1.38	1.35
2	Н	263	NAP	O3B-C3B	-2.46	1.37	1.43
2	A	263	NAP	C2N-N1N	2.46	1.37	1.35
2	Ι	263	NAP	O3B-C3B	-2.43	1.37	1.43
2	В	263	NAP	C2A-N1A	2.43	1.38	1.33
2	L	263	NAP	O3B-C3B	-2.40	1.37	1.43
2	В	263	NAP	C2N-N1N	2.39	1.37	1.35



Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	G	263	NAP	C2N-N1N	2.36	1.37	1.35
2	L	263	NAP	C2N-N1N	2.36	1.37	1.35
2	Н	263	NAP	C2A-N1A	2.29	1.38	1.33
2	G	263	NAP	C2A-N1A	2.28	1.38	1.33
2	Ι	263	NAP	C2N-N1N	2.27	1.37	1.35
2	L	263	NAP	C2A-N1A	2.27	1.38	1.33
2	С	263	NAP	C2A-N1A	2.27	1.38	1.33
2	D	263	NAP	O3B-C3B	-2.27	1.37	1.43
2	D	263	NAP	C2A-N1A	2.23	1.38	1.33
2	J	263	NAP	C2A-N1A	2.21	1.38	1.33
2	Κ	263	NAP	C2A-N1A	2.19	1.38	1.33
2	J	263	NAP	O3B-C3B	-2.19	1.37	1.43
2	J	263	NAP	C2N-N1N	2.16	1.37	1.35
2	Е	263	NAP	O4B-C4B	-2.12	1.40	1.45
2	J	263	NAP	O4B-C4B	-2.08	1.40	1.45

All (73) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	G	263	NAP	O3B-C3B-C4B	-7.31	89.92	111.05
2	Е	263	NAP	O3B-C3B-C4B	-7.30	89.94	111.05
2	L	263	NAP	O3B-C3B-C4B	-6.63	91.89	111.05
2	Н	263	NAP	O3B-C3B-C4B	-6.53	92.18	111.05
2	J	263	NAP	O3B-C3B-C4B	-6.16	93.23	111.05
2	D	263	NAP	N3A-C2A-N1A	-6.02	119.27	128.68
2	L	263	NAP	N3A-C2A-N1A	-5.92	119.43	128.68
2	А	263	NAP	N3A-C2A-N1A	-5.81	119.59	128.68
2	Ι	263	NAP	O3B-C3B-C4B	-5.75	94.43	111.05
2	G	263	NAP	N3A-C2A-N1A	-5.62	119.89	128.68
2	В	263	NAP	N3A-C2A-N1A	-5.58	119.96	128.68
2	С	263	NAP	O3B-C3B-C4B	-5.57	94.95	111.05
2	С	263	NAP	N3A-C2A-N1A	-5.55	120.00	128.68
2	F	263	NAP	N3A-C2A-N1A	-5.52	120.05	128.68
2	K	263	NAP	O3B-C3B-C4B	-5.50	95.13	111.05
2	Н	263	NAP	N3A-C2A-N1A	-5.41	120.22	128.68
2	Е	263	NAP	N3A-C2A-N1A	-5.38	120.27	128.68
2	J	263	NAP	N3A-C2A-N1A	-5.35	120.32	128.68
2	F	263	NAP	O3B-C3B-C4B	-5.24	95.89	111.05
2	K	263	NAP	N3A-C2A-N1A	-5.18	120.58	128.68
2	D	263	NAP	O3B-C3B-C4B	-4.87	96.95	111.05
2	Ι	263	NAP	N3A-C2A-N1A	-4.48	121.68	128.68
2	Е	263	NAP	C2B-C3B-C4B	4.23	111.18	101.99



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	K	263	NAP	C3N-C7N-N7N	4.02	122.58	117.75
2	А	263	NAP	O3B-C3B-C4B	-3.98	99.53	111.05
2	С	263	NAP	C2B-C3B-C4B	3.97	110.62	101.99
2	K	263	NAP	C2B-C3B-C4B	3.88	110.42	101.99
2	L	263	NAP	C2B-C3B-C4B	3.80	110.25	101.99
2	Ι	263	NAP	C2B-C3B-C4B	3.79	110.23	101.99
2	Н	263	NAP	C2B-C3B-C4B	3.77	110.18	101.99
2	G	263	NAP	C2B-C3B-C4B	3.66	109.95	101.99
2	J	263	NAP	C2B-C3B-C4B	3.55	109.70	101.99
2	В	263	NAP	O3B-C3B-C4B	-3.52	100.88	111.05
2	F	263	NAP	C2B-C3B-C4B	3.40	109.38	101.99
2	D	263	NAP	C3N-C7N-N7N	3.34	121.76	117.75
2	Ι	263	NAP	C1B-N9A-C4A	-3.25	120.93	126.64
2	D	263	NAP	C2B-C3B-C4B	3.18	108.91	101.99
2	G	263	NAP	C3N-C7N-N7N	3.09	121.46	117.75
2	Е	263	NAP	C1B-N9A-C4A	-3.09	121.22	126.64
2	А	263	NAP	C1B-N9A-C4A	-3.08	121.23	126.64
2	Ι	263	NAP	C3N-C7N-N7N	3.05	121.42	117.75
2	Н	263	NAP	C3N-C7N-N7N	3.04	121.40	117.75
2	F	263	NAP	C1B-N9A-C4A	-3.01	121.34	126.64
2	В	263	NAP	C2B-C3B-C4B	2.96	108.42	101.99
2	J	263	NAP	C1B-N9A-C4A	-2.86	121.61	126.64
2	С	263	NAP	C1B-N9A-C4A	-2.79	121.74	126.64
2	G	263	NAP	C1B-N9A-C4A	-2.78	121.75	126.64
2	K	263	NAP	C1B-N9A-C4A	-2.77	121.77	126.64
2	А	263	NAP	C2B-C3B-C4B	2.77	108.00	101.99
2	С	263	NAP	C3N-C7N-N7N	2.75	121.05	117.75
2	L	263	NAP	C1B-N9A-C4A	-2.73	121.84	126.64
2	F	263	NAP	C3N-C7N-N7N	2.73	121.02	117.75
2	Ε	263	NAP	C3N-C7N-N7N	2.68	120.97	117.75
2	Н	263	NAP	C1B-N9A-C4A	-2.68	121.93	126.64
2	D	263	NAP	C1B-N9A-C4A	-2.58	122.11	126.64
2	Κ	263	NAP	O7N-C7N-C3N	-2.54	116.60	119.63
2	В	263	NAP	C1B-N9A-C4A	-2.52	122.21	126.64
2	В	263	NAP	C3N-C7N-N7N	2.50	120.76	117.75
2	L	263	NAP	C3N-C7N-N7N	2.47	120.72	117.75
2	Н	263	NAP	O7N-C7N-C3N	-2.41	$1\overline{16.74}$	119.63
2	J	263	NAP	C2N-C3N-C4N	2.40	120.98	118.26
2	F	263	NAP	C2N-C3N-C4N	2.29	120.85	118.26
2	L	263	NAP	C2N-C3N-C4N	2.28	120.84	118.26
2	J	263	NAP	O7N-C7N-C3N	-2.15	117.05	119.63
2	F	263	NAP	O7N-C7N-C3N	-2.13	117.09	119.63

Continued from previous page...



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	А	263	NAP	O2X-P2B-O2B	2.10	115.42	105.99
2	Κ	263	NAP	O2B-C2B-C3B	2.05	119.12	111.68
2	В	263	NAP	C4A-C5A-N7A	-2.05	107.26	109.40
2	Н	263	NAP	C4A-C5A-N7A	-2.05	107.26	109.40
2	Е	263	NAP	O7N-C7N-C3N	-2.04	117.19	119.63
2	G	263	NAP	C2N-C3N-C4N	2.03	120.56	118.26
2	F	263	NAP	O2B-C2B-C3B	2.03	119.03	111.68
2	J	263	NAP	C3N-C7N-N7N	2.02	120.18	117.75

There are no chirality outliers.

All (80) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	А	263	NAP	O4D-C1D-N1N-C2N
2	В	263	NAP	O4D-C1D-N1N-C2N
2	С	263	NAP	O4D-C1D-N1N-C2N
2	D	263	NAP	O4D-C1D-N1N-C2N
2	D	263	NAP	O4D-C1D-N1N-C6N
2	Е	263	NAP	O4D-C1D-N1N-C2N
2	Е	263	NAP	O4D-C1D-N1N-C6N
2	F	263	NAP	O4D-C1D-N1N-C2N
2	G	263	NAP	O4D-C1D-N1N-C2N
2	Н	263	NAP	O4D-C1D-N1N-C2N
2	Ι	263	NAP	O4D-C1D-N1N-C2N
2	J	263	NAP	O4D-C1D-N1N-C2N
2	Κ	263	NAP	O4D-C1D-N1N-C2N
2	L	263	NAP	O4D-C1D-N1N-C2N
2	L	263	NAP	O4D-C1D-N1N-C6N
2	С	263	NAP	C3B-C2B-O2B-P2B
2	D	263	NAP	C3B-C2B-O2B-P2B
2	Е	263	NAP	C3B-C2B-O2B-P2B
2	F	263	NAP	C3B-C2B-O2B-P2B
2	G	263	NAP	C3B-C2B-O2B-P2B
2	Н	263	NAP	C3B-C2B-O2B-P2B
2	Ι	263	NAP	C3B-C2B-O2B-P2B
2	J	263	NAP	C3B-C2B-O2B-P2B
2	Κ	263	NAP	C3B-C2B-O2B-P2B
2	L	263	NAP	C3B-C2B-O2B-P2B
2	С	263	NAP	C1B-C2B-O2B-P2B
2	Е	263	NAP	C1B-C2B-O2B-P2B
2	F	263	NAP	C1B-C2B-O2B-P2B
2	Н	263	NAP	C1B-C2B-O2B-P2B



Mol	Chain	Res	Type	Atoms
2	K	263	NAP	C1B-C2B-O2B-P2B
2	L	263	NAP	C1B-C2B-O2B-P2B
2	Ι	263	NAP	C1B-C2B-O2B-P2B
2	J	263	NAP	C1B-C2B-O2B-P2B
2	D	263	NAP	C1B-C2B-O2B-P2B
2	G	263	NAP	C1B-C2B-O2B-P2B
2	В	263	NAP	PN-O3-PA-O1A
2	А	263	NAP	C2B-O2B-P2B-O3X
2	F	263	NAP	C2B-O2B-P2B-O3X
2	K	263	NAP	C2B-O2B-P2B-O3X
2	С	263	NAP	PN-O3-PA-O2A
2	F	263	NAP	PN-O3-PA-O2A
2	J	263	NAP	PN-O3-PA-O2A
2	В	263	NAP	C3B-C2B-O2B-P2B
2	А	263	NAP	PN-O3-PA-O1A
2	D	263	NAP	PN-O3-PA-O1A
2	Е	263	NAP	PN-O3-PA-O2A
2	G	263	NAP	PN-O3-PA-O2A
2	Н	263	NAP	PN-O3-PA-O2A
2	Ι	263	NAP	PN-O3-PA-O1A
2	Ι	263	NAP	PN-O3-PA-O2A
2	K	263	NAP	PN-O3-PA-O2A
2	L	263	NAP	PN-O3-PA-O1A
2	L	263	NAP	PN-O3-PA-O2A
2	J	263	NAP	O4B-C4B-C5B-O5B
2	Н	263	NAP	PN-O3-PA-O1A
2	А	263	NAP	O4B-C4B-C5B-O5B
2	Е	263	NAP	O4B-C4B-C5B-O5B
2	G	263	NAP	O4B-C4B-C5B-O5B
2	В	263	NAP	C2B-O2B-P2B-O2X
2	D	263	NAP	C2B-O2B-P2B-O3X
2	D	263	NAP	C2D-C1D-N1N-C6N
2	E	263	NAP	C2B-O2B-P2B-O3X
2	L	263	NAP	C2B-O2B-P2B-O3X
2	В	$26\overline{3}$	NAP	O4B-C4B-C5B-O5B
2	F	263	NAP	O4B-C4B-C5B-O5B
2	H	263	NAP	O4B-C4B-C5B-O5B
2	A	263	NAP	PN-O3-PA-O2A
2	B	263	NAP	PN-O3-PA-O2A
2	C	263	NAP	PN-O3-PA-O1A
2	D	263	NAP	PN-O3-PA-O2A
2	E	263	NAP	PN-O3-PA-O1A

Continued from previous page...



		-		
Mol	Chain	Res	Type	Atoms
2	F	263	NAP	PN-O3-PA-O1A
2	G	263	NAP	PN-O3-PA-O1A
2	J	263	NAP	PN-O3-PA-O1A
2	K	263	NAP	PN-O3-PA-O1A
2	С	263	NAP	O4B-C4B-C5B-O5B
2	D	263	NAP	O4B-C4B-C5B-O5B
2	Ι	263	NAP	O4B-C4B-C5B-O5B
2	K	263	NAP	O4B-C4B-C5B-O5B
2	L	263	NAP	O4B-C4B-C5B-O5B

Continued from previous page...

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

















































4.7 Other polymers (i)

There are no such residues in this entry.

4.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



5 Fit of model and data (i)

5.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	260/265~(98%)	1.90	99 (38%) 0 0	26, 49, 74, 82	0
1	В	260/265~(98%)	0.87	30 (11%) 4 4	21, 29, 38, 45	0
1	С	260/265~(98%)	0.38	21 (8%) 12 12	17, 23, 33, 41	0
1	D	260/265~(98%)	0.81	34 (13%) 3 3	18, 29, 41, 55	0
1	Е	260/265~(98%)	0.16	14 (5%) 25 28	14, 18, 25, 30	0
1	F	260/265~(98%)	0.30	12 (4%) 32 35	14, 19, 28, 34	0
1	G	260/265~(98%)	0.39	25 (9%) 8 8	14, 21, 31, 36	0
1	Н	260/265~(98%)	0.28	13 (5%) 28 31	14, 18, 27, 30	0
1	Ι	260/265~(98%)	0.24	14 (5%) 25 28	14, 19, 27, 32	0
1	J	260/265~(98%)	0.37	19 (7%) 15 16	15, 21, 31, 36	0
1	K	260/265~(98%)	0.30	13 (5%) 28 31	14, 20, 29, 37	0
1	L	260/265~(98%)	0.24	9 (3%) 44 48	14, 19, 27, 31	0
All	All	3120/3180 (98%)	0.52	303 (9%) 7 8	14, 21, 45, 82	0

All (303) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	3	PRO	11.7
1	D	208	ALA	9.5
1	А	208	ALA	8.3
1	В	11	ASN	8.3
1	Ι	3	PRO	8.0
1	D	209	HIS	7.9
1	В	10	VAL	7.7
1	Н	3	PRO	7.7
1	D	207	THR	7.4
1	А	57	LYS	6.9
1	А	11	ASN	6.8



Mol	Chain	Res	Type	RSRZ
1	А	65	ALA	6.8
1	А	209	HIS	6.8
1	В	3	PRO	6.5
1	J	3	PRO	6.5
1	А	50	GLU	6.4
1	А	45	ALA	6.3
1	А	3	PRO	6.2
1	С	3	PRO	6.1
1	А	46	ALA	5.8
1	А	61	VAL	5.7
1	L	3	PRO	5.6
1	А	63	THR	5.5
1	D	206	GLN	5.3
1	D	210	MET	5.2
1	L	209	HIS	5.0
1	D	205	ASP	5.0
1	G	3	PRO	5.0
1	Κ	209	HIS	4.8
1	А	78	LYS	4.8
1	В	137	GLN	4.7
1	D	215	ARG	4.7
1	J	208	ALA	4.7
1	J	209	HIS	4.7
1	J	212	LYS	4.6
1	А	55	VAL	4.6
1	А	81	GLN	4.6
1	Κ	137	GLN	4.6
1	А	66	TYR	4.5
1	G	209	HIS	4.5
1	F	3	PRO	4.5
1	А	83	ILE	4.4
1	K	3	PRO	4.4
1	L	208	ALA	4.4
1	Н	208	ALA	4.4
1	Ι	209	HIS	4.4
1	J	11	ASN	4.3
1	А	42	TYR	4.3
1	D	11	ASN	4.2
1	А	88	GLY	4.2
1	А	43	ARG	4.1
1	А	54	LYS	4.1
1	Ι	208	ALA	4.1



Mol	Chain	Res	Type	RSRZ
1	А	137	GLN	4.0
1	С	210	MET	4.0
1	В	139	GLN	4.0
1	А	48	ALA	3.9
1	А	10	VAL	3.9
1	А	44	SER	3.9
1	С	208	ALA	3.9
1	G	210	MET	3.9
1	А	87	LEU	3.9
1	Е	209	HIS	3.8
1	С	206	GLN	3.8
1	D	212	LYS	3.8
1	А	213	LYS	3.8
1	L	212	LYS	3.8
1	В	78	LYS	3.8
1	А	9	PHE	3.7
1	A	212	LYS	3.7
1	А	211	ASP	3.7
1	С	213	LYS	3.7
1	С	209	HIS	3.6
1	А	38	VAL	3.6
1	А	51	VAL	3.6
1	С	11	ASN	3.6
1	В	12	LYS	3.6
1	А	59	PHE	3.6
1	А	67	GLN	3.6
1	А	34	ALA	3.6
1	А	176	CYS	3.6
1	А	56	GLY	3.6
1	А	75	ILE	3.6
1	D	213	LYS	3.5
1	C	4	GLY	3.5
1	A	136	LEU	3.5
1	E	3	PRO	3.5
1	Н	209	HIS	3.4
1	J	210	MET	3.4
1	J	137	GLN	3.4
1	А	240	LEU	3.4
1	G	212	LYS	3.4
1	D	53	GLU	3.4
1	A	74	ASP	3.3
1	А	214	ILE	3.3



1H5Q

Mol	Chain	Res	Type	RSRZ
1	D	9	PHE	3.3
1	В	81	GLN	3.3
1	D	57	LYS	3.3
1	D	211	ASP	3.3
1	K	211	ASP	3.3
1	G	176	CYS	3.3
1	А	85	ALA	3.3
1	В	146	VAL	3.3
1	А	89	PRO	3.3
1	А	35	GLY	3.2
1	K	212	LYS	3.2
1	А	210	MET	3.2
1	А	196	ALA	3.2
1	А	13	THR	3.2
1	А	139	GLN	3.2
1	А	205	ASP	3.1
1	D	59	PHE	3.1
1	Ι	212	LYS	3.1
1	А	79	THR	3.1
1	А	169	TYR	3.1
1	Ι	206	GLN	3.1
1	В	43	ARG	3.1
1	K	205	ASP	3.1
1	G	81	GLN	3.1
1	А	8	SER	3.1
1	А	206	GLN	3.1
1	G	205	ASP	3.1
1	F	53	GLU	3.1
1	J	134	LEU	3.0
1	А	41	ILE	3.0
1	J	211	ASP	3.0
1	L	206	GLN	3.0
1	Е	212	LYS	3.0
1	D	81	GLN	3.0
1	D	4	GLY	2.9
1	D	10	VAL	2.9
1	K	176	CYS	2.9
1	Е	208	ALA	2.9
1	A	64	LYS	2.9
1	А	147	THR	2.9
1	В	111	GLU	2.9
1	В	160	LEU	2.9



Mol	Chain	Res	Type	RSRZ
1	J	213	LYS	2.9
1	А	47	ASP	2.9
1	D	55	VAL	2.9
1	J	111	GLU	2.9
1	L	213	LYS	2.9
1	В	209	HIS	2.9
1	А	16	VAL	2.9
1	G	254	PHE	2.8
1	В	210	MET	2.8
1	В	76	VAL	2.8
1	F	209	HIS	2.8
1	D	254	PHE	2.8
1	А	94	ILE	2.8
1	D	224	LEU	2.8
1	А	160	LEU	2.8
1	D	87	LEU	2.7
1	D	43	ARG	2.7
1	G	213	LYS	2.7
1	В	75	ILE	2.7
1	G	206	GLN	2.7
1	D	50	GLU	2.7
1	F	111	GLU	2.7
1	G	137	GLN	2.7
1	А	146	VAL	2.7
1	А	180	VAL	2.7
1	Ι	139	GLN	2.7
1	А	25	LEU	2.7
1	А	90	ILE	2.6
1	А	49	VAL	2.6
1	G	208	ALA	2.6
1	С	53	GLU	2.6
1	С	212	LYS	2.6
1	F	176	CYS	2.6
1	A	53	GLU	2.6
1	A	82	GLN	2.6
1	G	111	GLU	2.6
1	А	62	LYS	2.6
1	Ι	4	GLY	2.6
1	А	70	VAL	2.6
1	А	76	VAL	2.6
1	А	40	VAL	2.6
1	А	80	ILE	2.6



1H5Q

Mol	Chain	Res	Type	RSRZ
1	А	215	ARG	2.5
1	А	20	ASN	2.5
1	А	111	GLU	2.5
1	В	53	GLU	2.5
1	Ι	137	GLN	2.5
1	D	160	LEU	2.5
1	К	43	ARG	2.5
1	D	137	GLN	2.5
1	Е	206	GLN	2.5
1	L	137	GLN	2.5
1	А	144	ILE	2.5
1	J	206	GLN	2.5
1	В	179	LEU	2.5
1	А	12	LYS	2.5
1	G	57	LYS	2.5
1	G	174	ALA	2.5
1	К	213	LYS	2.5
1	G	11	ASN	2.5
1	В	42	TYR	2.5
1	В	206	GLN	2.5
1	В	45	ALA	2.5
1	Н	174	ALA	2.5
1	D	88	GLY	2.5
1	D	214	ILE	2.5
1	Ι	11	ASN	2.4
1	А	175	ALA	2.4
1	J	205	ASP	2.4
1	L	180	VAL	2.4
1	Н	137	GLN	2.4
1	G	238	ILE	2.4
1	D	204	THR	2.4
1	В	50	GLU	2.4
1	D	89	PRO	2.4
1	Н	213	LYS	2.4
1	В	176	CYS	2.4
1	G	207	THR	2.4
1	F	57	LYS	2.4
1	Ι	213	LYS	2.4
1	С	160	LEU	2.4
1	В	225	ASN	2.3
1	С	207	THR	2.3
1	I	207	THR	2.3



Mol	Chain	Res	Type	RSRZ
1	Н	50	GLU	2.3
1	G	160	LEU	2.3
1	В	46	ALA	2.3
1	В	180	VAL	2.3
1	С	176	CYS	2.3
1	J	176	CYS	2.3
1	Ι	43	ARG	2.3
1	Е	137	GLN	2.3
1	Н	207	THR	2.3
1	Е	213	LYS	2.3
1	А	15	ILE	2.3
1	D	75	ILE	2.3
1	D	54	LYS	2.3
1	С	50	GLU	2.2
1	А	23	ILE	2.2
1	А	238	ILE	2.2
1	С	205	ASP	2.2
1	С	211	ASP	2.2
1	F	205	ASP	2.2
1	F	240	LEU	2.2
1	G	253	TYR	2.2
1	А	68	CYS	2.2
1	А	154	ILE	2.2
1	G	240	LEU	2.2
1	G	50	GLU	2.2
1	D	33	ALA	2.2
1	А	253	TYR	2.2
1	Е	205	ASP	2.2
1	Е	211	ASP	2.2
1	Ι	205	ASP	2.2
1	А	191	GLY	2.2
1	Ι	50	GLU	2.2
1	Е	43	ARG	2.2
1	J	215	ARG	2.2
1	А	95	ALA	2.2
1	J	75	ILE	2.2
1	K	111	GLU	2.2
1	С	215	ARG	2.2
1	В	205	ASP	2.2
1	Е	146	VAL	2.2
1	А	72	ASN	2.1
1	С	81	GLN	2.1



Mol	Chain	Res	Type	RSRZ
1	F	137	GLN	2.1
1	А	207	THR	2.1
1	G	53	GLU	2.1
1	Е	210	MET	2.1
1	F	43	ARG	2.1
1	А	192	ILE	2.1
1	Е	53	GLU	2.1
1	J	50	GLU	2.1
1	А	6	THR	2.1
1	L	81	GLN	2.1
1	С	225	ASN	2.1
1	G	43	ARG	2.1
1	В	9	PHE	2.1
1	А	93	LEU	2.1
1	Е	260	LEU	2.1
1	В	175	ALA	2.1
1	С	57	LYS	2.1
1	А	31	VAL	2.1
1	А	116	VAL	2.1
1	Н	53	GLU	2.1
1	J	43	ARG	2.1
1	А	217	HIS	2.0
1	С	75	ILE	2.0
1	Н	43	ARG	2.0
1	А	19	GLY	2.0
1	F	60	GLY	2.0
1	Н	57	LYS	2.0
1	F	207	THR	2.0
1	J	207	THR	2.0
1	Κ	210	MET	2.0
1	А	134	LEU	2.0
1	А	197	LEU	2.0
1	Н	81	GLN	2.0
1	Н	206	GLN	2.0
1	G	75	ILE	2.0
1	K	78	LYS	2.0
1	А	33	ALA	2.0
1	А	245	ALA	2.0
1	В	190	ALA	2.0
1	K	208	ALA	2.0

Continued from previous page...



5.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.3 Carbohydrates (i)

There are no monosaccharides in this entry.

5.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathbf{A}^2)$	Q<0.9
2	NAP	А	263	48/48	0.86	0.17	40,54,62,68	0
3	NI	В	2263	1/1	0.88	0.41	78,78,78,78	0
2	NAP	В	263	48/48	0.91	0.10	22,28,31,34	0
2	NAP	D	263	48/48	0.94	0.09	22,25,30,32	0
2	NAP	G	263	48/48	0.95	0.09	16,20,23,26	0
2	NAP	Н	263	48/48	0.95	0.09	15,18,21,28	0
2	NAP	J	263	48/48	0.95	0.09	18,20,24,28	0
2	NAP	K	263	48/48	0.95	0.09	16,18,22,27	0
2	NAP	С	263	48/48	0.95	0.09	17,21,25,30	0
2	NAP	Е	263	48/48	0.96	0.08	15,17,20,25	0
2	NAP	F	263	48/48	0.96	0.08	15,17,21,27	0
2	NAP	L	263	48/48	0.96	0.08	15,18,22,27	0
3	NI	А	2263	1/1	0.96	0.11	32,32,32,32	0
2	NAP	Ι	263	48/48	0.96	0.08	16,18,22,28	0
3	NI	J	3263	1/1	0.98	0.17	16,16,16,16	0
3	NI	F	3263	1/1	0.99	0.10	20,20,20,20	0
3	NI	Ι	3263	1/1	1.00	0.10	21,21,21,21	0
3	NI	Е	3263	1/1	1.00	0.09	20,20,20,20	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

















5.5 Other polymers (i)

There are no such residues in this entry.

