

Full wwPDB X-ray Structure Validation Report (i)

Dec 10, 2023 – 05:13 pm GMT

PDB ID : 1H8D

Title : X-ray structure of the human alpha-thrombin complex with a tripeptide phos-

phonate inhibitor.

Authors: Skordalakes, E.; Dodson, G.G.; Green, D.; Deadman, J.

Deposited on : 2001-02-01

Resolution : 1.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.orgA user guide is available at

https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity: 4.02b-467

Mogul : 1.8.4, CSD as541be (2020)

Xtriage (Phenix) : 1.13

EDS : 2.36

buster-report : 1.1.7 (2018)

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

 $Refmac \quad : \quad 5.8.0158$

CCP4 : 7.0.044 (Gargrove)

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 1.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive $(\# \mathrm{Entries})$	$\begin{array}{c} {\rm Similar\ resolution} \\ (\#{\rm Entries,\ resolution\ range(\mathring{A})}) \end{array}$
R_{free}	130704	1714 (1.40-1.40)
Clashscore	141614	1812 (1.40-1.40)
Ramachandran outliers	138981	1763 (1.40-1.40)
Sidechain outliers	138945	1762 (1.40-1.40)
RSRZ outliers	127900	1674 (1.40-1.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain					
1	Н	260	75%	22%	•			
			40%					
2	I	10	50%	50%				
			17%					
3	L	29	69%	28%	•			



2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 3086 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called THROMBIN.

Mol	Chain	Residues		Atoms				ZeroOcc	AltConf	Trace
1	Н	260	Total 2030	C 1295	N 355	O 364	S 16	0	8	9

• Molecule 2 is a protein called HIRUDIN I.


		Atoms					Trace		
2 I	10	Total 94	C 59	N 10	O 24	S	0	0	0

• Molecule 3 is a protein called THROMBIN.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
3	L	29	Total 225	C 143	N 36	O 45	S 1	0	0	1

• Molecule 4 is N-[(benzyloxy)carbonyl]-beta-phenyl-D-phenylalanyl-N-{(1S,3E)-1-[dihydrox y(diphenoxy)-lambda 5 -phosphanyl]-4-methoxybut-3-en-1-yl}-L-prolinamide (three-letter code: PHW) (formula: C₄₅H₄₈N₃O₉P).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf		
4	П	1	Total	С	N	О	Р	0	0	
4	11	1	53	40	3	9	1	U	U	


• Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	Н	572	Total O 572 572	0	0
5	I	38	Total O 38 38	0	0
5	L	74	Total O 74 74	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.





4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants	70.64Å 71.60Å 71.90Å	Donositor
a, b, c, α , β , γ	90.00° 100.35° 90.00°	Depositor
Resolution (Å)	14.00 - 1.40	Depositor
rtesolution (A)	13.72 - 2.00	EDS
% Data completeness	95.4 (14.00-1.40)	Depositor
(in resolution range)	94.2 (13.72-2.00)	EDS
R_{merge}	0.05	Depositor
R_{sym}	0.06	Depositor
$< I/\sigma(I) > 1$	15.89 (at 1.99Å)	Xtriage
Refinement program	REFMAC	Depositor
D D.	0.170 , 0.220	Depositor
R, R_{free}	0.178 , 0.217	DCC
R_{free} test set	21298 reflections (94.91%)	wwPDB-VP
Wilson B-factor (Å ²)	15.6	Xtriage
Anisotropy	0.501	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$, $B_{sol}(Å^2)$	0.41 , 74.3	EDS
L-test for twinning ²	$ < L >=0.50, < L^2>=0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	3086	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 6.96% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of <|L|>, $<L^2>$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: PHW, TYS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bo	nd lengths	Bond angles		
MIOI	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	Н	0.47	0/2073	1.04	$6/2802 \ (0.2\%)$	
2	I	0.37	0/78	0.74	0/103	
3	L	3.42	2/225~(0.9%)	1.88	3/297 (1.0%)	
All	All	1.14	$2/2376 \ (0.1\%)$	1.14	$9/3202 \ (0.3\%)$	

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$\operatorname{Observed}(\text{\AA})$	$Ideal(\AA)$
3	L	1	CYS	CA-C	44.43	2.68	1.52
3	L	1	CYS	CA-CB	24.62	2.08	1.53

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$Observed(^o)$	$\operatorname{Ideal}({}^{o})$
3	L	1	CYS	CB-CA-C	-24.73	60.95	110.40
3	L	1	CYS	CA-CB-SG	12.50	136.49	114.00
1	Н	42	CYS	CA-CB-SG	10.23	132.42	114.00
1	Н	137	ARG	NE-CZ-NH2	-7.12	116.74	120.30
1	Н	106	MET	CA-CB-CG	7.00	125.20	113.30
3	L	4	ARG	NE-CZ-NH1	6.87	123.74	120.30
1	Н	97	ARG	NE-CZ-NH2	-6.30	117.15	120.30
1	Н	101	ARG	NE-CZ-NH1	5.84	123.22	120.30
1	Н	165	ARG	NE-CZ-NH1	5.40	123.00	120.30

There are no chirality outliers.

There are no planarity outliers.



5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	Н	2030	0	1986	113	0
2	I	94	0	77	10	0
3	L	225	0	225	24	0
4	Н	53	0	40	15	0
5	Н	572	0	0	58	5
5	I	38	0	0	8	0
5	L	74	0	0	17	0
All	All	3086	0	2328	161	5

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 34.

All (161) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:177:THR:H	1:H:180:MET:CE	1.22	1.49
1:H:168:CYS:HB2	1:H:268:CYS:SG	1.61	1.37
3:L:1:CYS:CA	3:L:1:CYS:CB	2.08	1.32
2:I:4:GLU:HG2	5:I:113:HOH:O	1.14	1.29
4:H:301:PHW:C52	5:H:722:HOH:O	1.80	1.26
1:H:84:MET:SD	5:I:122:HOH:O	1.94	1.24
1:H:177:THR:N	1:H:180:MET:CE	2.01	1.22
3:L:14(K):ILE:O	5:L:102:HOH:O	1.54	1.22
4:H:301:PHW:HC41	4:H:301:PHW:C61	1.72	1.19
1:H:50:ARG:HG3	5:H:590:HOH:O	1.44	1.17
1:H:165:ARG:HD3	5:H:456:HOH:O	1.47	1.12
4:H:301:PHW:H54	5:H:425:HOH:O	0.94	1.10
1:H:177:THR:H	1:H:180:MET:HE2	1.03	1.08
1:H:177:THR:H	1:H:180:MET:HE1	1.19	1.08
1:H:60(F):LYS:HB2	5:H:750:HOH:O	1.53	1.06
1:H:236:LYS:CG	5:H:912:HOH:O	2.05	1.04
4:H:301:PHW:C61	4:H:301:PHW:C4	2.34	1.04
3:L:9:LYS:HG2	5:L:150:HOH:O	1.57	1.02
3:L:9:LYS:HD3	5:L:153:HOH:O	1.58	1.01
3:L:1(C):ASP:C	3:L:1:CYS:CA	2.29	1.00



 $Continued\ from\ previous\ page...$

Continued from previo		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	$\text{overlap } (\mathring{\mathbf{A}})$	
1:H:64:LEU:HD11	1:H:85:LEU:HD11	1.41	1.00	
2:I:1:ASP:HB2	5:I:117:HOH:O	1.62	0.99	
1:H:177:THR:N	1:H:180:MET:HE1	1.73	0.99	
1:H:168:CYS:CB	1:H:268:CYS:SG	2.51	0.98	
1:H:165:ARG:CG	1:H:169:LYS:NZ	2.26	0.97	
1:H:165:ARG:HG2	1:H:169:LYS:NZ	1.79	0.97	
1:H:75:ARG:HB2	5:H:748:HOH:O	1.64	0.94	
1:H:87:LYS:CE	5:H:401:HOH:O	2.15	0.94	
4:H:301:PHW:O7	4:H:301:PHW:HC42	1.65	0.92	
1:H:176:ILE:HA	1:H:180:MET:CE	2.01	0.91	
3:L:13:GLU:OE1	5:L:103:HOH:O	1.88	0.88	
1:H:165:ARG:HG2	1:H:169:LYS:HZ2	1.35	0.87	
1:H:50:ARG:CG	5:H:590:HOH:O	2.09	0.86	
4:H:301:PHW:C53	5:H:722:HOH:O	2.09	0.83	
3:L:1:CYS:CB	3:L:1:CYS:C	2.47	0.83	
1:H:176:ILE:CG2	1:H:180:MET:HE3	2.09	0.82	
3:L:5:PRO:HA	3:L:9:LYS:HD2	1.62	0.82	
1:H:41:LEU:HD12	5:H:828:HOH:O	1.80	0.81	
1:H:127:GLU:HB3	5:H:404:HOH:O	1.81	0.81	
1:H:176:ILE:HG23	1:H:180:MET:HE3	1.61	0.80	
1:H:87:LYS:NZ	5:H:401:HOH:O	2.03	0.80	
1:H:64:LEU:HD11	1:H:85:LEU:CD1	2.11	0.80	
3:L:14(K):ILE:C	5:L:104:HOH:O	2.19	0.79	
1:H:176:ILE:HA	1:H:180:MET:HE3	1.62	0.79	
3:L:9:LYS:CD	5:L:153:HOH:O	2.23	0.78	
1:H:62:ASN:HB3	5:H:410:HOH:O	1.82	0.78	
1:H:176:ILE:CA	1:H:180:MET:HE3	2.13	0.78	
1:H:50:ARG:CB	5:H:590:HOH:O	2.28	0.78	
1:H:177:THR:N	1:H:180:MET:HE2	1.84	0.77	
1:H:268:CYS:SG	5:H:695:HOH:O	2.43	0.76	
1:H:244:GLN:CG	5:H:405:HOH:O	2.34	0.75	
1:H:244:GLN:HG3	5:H:405:HOH:O	1.85	0.75	
3:L:14(K):ILE:CD1	5:L:151:HOH:O	2.35	0.75	
1:H:42:CYS:SG	1:H:195:SER:O	2.44	0.75	
1:H:83:SER:HB2	1:H:263[A]:VAL:CG2	2.16	0.75	
1:H:176:ILE:CA	1:H:180:MET:CE	2.65	0.75	
2:I:1:ASP:HB2	5:I:104:HOH:O	1.85	0.75	
1:H:165:ARG:CG	1:H:169:LYS:HZ2	1.96	0.74	
2:I:10:LEU:O	5:I:101:HOH:O	2.05	0.74	
1:H:165:ARG:O	1:H:268:CYS:SG	2.46	0.73	
1:H:165:ARG:CD	5:H:456:HOH:O	2.16	0.73	



 $Continued\ from\ previous\ page...$

Atom-1	Atom-2	Interatomic	Clash	
		distance (Å)	overlap (Å)	
3:L:14(K):ILE:O	5:L:104:HOH:O	2.06	0.72	
3:L:1:CYS:C	3:L:1:CYS:HB2	2.10	0.71	
1:H:50:ARG:HB2	5:H:590:HOH:O	1.90	0.71	
1:H:176:ILE:HA	1:H:180:MET:HE1	1.73	0.71	
3:L:9:LYS:HB3	5:L:153:HOH:O	1.89	0.71	
1:H:165:ARG:HG3	1:H:268:CYS:SG	2.32	0.69	
1:H:41:LEU:CD1	5:H:828:HOH:O	2.40	0.69	
1:H:151:GLN:OE1	5:H:403:HOH:O	2.09	0.69	
1:H:33:LEU:HD11	1:H:106:MET:HE1	1.75	0.69	
1:H:147:THR:HG22	5:H:629:HOH:O	1.93	0.69	
1:H:62:ASN:CB	5:H:410:HOH:O	2.41	0.68	
1:H:240:LYS:HE3	5:H:689:HOH:O	1.93	0.68	
1:H:127:GLU:OE2	5:H:404:HOH:O	2.12	0.66	
1:H:62:ASN:HB3	5:H:628:HOH:O	1.95	0.66	
1:H:60(I):THR:HG22	1:H:63:ASP:OD2	1.95	0.66	
4:H:301:PHW:C61	5:H:423:HOH:O	2.43	0.66	
1:H:41:LEU:CG	5:H:828:HOH:O	2.44	0.65	
5:H:417:HOH:O	2:I:10:LEU:HD21	1.96	0.65	
1:H:64:LEU:CD1	1:H:85:LEU:HD11	2.25	0.64	
1:H:165:ARG:CD	1:H:169:LYS:HZ3	2.10	0.64	
1:H:165:ARG:CG	1:H:169:LYS:HZ3	2.10	0.64	
1:H:244:GLN:OE1	5:H:405:HOH:O	2.15	0.64	
3:L:9:LYS:HE2	5:L:150:HOH:O	1.97	0.64	
1:H:165:ARG:HG2	1:H:169:LYS:HZ3	1.62	0.64	
3:L:14(D):ARG:NH2	5:L:105:HOH:O	2.31	0.63	
1:H:165:ARG:CD	1:H:169:LYS:NZ	2.62	0.63	
1:H:176:ILE:C	1:H:180:MET:CE	2.67	0.63	
1:H:87:LYS:NZ	5:H:407:HOH:O	2.23	0.63	
4:H:301:PHW:C61	4:H:301:PHW:HC42	2.28	0.62	
3:L:1:CYS:CA	3:L:1:CYS:C	2.68	0.62	
1:H:165:ARG:HD3	1:H:169:LYS:HZ3	1.65	0.62	
1:H:139:THR:HG22	1:H:157:VAL:HG22	1.82	0.61	
3:L:14(D):ARG:NE	5:L:105:HOH:O	2.34	0.61	
1:H:239:GLN:NE2	5:H:409:HOH:O	2.32	0.61	
1:H:243:ASP:OD1	5:H:406:HOH:O	2.16	0.60	
1:H:165:ARG:HD3	1:H:169:LYS:NZ	2.15	0.60	
1:H:75:ARG:CG	5:H:792:HOH:O	2.49	0.60	
4:H:301:PHW:C54	5:H:425:HOH:O	1.79	0.60	
1:H:18:GLU:CG	5:H:659:HOH:O	2.50	0.59	
1:H:41:LEU:HG	5:H:828:HOH:O	2.03	0.59	
1:H:127:GLU:H	1:H:127:GLU:CD	2.06	0.58	



 $Continued\ from\ previous\ page...$

Continuea from previo		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	$\text{overlap } (\text{\AA})$	
1:H:107:LYS:HE3	1:H:246:GLY:O	2.04	0.57	
3:L:14(K):ILE:HD13	5:L:151:HOH:O	2.00	0.57	
2:I:1:ASP:CB	5:I:104:HOH:O	2.50	0.57	
1:H:84:MET:HE2	5:H:869:HOH:O	2.04	0.57	
1:H:97:ARG:NH2	5:H:402:HOH:O	2.32	0.57	
1:H:176:ILE:C	1:H:180:MET:HE1	2.25	0.56	
1:H:87:LYS:CE	5:H:407:HOH:O	2.54	0.56	
2:I:1:ASP:OD1	2:I:1:ASP:O	2.24	0.56	
1:H:97:ARG:NE	5:H:402:HOH:O	2.09	0.56	
1:H:176:ILE:CA	1:H:180:MET:HE1	2.34	0.56	
1:H:84:MET:HE3	1:H:109:LYS:HD2	1.87	0.55	
1:H:77(A):ARG:O	1:H:78:ASN:HB2	2.05	0.55	
3:L:9:LYS:CB	5:L:153:HOH:O	2.53	0.55	
4:H:301:PHW:C61	5:H:535:HOH:O	2.55	0.55	
1:H:236:LYS:CB	5:H:912:HOH:O	2.46	0.55	
3:L:1(A):GLU:CB	5:L:154:HOH:O	2.54	0.54	
1:H:97:ARG:NH1	5:H:413:HOH:O	2.37	0.54	
2:I:7:GLU:CD	5:I:105:HOH:O	2.46	0.54	
1:H:36(A):SER:HA	1:H:37:PRO:C	2.29	0.53	
3:L:14(K):ILE:C	5:L:102:HOH:O	2.26	0.53	
1:H:42:CYS:SG	1:H:196:GLY:HA3	2.48	0.53	
1:H:169:LYS:HG3	1:H:268:CYS:SG	2.49	0.52	
2:I:1:ASP:CB	5:I:117:HOH:O	2.38	0.52	
1:H:31:VAL:HG13	1:H:66:VAL:HG13	1.92	0.52	
1:H:87:LYS:HD2	5:H:401:HOH:O	2.10	0.51	
1:H:87:LYS:CD	5:H:401:HOH:O	2.54	0.51	
1:H:246:GLY:C	5:H:457:HOH:O	2.49	0.51	
1:H:33:LEU:HD21	1:H:106:MET:HE3	1.93	0.51	
1:H:33:LEU:CD1	1:H:106:MET:HE1	2.41	0.51	
1:H:84:MET:CE	1:H:109:LYS:HD2	2.41	0.50	
1:H:84:MET:CE	5:H:869:HOH:O	2.59	0.49	
1:H:18:GLU:HG2	5:H:659:HOH:O	2.11	0.48	
1:H:18:GLU:HG3	5:H:659:HOH:O	2.13	0.48	
1:H:165:ARG:HG3	1:H:169:LYS:NZ	2.24	0.48	
1:H:141:TRP:HE3	5:H:697:HOH:O	1.96	0.48	
3:L:5:PRO:CA	3:L:9:LYS:HD2	2.40	0.48	
5:H:417:HOH:O	2:I:10:LEU:CD2	2.60	0.48	
1:H:177:THR:N	1:H:180:MET:HE3	2.19	0.48	
1:H:87:LYS:HE3	5:H:401:HOH:O	1.94	0.47	
1:H:127:GLU:CD	1:H:127:GLU:N	2.68	0.47	
3:L:14(D):ARG:CZ	5:L:105:HOH:O	2.61	0.47	



Continued from previous page...

Atom-1	Atom-2	Interatomic	Clash
		$\operatorname{distance} (\text{\AA})$	overlap (Å)
4:H:301:PHW:C61	5:H:422:HOH:O	2.65	0.45
1:H:33:LEU:HD21	1:H:106:MET:CE	2.47	0.44
1:H:85:LEU:HD22	1:H:106:MET:HB2	1.99	0.44
1:H:176:ILE:CB	1:H:180:MET:HE3	2.48	0.44
1:H:36:LYS:NZ	5:H:410:HOH:O	2.33	0.43
1:H:60(B):PRO:N	1:H:60(C):PRO:CD	2.82	0.43
1:H:211:GLY:HA2	1:H:229:THR:O	2.17	0.43
1:H:60(F):LYS:CB	5:H:750:HOH:O	2.32	0.42
4:H:301:PHW:H2	4:H:301:PHW:HC5	1.66	0.42
4:H:301:PHW:H8C	5:H:445:HOH:O	2.20	0.42
1:H:138:VAL:CG2	1:H:158:VAL:HG12	2.49	0.42
4:H:301:PHW:C26	4:H:301:PHW:H8C2	2.50	0.41
1:H:185:LYS:HG2	1:H:225:TYR:OH	2.20	0.41
1:H:204(B):ASN:C	1:H:204(B):ASN:HD22	2.23	0.41
1:H:64:LEU:CD1	1:H:85:LEU:CD1	2.90	0.41
1:H:203:SER:HB3	1:H:204(B):ASN:ND2	2.36	0.41
1:H:138:VAL:HG23	1:H:158:VAL:HG12	2.02	0.40
1:H:60(A):TYR:OH	4:H:301:PHW:H8B1	2.22	0.40

All (5) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	$\begin{array}{c} {\rm Interatomic} \\ {\rm distance} \ ({\rm \AA}) \end{array}$	$\begin{array}{c} \text{Clash} \\ \text{overlap } (\text{\AA}) \end{array}$
5:H:754:HOH:O	5:H:754:HOH:O[2_556]	1.46	0.74
5:H:520:HOH:O	5:H:634:HOH:O[3_545]	1.84	0.36
5:H:931:HOH:O	5:H:944:HOH:O[3_455]	1.85	0.35
5:H:801:HOH:O	5:H:801:HOH:O[2_555]	2.01	0.19
5:H:658:HOH:O	5:H:759:HOH:O[4_546]	2.17	0.03

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	Н	247/260~(95%)	239 (97%)	8 (3%)	0	100	100
2	I	7/10 (70%)	7 (100%)	0	0	100	100
3	L	24/29 (83%)	23 (96%)	1 (4%)	0	100	100
All	All	278/299 (93%)	269 (97%)	9 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percei	ntiles
1	Н	$217/228 \ (95\%)$	209 (96%)	8 (4%)	34	7
2	I	9/9 (100%)	9 (100%)	0	100	100
3	L	23/27 (85%)	23 (100%)	0	100	100
All	All	249/264 (94%)	241 (97%)	8 (3%)	39	9

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type		
1	Н	50	ARG		
1	Н	64	LEU		
1	Н	99	LEU		
1	Н	106	MET		
1	H 127 H 182		GLU		
1			CYS		
1	Н	204(B)	ASN		
1	Н	233	ARG		

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type	
1	Н	30	GLN	
1	Н	38	GLN	



Continued from previous page...

Mol	ol Chain Res		Type		
1	Н	151	GLN		
1	Н	156	GLN		
1	Н	204(B)	ASN		

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

	Mol	Tuno	Chain	Dec	Res Link	Bond lengths		Bond angles			
		Type		i Res		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z >2
	2	TYS	I	9	2	15,16,17	1.16	2 (13%)	18,22,24	1.02	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	TYS	I	9	2	-	0/10/11/13	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$\operatorname{Observed}(\text{\AA})$	Ideal(A)
2	I	9	TYS	OH-S	-3.21	1.53	1.58
2	I	9	TYS	OH-CZ	-2.57	1.38	1.42

All (2) bond angle outliers are listed below:



Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$\mathbf{Observed}(^o)$	$\operatorname{Ideal}({}^{o})$
2	I	9	TYS	OH-S-O1	2.76	115.75	107.71
2	I	9	TYS	O3-S-OH	-2.56	99.66	105.83

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bo	nd leng	$ ag{ths}$	В	ond ang	les	
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2	
	4	PHW	Н	301	-	51,57,63	3.00	7 (13%)	61,79,87	1.51	9 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol Type		Chain	Res	Link	Chirals	Torsions	Rings
4	PHW	Н	301	-	-	10/43/70/72	0/5/5/6

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\mathring{\mathbf{A}})$	$\operatorname{Ideal}(ext{\AA})$
4	Н	301	PHW	O2-C1	-11.79	1.20	1.43



 $Continued\ from\ previous\ page...$

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$\operatorname{Observed}(\text{\AA})$	$Ideal(\AA)$
4	Н	301	PHW	C4-C5	-10.45	1.38	1.54
4	Н	301	PHW	OP3-C61	9.28	1.62	1.43
4	Н	301	PHW	C7-N6	5.89	1.47	1.34
4	Н	301	PHW	C10-N9	5.33	1.46	1.34
4	Н	301	PHW	C14-N13	4.95	1.46	1.34
4	Н	301	PHW	O15-C14	2.76	1.40	1.35

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$Observed(^o)$	$\mathrm{Ideal}(^{o})$
4	Н	301	PHW	C5-C4-C3	-5.53	105.09	113.89
4	Н	301	PHW	C4-C5-N6	-5.27	105.17	111.39
4	Н	301	PHW	C1-O2-C2	4.38	130.01	115.81
4	Н	301	PHW	C8A-C8-C7	3.46	118.59	111.22
4	Н	301	PHW	O14-C14-N13	-2.57	120.64	124.85
4	Н	301	PHW	C25-C26-C21	-2.24	117.87	120.65
4	Н	301	PHW	O15-C14-N13	2.23	115.03	110.50
4	Н	301	PHW	C16-O15-C14	-2.17	111.09	115.93
4	Н	301	PHW	P-OP2-C51	-2.11	120.59	129.03

There are no chirality outliers.

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	Н	301	PHW	C3-C2-O2-C1
4	Н	301	PHW	C2-C3-C4-C5
4	Н	301	PHW	C3-C4-C5-N6
4	Н	301	PHW	C4-C5-N6-C7
4	Н	301	PHW	O7-C7-C8-N9
4	Н	301	PHW	N6-C7-C8-N9
4	Н	301	PHW	O7-C7-C8-C8A
4	Н	301	PHW	O7-C7-N6-C5
4	Н	301	PHW	N6-C7-C8-C8A
4	Н	301	PHW	O14-C14-O15-C16


There are no ring outliers.

1 monomer is involved in 15 short contacts:

\mathbf{Mol}	Chain	Res	Type	Clashes	Symm-Clashes
4	Н	301	PHW	15	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers (i)

There are no such residues in this entry.



5.8 Polymer linkage issues (i)

The following chains have linkage breaks:

Mol	Chain	Number of breaks				
1	Н	1				

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	Н	147:THR	С	150:GLY	N	7.20



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ>2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	$\#\mathrm{RSRZ}{>}2$	$OWAB(Å^2)$	Q<0.9
1	Н	$260/260 \; (100\%)$	0.33	12 (4%) 32 32	9, 18, 32, 54	9 (3%)
2	I	9/10 (90%)	1.42	4 (44%) 0 0	26, 33, 41, 42	0
3	L	29/29 (100%)	0.75	5 (17%) 1 1	12, 16, 30, 36	1 (3%)
All	All	298/299 (99%)	0.40	21 (7%) 16 15	9, 18, 34, 54	10 (3%)

All (21) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	Н	268	CYS	19.2
1	Н	266[A]	VAL	12.3
1	Н	262[A]	SER	8.1
3	L	14(K)	ILE	6.0
1	Н	267[A]	VAL	5.5
1	Н	263[A]	VAL	4.7
1	Н	147	THR	4.6
1	Н	246	GLY	4.2
3	L	1(B)	ALA	3.6
1	Н	186(A)	ASP	2.9
2	I	5	ILE	2.8
3	L	14(L)	SER	2.8
2	I	4	GLU	2.6
3	L	1(A)	GLU	2.6
3	L	1	CYS	2.5
2	I	7	GLU	2.5
1	Н	241	VAL	2.3
1	Н	42	CYS	2.3
2	I	1	ASP	2.3
1	Н	36(A)	SER	2.2
1	Н	41	LEU	2.1



6.2 Non-standard residues in protein, DNA, RNA chains (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-}\mathbf{factors}(\mathbf{\mathring{A}}^2)$	Q<0.9
2	TYS	I	9	16/17	0.95	0.12	22,25,34,34	0

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.


6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-}\mathbf{factors}(\mathbf{\mathring{A}}^2)$	Q < 0.9
4	PHW	Н	301	53/58	0.90	0.18	18,27,40,49	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers (i)

There are no such residues in this entry.

