



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 6, 2023 – 04:39 AM EDT

PDB ID : 1JRA
Title : Crystal Structure of Erv2p
Authors : Gross, E.; Sevier, C.S.; Vala, A.; Kaiser, C.A.; Fass, D.
Deposited on : 2001-08-13
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	117	
1	B	117	
1	C	117	
1	D	117	

2 Entry composition i


There are 3 unique types of molecules in this entry. The entry contains 3944 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ERV2 PROTEIN, MITOCHONDRIAL.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	106	Total 868	C 556	N 143	O 162	S 7	0	0	0
1	B	106	Total 868	C 556	N 143	O 162	S 7	0	0	0
1	C	105	Total 862	C 553	N 142	O 160	S 7	0	0	0
1	D	103	Total 846	C 545	N 140	O 154	S 7	0	0	0

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	N	O			P
2	A	1	Total 53	C 27	N 9	O 15	P 2	0	0
2	B	1	Total 53	C 27	N 9	O 15	P 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	C	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	D	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	82	Total	O	0	0
			82	82		
3	B	73	Total	O	0	0
			73	73		
3	C	73	Total	O	0	0
			73	73		
3	D	60	Total	O	0	0
			60	60		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: ERV2 PROTEIN, MITOCHONDRIAL

Chain A: 




- Molecule 1: ERV2 PROTEIN, MITOCHONDRIAL

Chain B: 



- Molecule 1: ERV2 PROTEIN, MITOCHONDRIAL

Chain C: 



- Molecule 1: ERV2 PROTEIN, MITOCHONDRIAL

Chain D: 



4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	53.63Å 66.81Å 60.38Å 90.00° 91.44° 90.00°	Depositor
Resolution (Å)	20.00 – 2.00 19.88 – 2.00	Depositor EDS
% Data completeness (in resolution range)	99.5 (20.00-2.00) 99.7 (19.88-2.00)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.81 (at 2.01Å)	Xtrriage
Refinement program	CNS	Depositor
R, R_{free}	0.196 , 0.233 0.192 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	22.5	Xtrriage
Anisotropy	0.064	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 49.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.034 for h,-k,-l	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	3944	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.72% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.32	0/893	0.53	0/1208
1	B	0.32	0/893	0.53	0/1208
1	C	0.33	0/887	0.53	0/1200
1	D	0.33	0/871	0.53	0/1178
All	All	0.32	0/3544	0.53	0/4794

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	868	0	825	20	0
1	B	868	0	825	17	0
1	C	862	0	820	16	0
1	D	846	0	812	17	0
2	A	53	0	29	1	0
2	B	53	0	31	1	0
2	C	53	0	30	1	0
2	D	53	0	31	0	0
3	A	82	0	0	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	73	0	0	1	0
3	C	73	0	0	4	0
3	D	60	0	0	2	0
All	All	3944	0	3403	62	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (62) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:53:PRO:HG3	1:D:25:LEU:HA	1.54	0.87
1:A:25:LEU:HA	1:B:53:PRO:HG3	1.67	0.77
1:D:77:ALA:HB3	3:D:393:HOH:O	1.85	0.75
1:C:25:LEU:HA	3:C:374:HOH:O	1.90	0.71
1:B:62:VAL:O	1:B:66:GLU:HG3	1.92	0.69
1:B:34:THR:OG1	1:B:36:GLU:HG2	1.93	0.68
1:C:40:LYS:HE2	1:D:50:GLU:OE2	1.96	0.66
1:A:45:ILE:HD13	1:A:70:VAL:HG21	1.77	0.65
1:D:109:CYS:C	1:D:111:CYS:H	1.99	0.65
1:A:9:LYS:O	1:A:13:GLU:HG3	1.96	0.65
1:D:29:PHE:CD1	1:D:30:PRO:HD2	2.33	0.64
1:D:109:CYS:C	1:D:111:CYS:N	2.55	0.60
1:A:45:ILE:CD1	1:A:70:VAL:HG21	2.31	0.58
1:B:29:PHE:CD1	1:B:30:PRO:HD2	2.37	0.58
1:A:84:HIS:HB3	3:A:354:HOH:O	2.03	0.57
1:B:9:LYS:O	1:B:13:GLU:HG3	2.05	0.57
1:C:70:VAL:HA	1:C:81:TRP:CE2	2.44	0.52
1:A:28:ARG:HG2	3:A:382:HOH:O	2.10	0.52
1:C:40:LYS:HG2	3:C:399:HOH:O	2.10	0.52
1:A:45:ILE:HD13	1:A:70:VAL:CG2	2.39	0.52
1:A:62:VAL:O	1:A:66:GLU:HG3	2.10	0.51
1:B:58:SER:O	1:B:62:VAL:HG23	2.11	0.50
1:C:12:LYS:HA	2:C:337:FAD:H4'	1.95	0.49
1:C:28:ARG:HB3	3:C:374:HOH:O	2.12	0.49
1:A:53:PRO:HG3	1:B:25:LEU:HA	1.93	0.49
1:A:8:ASP:OD1	1:A:12:LYS:HE3	2.13	0.48
1:C:25:LEU:HA	1:D:53:PRO:HG3	1.96	0.48
1:A:25:LEU:CA	1:B:53:PRO:HG3	2.40	0.48
1:B:36:GLU:HG3	1:B:37:GLU:N	2.28	0.48
1:A:41:LEU:O	1:A:45:ILE:HD12	2.14	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:25:LEU:C	1:C:25:LEU:HD23	2.36	0.46
1:A:9:LYS:HE3	1:C:106:ASP:OD2	2.16	0.46
1:B:34:THR:HG1	1:B:36:GLU:HG2	1.80	0.46
1:D:29:PHE:CG	1:D:30:PRO:HD2	2.50	0.46
1:D:41:LEU:HD23	1:D:72:THR:HG22	1.98	0.46
1:D:109:CYS:O	1:D:111:CYS:N	2.49	0.45
1:A:105:GLU:H	1:A:105:GLU:CD	2.20	0.45
1:A:45:ILE:HD13	1:A:70:VAL:CB	2.47	0.45
1:B:70:VAL:HA	1:B:81:TRP:CE2	2.52	0.45
1:B:8:ASP:O	1:B:12:LYS:HG3	2.18	0.44
1:B:25:LEU:C	1:B:25:LEU:HD23	2.37	0.44
1:B:82:GLY:O	1:B:85:ILE:HG22	2.16	0.44
1:C:86:HIS:O	1:C:86:HIS:HD2	2.01	0.44
1:A:25:LEU:C	1:A:25:LEU:HD23	2.38	0.44
1:C:41:LEU:HD23	1:C:72:THR:HG22	2.00	0.44
1:B:52:TYR:HA	1:B:53:PRO:HD3	1.70	0.43
1:C:52:TYR:HA	1:C:53:PRO:HD3	1.76	0.43
1:C:42:HIS:HD2	3:C:357:HOH:O	2.02	0.43
1:D:88:LYS:HZ3	1:D:88:LYS:HA	1.82	0.43
1:B:86:HIS:HE1	2:B:334:FAD:H51A	1.85	0.42
1:D:73:SER:N	3:D:393:HOH:O	2.51	0.42
1:D:30:PRO:HG2	1:D:33:PRO:HB3	2.02	0.41
1:C:34:THR:OG1	1:C:37:GLU:HG3	2.21	0.41
1:C:53:PRO:HG3	1:D:25:LEU:CA	2.39	0.41
1:D:102:THR:HB	1:D:105:GLU:HB3	2.02	0.41
1:B:60:HIS:HE1	3:B:391:HOH:O	2.03	0.41
1:A:86:HIS:HB3	2:A:335:FAD:N6A	2.36	0.41
1:A:52:TYR:HA	1:A:53:PRO:HD3	1.72	0.41
1:A:68:TYR:CZ	1:A:88:LYS:HE2	2.55	0.41
1:D:86:HIS:O	1:D:86:HIS:HD2	2.03	0.41
1:D:52:TYR:HA	1:D:53:PRO:HD3	1.72	0.41
1:A:105:GLU:CD	1:A:105:GLU:N	2.74	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	104/117 (89%)	102 (98%)	1 (1%)	1 (1%)	15	9
1	B	104/117 (89%)	100 (96%)	4 (4%)	0	100	100
1	C	103/117 (88%)	100 (97%)	2 (2%)	1 (1%)	15	9
1	D	101/117 (86%)	94 (93%)	6 (6%)	1 (1%)	15	9
All	All	412/468 (88%)	396 (96%)	13 (3%)	3 (1%)	22	16

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	108	ASP
1	C	8	ASP
1	A	54	CYS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	94/103 (91%)	92 (98%)	2 (2%)	53	57
1	B	94/103 (91%)	92 (98%)	2 (2%)	53	57
1	C	93/103 (90%)	92 (99%)	1 (1%)	73	78
1	D	91/103 (88%)	87 (96%)	4 (4%)	28	25
All	All	372/412 (90%)	363 (98%)	9 (2%)	49	51

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	54	CYS
1	A	85	ILE
1	B	32	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	54	CYS
1	C	54	CYS
1	D	39	GLU
1	D	54	CYS
1	D	88	LYS
1	D	108	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	60	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	FAD	D	336	-	53,58,58	2.14	12 (22%)	68,89,89	3.29	37 (54%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	FAD	A	335	-	53,58,58	2.13	13 (24%)	68,89,89	3.36	38 (55%)
2	FAD	C	337	-	53,58,58	2.17	13 (24%)	68,89,89	3.46	41 (60%)
2	FAD	B	334	-	53,58,58	2.16	12 (22%)	68,89,89	3.28	32 (47%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	D	336	-	-	10/30/50/50	0/6/6/6
2	FAD	A	335	-	-	11/30/50/50	0/6/6/6
2	FAD	C	337	-	-	11/30/50/50	0/6/6/6
2	FAD	B	334	-	-	10/30/50/50	0/6/6/6

All (50) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	337	FAD	C4X-N5	6.97	1.44	1.30
2	B	334	FAD	C4X-N5	6.78	1.43	1.30
2	A	335	FAD	C4X-N5	6.60	1.43	1.30
2	D	336	FAD	C4X-N5	6.57	1.43	1.30
2	B	334	FAD	C2A-N3A	5.90	1.41	1.32
2	D	336	FAD	C2A-N3A	5.90	1.41	1.32
2	C	337	FAD	C2A-N3A	5.87	1.41	1.32
2	A	335	FAD	C4A-N3A	5.77	1.43	1.35
2	B	334	FAD	C4A-N3A	5.59	1.43	1.35
2	A	335	FAD	C2A-N3A	5.37	1.40	1.32
2	D	336	FAD	C4A-N3A	5.28	1.42	1.35
2	C	337	FAD	C4A-N3A	5.27	1.42	1.35
2	D	336	FAD	C9A-N10	4.79	1.49	1.41
2	D	336	FAD	C9A-C5X	4.76	1.49	1.41
2	C	337	FAD	C9A-C5X	4.72	1.49	1.41
2	B	334	FAD	C9A-N10	4.68	1.49	1.41
2	A	335	FAD	C9A-N10	4.64	1.49	1.41
2	B	334	FAD	C9A-C5X	4.60	1.48	1.41
2	A	335	FAD	C9A-C5X	4.47	1.48	1.41
2	C	337	FAD	C9A-N10	4.46	1.49	1.41
2	D	336	FAD	C5A-C4A	-3.28	1.32	1.40
2	C	337	FAD	C5A-C4A	-3.26	1.32	1.40
2	B	334	FAD	C5'-C4'	-3.15	1.47	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	334	FAD	C5A-C4A	-3.09	1.32	1.40
2	D	336	FAD	C5'-C4'	-3.05	1.47	1.51
2	A	335	FAD	C5'-C4'	-3.01	1.47	1.51
2	A	335	FAD	C5A-C4A	-2.89	1.33	1.40
2	C	337	FAD	C5'-C4'	-2.84	1.47	1.51
2	B	334	FAD	C10-N1	2.68	1.38	1.33
2	C	337	FAD	C10-N1	2.62	1.38	1.33
2	A	335	FAD	C10-N1	2.60	1.38	1.33
2	A	335	FAD	C2B-C3B	-2.51	1.46	1.53
2	C	337	FAD	C8A-N7A	-2.48	1.30	1.34
2	D	336	FAD	C10-N1	2.47	1.38	1.33
2	C	337	FAD	C6-C7	2.47	1.43	1.39
2	A	335	FAD	C8A-N7A	-2.44	1.30	1.34
2	B	334	FAD	O4B-C1B	2.42	1.44	1.41
2	D	336	FAD	C2B-C3B	-2.42	1.46	1.53
2	B	334	FAD	O4-C4	2.39	1.28	1.23
2	B	334	FAD	C2B-C3B	-2.37	1.46	1.53
2	C	337	FAD	C2B-C3B	-2.32	1.47	1.53
2	A	335	FAD	O4B-C1B	2.29	1.44	1.41
2	B	334	FAD	C8A-N7A	-2.28	1.30	1.34
2	A	335	FAD	O4-C4	2.25	1.27	1.23
2	C	337	FAD	O4-C4	2.25	1.27	1.23
2	D	336	FAD	O4B-C1B	2.17	1.44	1.41
2	D	336	FAD	O4-C4	2.15	1.27	1.23
2	D	336	FAD	C8A-N7A	-2.13	1.30	1.34
2	A	335	FAD	C6-C7	2.13	1.42	1.39
2	C	337	FAD	C1'-N10	-2.04	1.43	1.48

All (148) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	335	FAD	C9-C9A-N10	9.09	134.12	121.84
2	C	337	FAD	C9-C9A-N10	8.95	133.93	121.84
2	D	336	FAD	C9-C9A-N10	8.61	133.47	121.84
2	C	337	FAD	N3A-C2A-N1A	-8.54	115.33	128.68
2	D	336	FAD	N3A-C2A-N1A	-7.97	116.23	128.68
2	D	336	FAD	C8M-C8-C9	-7.91	104.87	119.49
2	B	334	FAD	C9-C9A-N10	7.84	132.43	121.84
2	C	337	FAD	C9A-N10-C10	7.50	132.45	120.77
2	D	336	FAD	C8M-C8-C7	7.23	135.55	120.74
2	B	334	FAD	O2-C2-N3	7.16	132.56	118.65
2	C	337	FAD	C5X-C9A-N10	-7.11	110.61	117.95

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	337	FAD	C4'-C3'-C2'	6.99	127.89	113.36
2	A	335	FAD	C9A-N10-C10	6.89	131.50	120.77
2	A	335	FAD	N3A-C2A-N1A	-6.70	118.21	128.68
2	B	334	FAD	C9A-N10-C10	6.69	131.19	120.77
2	D	336	FAD	C5X-C9A-N10	-6.68	111.06	117.95
2	B	334	FAD	N3A-C2A-N1A	-6.59	118.38	128.68
2	B	334	FAD	C5X-N5-C4X	6.57	128.99	118.07
2	D	336	FAD	C9A-N10-C10	6.46	130.82	120.77
2	D	336	FAD	O4B-C4B-C5B	-6.44	88.19	109.37
2	B	334	FAD	C8M-C8-C9	-6.30	107.85	119.49
2	B	334	FAD	C9A-C5X-N5	-6.29	115.59	122.43
2	B	334	FAD	O4B-C4B-C5B	-6.23	88.87	109.37
2	A	335	FAD	O2-C2-N3	6.23	130.75	118.65
2	A	335	FAD	C5'-C4'-C3'	6.16	124.11	112.20
2	A	335	FAD	C5X-C9A-N10	-6.14	111.61	117.95
2	A	335	FAD	C5B-C4B-C3B	6.14	138.18	115.18
2	A	335	FAD	C5X-N5-C4X	5.87	127.84	118.07
2	B	334	FAD	C5X-C9A-N10	-5.78	111.99	117.95
2	C	337	FAD	C5B-C4B-C3B	5.58	136.09	115.18
2	C	337	FAD	C10-N1-C2	5.57	128.05	116.90
2	A	335	FAD	C1'-C2'-C3'	5.57	125.35	109.79
2	A	335	FAD	C9A-C5X-N5	-5.54	116.41	122.43
2	B	334	FAD	C8M-C8-C7	5.53	132.06	120.74
2	C	337	FAD	C5X-N5-C4X	5.43	127.10	118.07
2	A	335	FAD	C10-N1-C2	5.24	127.38	116.90
2	C	337	FAD	C4-C4X-N5	5.21	125.65	118.23
2	C	337	FAD	O4B-C4B-C5B	-5.18	92.32	109.37
2	D	336	FAD	C1B-N9A-C4A	5.15	135.69	126.64
2	A	335	FAD	O3B-C3B-C4B	-4.99	96.61	111.05
2	D	336	FAD	C5B-C4B-C3B	4.86	133.38	115.18
2	B	334	FAD	O5B-PA-O1A	4.83	127.95	109.07
2	B	334	FAD	C10-N1-C2	4.82	126.54	116.90
2	C	337	FAD	C9A-C5X-N5	-4.79	117.23	122.43
2	B	334	FAD	C5A-C6A-N6A	-4.73	113.17	120.35
2	B	334	FAD	C4-C4X-N5	4.64	124.84	118.23
2	D	336	FAD	O3B-C3B-C2B	4.64	126.82	111.82
2	A	335	FAD	O2A-PA-O1A	4.59	134.92	112.24
2	C	337	FAD	O5B-PA-O1A	4.49	126.59	109.07
2	C	337	FAD	C8M-C8-C7	4.37	129.69	120.74
2	C	337	FAD	PA-O5B-C5B	4.34	147.15	121.68
2	C	337	FAD	O4-C4-N3	-4.32	111.84	120.12
2	C	337	FAD	N3-C2-N1	-4.29	110.96	119.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	337	FAD	O5'-P-O1P	-4.27	92.38	109.07
2	D	336	FAD	C10-N1-C2	4.24	125.38	116.90
2	A	335	FAD	O5B-C5B-C4B	-4.20	94.55	108.99
2	A	335	FAD	C8M-C8-C7	4.17	129.28	120.74
2	D	336	FAD	O2A-PA-O1A	4.14	132.71	112.24
2	D	336	FAD	C1'-C2'-C3'	4.07	121.16	109.79
2	D	336	FAD	C5X-N5-C4X	4.06	124.81	118.07
2	B	334	FAD	C5B-C4B-C3B	4.03	130.28	115.18
2	C	337	FAD	C8M-C8-C9	-4.02	112.06	119.49
2	C	337	FAD	C2A-N1A-C6A	3.97	125.55	118.75
2	B	334	FAD	N3-C2-N1	-3.97	111.59	119.38
2	C	337	FAD	O2'-C2'-C3'	3.91	118.61	109.10
2	A	335	FAD	C8M-C8-C9	-3.89	112.30	119.49
2	A	335	FAD	C4A-C5A-N7A	3.87	113.43	109.40
2	A	335	FAD	N3-C2-N1	-3.81	111.91	119.38
2	B	334	FAD	C10-C4X-N5	-3.80	116.80	124.86
2	C	337	FAD	O2-C2-N3	3.72	125.88	118.65
2	B	334	FAD	O4'-C4'-C3'	3.70	118.10	109.10
2	B	334	FAD	O2-C2-N1	-3.63	115.82	121.83
2	B	334	FAD	O2A-PA-O1A	3.60	130.05	112.24
2	D	336	FAD	C9A-C5X-N5	-3.59	118.53	122.43
2	A	335	FAD	C10-C4X-N5	-3.51	117.42	124.86
2	A	335	FAD	C1'-N10-C9A	-3.50	114.67	120.51
2	B	334	FAD	C1'-C2'-C3'	3.45	119.42	109.79
2	C	337	FAD	C1B-N9A-C4A	3.38	132.59	126.64
2	B	334	FAD	C5'-C4'-C3'	3.38	118.74	112.20
2	A	335	FAD	C4-C4X-N5	3.36	123.02	118.23
2	A	335	FAD	N10-C10-N1	3.32	127.88	118.35
2	D	336	FAD	PA-O5B-C5B	3.25	140.75	121.68
2	D	336	FAD	C5A-C6A-N6A	-3.21	115.47	120.35
2	D	336	FAD	N6A-C6A-N1A	3.19	125.19	118.57
2	C	337	FAD	C10-C4X-N5	-3.18	118.10	124.86
2	A	335	FAD	C4X-C10-N1	-3.17	117.37	124.73
2	D	336	FAD	N3-C2-N1	-3.16	113.18	119.38
2	D	336	FAD	C4'-C3'-C2'	3.16	119.93	113.36
2	D	336	FAD	N10-C10-N1	3.15	127.40	118.35
2	A	335	FAD	C5A-C6A-N6A	-3.10	115.64	120.35
2	A	335	FAD	C9-C9A-C5X	-3.09	114.27	120.11
2	C	337	FAD	N10-C10-N1	3.07	127.18	118.35
2	B	334	FAD	C4'-C3'-C2'	3.07	119.74	113.36
2	A	335	FAD	O4B-C4B-C5B	-3.05	99.35	109.37
2	C	337	FAD	C4X-C4-N3	3.04	120.92	113.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	336	FAD	O5B-PA-O1A	2.99	120.75	109.07
2	D	336	FAD	C2A-N1A-C6A	2.97	123.83	118.75
2	C	337	FAD	C1'-N10-C9A	-2.96	115.57	120.51
2	D	336	FAD	C7M-C7-C6	-2.93	114.08	119.49
2	C	337	FAD	O5'-C5'-C4'	2.89	117.07	109.36
2	D	336	FAD	P-O3P-PA	2.88	142.69	132.83
2	D	336	FAD	C1'-N10-C9A	-2.80	115.84	120.51
2	A	335	FAD	C9A-C9-C8	2.78	124.89	119.30
2	B	334	FAD	N10-C10-N1	2.76	126.28	118.35
2	A	335	FAD	C6-C5X-C9A	2.71	122.78	118.94
2	A	335	FAD	O2-C2-N1	-2.71	117.34	121.83
2	A	335	FAD	O5B-PA-O1A	2.67	119.49	109.07
2	C	337	FAD	C5'-C4'-C3'	2.64	117.31	112.20
2	C	337	FAD	O5B-C5B-C4B	-2.60	100.06	108.99
2	A	335	FAD	O4'-C4'-C3'	2.59	115.40	109.10
2	B	334	FAD	C1'-N10-C9A	-2.59	116.20	120.51
2	D	336	FAD	C4X-C10-N1	-2.58	118.74	124.73
2	C	337	FAD	C9-C9A-C5X	-2.58	115.24	120.11
2	A	335	FAD	PA-O5B-C5B	2.57	136.73	121.68
2	C	337	FAD	C9A-C9-C8	2.57	124.47	119.30
2	C	337	FAD	O2A-PA-O1A	2.55	124.86	112.24
2	B	334	FAD	C4X-C10-N1	-2.55	118.82	124.73
2	D	336	FAD	C9-C9A-C5X	-2.51	115.36	120.11
2	D	336	FAD	C4A-C5A-N7A	2.50	112.01	109.40
2	C	337	FAD	C4X-C10-N1	-2.50	118.94	124.73
2	A	335	FAD	O4'-C4'-C5'	-2.49	104.32	109.92
2	B	334	FAD	C6-C5X-N5	2.48	122.85	118.51
2	B	334	FAD	N6A-C6A-N1A	2.47	123.69	118.57
2	B	334	FAD	C9-C9A-C5X	-2.45	115.48	120.11
2	C	337	FAD	O4'-C4'-C5'	-2.43	104.46	109.92
2	A	335	FAD	O2'-C2'-C3'	-2.39	103.29	109.10
2	B	334	FAD	O4-C4-N3	-2.39	115.54	120.12
2	C	337	FAD	N6A-C6A-N1A	2.38	123.51	118.57
2	C	337	FAD	C4A-C5A-N7A	-2.35	106.94	109.40
2	D	336	FAD	C10-C4X-N5	-2.35	119.88	124.86
2	D	336	FAD	O5B-C5B-C4B	-2.32	101.01	108.99
2	D	336	FAD	O2-C2-N1	2.30	125.65	121.83
2	D	336	FAD	O4'-C4'-C3'	2.29	114.67	109.10
2	D	336	FAD	C5'-C4'-C3'	2.21	116.47	112.20
2	A	335	FAD	C2A-N1A-C6A	2.19	122.51	118.75
2	A	335	FAD	C7M-C7-C6	-2.19	115.44	119.49
2	D	336	FAD	C6-C5X-C9A	2.17	122.01	118.94

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	337	FAD	O2P-P-O1P	2.16	122.94	112.24
2	C	337	FAD	C1'-C2'-C3'	2.12	115.70	109.79
2	A	335	FAD	O4-C4-C4X	-2.11	121.00	126.60
2	D	336	FAD	C7M-C7-C8	2.10	125.04	120.74
2	C	337	FAD	O2P-P-O5'	2.09	117.47	107.75
2	A	335	FAD	N6A-C6A-N1A	2.09	122.92	118.57
2	B	334	FAD	C9A-C9-C8	2.06	123.45	119.30
2	C	337	FAD	O3'-C3'-C4'	2.03	113.72	108.81
2	C	337	FAD	O3B-C3B-C2B	2.02	118.36	111.82
2	D	336	FAD	C9A-C9-C8	2.01	123.35	119.30
2	B	334	FAD	C2B-C3B-C4B	2.01	106.55	102.64

There are no chirality outliers.

All (42) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	335	FAD	C5B-O5B-PA-O1A
2	A	335	FAD	C5B-O5B-PA-O3P
2	A	335	FAD	O4B-C4B-C5B-O5B
2	A	335	FAD	C5'-O5'-P-O2P
2	B	334	FAD	C5B-O5B-PA-O1A
2	C	337	FAD	C5B-O5B-PA-O3P
2	C	337	FAD	O4B-C4B-C5B-O5B
2	C	337	FAD	N10-C1'-C2'-O2'
2	C	337	FAD	C5'-O5'-P-O2P
2	D	336	FAD	C5B-O5B-PA-O1A
2	D	336	FAD	N10-C1'-C2'-O2'
2	B	334	FAD	O4B-C4B-C5B-O5B
2	A	335	FAD	C3B-C4B-C5B-O5B
2	C	337	FAD	C3B-C4B-C5B-O5B
2	D	336	FAD	O4B-C4B-C5B-O5B
2	D	336	FAD	C3B-C4B-C5B-O5B
2	C	337	FAD	O2'-C2'-C3'-C4'
2	B	334	FAD	C2'-C3'-C4'-O4'
2	D	336	FAD	O2'-C2'-C3'-C4'
2	D	336	FAD	PA-O3P-P-O1P
2	A	335	FAD	O2'-C2'-C3'-C4'
2	B	334	FAD	O2'-C2'-C3'-C4'
2	A	335	FAD	PA-O3P-P-O5'
2	B	334	FAD	PA-O3P-P-O5'
2	C	337	FAD	PA-O3P-P-O5'
2	D	336	FAD	PA-O3P-P-O5'

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	A	335	FAD	C5'-O5'-P-O3P
2	B	334	FAD	C5'-O5'-P-O3P
2	C	337	FAD	C5'-O5'-P-O3P
2	D	336	FAD	C5B-O5B-PA-O3P
2	D	336	FAD	C5'-O5'-P-O3P
2	B	334	FAD	PA-O3P-P-O1P
2	A	335	FAD	C5'-O5'-P-O1P
2	B	334	FAD	C5'-O5'-P-O1P
2	C	337	FAD	C5B-O5B-PA-O1A
2	C	337	FAD	C5'-O5'-P-O1P
2	D	336	FAD	C5'-O5'-P-O1P
2	A	335	FAD	N10-C1'-C2'-O2'
2	B	334	FAD	C3B-C4B-C5B-O5B
2	B	334	FAD	N10-C1'-C2'-O2'
2	A	335	FAD	O2'-C2'-C3'-O3'
2	C	337	FAD	PA-O3P-P-O1P


There are no ring outliers.


3 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	335	FAD	1	0
2	C	337	FAD	1	0
2	B	334	FAD	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	106/117 (90%)	0.02	4 (3%) 40 39	13, 21, 35, 48	0
1	B	106/117 (90%)	-0.01	2 (1%) 66 65	12, 21, 35, 47	0
1	C	105/117 (89%)	-0.14	3 (2%) 51 50	10, 18, 35, 51	0
1	D	103/117 (88%)	0.39	7 (6%) 17 16	13, 24, 43, 58	0
All	All	420/468 (89%)	0.06	16 (3%) 40 39	10, 21, 38, 58	0

All (16) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	111	CYS	5.4
1	D	110	GLY	4.7
1	D	109	CYS	3.9
1	C	7	ASP	3.4
1	A	7	ASP	3.2
1	B	7	ASP	3.2
1	D	105	GLU	3.2
1	D	102	THR	2.9
1	D	96	ASP	2.8
1	A	112	SER	2.8
1	C	111	CYS	2.6
1	C	8	ASP	2.4
1	A	97	ILE	2.3
1	A	110	GLY	2.2
1	B	92	TYR	2.1
1	D	22	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	FAD	D	336	53/53	0.94	0.11	16,21,25,28	0
2	FAD	B	334	53/53	0.97	0.09	12,17,20,22	0
2	FAD	C	337	53/53	0.97	0.09	14,17,21,23	0
2	FAD	A	335	53/53	0.97	0.08	14,18,22,25	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around FAD B 334:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FAD C 337:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.