



wwPDB X-ray Structure Validation Summary Report ⓘ

Feb 3, 2024 – 09:37 PM EST

PDB ID : 1NF4
Title : X-Ray Structure of the *Desulfovibrio desulfuricans* bacterioferritin: the diiron site in different states (reduced structure)
Authors : Macedo, S.; Romao, C.V.; Mitchell, E.; Matias, P.M.; Liu, M.Y.; Xavier, A.V.; LeGall, J.; Teixeira, M.; Lindley, P.; Carrondo, M.A.
Deposited on : 2002-12-13
Resolution : 2.05 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.











Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1692 (2.04-2.04)
Clashscore	141614	1773 (2.04-2.04)
Ramachandran outliers	138981	1752 (2.04-2.04)
Sidechain outliers	138945	1752 (2.04-2.04)
RSRZ outliers	127900	1672 (2.04-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	179	 3% 79% 13% • 6%
1	B	179	 2% 77% 17% • 6%
1	C	179	 4% 77% 17% • 6%
1	D	179	 2% 77% 15% • 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	E	179	
1	F	179	
1	G	179	
1	H	179	
1	I	179	
1	J	179	
1	K	179	
1	L	179	
1	M	179	
1	N	179	
1	O	179	
1	P	179	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	SO4	A	1006	-	-	X	-
3	SO4	B	1005	-	-	X	-
3	SO4	B	1104	-	-	X	-
3	SO4	C	1206	-	-	X	-
3	SO4	D	1301	-	-	X	-
3	SO4	E	1403	-	-	X	-
3	SO4	H	1702	-	-	-	X
3	SO4	I	1704	-	-	X	-
3	SO4	I	1802	-	-	X	-
3	SO4	L	2102	-	-	X	-
3	SO4	L	2104	-	-	X	-
3	SO4	M	2202	-	-	-	X
3	SO4	O	2406	-	-	X	-
3	SO4	P	1504	-	-	X	-
4	FEC	C	1207[B]	-	-	X	-
4	FEC	I	1805[B]	-	-	X	-

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 23945 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called bacterioferritin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	169	1328	828	229	265	6	0	0	0
1	B	169	1321	823	227	265	6	0	0	0
1	C	169	1318	821	227	264	6	0	0	0
1	D	169	1328	828	228	266	6	0	1	0
1	E	169	1322	824	228	264	6	0	0	0
1	F	169	1324	825	227	266	6	0	0	0
1	G	169	1321	823	226	266	6	0	0	0
1	H	170	1324	824	228	266	6	0	0	0
1	I	170	1328	827	229	266	6	0	0	0
1	J	169	1311	818	224	263	6	0	1	0
1	K	169	1322	824	228	264	6	0	0	0
1	L	170	1336	832	231	267	6	0	1	0
1	M	170	1338	832	232	268	6	0	2	0
1	N	169	1326	826	228	266	6	0	0	0
1	O	169	1315	819	225	265	6	0	0	0
1	P	170	1328	827	229	266	6	0	0	0

- Molecule 2 is FE (II) ION (three-letter code: FE2) (formula: Fe).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	2	Total Fe 2 2	0	0
2	B	2	Total Fe 2 2	0	0
2	C	2	Total Fe 2 2	0	0
2	D	2	Total Fe 2 2	0	0
2	E	2	Total Fe 2 2	0	0
2	F	2	Total Fe 2 2	0	0
2	G	2	Total Fe 2 2	0	0
2	H	2	Total Fe 2 2	0	0
2	I	2	Total Fe 2 2	0	0
2	J	2	Total Fe 2 2	0	0
2	K	2	Total Fe 2 2	0	0
2	L	2	Total Fe 2 2	0	0
2	M	2	Total Fe 2 2	0	0
2	N	2	Total Fe 2 2	0	0
2	O	2	Total Fe 2 2	0	0
2	P	2	Total Fe 2 2	0	0

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	D	1	Total 5	O 4	S 1	0	0
3	E	1	Total 5	O 4	S 1	0	0
3	E	1	Total 5	O 4	S 1	0	0
3	E	1	Total 5	O 4	S 1	0	0
3	F	1	Total 5	O 4	S 1	0	0
3	F	1	Total 5	O 4	S 1	0	0
3	F	1	Total 5	O 4	S 1	0	0
3	G	1	Total 5	O 4	S 1	0	0
3	G	1	Total 5	O 4	S 1	0	0
3	G	1	Total 5	O 4	S 1	0	0
3	H	1	Total 5	O 4	S 1	0	0
3	H	1	Total 5	O 4	S 1	0	0
3	H	1	Total 5	O 4	S 1	0	0
3	H	1	Total 5	O 4	S 1	0	0
3	I	1	Total 5	O 4	S 1	0	0
3	I	1	Total 5	O 4	S 1	0	0
3	I	1	Total 5	O 4	S 1	0	0
3	I	1	Total 5	O 4	S 1	0	0
3	I	1	Total 5	O 4	S 1	0	0
3	J	1	Total 5	O 4	S 1	0	0
3	J	1	Total 5	O 4	S 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	J	1	Total	O	S	0	0
			5	4	1		
3	K	1	Total	O	S	0	0
			5	4	1		
3	K	1	Total	O	S	0	0
			5	4	1		
3	K	1	Total	O	S	0	0
			5	4	1		
3	L	1	Total	O	S	0	0
			5	4	1		
3	L	1	Total	O	S	0	0
			5	4	1		
3	L	1	Total	O	S	0	0
			5	4	1		
3	L	1	Total	O	S	0	0
			5	4	1		
3	M	1	Total	O	S	0	0
			5	4	1		
3	M	1	Total	O	S	0	0
			5	4	1		
3	M	1	Total	O	S	0	0
			5	4	1		
3	M	1	Total	O	S	0	0
			5	4	1		
3	N	1	Total	O	S	0	0
			5	4	1		
3	N	1	Total	O	S	0	0
			5	4	1		
3	N	1	Total	O	S	0	0
			5	4	1		
3	O	1	Total	O	S	0	0
			5	4	1		
3	O	1	Total	O	S	0	0
			5	4	1		
3	P	1	Total	O	S	0	0
			5	4	1		
3	P	1	Total	O	S	0	0
			5	4	1		
3	P	1	Total	O	S	0	0
			5	4	1		
3	P	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is 1,3,5,8-TETRAMETHYL-PORPHINE-2,4,6,7-TETRAPROPIONIC ACID FERROUS COMPLEX (three-letter code: FEC) (formula: $C_{36}H_{36}FeN_4O_8$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
4	A	1	Total	C	Fe	N	O	0	1
			98	72	2	8	16		
4	C	1	Total	C	Fe	N	O	0	1
			98	72	2	8	16		
4	E	1	Total	C	Fe	N	O	0	1
			98	72	2	8	16		
4	G	1	Total	C	Fe	N	O	0	1
			98	72	2	8	16		
4	I	1	Total	C	Fe	N	O	0	1
			98	72	2	8	16		
4	L	1	Total	C	Fe	N	O	0	1
			98	72	2	8	16		
4	M	1	Total	C	Fe	N	O	0	1
			98	72	2	8	16		
4	P	1	Total	C	Fe	N	O	0	1
			98	72	2	8	16		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	123	Total	O	0	0
			123	123		
5	B	114	Total	O	0	0
			114	114		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	C	99	Total O 99 99	0	0
5	D	103	Total O 103 103	0	0
5	E	86	Total O 86 86	0	0
5	F	89	Total O 89 89	0	0
5	G	104	Total O 104 104	0	0
5	H	93	Total O 93 93	0	0
5	I	121	Total O 121 121	0	0
5	J	91	Total O 91 91	0	0
5	K	105	Total O 105 105	0	0
5	L	129	Total O 129 129	0	0
5	M	124	Total O 124 124	0	0
5	N	108	Total O 108 108	0	0
5	O	74	Total O 74 74	0	0
5	P	96	Total O 96 96	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: bacterioferritin




- Molecule 1: bacterioferritin




- Molecule 1: bacterioferritin






- Molecule 1: bacterioferritin








- Molecule 1: bacterioferritin






- Molecule 1: bacterioferritin




- Molecule 1: bacterioferritin



- Molecule 1: bacterioferritin






- Molecule 1: bacterioferritin









• Molecule 1: bacterioferritin






• Molecule 1: bacterioferritin




• Molecule 1: bacterioferritin



• Molecule 1: bacterioferritin




• Molecule 1: bacterioferritin








- Molecule 1: bacterioferritin



- Molecule 1: bacterioferritin



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 3	Depositor
Cell constants a, b, c, α , β , γ	225.68Å 225.68Å 225.68Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.05 29.63 – 2.05	Depositor EDS
% Data completeness (in resolution range)	99.0 (30.00-2.05) 98.8 (29.63-2.05)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.90 (at 2.04Å)	Xtrriage
Refinement program	SHELXL-97, CNS	Depositor
R, R_{free}	0.231 , 0.270 0.196 , 0.242	Depositor DCC
R_{free} test set	4891 reflections (2.08%)	wwPDB-VP
Wilson B-factor (Å ²)	28.5	Xtrriage
Anisotropy	0.000	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 60.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtrriage
Estimated twinning fraction	0.012 for l,-k,h	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	23945	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.46% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, FE2, FEC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.31	0/1348	0.85	5/1816 (0.3%)
1	B	0.35	0/1341	0.78	1/1809 (0.1%)
1	C	0.29	0/1338	0.83	3/1805 (0.2%)
1	D	0.31	0/1353	0.83	1/1823 (0.1%)
1	E	0.31	0/1342	0.84	2/1809 (0.1%)
1	F	0.37	1/1344 (0.1%)	0.79	0/1812
1	G	0.29	0/1341	0.85	5/1809 (0.3%)
1	H	0.30	0/1344	0.80	2/1813 (0.1%)
1	I	0.30	0/1348	0.80	3/1817 (0.2%)
1	J	0.37	2/1336 (0.1%)	0.76	0/1804
1	K	0.30	0/1342	0.82	1/1809 (0.1%)
1	L	0.32	0/1361	0.78	1/1833 (0.1%)
1	M	0.30	0/1368	0.79	1/1843 (0.1%)
1	N	0.31	0/1346	0.78	3/1814 (0.2%)
1	O	0.30	0/1335	0.83	2/1802 (0.1%)
1	P	0.31	0/1348	0.80	1/1817 (0.1%)
All	All	0.32	3/21535 (0.0%)	0.81	31/29035 (0.1%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	F	6	GLU	CD-OE2	6.04	1.32	1.25
1	J	108[A]	GLN	CD-OE1	5.15	1.35	1.24
1	J	108[B]	GLN	CD-OE1	5.15	1.35	1.24

The worst 5 of 31 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	58	ARG	NE-CZ-NH1	8.53	124.57	120.30
1	E	127	ARG	NE-CZ-NH1	7.79	124.19	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	N	20	ARG	NE-CZ-NH1	7.66	124.13	120.30
1	A	20	ARG	NE-CZ-NH2	-7.02	116.79	120.30
1	G	127	ARG	NE-CZ-NH2	-6.57	117.02	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1328	0	1296	31	0
1	B	1321	0	1276	29	0
1	C	1318	0	1269	24	0
1	D	1328	0	1292	30	0
1	E	1322	0	1280	29	0
1	F	1324	0	1283	24	0
1	G	1321	0	1274	31	0
1	H	1324	0	1277	37	0
1	I	1328	0	1288	45	0
1	J	1311	0	1259	30	0
1	K	1322	0	1280	27	0
1	L	1336	0	1303	41	5
1	M	1338	0	1299	24	0
1	N	1326	0	1284	29	0
1	O	1315	0	1258	36	0
1	P	1328	0	1288	38	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
2	C	2	0	0	0	0
2	D	2	0	0	0	0
2	E	2	0	0	0	0
2	F	2	0	0	0	0
2	G	2	0	0	0	0
2	H	2	0	0	0	0
2	I	2	0	0	0	0
2	J	2	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	K	2	0	0	0	0
2	L	2	0	0	0	0
2	M	2	0	0	0	0
2	N	2	0	0	0	0
2	O	2	0	0	0	0
2	P	2	0	0	0	0
3	A	15	0	0	2	0
3	B	25	0	0	8	0
3	C	20	0	0	2	0
3	D	15	0	0	3	0
3	E	15	0	0	4	0
3	F	15	0	0	0	0
3	G	15	0	0	1	0
3	H	20	0	0	0	0
3	I	25	0	0	5	14
3	J	15	0	0	0	0
3	K	15	0	0	0	0
3	L	20	0	0	5	19
3	M	20	0	0	2	0
3	N	15	0	0	1	0
3	O	10	0	0	2	0
3	P	20	0	0	4	0
4	A	98	0	64	21	0
4	C	98	0	64	29	0
4	E	98	0	64	21	0
4	G	98	0	64	24	0
4	I	98	0	64	37	0
4	L	98	0	64	29	0
4	M	98	0	64	19	0
4	P	98	0	64	30	0
5	A	123	0	0	3	0
5	B	114	0	0	10	0
5	C	99	0	0	2	0
5	D	103	0	0	7	0
5	E	86	0	0	1	0
5	F	89	0	0	3	0
5	G	104	0	0	1	0
5	H	93	0	0	5	0
5	I	121	0	0	4	0
5	J	91	0	0	4	0
5	K	105	0	0	3	0
5	L	129	0	0	6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	M	124	0	0	5	0
5	N	108	0	0	2	0
5	O	74	0	0	2	0
5	P	96	0	0	4	0
All	All	23945	0	21018	522	19

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

The worst 5 of 522 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:L:2107[B]:FEC:NA	4:L:2107[B]:FEC:C4A	1.75	1.45
4:P:2507[B]:FEC:C4A	4:P:2507[B]:FEC:NA	1.80	1.44
4:C:1207[B]:FEC:FE	4:C:1207[B]:FEC:NC	0.70	1.43
4:E:1407[B]:FEC:C4B	4:E:1407[B]:FEC:NB	1.68	1.42
4:A:1007[B]:FEC:NA	4:A:1007[B]:FEC:C1A	1.72	1.34

The worst 5 of 19 symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:I:1802:SO4:O3	3:L:2102:SO4:O1[9_465]	0.18	2.02
3:I:1802:SO4:O2	3:L:2102:SO4:O4[9_465]	0.28	1.92
3:I:1802:SO4:O1	3:L:2102:SO4:O3[9_465]	0.31	1.89
3:I:1802:SO4:O4	3:L:2102:SO4:O2[9_465]	0.50	1.70
3:I:1802:SO4:S	3:L:2102:SO4:S[9_465]	0.56	1.64

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	167/179 (93%)	163 (98%)	4 (2%)	0	100	100
1	B	167/179 (93%)	164 (98%)	3 (2%)	0	100	100
1	C	167/179 (93%)	165 (99%)	1 (1%)	1 (1%)	25	15
1	D	168/179 (94%)	166 (99%)	2 (1%)	0	100	100
1	E	167/179 (93%)	163 (98%)	3 (2%)	1 (1%)	25	15
1	F	167/179 (93%)	165 (99%)	2 (1%)	0	100	100
1	G	167/179 (93%)	163 (98%)	3 (2%)	1 (1%)	25	15
1	H	168/179 (94%)	165 (98%)	2 (1%)	1 (1%)	25	15
1	I	168/179 (94%)	164 (98%)	3 (2%)	1 (1%)	25	15
1	J	168/179 (94%)	165 (98%)	3 (2%)	0	100	100
1	K	167/179 (93%)	165 (99%)	2 (1%)	0	100	100
1	L	169/179 (94%)	166 (98%)	3 (2%)	0	100	100
1	M	170/179 (95%)	166 (98%)	4 (2%)	0	100	100
1	N	167/179 (93%)	164 (98%)	3 (2%)	0	100	100
1	O	167/179 (93%)	165 (99%)	2 (1%)	0	100	100
1	P	168/179 (94%)	163 (97%)	5 (3%)	0	100	100
All	All	2682/2864 (94%)	2632 (98%)	45 (2%)	5 (0%)	47	39

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	H	168	SER
1	I	168	SER
1	C	168	SER
1	E	168	SER
1	G	151	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	139/145 (96%)	134 (96%)	5 (4%)	35	28
1	B	137/145 (94%)	133 (97%)	4 (3%)	42	35
1	C	136/145 (94%)	132 (97%)	4 (3%)	42	35
1	D	139/145 (96%)	133 (96%)	6 (4%)	29	22
1	E	137/145 (94%)	130 (95%)	7 (5%)	24	15
1	F	138/145 (95%)	133 (96%)	5 (4%)	35	28
1	G	137/145 (94%)	133 (97%)	4 (3%)	42	35
1	H	137/145 (94%)	134 (98%)	3 (2%)	52	46
1	I	138/145 (95%)	136 (99%)	2 (1%)	67	65
1	J	135/145 (93%)	130 (96%)	5 (4%)	34	27
1	K	137/145 (94%)	132 (96%)	5 (4%)	35	28
1	L	140/145 (97%)	136 (97%)	4 (3%)	42	35
1	M	140/145 (97%)	136 (97%)	4 (3%)	42	35
1	N	138/145 (95%)	134 (97%)	4 (3%)	42	35
1	O	135/145 (93%)	130 (96%)	5 (4%)	34	27
1	P	138/145 (95%)	134 (97%)	4 (3%)	42	35
All	All	2201/2320 (95%)	2130 (97%)	71 (3%)	39	32

5 of 71 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	M	156	LYS
1	N	38	ASP
1	O	111	LYS
1	E	156	LYS
1	E	93	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 60 such sidechains are listed below:

Mol	Chain	Res	Type
1	I	33	GLN
1	P	25	HIS
1	K	32	ASN
1	P	4	ASN
1	P	145	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 104 ligands modelled in this entry, 32 are monoatomic - leaving 72 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SO4	G	1606	-	4,4,4	0.24	0	6,6,6	0.71	0
3	SO4	L	2102	-	4,4,4	1.95	1 (25%)	6,6,6	0.87	0
3	SO4	I	1801	-	4,4,4	1.93	1 (25%)	6,6,6	0.92	0
4	FEC	L	2107[A]	1	40,56,56	1.75	6 (15%)	42,90,90	1.79	10 (23%)
3	SO4	C	1203	-	4,4,4	0.41	0	6,6,6	0.98	0
3	SO4	H	1706	-	4,4,4	0.46	0	6,6,6	0.87	0
4	FEC	L	2107[B]	1	40,56,56	3.52	7 (17%)	42,90,90	2.35	9 (21%)
3	SO4	C	1201	-	4,4,4	1.92	1 (25%)	6,6,6	0.93	0
3	SO4	N	2306	-	4,4,4	0.18	0	6,6,6	0.76	0
4	FEC	C	1207[A]	1	40,56,56	2.11	5 (12%)	42,90,90	1.75	10 (23%)
3	SO4	B	1005	-	4,4,4	0.52	0	6,6,6	2.46	2 (33%)
3	SO4	M	2206	-	4,4,4	0.23	0	6,6,6	0.40	0
3	SO4	I	1704	-	4,4,4	1.95	2 (50%)	6,6,6	0.80	0
3	SO4	F	1501	-	4,4,4	2.02	1 (25%)	6,6,6	0.83	0
3	SO4	P	2501	-	4,4,4	1.90	1 (25%)	6,6,6	0.90	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	FEC	C	1207[B]	1	40,56,56	4.70	8 (20%)	42,90,90	2.58	14 (33%)
4	FEC	G	1607[A]	1	40,56,56	2.04	5 (12%)	42,90,90	1.92	14 (33%)
3	SO4	K	2001	-	4,4,4	1.92	1 (25%)	6,6,6	0.94	0
3	SO4	L	2104	-	4,4,4	1.95	1 (25%)	6,6,6	0.87	0
3	SO4	B	1106	-	4,4,4	0.13	0	6,6,6	1.50	0
3	SO4	F	1502	-	4,4,4	1.91	1 (25%)	6,6,6	0.92	0
4	FEC	G	1607[B]	1	40,56,56	4.32	7 (17%)	42,90,90	1.77	12 (28%)
3	SO4	J	1904	-	4,4,4	1.93	1 (25%)	6,6,6	0.92	0
3	SO4	C	1204	-	4,4,4	1.99	1 (25%)	6,6,6	0.88	0
3	SO4	H	1702	-	4,4,4	1.94	1 (25%)	6,6,6	0.87	0
3	SO4	D	1306	-	4,4,4	0.37	0	6,6,6	0.70	0
3	SO4	A	1003	-	4,4,4	2.00	1 (25%)	6,6,6	0.84	0
3	SO4	D	1303	-	4,4,4	0.17	0	6,6,6	0.60	0
3	SO4	M	2203	-	4,4,4	1.94	1 (25%)	6,6,6	0.81	0
3	SO4	O	2406	-	4,4,4	0.30	0	6,6,6	1.07	0
3	SO4	P	2506	-	4,4,4	0.46	0	6,6,6	0.56	0
3	SO4	J	1901	-	4,4,4	1.89	1 (25%)	6,6,6	0.84	0
3	SO4	L	2106	-	4,4,4	0.19	0	6,6,6	1.21	1 (16%)
4	FEC	A	1007[A]	1	40,56,56	2.23	4 (10%)	42,90,90	1.72	11 (26%)
3	SO4	D	1301	-	4,4,4	1.99	1 (25%)	6,6,6	0.88	0
3	SO4	H	1701	-	4,4,4	1.83	1 (25%)	6,6,6	0.84	0
3	SO4	E	1406	-	4,4,4	0.29	0	6,6,6	1.22	1 (16%)
3	SO4	H	1703	-	4,4,4	0.28	0	6,6,6	0.58	0
3	SO4	I	1802	-	4,4,4	1.96	2 (50%)	6,6,6	0.80	0
3	SO4	K	2006	-	4,4,4	0.17	0	6,6,6	0.67	0
4	FEC	A	1007[B]	1	40,56,56	5.47	8 (20%)	42,90,90	2.31	12 (28%)
4	FEC	M	2207[A]	1	40,56,56	2.83	6 (15%)	42,90,90	1.61	8 (19%)
4	FEC	M	2207[B]	1	40,56,56	3.03	7 (17%)	42,90,90	1.79	8 (19%)
3	SO4	P	1504	-	4,4,4	1.94	1 (25%)	6,6,6	0.86	0
3	SO4	B	1104	-	4,4,4	2.02	1 (25%)	6,6,6	0.89	0
4	FEC	I	1805[A]	1	40,56,56	2.00	5 (12%)	42,90,90	1.64	10 (23%)
4	FEC	I	1805[B]	1	40,56,56	4.85	7 (17%)	42,90,90	2.15	12 (28%)
3	SO4	F	1506	-	4,4,4	0.26	0	6,6,6	1.31	1 (16%)
3	SO4	I	1804	-	4,4,4	0.39	0	6,6,6	0.60	0
3	SO4	P	2503	-	4,4,4	0.20	0	6,6,6	0.92	0
3	SO4	E	1304	-	4,4,4	1.93	1 (25%)	6,6,6	0.93	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SO4	M	2202	-	4,4,4	2.00	1 (25%)	6,6,6	0.85	0
3	SO4	B	1103	-	4,4,4	0.24	0	6,6,6	0.33	0
3	SO4	E	1403	-	4,4,4	0.36	0	6,6,6	1.21	1 (16%)
3	SO4	G	1601	-	4,4,4	2.18	1 (25%)	6,6,6	0.78	0
3	SO4	K	2003	-	4,4,4	1.91	1 (25%)	6,6,6	0.92	0
3	SO4	N	2303	-	4,4,4	0.18	0	6,6,6	0.81	0
4	FEC	P	2507[A]	1	40,56,56	2.70	6 (15%)	42,90,90	1.92	9 (21%)
4	FEC	P	2507[B]	1	40,56,56	3.44	8 (20%)	42,90,90	1.73	10 (23%)
3	SO4	C	1206	-	4,4,4	0.34	0	6,6,6	0.63	0
3	SO4	G	1603	-	4,4,4	2.02	1 (25%)	6,6,6	0.89	0
3	SO4	A	1006	-	4,4,4	0.24	0	6,6,6	1.10	0
3	SO4	A	1001	-	4,4,4	1.81	1 (25%)	6,6,6	0.95	0
3	SO4	M	2201	-	4,4,4	1.89	1 (25%)	6,6,6	0.93	0
3	SO4	O	2403	-	4,4,4	0.38	0	6,6,6	0.44	0
3	SO4	B	1101	-	4,4,4	1.88	1 (25%)	6,6,6	0.92	0
4	FEC	E	1407[B]	1	40,56,56	3.61	8 (20%)	42,90,90	1.77	12 (28%)
3	SO4	J	1906	-	4,4,4	0.16	0	6,6,6	0.95	0
3	SO4	N	2301	-	4,4,4	1.94	1 (25%)	6,6,6	0.82	0
3	SO4	L	2101	-	4,4,4	1.91	1 (25%)	6,6,6	0.92	0
4	FEC	E	1407[A]	1	40,56,56	2.08	5 (12%)	42,90,90	1.88	10 (23%)
3	SO4	I	1803	-	4,4,4	0.34	0	6,6,6	0.49	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	FEC	G	1607[A]	1	-	6/20/120/120	-
4	FEC	A	1007[B]	1	-	10/20/120/120	-
4	FEC	G	1607[B]	1	-	10/20/120/120	-
4	FEC	L	2107[A]	1	-	8/20/120/120	-
4	FEC	L	2107[B]	1	-	9/20/120/120	-
4	FEC	M	2207[B]	1	-	9/20/120/120	-
4	FEC	I	1805[A]	1	-	11/20/120/120	-
4	FEC	I	1805[B]	1	-	6/20/120/120	-
4	FEC	E	1407[B]	1	-	5/20/120/120	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	FEC	C	1207[B]	1	-	11/20/120/120	-
4	FEC	P	2507[B]	1	-	13/20/120/120	-
4	FEC	C	1207[A]	1	-	10/20/120/120	-
4	FEC	E	1407[A]	1	-	9/20/120/120	-
4	FEC	A	1007[A]	1	-	10/20/120/120	-
4	FEC	P	2507[A]	1	-	9/20/120/120	-
4	FEC	M	2207[A]	1	-	10/20/120/120	-

The worst 5 of 134 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	1007[B]	FEC	C1D-ND	28.25	1.90	1.36
4	C	1207[B]	FEC	C4B-NB	25.52	1.84	1.36
4	I	1805[B]	FEC	C1D-ND	25.16	1.84	1.36
4	G	1607[B]	FEC	C1D-ND	20.88	1.76	1.36
4	L	2107[B]	FEC	C4D-ND	-19.13	1.00	1.36

The worst 5 of 177 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	1207[B]	FEC	C3D-C4D-ND	-11.53	90.10	114.98
4	L	2107[B]	FEC	C3D-C4D-ND	-10.16	93.07	114.98
4	A	1007[B]	FEC	CBC-CAC-C2C	7.66	125.51	112.60
4	P	2507[A]	FEC	CBC-CAC-C2C	7.31	124.93	112.60
4	E	1407[A]	FEC	CBC-CAC-C2C	6.73	123.95	112.60

There are no chirality outliers.

5 of 146 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	1007[A]	FEC	C3C-C2C-CAC-CBC
4	A	1007[A]	FEC	C1C-C2C-CAC-CBC
4	A	1007[A]	FEC	C4B-C3B-CAB-CBB
4	A	1007[B]	FEC	C3C-C2C-CAC-CBC
4	A	1007[B]	FEC	C1C-C2C-CAC-CBC


There are no ring outliers.


33 monomers are involved in 268 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	L	2102	SO4	0	14
4	L	2107[A]	FEC	17	0
4	L	2107[B]	FEC	12	0
4	C	1207[A]	FEC	8	0
3	B	1005	SO4	6	0
3	M	2206	SO4	1	0
3	I	1704	SO4	5	0
4	C	1207[B]	FEC	21	0
4	G	1607[A]	FEC	11	0
3	L	2104	SO4	5	5
4	G	1607[B]	FEC	13	0
3	D	1306	SO4	1	0
3	O	2406	SO4	2	0
4	A	1007[A]	FEC	6	0
3	D	1301	SO4	2	0
3	I	1802	SO4	0	14
4	A	1007[B]	FEC	15	0
4	M	2207[A]	FEC	10	0
4	M	2207[B]	FEC	9	0
3	P	1504	SO4	4	0
3	B	1104	SO4	2	0
4	I	1805[A]	FEC	10	0
4	I	1805[B]	FEC	27	0
3	M	2202	SO4	1	0
3	E	1403	SO4	4	0
3	G	1601	SO4	1	0
4	P	2507[A]	FEC	13	0
4	P	2507[B]	FEC	17	0
3	C	1206	SO4	2	0
3	A	1006	SO4	2	0
4	E	1407[B]	FEC	13	0
3	N	2301	SO4	1	0
4	E	1407[A]	FEC	8	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.


The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.












































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	169/179 (94%)	-0.21	5 (2%) 50 54	17, 26, 42, 66	0
1	B	169/179 (94%)	-0.20	4 (2%) 59 63	17, 25, 47, 66	0
1	C	169/179 (94%)	-0.31	8 (4%) 31 33	18, 26, 42, 64	0
1	D	169/179 (94%)	-0.22	4 (2%) 59 63	17, 26, 43, 66	0
1	E	169/179 (94%)	-0.28	6 (3%) 42 46	18, 26, 45, 64	0
1	F	169/179 (94%)	-0.32	6 (3%) 42 46	18, 26, 44, 66	0
1	G	169/179 (94%)	-0.25	6 (3%) 42 46	17, 26, 42, 66	0
1	H	170/179 (94%)	-0.28	7 (4%) 37 40	17, 26, 48, 68	0
1	I	170/179 (94%)	-0.29	4 (2%) 59 63	17, 26, 43, 66	0
1	J	169/179 (94%)	-0.31	5 (2%) 50 54	18, 26, 42, 66	0
1	K	169/179 (94%)	-0.29	3 (1%) 68 71	17, 26, 42, 64	0
1	L	170/179 (94%)	-0.22	8 (4%) 31 33	17, 26, 44, 66	0
1	M	170/179 (94%)	-0.29	5 (2%) 51 56	16, 25, 44, 66	0
1	N	169/179 (94%)	-0.27	3 (1%) 68 71	17, 25, 44, 64	0
1	O	169/179 (94%)	-0.23	4 (2%) 59 63	18, 26, 42, 64	0
1	P	170/179 (94%)	-0.38	3 (1%) 68 71	17, 26, 48, 66	0
All	All	2709/2864 (94%)	-0.27	81 (2%) 50 54	16, 26, 46, 68	0

The worst 5 of 81 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	168	SER	6.9
1	B	166	THR	6.7
1	I	166	THR	6.6
1	A	166	THR	6.3
1	N	168	SER	6.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	SO4	J	1901	5/5	0.70	0.25	66,67,67,69	0
3	SO4	I	1704	5/5	0.76	0.35	36,37,38,38	0
3	SO4	H	1702	5/5	0.76	0.47	72,72,73,73	0
3	SO4	L	2104	5/5	0.77	0.34	78,78,78,79	5
3	SO4	M	2202	5/5	0.78	0.42	73,73,73,74	0
3	SO4	G	1601	5/5	0.82	0.23	74,74,74,75	0
3	SO4	D	1301	5/5	0.84	0.24	58,59,60,60	0
3	SO4	D	1303	5/5	0.85	0.43	39,44,45,50	0
3	SO4	O	2406	5/5	0.85	0.18	41,44,46,47	5
3	SO4	K	2001	5/5	0.86	0.22	51,53,53,54	0
3	SO4	L	2101	5/5	0.87	0.15	64,64,65,65	0
3	SO4	C	1201	5/5	0.88	0.16	65,65,67,67	0
3	SO4	E	1304	5/5	0.88	0.22	65,65,67,67	0
3	SO4	E	1406	5/5	0.88	0.26	62,67,67,70	0
3	SO4	B	1104	5/5	0.89	0.13	73,73,74,75	0
3	SO4	H	1701	5/5	0.89	0.19	54,54,55,56	0
3	SO4	M	2206	5/5	0.89	0.32	58,60,67,70	0
3	SO4	I	1801	5/5	0.89	0.29	61,61,62,63	0
3	SO4	P	2501	5/5	0.89	0.15	62,62,63,63	0
3	SO4	M	2203	5/5	0.90	0.41	62,63,63,63	0
3	SO4	F	1502	5/5	0.90	0.35	69,69,69,71	0
3	SO4	B	1101	5/5	0.90	0.14	66,66,67,67	0
3	SO4	K	2006	5/5	0.90	0.23	52,55,60,61	0
3	SO4	A	1006	5/5	0.91	0.40	56,67,69,74	0
3	SO4	E	1403	5/5	0.91	0.35	44,47,49,52	0
3	SO4	A	1001	5/5	0.91	0.16	53,54,54,55	0
3	SO4	N	2301	5/5	0.91	0.19	62,63,63,63	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	SO4	N	2306	5/5	0.91	0.31	60,65,69,71	0
3	SO4	F	1501	5/5	0.91	0.26	66,66,67,67	0
3	SO4	P	1504	5/5	0.91	0.13	78,78,78,79	0
3	SO4	A	1003	5/5	0.91	0.27	73,73,73,74	0
3	SO4	H	1706	5/5	0.92	0.23	47,55,58,60	0
3	SO4	C	1204	5/5	0.92	0.19	58,59,60,60	5
3	SO4	G	1603	5/5	0.92	0.16	73,73,74,75	0
3	SO4	L	2106	5/5	0.92	0.33	60,65,69,72	0
3	SO4	C	1206	5/5	0.92	0.14	46,46,47,49	5
3	SO4	B	1103	5/5	0.92	0.19	70,71,72,74	0
3	SO4	J	1904	5/5	0.93	0.19	61,61,62,63	5
3	SO4	P	2503	5/5	0.93	0.24	42,43,47,49	5
3	SO4	P	2506	5/5	0.93	0.31	57,63,66,67	0
3	SO4	K	2003	5/5	0.94	0.22	69,69,69,71	0
3	SO4	B	1106	5/5	0.94	0.34	64,66,74,75	0
3	SO4	I	1802	5/5	0.94	0.17	36,37,38,38	0
3	SO4	L	2102	5/5	0.94	0.15	78,78,78,79	5
3	SO4	I	1804	5/5	0.94	0.26	62,65,67,69	0
3	SO4	N	2303	5/5	0.94	0.24	64,68,70,72	0
3	SO4	J	1906	5/5	0.95	0.28	50,51,59,59	0
3	SO4	D	1306	5/5	0.95	0.45	45,45,48,48	0
3	SO4	O	2403	5/5	0.95	0.26	63,66,67,68	0
3	SO4	M	2201	5/5	0.95	0.19	51,51,52,53	0
3	SO4	I	1803	5/5	0.95	0.24	67,67,70,70	0
3	SO4	B	1005	5/5	0.95	0.27	51,53,55,61	0
3	SO4	G	1606	5/5	0.95	0.33	58,65,67,73	0
3	SO4	F	1506	5/5	0.95	0.23	65,67,68,69	0
3	SO4	H	1703	5/5	0.96	0.17	40,43,48,48	5
2	FE2	A	201	1/1	0.96	0.04	34,34,34,34	0
3	SO4	C	1203	5/5	0.96	0.19	56,58,62,64	0
4	FEC	C	1207[A]	49/49	0.96	0.20	15,20,30,37	49
4	FEC	C	1207[B]	49/49	0.96	0.20	12,20,32,35	49
4	FEC	E	1407[A]	49/49	0.96	0.18	16,20,31,36	49
4	FEC	E	1407[B]	49/49	0.96	0.18	15,20,29,36	49
4	FEC	I	1805[A]	49/49	0.96	0.17	15,20,31,36	49
4	FEC	I	1805[B]	49/49	0.96	0.17	13,21,30,33	49
4	FEC	L	2107[A]	49/49	0.96	0.22	15,20,31,36	49
4	FEC	L	2107[B]	49/49	0.96	0.22	13,20,28,30	49
4	FEC	M	2207[A]	49/49	0.96	0.19	15,20,31,37	49
4	FEC	M	2207[B]	49/49	0.96	0.19	12,20,29,32	49
2	FE2	E	200	1/1	0.97	0.05	34,34,34,34	0
2	FE2	F	201	1/1	0.97	0.04	35,35,35,35	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	FEC	A	1007[A]	49/49	0.97	0.22	15,20,31,36	49
4	FEC	A	1007[B]	49/49	0.97	0.22	9,19,28,34	49
4	FEC	G	1607[A]	49/49	0.97	0.20	15,20,31,36	49
4	FEC	G	1607[B]	49/49	0.97	0.20	9,20,32,38	49
4	FEC	P	2507[A]	49/49	0.97	0.19	15,20,31,35	49
4	FEC	P	2507[B]	49/49	0.97	0.19	14,20,29,36	49
2	FE2	C	201	1/1	0.98	0.04	36,36,36,36	0
2	FE2	G	200	1/1	0.98	0.07	32,32,32,32	0
2	FE2	J	201	1/1	0.98	0.04	36,36,36,36	0
2	FE2	L	201	1/1	0.98	0.05	32,32,32,32	0
2	FE2	M	201	1/1	0.98	0.04	33,33,33,33	0
2	FE2	N	200	1/1	0.98	0.07	29,29,29,29	0
2	FE2	D	200	1/1	0.99	0.06	32,32,32,32	0
2	FE2	K	200	1/1	0.99	0.05	30,30,30,30	0
2	FE2	K	201	1/1	0.99	0.03	36,36,36,36	0
2	FE2	D	201	1/1	0.99	0.04	34,34,34,34	0
2	FE2	M	200	1/1	0.99	0.06	29,29,29,29	0
2	FE2	B	200	1/1	0.99	0.07	29,29,29,29	0
2	FE2	E	201	1/1	0.99	0.02	35,35,35,35	0
2	FE2	N	201	1/1	0.99	0.05	34,34,34,34	0
2	FE2	O	200	1/1	0.99	0.07	34,34,34,34	0
2	FE2	O	201	1/1	0.99	0.02	37,37,37,37	0
2	FE2	P	200	1/1	0.99	0.05	32,32,32,32	0
2	FE2	P	201	1/1	0.99	0.03	34,34,34,34	0
2	FE2	F	200	1/1	0.99	0.05	33,33,33,33	0
2	FE2	B	201	1/1	0.99	0.05	31,31,31,31	0
2	FE2	A	200	1/1	0.99	0.06	31,31,31,31	0
2	FE2	G	201	1/1	0.99	0.03	33,33,33,33	0
2	FE2	H	200	1/1	0.99	0.04	31,31,31,31	0
2	FE2	H	201	1/1	0.99	0.03	34,34,34,34	0
2	FE2	I	200	1/1	0.99	0.05	30,30,30,30	0
2	FE2	I	201	1/1	0.99	0.03	33,33,33,33	0
2	FE2	J	200	1/1	0.99	0.05	33,33,33,33	0
2	FE2	L	200	1/1	1.00	0.06	30,30,30,30	0
2	FE2	C	200	1/1	1.00	0.03	31,31,31,31	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around FEC C 1207 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FEC C 1207 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FEC E 1407 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FEC E 1407 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FEC I 1805 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FEC I 1805 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FEC L 2107 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FEC L 2107 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FEC M 2207 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FEC M 2207 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FEC A 1007 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FEC A 1007 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around FEC G 1607 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FEC G 1607 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FEC P 2507 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around FEC P 2507 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.