



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 18, 2023 – 04:07 PM EDT

PDB ID : 1UE6
Title : Crystal structure of the single-stranded dna-binding protein from mycobacterium tuberculosis
Authors : Saikrishnan, K.; Jeyakanthan, J.; Venkatesh, J.; Acharya, N.; Sekar, K.; Varshney, U.; Vijayan, M.; TB Structural Genomics Consortium (TBSGC)
Deposited on : 2003-05-09
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2808 (2.70-2.70)
Clashscore	141614	3122 (2.70-2.70)
Ramachandran outliers	138981	3069 (2.70-2.70)
Sidechain outliers	138945	3069 (2.70-2.70)
RSRZ outliers	127900	2737 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	164	
1	B	164	
1	C	164	
1	D	164	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 3289 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Single-strand binding protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	110	784	489	139	155	1	0	0	0
1	B	106	751	466	134	150	1	0	0	0
1	C	106	781	486	144	150	1	0	0	0
1	D	104	744	465	133	145	1	0	0	0

- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	64	Total	O	0	0
			64	64		
2	B	66	Total	O	0	0
			66	66		
2	C	56	Total	O	0	0
			56	56		
2	D	43	Total	O	0	0
			43	43		

SER
ALA
PRO
ALA
SER
GLY
SER
PHE
GLY
GLY
GLY
ASP
ASP
GLU
PRO
PRO
PHE

• Molecule 1: Single-strand binding protein



MET
ALA
G3
D4
T5
T6
I7
T8
I9
L13
T14
A15
D16
P17
E18
L19
R20
F21
G25
A26
A27
V28
A29
T32
S35
T36
P37
R38
L39
Y40
ASP
ARG
GLN
GLN
THR
GLY
GLY
TRP
TRP
LYS
ASP
GLY
E51
A52
L53
F54
L55
R56
I59
W60
R61
E62
V67
L71
T72

R73
V79
L83
K84
Q85
E89
T90
R91
GLU
GLY
GLU
K95
V98
I99
F100
V101
E102
V103
I106
T114
K119
ALA
SER
ARG
SER
GLY
GLY
PHE
GLY
SER
SER
GLY
SER
ARG
PRO
ALA
PRO
ALA
GLN
THR
SER
SER
ALA
SER
SER
GLY
ASP
ASP
PRO
PRO
TRP
GLY
SER
ALA
ALA

SER
GLY
SER
PHE
GLY
GLY
GLY
ASP
ASP
GLU
PRO
PRO
PHE

4 Data and refinement statistics

Property	Value	Source
Space group	I 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	60.36Å 117.62Å 175.23Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	15.00 – 2.70 19.77 – 2.70	Depositor EDS
% Data completeness (in resolution range)	93.1 (15.00-2.70) 93.1 (19.77-2.70)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.62 (at 2.71Å)	Xtrriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.231 , 0.295 0.231 , 0.296	Depositor DCC
R_{free} test set	954 reflections (5.84%)	wwPDB-VP
Wilson B-factor (Å ²)	53.4	Xtrriage
Anisotropy	0.434	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 82.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	3289	wwPDB-VP
Average B, all atoms (Å ²)	57.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.13% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.45	0/792	0.79	2/1078 (0.2%)
1	B	0.40	0/758	0.71	0/1032
1	C	0.51	1/790 (0.1%)	0.82	2/1072 (0.2%)
1	D	0.40	0/750	0.73	0/1020
All	All	0.44	1/3090 (0.0%)	0.76	4/4202 (0.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	14	THR	CA-CB	5.56	1.67	1.53

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	13	LEU	N-CA-C	7.42	131.03	111.00
1	A	99	ILE	N-CA-C	-5.19	96.98	111.00
1	A	98	VAL	N-CA-C	5.19	125.00	111.00
1	C	14	THR	N-CA-CB	5.17	120.12	110.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	784	0	738	42	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	751	0	713	52	0
1	C	781	0	763	58	0
1	D	744	0	709	41	0
2	A	64	0	0	0	0
2	B	66	0	0	2	0
2	C	56	0	0	2	0
2	D	43	0	0	2	0
All	All	3289	0	2923	171	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 29.

All (171) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:79:VAL:HG22	1:C:106:ILE:HD13	1.41	1.01
1:A:54:PHE:H	1:B:85:GLN:HE22	1.20	0.87
1:A:76:ARG:HG2	1:A:109:SER:HB3	1.56	0.87
1:A:54:PHE:H	1:B:85:GLN:NE2	1.72	0.86
1:A:71:LEU:HD21	1:A:108:PRO:HG3	1.61	0.83
1:C:31:PHE:CE1	1:C:59:ILE:HD11	2.16	0.80
1:D:20:ARG:HD2	1:D:21:PHE:H	1.45	0.78
1:B:77:VAL:HB	1:B:106:ILE:HD11	1.66	0.76
1:A:87:SER:CB	1:A:98:VAL:HG11	2.16	0.75
1:A:63:ALA:HA	1:A:66:ASN:HD22	1.51	0.75
1:B:31:PHE:HE1	1:B:59:ILE:HD11	1.52	0.74
1:D:89:GLU:HA	1:D:95:LYS:CB	2.17	0.74
1:D:5:THR:CG2	1:D:83:LEU:H	2.00	0.74
1:A:82:ARG:HH22	1:B:37:PRO:HB3	1.54	0.73
1:C:79:VAL:HG22	1:C:106:ILE:CD1	2.18	0.70
1:A:32:THR:HG21	1:A:56:ARG:HH11	1.56	0.70
1:B:79:VAL:HG22	1:B:106:ILE:HD13	1.75	0.69
1:B:82:ARG:HH11	1:B:82:ARG:HB2	1.57	0.68
1:C:31:PHE:CZ	1:C:59:ILE:HD11	2.27	0.68
1:C:32:THR:HG22	1:C:56:ARG:HG2	1.74	0.68
1:D:26:ALA:HB2	2:D:165:HOH:O	1.94	0.67
1:C:32:THR:HG23	1:C:56:ARG:HH11	1.58	0.67
1:A:54:PHE:N	1:B:85:GLN:NE2	2.42	0.66
1:C:36:THR:H	1:C:37:PRO:HD2	1.59	0.66
1:D:5:THR:HG21	1:D:83:LEU:H	1.61	0.65
1:D:5:THR:HG21	1:D:83:LEU:HB2	1.78	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:32:THR:HG23	1:C:56:ARG:NH1	2.13	0.63
1:B:17:PRO:CG	1:B:68:ALA:HA	2.29	0.63
1:C:65:GLU:O	1:C:69:GLU:HG2	1.97	0.63
1:B:32:THR:HG22	1:B:56:ARG:HG3	1.82	0.62
1:A:98:VAL:HG12	1:A:98:VAL:O	1.98	0.62
1:B:106:ILE:HD12	1:B:107:GLY:H	1.64	0.61
1:A:71:LEU:CD2	1:A:108:PRO:HG3	2.28	0.61
1:C:15:ALA:HA	1:C:73:ARG:HB3	1.82	0.61
1:C:94:GLU:OE2	1:C:94:GLU:HA	2.00	0.61
1:D:53:LEU:HD22	1:D:55:LEU:HG	1.82	0.61
1:B:31:PHE:CE1	1:B:59:ILE:HD11	2.33	0.61
1:A:29:ALA:HB3	1:A:59:ILE:CG2	2.30	0.61
1:B:17:PRO:HG2	1:B:68:ALA:HA	1.83	0.61
1:A:3:GLY:HA3	1:B:10:VAL:O	2.01	0.60
1:D:39:ILE:O	1:D:39:ILE:HG13	2.00	0.60
1:A:9:ILE:HG23	1:B:5:THR:HG22	1.84	0.60
1:A:18:GLU:O	1:A:29:ALA:HA	2.01	0.60
1:A:3:GLY:O	1:B:35:SER:HB2	2.00	0.59
1:D:5:THR:HG22	1:D:83:LEU:H	1.69	0.58
1:C:53:LEU:HD23	1:D:85:GLN:HG3	1.85	0.58
1:A:28:VAL:HG22	1:A:60:TRP:NE1	2.19	0.57
1:B:22:THR:HB	1:B:23:PRO:HD2	1.85	0.57
1:C:84:LYS:NZ	1:D:51:GLU:HG2	2.20	0.57
1:A:53:LEU:O	1:A:53:LEU:HD23	2.05	0.57
1:C:32:THR:CG2	1:C:56:ARG:HH11	2.17	0.56
1:D:28:VAL:HG22	1:D:60:TRP:CD1	2.39	0.56
1:A:54:PHE:N	1:B:85:GLN:HE22	1.96	0.56
1:D:3:GLY:C	1:D:5:THR:H	2.08	0.56
1:C:9:ILE:HG22	1:C:10:VAL:N	2.21	0.56
1:D:9:ILE:HD11	1:D:101:VAL:HG21	1.87	0.56
1:C:5:THR:HG23	1:C:82:ARG:NH1	2.20	0.56
1:B:79:VAL:CG2	1:B:106:ILE:HD13	2.35	0.56
1:B:84:LYS:HD2	1:B:102:GLU:HG2	1.87	0.56
1:C:10:VAL:HB	1:D:4:ASP:HB3	1.88	0.56
1:A:76:ARG:HG2	1:A:109:SER:CB	2.33	0.55
1:C:111:ARG:HG2	1:C:112:TYR:CE2	2.41	0.55
1:A:32:THR:CG2	1:A:56:ARG:HD3	2.36	0.55
1:C:17:PRO:HG2	1:C:68:ALA:HA	1.87	0.55
1:B:19:LEU:HD23	1:B:20:ARG:H	1.71	0.55
1:A:99:ILE:HB	1:B:99:ILE:HD12	1.88	0.55
1:B:8:THR:HA	1:B:79:VAL:O	2.06	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:36:THR:HG22	1:D:52:ALA:HA	1.89	0.55
1:C:84:LYS:HZ1	1:D:51:GLU:HG2	1.72	0.54
1:C:5:THR:CG2	1:C:82:ARG:HH12	2.19	0.54
1:C:7:ILE:HD12	1:C:7:ILE:O	2.07	0.54
1:C:22:THR:O	1:C:24:SER:N	2.41	0.54
1:C:87:SER:HA	1:C:96:ARG:O	2.07	0.54
1:B:29:ALA:H	1:B:64:ALA:HB1	1.72	0.54
1:A:82:ARG:NH2	1:B:37:PRO:HB3	2.23	0.53
1:C:76:ARG:HD2	2:C:180:HOH:O	2.09	0.53
1:B:84:LYS:HE3	1:B:102:GLU:HG3	1.90	0.53
1:B:71:LEU:HD21	1:B:108:PRO:HG3	1.89	0.53
1:C:77:VAL:HB	1:C:106:ILE:HD11	1.91	0.53
1:B:37:PRO:HG2	1:B:51:GLU:HG3	1.91	0.53
1:A:35:SER:HB3	1:A:53:LEU:CD2	2.39	0.53
1:D:67:VAL:HG21	1:D:106:ILE:HG21	1.90	0.53
1:C:10:VAL:O	1:D:4:ASP:HB3	2.09	0.52
1:B:77:VAL:HB	1:B:106:ILE:CD1	2.38	0.52
1:C:7:ILE:HG22	1:D:7:ILE:HB	1.91	0.52
1:C:15:ALA:HA	1:C:73:ARG:CB	2.40	0.51
1:C:5:THR:HG23	1:C:82:ARG:HH12	1.75	0.51
1:A:12:ASN:HA	1:A:75:ALA:O	2.10	0.51
1:B:106:ILE:HD12	1:B:107:GLY:N	2.25	0.50
1:C:82:ARG:NH1	1:C:82:ARG:HB2	2.26	0.50
1:A:82:ARG:HG2	1:A:102:GLU:HB3	1.92	0.50
1:C:11:GLY:O	1:C:76:ARG:HA	2.11	0.50
1:C:22:THR:C	1:C:24:SER:N	2.65	0.50
1:B:84:LYS:O	1:B:100:GLU:N	2.42	0.50
1:B:82:ARG:HH11	1:B:82:ARG:CB	2.22	0.50
1:B:12:ASN:HA	1:B:75:ALA:O	2.12	0.50
1:C:31:PHE:HE1	1:C:59:ILE:HD11	1.72	0.50
1:C:83:LEU:HD11	1:D:7:ILE:HD12	1.94	0.49
1:A:50:GLY:O	1:A:51:GLU:CB	2.59	0.49
1:B:11:GLY:O	1:B:76:ARG:HA	2.12	0.49
1:D:67:VAL:CG2	1:D:106:ILE:HG21	2.43	0.49
1:D:84:LYS:HD2	1:D:102:GLU:CG	2.43	0.49
1:A:82:ARG:HG3	1:A:82:ARG:HH11	1.78	0.48
1:B:3:GLY:N	2:B:175:HOH:O	2.46	0.48
1:C:7:ILE:CG2	1:D:7:ILE:HB	2.44	0.48
1:C:95:LYS:HD3	1:C:95:LYS:H	1.78	0.48
1:D:13:LEU:O	1:D:14:THR:OG1	2.31	0.48
1:B:29:ALA:N	1:B:64:ALA:HB1	2.28	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:17:PRO:HD2	1:D:71:LEU:O	2.14	0.48
1:A:13:LEU:HD22	1:A:31:PHE:HB2	1.96	0.48
1:D:53:LEU:HD23	1:D:54:PHE:N	2.29	0.48
1:A:111:ARG:HD3	1:A:112:TYR:CZ	2.49	0.48
1:D:84:LYS:HD2	1:D:102:GLU:HG2	1.96	0.48
1:B:59:ILE:CD1	1:B:67:VAL:HG21	2.44	0.47
1:B:36:THR:HG22	1:B:52:ALA:HA	1.96	0.47
1:C:7:ILE:HD13	1:C:9:ILE:CD1	2.44	0.47
1:C:111:ARG:HG2	1:C:112:TYR:CD2	2.50	0.47
1:D:13:LEU:O	1:D:15:ALA:N	2.48	0.47
1:D:19:LEU:C	1:D:19:LEU:HD13	2.34	0.47
1:C:58:ASN:HB2	1:C:102:GLU:OE1	2.14	0.47
1:C:29:ALA:HB3	1:C:59:ILE:HG12	1.97	0.47
1:A:28:VAL:HG22	1:A:60:TRP:CD1	2.50	0.46
1:A:86:ARG:O	1:A:87:SER:CB	2.63	0.46
1:C:32:THR:CG2	1:C:56:ARG:HG2	2.44	0.46
1:B:22:THR:HG23	1:B:26:ALA:O	2.15	0.46
1:B:59:ILE:HG23	1:B:103:VAL:HB	1.98	0.46
1:C:53:LEU:HD11	1:C:55:LEU:HD11	1.97	0.46
1:C:58:ASN:C	1:C:59:ILE:HD13	2.36	0.46
1:C:60:TRP:HZ3	1:C:102:GLU:OE1	1.99	0.46
1:B:59:ILE:HD13	1:B:67:VAL:HG21	1.98	0.46
1:C:83:LEU:HB2	1:D:53:LEU:HD11	1.98	0.46
1:C:4:ASP:HB3	1:D:35:SER:HB2	1.98	0.45
1:D:98:VAL:HG12	1:D:99:ILE:N	2.32	0.45
1:C:36:THR:N	1:C:37:PRO:HD2	2.29	0.45
1:C:37:PRO:HD2	2:D:167:HOH:O	2.17	0.45
1:A:9:ILE:HG23	1:B:5:THR:CG2	2.47	0.45
1:C:59:ILE:HD13	1:C:59:ILE:N	2.32	0.45
1:C:21:PHE:O	1:C:22:THR:CB	2.65	0.45
1:A:111:ARG:HG2	1:A:112:TYR:CD2	2.53	0.44
1:B:73:ARG:HH11	1:B:73:ARG:HG3	1.81	0.44
1:B:86:ARG:HA	1:B:86:ARG:HD2	1.62	0.44
1:C:32:THR:HG22	1:C:56:ARG:HA	2.00	0.44
1:A:61:ARG:HB3	1:A:62:GLU:H	1.60	0.44
1:B:37:PRO:HD3	2:B:174:HOH:O	2.17	0.44
1:C:22:THR:O	1:C:23:PRO:C	2.56	0.44
1:C:9:ILE:CG2	1:C:10:VAL:N	2.81	0.43
1:D:32:THR:HG22	1:D:56:ARG:HA	2.01	0.43
1:C:13:LEU:C	1:C:15:ALA:H	2.22	0.43
1:A:29:ALA:HB3	1:A:59:ILE:HG22	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:20:ARG:CD	1:D:21:PHE:H	2.24	0.43
1:A:85:GLN:O	1:A:86:ARG:O	2.37	0.43
1:B:51:GLU:O	1:B:52:ALA:HB3	2.18	0.43
1:C:94:GLU:CG	2:C:176:HOH:O	2.67	0.43
1:D:28:VAL:HG22	1:D:60:TRP:NE1	2.34	0.42
1:D:29:ALA:HB3	1:D:59:ILE:CG2	2.50	0.42
1:A:16:ASP:O	1:A:17:PRO:O	2.38	0.42
1:B:19:LEU:CD2	1:B:20:ARG:N	2.83	0.42
1:D:15:ALA:HA	1:D:73:ARG:HB3	2.01	0.42
1:A:15:ALA:HA	1:A:73:ARG:HB2	2.02	0.42
1:A:110:LEU:HD23	1:A:110:LEU:HA	1.74	0.42
1:B:78:ILE:O	1:B:106:ILE:HD12	2.19	0.42
1:D:61:ARG:HB3	1:D:62:GLU:H	1.59	0.42
1:B:80:SER:O	1:B:104:ASP:HB2	2.21	0.41
1:C:111:ARG:O	1:C:112:TYR:HD2	2.03	0.41
1:C:86:ARG:O	1:C:87:SER:CB	2.69	0.41
1:A:5:THR:HB	1:B:9:ILE:HG23	2.03	0.41
1:D:79:VAL:HG13	1:D:103:VAL:HG13	2.03	0.40
1:B:7:ILE:HG12	1:B:8:THR:N	2.35	0.40
1:B:86:ARG:O	1:B:97:THR:HA	2.22	0.40
1:A:32:THR:HG21	1:A:56:ARG:HD3	2.03	0.40
1:D:25:GLY:O	1:D:26:ALA:C	2.58	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	104/164 (63%)	85 (82%)	11 (11%)	8 (8%)	1 1
1	B	100/164 (61%)	93 (93%)	4 (4%)	3 (3%)	4 10
1	C	102/164 (62%)	82 (80%)	11 (11%)	9 (9%)	1 1

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	D	98/164 (60%)	87 (89%)	7 (7%)	4 (4%)	3	6
All	All	404/656 (62%)	347 (86%)	33 (8%)	24 (6%)	1	2

All (24) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	51	GLU
1	A	86	ARG
1	A	121	SER
1	B	122	ARG
1	C	26	ALA
1	C	52	ALA
1	D	37	PRO
1	D	52	ALA
1	A	3	GLY
1	A	17	PRO
1	A	122	ARG
1	C	62	GLU
1	A	42	ARG
1	C	115	ALA
1	A	98	VAL
1	B	123	SER
1	C	14	THR
1	C	22	THR
1	D	14	THR
1	D	27	ALA
1	B	61	ARG
1	C	36	THR
1	C	87	SER
1	C	23	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	75/126 (60%)	70 (93%)	5 (7%)	16	37
1	B	73/126 (58%)	65 (89%)	8 (11%)	6	14
1	C	78/126 (62%)	68 (87%)	10 (13%)	4	10
1	D	71/126 (56%)	68 (96%)	3 (4%)	30	58
All	All	297/504 (59%)	271 (91%)	26 (9%)	10	23

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	THR
1	A	36	THR
1	A	53	LEU
1	A	60	TRP
1	A	61	ARG
1	B	16	ASP
1	B	19	LEU
1	B	32	THR
1	B	53	LEU
1	B	59	ILE
1	B	82	ARG
1	B	90	THR
1	B	104	ASP
1	C	5	THR
1	C	16	ASP
1	C	19	LEU
1	C	53	LEU
1	C	56	ARG
1	C	59	ILE
1	C	60	TRP
1	C	61	ARG
1	C	82	ARG
1	C	95	LYS
1	D	51	GLU
1	D	73	ARG
1	D	114	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	12	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	66	ASN
1	B	85	GLN
1	C	85	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	110/164 (67%)	-0.07	5 (4%) 33 31	23, 49, 115, 143	0
1	B	106/164 (64%)	-0.13	5 (4%) 31 30	26, 51, 106, 127	0
1	C	106/164 (64%)	-0.13	3 (2%) 53 54	25, 52, 105, 121	0
1	D	104/164 (63%)	-0.23	5 (4%) 30 28	18, 48, 103, 132	0
All	All	426/656 (64%)	-0.14	18 (4%) 36 35	18, 51, 110, 143	0

All (18) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	124	GLY	6.2
1	B	123	SER	6.1
1	A	122	ARG	6.1
1	A	47	TRP	5.3
1	A	123	SER	4.8
1	B	125	GLY	4.3
1	A	121	SER	3.6
1	D	3	GLY	3.3
1	D	90	THR	3.2
1	C	22	THR	3.1
1	D	51	GLU	2.9
1	C	120	ALA	2.6
1	D	38	ARG	2.4
1	D	40	TYR	2.3
1	A	40	TYR	2.2
1	B	38	ARG	2.1
1	C	95	LYS	2.1
1	B	122	ARG	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.