



Full wwPDB X-ray Structure Validation Report ⓘ

May 17, 2020 – 06:30 am BST

PDB ID : 2CFH
Title : Structure of the Bet3-TPC6B core of TRAPP
Authors : Kummel, D.; Muller, J.J.; Roske, Y.; Henke, N.; Heinemann, U.
Deposited on : 2006-02-21
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	194	<div style="display: flex; align-items: center;"> <div style="width: 29%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 70%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 11%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 2%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 16%; height: 10px; background-color: grey;"></div> </div>
1	B	194	<div style="display: flex; align-items: center;"> <div style="width: 31%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 71%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 11%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 2%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 16%; height: 10px; background-color: grey;"></div> </div>
2	C	158	<div style="display: flex; align-items: center;"> <div style="width: 32%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 70%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 20%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 6%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 16%; height: 10px; background-color: grey;"></div> </div>
2	D	158	<div style="display: flex; align-items: center;"> <div style="width: 35%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 70%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 22%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 2%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 16%; height: 10px; background-color: grey;"></div> </div>

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 5049 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called TRAFFICKING PROTEIN PARTICLE COMPLEX SUB-UNIT 3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	162	1276	807	215	246	8	0	0	1
1	B	162	1276	807	215	246	8	0	0	1

- Molecule 2 is a protein called TRAFFICKING PROTEIN PARTICLE COMPLEX SUB-UNIT 6B.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	C	151	1199	764	206	220	9	0	0	1
2	D	152	1207	769	207	221	10	0	0	1

- Molecule 3 is PALMITIC ACID (three-letter code: PLM) (formula: $C_{16}H_{32}O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			17	16	1		
3	B	1	Total	C	O	0	0
			17	16	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	18	Total	O	0	0
			18	18		
4	B	12	Total	O	0	0
			12	12		
4	C	10	Total	O	0	0
			10	10		
4	D	17	Total	O	0	0
			17	17		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: TRAFFICKING PROTEIN PARTICLE COMPLEX SUBUNIT 3




- Molecule 1: TRAFFICKING PROTEIN PARTICLE COMPLEX SUBUNIT 3



- Molecule 2: TRAFFICKING PROTEIN PARTICLE COMPLEX SUBUNIT 6B



● Molecule 2: TRAFFICKING PROTEIN PARTICLE COMPLEX SUBUNIT 6B

Chain D: 

4 Data and refinement statistics i

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	69.45Å 69.59Å 144.01Å 90.00° 91.55° 90.00°	Depositor
Resolution (Å)	20.00 – 2.30 19.93 – 2.30	Depositor EDS
% Data completeness (in resolution range)	100.0 (20.00-2.30) 98.7 (19.93-2.30)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.85 (at 2.30Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.221 , 0.269 0.230 , 0.277	Depositor DCC
R_{free} test set	1513 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	46.6	Xtriage
Anisotropy	0.121	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 61.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.000 for k,h,-l 0.000 for -k,-h,-l 0.035 for -h,-k,l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	5049	wwPDB-VP
Average B, all atoms (Å ²)	58.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 34.02 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 7.2959e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CSO, PLM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.70	1/1296 (0.1%)	0.72	1/1752 (0.1%)
1	B	0.70	2/1296 (0.2%)	0.72	1/1752 (0.1%)
2	C	0.98	3/1209 (0.2%)	0.87	2/1619 (0.1%)
2	D	0.79	0/1217	0.80	0/1629
All	All	0.80	6/5018 (0.1%)	0.78	4/6752 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
2	C	0	1
2	D	0	1
All	All	0	4

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	157	LYS	CE-NZ	20.81	2.01	1.49
2	C	157	LYS	CD-CE	8.59	1.72	1.51
2	C	157	LYS	CG-CD	6.87	1.75	1.52
1	B	175	LEU	C-N	-5.48	1.23	1.34
1	A	175	LEU	C-N	-5.40	1.24	1.34
1	B	31	CYS	CB-SG	-5.07	1.73	1.81

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	157	LYS	CD-CE-NZ	-15.16	76.83	111.70
1	B	67	ARG	C-N-CA	7.19	139.68	121.70
1	A	67	ARG	C-N-CA	7.09	139.43	121.70
2	C	157	LYS	CG-CD-CE	-5.18	96.37	111.90

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	16	SER	Peptide
1	B	16	SER	Peptide
2	C	148	ALA	Peptide
2	D	148	ALA	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1276	0	1263	18	0
1	B	1276	0	1263	13	0
2	C	1199	0	1208	30	0
2	D	1207	0	1217	23	0
3	A	17	0	31	1	0
3	B	17	0	31	2	0
4	A	18	0	0	0	0
4	B	12	0	0	0	0
4	C	10	0	0	0	0
4	D	17	0	0	0	0
All	All	5049	0	5013	78	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (78) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:157:LYS:CD	2:C:157:LYS:CG	1.75	1.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:32:CSO:SG	2:C:32:CSO:OD	1.92	1.28
2:D:32:CSO:OD	2:D:32:CSO:SG	1.93	1.25
2:C:157:LYS:NZ	2:C:157:LYS:CE	2.01	1.24
2:C:157:LYS:CD	2:C:157:LYS:NZ	2.33	0.92
2:C:69:CYS:HA	2:C:81:ILE:HD11	1.52	0.91
2:D:69:CYS:HA	2:D:81:ILE:HD11	1.51	0.91
2:C:157:LYS:CG	2:C:157:LYS:CE	2.59	0.80
2:C:157:LYS:CD	2:C:157:LYS:CB	2.60	0.79
2:D:21:SER:OG	2:D:29:ASN:ND2	2.27	0.67
2:D:69:CYS:HA	2:D:81:ILE:CD1	2.25	0.65
2:C:21:SER:OG	2:C:29:ASN:ND2	2.31	0.64
2:C:69:CYS:HA	2:C:81:ILE:CD1	2.28	0.62
1:B:34:TYR:O	1:B:35:GLU:HG2	2.01	0.61
1:A:16:SER:HB3	2:C:2:ALA:HB3	1.82	0.61
1:B:55:LEU:HD11	1:B:86:TYR:CE1	2.39	0.57
1:A:89:ILE:HD12	1:A:107:LEU:HD22	1.88	0.56
1:B:55:LEU:HD11	1:B:86:TYR:CZ	2.42	0.55
1:A:56:ILE:HG21	1:A:141:MET:HB2	1.87	0.54
1:A:55:LEU:HD11	1:A:86:TYR:CE1	2.41	0.54
1:B:56:ILE:HG21	1:B:141:MET:HB2	1.89	0.54
2:C:143:VAL:HG23	2:C:148:ALA:O	2.08	0.54
2:D:97:ASN:HA	2:D:148:ALA:HB2	1.90	0.53
1:B:86:TYR:HA	2:D:3:ASP:HB2	1.91	0.51
1:A:16:SER:HB2	2:C:2:ALA:O	2.09	0.51
2:D:69:CYS:SG	2:D:81:ILE:HG13	2.50	0.51
2:C:97:ASN:HA	2:C:148:ALA:HB2	1.92	0.51
1:B:43:GLN:HE21	1:B:47:MET:HG3	1.77	0.50
1:A:34:TYR:O	1:A:35:GLU:HG2	2.12	0.50
1:B:89:ILE:HD12	1:B:107:LEU:HD22	1.93	0.50
1:A:102:GLU:OE1	1:A:164:ARG:NH1	2.45	0.50
2:C:130:LEU:HB3	2:C:135:ILE:HB	1.93	0.50
1:B:37:ASP:OD2	1:B:122:HIS:HA	2.12	0.49
1:A:55:LEU:HD11	1:A:86:TYR:CZ	2.49	0.47
1:B:49:PHE:CE1	1:B:137:GLY:HA2	2.48	0.47
1:A:49:PHE:CE1	1:A:137:GLY:HA2	2.50	0.47
2:C:73:TRP:CG	2:C:81:ILE:HD13	2.49	0.47
1:B:102:GLU:OE1	1:B:164:ARG:NH1	2.48	0.46
2:C:62:LEU:HD22	2:C:92:TYR:OH	2.15	0.46
2:D:143:VAL:HG23	2:D:148:ALA:O	2.15	0.46
2:C:69:CYS:SG	2:C:81:ILE:HG13	2.56	0.46
2:C:79:LYS:NZ	2:C:98:LYS:O	2.43	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:14:MET:HA	2:D:18:VAL:HG23	1.98	0.46
2:D:111:TYR:CD2	2:D:112:LEU:N	2.84	0.46
2:D:130:LEU:HB3	2:D:135:ILE:HB	1.97	0.46
2:D:73:TRP:CG	2:D:81:ILE:HD13	2.52	0.45
1:A:37:ASP:OD2	1:A:122:HIS:HA	2.16	0.45
2:C:111:TYR:CD2	2:C:112:LEU:N	2.85	0.45
2:D:48:ILE:HG21	2:D:132:ASN:HB3	1.99	0.45
2:C:48:ILE:HG21	2:C:132:ASN:HB3	1.98	0.44
2:D:24:GLN:HB2	2:D:28:GLU:OE1	2.18	0.44
1:A:47:MET:CE	2:C:18:VAL:CG2	2.95	0.44
2:C:114:HIS:HB3	2:C:117:LYS:HD2	1.99	0.44
1:A:16:SER:CB	2:C:2:ALA:HB3	2.48	0.44
2:C:38:ASN:O	2:C:42:ARG:NE	2.51	0.43
1:A:131:LEU:HD21	3:A:1068:PLM:HC2	1.98	0.43
2:D:12:ASN:HB2	2:D:104:GLN:HG3	2.00	0.43
2:C:60:ASP:OD1	2:C:60:ASP:C	2.56	0.43
2:D:33:ILE:HD13	2:D:33:ILE:HA	1.85	0.43
1:A:103:PHE:CZ	1:A:165:MET:HG3	2.53	0.43
2:C:59:LYS:O	2:C:60:ASP:HB3	2.19	0.43
2:C:33:ILE:HA	2:C:33:ILE:HD13	1.86	0.43
2:C:12:ASN:HB2	2:C:104:GLN:HG3	2.00	0.42
2:C:14:MET:HA	2:C:18:VAL:HG23	2.01	0.42
2:D:41:PHE:CE1	2:D:128:GLY:HA2	2.55	0.42
2:C:23:GLU:HA	2:C:29:ASN:HD21	1.85	0.42
2:D:23:GLU:HA	2:D:29:ASN:HD21	1.84	0.41
1:B:86:TYR:O	2:D:2:ALA:HA	2.21	0.41
1:A:130:LEU:O	1:A:134:VAL:HG23	2.20	0.41
1:B:131:LEU:HD21	3:B:1068:PLM:HC2	2.02	0.41
2:D:41:PHE:HA	2:D:124:GLY:O	2.20	0.41
2:D:59:LYS:O	2:D:60:ASP:HB3	2.21	0.41
3:B:1068:PLM:HF1	2:D:6:LEU:HD11	2.02	0.41
1:A:37:ASP:HB2	1:A:124:SER:HB2	2.02	0.41
1:A:43:GLN:NE2	1:A:43:GLN:HA	2.35	0.40
1:A:164:ARG:HA	1:A:164:ARG:HD3	1.84	0.40
2:D:114:HIS:HB3	2:D:117:LYS:HD2	2.03	0.40
1:B:164:ARG:HD3	1:B:164:ARG:HA	1.85	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	160/194 (82%)	154 (96%)	5 (3%)	1 (1%)	25	31
1	B	160/194 (82%)	154 (96%)	5 (3%)	1 (1%)	25	31
2	C	146/158 (92%)	132 (90%)	11 (8%)	3 (2%)	7	5
2	D	147/158 (93%)	131 (89%)	13 (9%)	3 (2%)	7	6
All	All	613/704 (87%)	571 (93%)	34 (6%)	8 (1%)	12	12

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	C	60	ASP
2	C	149	CYS
2	D	60	ASP
2	D	149	CYS
2	C	112	LEU
2	D	112	LEU
1	A	175	LEU
1	B	175	LEU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	142/170 (84%)	136 (96%)	6 (4%)	30	42
1	B	142/170 (84%)	137 (96%)	5 (4%)	36	50

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	C	129/136 (95%)	118 (92%)	11 (8%)	10	13
2	D	130/136 (96%)	120 (92%)	10 (8%)	13	16
All	All	543/612 (89%)	511 (94%)	32 (6%)	19	27

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	16	SER
1	A	118	LEU
1	A	130	LEU
1	A	131	LEU
1	A	164	ARG
1	A	172	GLU
1	B	118	LEU
1	B	130	LEU
1	B	131	LEU
1	B	164	ARG
1	B	172	GLU
2	C	10	LEU
2	C	18	VAL
2	C	42	ARG
2	C	54	ASP
2	C	57	ARG
2	C	78	LYS
2	C	81	ILE
2	C	104	GLN
2	C	125	LEU
2	C	142	GLU
2	C	143	VAL
2	D	10	LEU
2	D	18	VAL
2	D	42	ARG
2	D	54	ASP
2	D	57	ARG
2	D	78	LYS
2	D	81	ILE
2	D	104	GLN
2	D	125	LEU
2	D	142	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	43	GLN
1	B	43	GLN
2	C	29	ASN
2	C	38	ASN
2	C	83	ASN
2	C	95	GLN
2	D	29	ASN
2	D	38	ASN
2	D	83	ASN
2	D	95	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	CSO	D	32	2	3,6,7	0.39	0	0,6,8	0.00	-
2	CSO	C	32	2	3,6,7	0.57	0	0,6,8	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CSO	D	32	2	-	0/1/5/7	-
2	CSO	C	32	2	-	0/1/5/7	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	32	CSO	1	0
2	C	32	CSO	1	0

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	PLM	B	1068	1	16,16,17	0.51	0	15,15,17	0.67	0
3	PLM	A	1068	1	16,16,17	0.48	0	15,15,17	0.62	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PLM	B	1068	1	-	7/13/14/15	-
3	PLM	A	1068	1	-	7/13/14/15	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (14) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	1068	PLM	CB-CC-CD-CE
3	B	1068	PLM	CB-CC-CD-CE
3	B	1068	PLM	C8-C9-CA-CB
3	A	1068	PLM	C8-C9-CA-CB
3	A	1068	PLM	CC-CD-CE-CF
3	B	1068	PLM	CC-CD-CE-CF
3	B	1068	PLM	CA-CB-CC-CD
3	A	1068	PLM	CA-CB-CC-CD
3	B	1068	PLM	C6-C7-C8-C9
3	A	1068	PLM	C6-C7-C8-C9
3	A	1068	PLM	C5-C6-C7-C8
3	B	1068	PLM	C5-C6-C7-C8
3	A	1068	PLM	C9-CA-CB-CC
3	B	1068	PLM	C9-CA-CB-CC

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	1068	PLM	2	0
3	A	1068	PLM	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	162/194 (83%)	1.87	57 (35%) 0 0	57, 59, 60, 61	0
1	B	162/194 (83%)	1.98	61 (37%) 0 0	57, 59, 61, 62	0
2	C	150/158 (94%)	1.70	51 (34%) 0 0	54, 59, 61, 64	0
2	D	151/158 (95%)	1.87	56 (37%) 0 0	54, 59, 61, 65	0
All	All	625/704 (88%)	1.86	225 (36%) 0 0	54, 59, 61, 65	0

All (225) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	175	LEU	13.5
2	D	105	MET	9.8
1	B	176	PRO	9.5
1	B	99	ALA	9.0
2	C	111	TYR	8.6
1	A	99	ALA	8.3
1	A	176	PRO	8.2
1	B	78	ILE	7.9
2	D	158	LEU	7.6
2	D	56	ALA	7.1
1	B	67	ARG	6.9
2	D	57	ARG	6.7
1	A	98	PRO	6.7
1	B	68	CYS	6.1
2	D	111	TYR	6.1
2	D	54	ASP	6.0
1	A	92	SER	5.9
1	A	100	GLY	5.8
2	C	112	LEU	5.8
2	C	54	ASP	5.8
1	B	65	VAL	5.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	88	GLY	5.7
1	A	67	ARG	5.7
2	C	57	ARG	5.7
1	A	16	SER	5.6
1	B	64	ASN	5.5
1	B	66	GLY	5.5
1	B	100	GLY	5.3
2	D	125	LEU	5.3
1	A	69	HIS	5.3
2	D	72	PHE	5.3
2	C	103	THR	5.2
2	C	125	LEU	5.2
1	B	97	SER	5.1
1	B	173	ASP	5.0
1	B	73	GLU	5.0
1	A	68	CYS	4.9
2	C	55	THR	4.9
2	D	48	ILE	4.8
1	A	71	PHE	4.8
1	B	69	HIS	4.7
1	B	175	LEU	4.7
1	A	174	ASN	4.6
2	C	10	LEU	4.6
1	B	75	ALA	4.5
1	B	71	PHE	4.5
1	A	70	ASP	4.5
2	C	94	LEU	4.4
2	D	126	ILE	4.3
2	D	120	ALA	4.3
1	A	78	ILE	4.1
1	B	82	ALA	4.1
2	D	10	LEU	4.1
2	D	7	PHE	4.1
1	A	27	VAL	4.1
2	C	48	ILE	4.1
2	C	122	THR	4.1
1	B	83	PHE	4.1
1	B	98	PRO	4.0
1	B	119	PRO	4.0
1	B	105	LEU	4.0
2	C	114	HIS	4.0
2	C	68	ILE	3.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	C	72	PHE	3.9
1	A	143	GLN	3.8
2	D	103	THR	3.8
1	B	90	THR	3.8
2	D	6	LEU	3.7
2	C	121	PHE	3.7
1	A	131	LEU	3.7
2	D	84	LEU	3.7
1	A	30	LEU	3.6
1	B	174	ASN	3.6
2	D	122	THR	3.6
2	D	68	ILE	3.6
2	D	114	HIS	3.6
2	D	104	GLN	3.6
1	A	105	LEU	3.6
2	D	113	GLU	3.6
2	C	6	LEU	3.6
1	A	119	PRO	3.5
2	C	60	ASP	3.5
1	A	15	SER	3.5
1	B	125	LEU	3.5
2	C	126	ILE	3.5
1	B	74	THR	3.5
1	B	171	ILE	3.4
2	C	63	ASP	3.4
1	A	172	GLU	3.4
1	B	165	MET	3.4
1	B	87	LEU	3.3
2	D	9	LEU	3.3
1	A	103	PHE	3.3
2	D	8	LEU	3.3
2	C	104	GLN	3.3
1	B	59	PHE	3.3
1	A	101	ASP	3.3
2	D	2	ALA	3.2
1	A	139	LEU	3.2
2	C	102	LEU	3.2
1	B	103	PHE	3.2
1	B	172	GLU	3.2
2	C	157	LYS	3.2
1	B	123	SER	3.2
1	B	170	ARG	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	119	LEU	3.2
2	C	51	PHE	3.1
2	D	157	LYS	3.1
2	D	99	PHE	3.1
1	A	118	LEU	3.1
1	A	89	ILE	3.1
1	B	77	VAL	3.0
1	B	95	ASN	3.0
1	A	63	SER	3.0
2	C	64	ILE	3.0
1	A	151	VAL	3.0
1	B	16	SER	3.0
1	B	89	ILE	3.0
2	D	121	PHE	3.0
2	D	92	TYR	3.0
1	A	171	ILE	3.0
2	D	153	VAL	3.0
1	B	70	ASP	2.9
1	B	167	PHE	2.9
1	B	26	LEU	2.9
2	D	59	LYS	2.9
1	A	65	VAL	2.9
2	D	93	VAL	2.9
2	C	53	LYS	2.9
2	C	158	LEU	2.9
1	B	79	ALA	2.9
2	D	123	CYS	2.9
2	D	130	LEU	2.9
1	A	135	LEU	2.8
2	C	151	PHE	2.8
2	D	151	PHE	2.8
2	C	123	CYS	2.8
1	B	27	VAL	2.8
2	C	120	ALA	2.8
2	D	51	PHE	2.8
1	B	151	VAL	2.8
2	C	101	LEU	2.8
2	C	58	PHE	2.7
2	C	36	LEU	2.7
2	D	36	LEU	2.7
1	A	168	ILE	2.7
1	A	26	LEU	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	86	TYR	2.7
1	A	134	VAL	2.7
2	C	50	ARG	2.7
2	D	15	VAL	2.7
2	D	47	LEU	2.7
2	C	2	ALA	2.7
1	A	73	GLU	2.7
2	C	59	LYS	2.7
1	A	157	GLY	2.7
2	C	113	GLU	2.6
2	D	77	PHE	2.6
2	D	139	VAL	2.6
1	B	56	ILE	2.6
1	A	35	GLU	2.6
1	B	112	LEU	2.5
2	C	9	LEU	2.5
1	A	173	ASP	2.5
1	A	34	TYR	2.5
2	D	133	LEU	2.5
2	C	73	TRP	2.5
1	A	79	ALA	2.5
1	A	95	ASN	2.5
1	A	97	SER	2.4
1	B	62	ARG	2.4
2	D	23	GLU	2.4
1	A	64	ASN	2.4
2	D	118	TYR	2.4
1	B	101	ASP	2.4
2	D	5	ALA	2.4
2	D	112	LEU	2.4
1	A	165	MET	2.4
1	B	81	VAL	2.4
2	D	86	THR	2.4
1	A	83	PHE	2.4
1	B	72	ARG	2.4
1	B	142	VAL	2.4
2	C	139	VAL	2.4
1	B	118	LEU	2.4
1	A	166	ARG	2.4
2	C	84	LEU	2.4
2	C	130	LEU	2.3
1	A	44	LEU	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	62	ARG	2.3
2	C	19	TYR	2.3
1	A	123	SER	2.3
2	D	14	MET	2.3
2	C	99	PHE	2.3
2	C	78	LYS	2.3
2	D	94	LEU	2.3
2	D	78	LYS	2.2
1	B	120	ASP	2.2
1	B	51	ILE	2.2
1	A	55	LEU	2.2
2	C	92	TYR	2.2
2	C	18	VAL	2.2
2	D	90	GLY	2.2
1	B	92	SER	2.2
1	B	44	LEU	2.2
2	C	129	GLY	2.2
2	D	141	ALA	2.1
2	D	42	ARG	2.1
2	C	77	PHE	2.1
2	D	55	THR	2.1
1	A	121	ASN	2.1
1	A	125	LEU	2.1
2	C	14	MET	2.1
2	C	143	VAL	2.1
1	B	121	ASN	2.1
1	A	19	PHE	2.1
1	A	18	LEU	2.0
1	B	108	GLU	2.0
2	D	73	TRP	2.0
1	A	51	ILE	2.0
1	B	130	LEU	2.0
1	A	33	ASP	2.0
1	B	131	LEU	2.0
2	C	119	LEU	2.0
2	D	129	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column

labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	CSO	C	32	7/8	0.82	0.21	48,57,57,58	0
2	CSO	D	32	7/8	0.95	0.18	48,57,57,57	0

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	PLM	B	1068	17/18	0.59	0.37	58,59,61,61	0
3	PLM	A	1068	17/18	0.70	0.28	58,59,61,61	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around PLM B 1068:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around PLM A 1068:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers

There are no such residues in this entry.