



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 10:47 AM UTC

PDB ID : 2CV2 / pdb_00002cv2
Title : Glutamyl-tRNA synthetase from *Thermus thermophilus* in complex with tRNA(Glu) and an enzyme inhibitor, Glu-AMS
Authors : Sekine, S.; Yokoyama, S.; RIKEN Structural Genomics/Proteomics Initiative (RSGI)
Deposited on : 2005-05-31
Resolution : 2.69 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.69 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3538 (2.70-2.70)
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)
RSRZ outliers	180081	3538 (2.70-2.70)
RNA backbone	3983	1044 (2.90-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	C	75	
1	D	75	
2	A	468	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	B	468	 <p>A horizontal bar chart representing the quality of chain. The bar is divided into four segments: a small red segment on the left labeled '4%', a large green segment labeled '59%', a yellow segment labeled '35%', and a small orange segment on the right labeled '6%'.</p>

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 11215 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called tRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
1	C	75	Total	C	N	O	P	0	0	0
			1597	711	284	527	75			
1	D	75	Total	C	N	O	P	0	0	0
			1597	711	284	527	75			

- Molecule 2 is a protein called glutamyl-tRNA synthetase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	A	468	Total	C	N	O	S	0	0	0
			3814	2443	676	687	8			
2	B	468	Total	C	N	O	S	0	0	0
			3814	2443	676	687	8			

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	C	1	Total	Mg	0	0
			1	1		
3	D	1	Total	Mg	0	0
			1	1		

- Molecule 4 is CHLORIDE ION (CCD ID: CL) (formula: Cl).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Cl	0	0
			1	1		
4	B	1	Total	Cl	0	0
			1	1		

- Molecule 5 is O5'-(L-GLUTAMYL-SULFAMOYL)-ADENOSINE (CCD ID: GSU) (formula: C₁₅H₂₁N₇O₉S).


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: tRNA



- Molecule 1: tRNA




- Molecule 2: glutamyl-tRNA synthetase



- Molecule 2: glutamyl-tRNA synthetase





4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	110.32Å 219.82Å 135.83Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.34 – 2.69 46.34 – 2.69	Depositor EDS
% Data completeness (in resolution range)	99.4 (46.34-2.69) 99.3 (46.34-2.69)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	0.12	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.14 (at 2.65Å)	Xtrriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.200 , 0.260 0.201 , 0.261	Depositor DCC
R_{free} test set	2378 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	40.0	Xtrriage
Anisotropy	0.204	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 54.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	11215	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 11.61% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, CL, GSU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	C	0.40	0/1782	1.01	18/2774 (0.6%)
1	D	0.39	0/1782	1.00	18/2774 (0.6%)
2	A	0.63	0/3910	1.01	12/5293 (0.2%)
2	B	0.63	0/3910	1.00	11/5293 (0.2%)
All	All	0.57	0/11384	1.00	59/16134 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	1	3
1	D	1	3
All	All	2	6

There are no bond length outliers.

All (59) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	558	A	C2'-C3'-O3'	11.97	127.46	109.50
1	C	558	A	C2'-C3'-O3'	11.48	126.72	109.50
1	D	507	A	C2'-C3'-O3'	11.38	126.56	109.50
1	C	573	A	C2'-C3'-O3'	10.72	125.58	109.50
1	D	573	A	C2'-C3'-O3'	10.71	125.57	109.50
1	D	518	G	C2'-C3'-O3'	10.51	125.26	109.50
1	C	519	G	C2'-C3'-O3'	10.36	125.03	109.50
1	C	518	G	C2'-C3'-O3'	10.30	124.94	109.50
1	D	519	G	C2'-C3'-O3'	10.02	124.53	109.50
1	C	558	A	C4'-C3'-O3'	9.12	123.08	109.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	507	A	C4'-C3'-O3'	8.96	122.84	109.40
1	C	518	G	C4'-C3'-O3'	8.78	122.58	109.40
2	B	238	ASN	CA-C-N	-8.68	111.31	119.82
2	B	238	ASN	C-N-CA	-8.68	111.31	119.82
1	D	558	A	C4'-C3'-O3'	8.50	122.14	109.40
2	A	70	GLY	CA-C-N	8.36	128.85	119.32
2	A	70	GLY	C-N-CA	8.36	128.85	119.32
1	D	518	G	C4'-C3'-O3'	8.24	121.75	109.40
1	C	507	A	C2'-C3'-O3'	7.68	121.01	109.50
1	D	507	A	C4'-C3'-O3'	7.31	120.36	109.40
2	A	300	LEU	N-CA-C	6.96	121.78	113.16
2	B	300	LEU	N-CA-C	6.88	121.68	113.28
2	B	52	ALA	N-CA-C	-6.63	104.13	111.82
1	D	519	G	C4'-C3'-O3'	6.55	119.23	109.40
1	C	519	G	C4'-C3'-O3'	6.46	119.10	109.40
1	C	548	C	C2'-C3'-O3'	6.26	118.90	109.50
2	A	303	PRO	N-CA-C	6.18	120.13	110.80
2	A	246	LYS	N-CA-C	6.05	119.76	112.38
2	B	70	GLY	CA-C-N	6.04	125.75	119.05
2	B	70	GLY	C-N-CA	6.04	125.75	119.05
1	D	509	C	N1-C1'-C2'	6.00	123.00	114.00
1	D	558	A	C4'-C3'-C2'	5.96	108.56	102.60
2	B	456	LYS	N-CA-C	5.90	118.22	111.02
1	C	558	A	C4'-C3'-C2'	5.88	108.48	102.60
1	C	576	A	C2'-C3'-O3'	5.86	122.48	113.70
1	D	507	A	C4'-C3'-C2'	5.73	108.33	102.60
2	A	37	ILE	CB-CA-C	-5.68	102.73	111.31
1	C	509	C	N1-C1'-C2'	5.68	122.52	114.00
1	C	548	C	N1-C1'-C2'	5.67	122.51	114.00
1	D	574	C	C2'-C3'-O3'	5.67	118.00	109.50
2	A	173	ILE	N-CA-C	5.66	113.66	107.60
2	A	176	VAL	N-CA-C	5.65	117.59	109.51
2	A	6	ILE	N-CA-C	-5.64	100.21	108.11
1	C	509	C	C2'-C3'-O3'	5.60	117.91	109.50
1	D	573	A	C4'-C3'-O3'	5.58	117.76	109.40
1	D	509	C	C2'-C3'-O3'	5.39	117.59	109.50
2	B	316	LYS	N-CA-C	-5.38	105.49	111.36
1	D	560	U	C2'-C3'-O3'	5.36	117.55	109.50
1	C	573	A	C4'-C3'-O3'	5.25	117.28	109.40
2	A	75	GLY	CA-C-N	5.15	124.81	119.56
2	A	75	GLY	C-N-CA	5.15	124.81	119.56
1	D	518	G	C4'-C3'-C2'	5.13	107.73	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	575	C	C4'-C3'-O3'	-5.12	105.31	113.00
2	B	37	ILE	CB-CA-C	-5.09	103.62	111.31
1	C	560	U	C2'-C3'-O3'	5.08	117.12	109.50
2	A	375	GLU	N-CA-C	-5.06	107.11	113.28
1	D	548	C	C2'-C3'-O3'	5.05	117.08	109.50
2	B	356	ARG	CA-C-N	-5.01	115.18	121.00
2	B	356	ARG	C-N-CA	-5.01	115.18	121.00

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	C	558	A	C3'
1	D	558	A	C3'

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	515	G	Sidechain
1	C	535	U	Sidechain
1	C	568	G	Sidechain
1	D	515	G	Sidechain
1	D	522	G	Sidechain
1	D	545	A	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	1597	0	813	20	0
1	D	1597	0	813	19	0
2	A	3814	0	3818	124	1
2	B	3814	0	3818	170	1
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	A	32	0	20	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	B	32	0	20	2	0
6	A	125	0	0	6	0
6	B	116	0	0	8	0
6	C	48	0	0	0	0
6	D	36	0	0	0	0
All	All	11215	0	9302	319	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (319) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:247:ARG:H	2:A:247:ARG:HD3	1.29	0.96
2:A:177:VAL:HG23	2:A:186:THR:HG21	1.49	0.95
2:A:163:ARG:HH12	2:A:300:LEU:HD22	1.31	0.92
2:B:454:LEU:HD22	2:B:454:LEU:H	1.38	0.86
2:B:435:ARG:HH11	2:B:444:THR:CG2	1.89	0.85
1:D:574:C:H5''	2:B:177:VAL:HG21	1.61	0.82
1:C:518:G:O2'	1:C:557:G:N2	2.12	0.82
2:B:454:LEU:HD22	2:B:454:LEU:N	1.94	0.82
2:A:163:ARG:NH1	2:A:300:LEU:HD13	1.95	0.81
2:A:163:ARG:HH11	2:A:300:LEU:HD13	1.45	0.80
2:A:152:ARG:HG2	2:A:152:ARG:HH11	1.47	0.78
1:D:576:A:H5''	2:B:187:TYR:HB2	1.65	0.77
1:D:506:C:O2'	1:D:507:A:H5'	1.85	0.77
2:B:438:LEU:HD11	2:B:451:LEU:HD13	1.66	0.76
2:A:446:GLY:O	2:A:449:GLU:HG2	1.86	0.75
2:B:137:ARG:HB3	2:B:142:GLU:OE1	1.86	0.75
2:B:435:ARG:HH11	2:B:444:THR:HG22	1.50	0.74
2:A:267:ARG:HD2	2:A:286:LEU:HG	1.70	0.73
2:A:177:VAL:HG23	2:A:186:THR:CG2	2.19	0.73
2:B:365:PHE:HB3	2:B:366:PRO:HD3	1.71	0.73
1:D:570:G:H21	2:B:211:VAL:HG11	1.55	0.72
2:B:398:TYR:HB3	2:B:399:PRO:HD3	1.72	0.72
2:B:465:ARG:HH11	2:B:465:ARG:HB3	1.55	0.71
2:B:4:THR:HB	2:B:25:ASN:HD22	1.55	0.71
2:B:423:LYS:HB2	2:B:423:LYS:HZ2	1.55	0.70
2:B:261:PHE:CE2	2:B:310:LEU:HD13	2.27	0.69
2:A:361:THR:OG1	2:A:364:GLU:HG3	1.94	0.68
2:A:152:ARG:HG2	2:A:152:ARG:NH1	2.08	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:435:ARG:HD3	2:B:444:THR:HG22	1.77	0.66
2:B:104:ARG:HB3	2:B:144:HIS:HD2	1.59	0.66
2:A:333:PRO:HA	2:A:336:ARG:NH1	2.11	0.66
2:A:37:ILE:HD12	2:A:69:GLU:HB2	1.77	0.65
2:A:255:TRP:CZ2	2:A:259:GLU:HG3	2.31	0.65
2:B:444:THR:HG23	2:B:445:PRO:O	1.96	0.65
2:B:205:ARG:HD3	2:B:232:HIS:NE2	2.12	0.65
2:B:50:PRO:HB3	6:B:1209:HOH:O	1.96	0.65
2:B:454:LEU:H	2:B:454:LEU:HD13	1.62	0.64
1:D:518:G:O2'	1:D:557:G:N2	2.31	0.64
2:A:297:ARG:HG2	2:A:297:ARG:HH11	1.62	0.64
2:B:386:LYS:HE2	2:B:432:GLN:HG2	1.80	0.64
2:B:454:LEU:H	2:B:454:LEU:CD2	2.02	0.63
2:A:400:ARG:HH22	2:A:422:GLU:CD	2.06	0.63
2:B:450:ILE:O	2:B:454:LEU:HD11	1.99	0.62
1:C:570:G:H21	2:A:211:VAL:HG11	1.64	0.62
2:A:5:ARG:HB3	2:A:37:ILE:HB	1.82	0.62
2:B:112:LEU:O	2:B:115:ILE:HD13	2.00	0.62
2:A:61:LYS:HG2	6:A:1183:HOH:O	1.99	0.62
2:A:393:LEU:H	2:A:393:LEU:HD23	1.62	0.61
2:B:6:ILE:CD1	2:B:21:ILE:HG22	2.29	0.61
2:B:454:LEU:N	2:B:454:LEU:HD13	2.14	0.61
2:B:290:ILE:C	2:B:290:ILE:HD12	2.25	0.61
2:A:163:ARG:HH12	2:A:300:LEU:CD2	2.10	0.61
2:B:157:GLU:HG2	2:B:167:VAL:HG22	1.83	0.61
2:B:294:THR:CG2	2:B:297:ARG:HG2	2.31	0.61
2:B:39:ARG:NH2	2:B:195:ASP:OD2	2.34	0.60
2:B:317:TYR:HA	2:B:321:VAL:HG23	1.84	0.60
2:A:283:ILE:HD13	2:A:313:MET:HE2	1.84	0.60
2:A:406:GLU:O	2:A:406:GLU:HG3	2.02	0.60
2:A:207:GLU:HG2	6:A:1150:HOH:O	2.01	0.59
2:B:248:LYS:HD3	6:B:1301:HOH:O	2.01	0.59
2:B:116:ARG:O	2:B:120:GLY:HA2	2.02	0.59
2:B:355:MET:HE1	6:B:1021:HOH:O	2.01	0.59
2:B:39:ARG:NH1	2:B:41:GLU:OE1	2.32	0.59
2:B:31:ARG:NH1	2:B:293:PHE:O	2.34	0.59
2:A:177:VAL:CG2	2:A:186:THR:HG21	2.27	0.59
2:B:114:GLN:O	2:B:118:GLU:HG2	2.03	0.59
2:B:358:ARG:O	2:B:368:LYS:HE2	2.01	0.59
2:A:261:PHE:CE2	2:A:310:LEU:HD13	2.38	0.58
2:A:458:ARG:HD3	2:A:461:ARG:HH21	1.68	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:247:ARG:H	2:A:247:ARG:CD	2.04	0.58
2:A:247:ARG:HD3	2:A:247:ARG:N	2.11	0.58
2:B:179:LEU:HD23	2:B:184:TYR:O	2.03	0.58
2:B:391:LEU:N	2:B:392:PRO:HD2	2.18	0.58
2:B:285:THR:OG1	2:B:288:GLU:HG3	2.03	0.58
2:A:205:ARG:HD3	2:A:232:HIS:NE2	2.19	0.57
2:A:18:THR:HG21	2:A:56:ILE:HD11	1.85	0.57
2:A:82:GLN:NE2	2:A:190:ALA:HB1	2.20	0.57
2:A:350:ARG:NH2	2:A:409:GLU:OE1	2.38	0.57
2:B:10:PRO:HB3	2:B:52:ALA:HB3	1.86	0.57
1:D:558:A:O2'	1:D:560:U:OP2	2.22	0.57
2:A:297:ARG:HG2	2:A:297:ARG:NH1	2.20	0.56
1:C:558:A:O2'	1:C:560:U:OP2	2.23	0.56
2:A:285:THR:OG1	2:A:288:GLU:HG3	2.05	0.56
2:B:7:ALA:HB1	2:B:41:GLU:HG3	1.87	0.56
2:A:445:PRO:HG2	2:A:450:ILE:HD11	1.86	0.56
2:B:319:ARG:HD2	6:B:1006:HOH:O	2.05	0.56
2:B:326:GLU:O	2:B:330:ARG:HG3	2.05	0.56
2:B:444:THR:OG1	2:B:445:PRO:HD2	2.05	0.56
2:B:6:ILE:O	2:B:6:ILE:HG23	2.06	0.56
2:B:111:GLU:O	2:B:115:ILE:HG23	2.06	0.56
2:B:402:ARG:HH11	2:B:402:ARG:HG2	1.71	0.55
2:B:25:ASN:ND2	6:B:1009:HOH:O	2.39	0.55
2:B:435:ARG:NH1	2:B:444:THR:HG22	2.20	0.55
2:A:420:ALA:HB1	2:A:425:VAL:O	2.05	0.55
2:B:268:ASN:C	2:B:268:ASN:HD22	2.14	0.55
2:B:465:ARG:HB3	2:B:465:ARG:NH1	2.20	0.55
2:B:431:ALA:HB1	2:B:447:LEU:HD22	1.89	0.55
2:A:37:ILE:HD13	2:A:37:ILE:N	2.21	0.55
2:B:425:VAL:HG22	2:B:429:GLN:CD	2.32	0.55
2:B:237:ARG:NH1	2:B:302:GLY:HA3	2.22	0.54
2:B:110:GLU:O	2:B:114:GLN:HG2	2.08	0.54
2:A:240:ASP:OD1	2:A:242:THR:OG1	2.26	0.54
1:C:574:C:H5''	2:A:177:VAL:HG11	1.90	0.54
2:B:52:ALA:O	2:B:56:ILE:HG22	2.07	0.54
2:B:416:LEU:HD12	2:B:448:PHE:HE1	1.72	0.54
2:B:454:LEU:H	2:B:454:LEU:CD1	2.19	0.53
2:A:267:ARG:NH2	2:A:284:PHE:O	2.39	0.53
2:B:168:TYR:CD2	2:B:214:PRO:HG3	2.43	0.53
1:D:574:C:H5	2:B:112:LEU:HD12	1.73	0.53
2:A:44:ASP:OD1	2:A:47:ARG:HG3	2.09	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:423:LYS:HZ2	2:B:423:LYS:CB	2.22	0.53
2:A:21:ILE:HG13	5:A:601:GSU:H1'	1.89	0.53
2:B:45:ARG:HD3	2:B:184:TYR:CE2	2.44	0.53
2:A:163:ARG:NH2	2:A:232:HIS:O	2.42	0.53
2:B:235:LEU:O	2:B:237:ARG:HD3	2.08	0.53
2:B:435:ARG:HD3	2:B:444:THR:CG2	2.38	0.53
2:A:116:ARG:HG3	2:A:121:GLY:H	1.73	0.52
2:A:255:TRP:CH2	2:A:259:GLU:HG3	2.44	0.52
2:A:6:ILE:C	2:A:8:PRO:HD3	2.35	0.52
2:A:62:TRP:CE2	2:A:263:PRO:HB3	2.44	0.52
1:D:534:C:O2	2:B:435:ARG:NH2	2.37	0.52
2:A:355:MET:HE2	2:A:369:ALA:HB2	1.91	0.52
2:A:110:GLU:H	2:A:110:GLU:CD	2.16	0.52
2:A:245:SER:HB2	2:A:247:ARG:CZ	2.39	0.51
2:A:16:VAL:HG13	2:A:251:THR:O	2.10	0.51
2:A:206:ALA:HB1	2:A:235:LEU:HD13	1.90	0.51
2:A:268:ASN:C	2:A:268:ASN:HD22	2.19	0.51
2:A:463:LEU:HD23	2:A:463:LEU:O	2.10	0.51
2:A:1:MET:HE3	2:A:2:VAL:O	2.11	0.51
2:A:319:ARG:HG3	2:A:320:GLU:HG3	1.93	0.51
2:B:326:GLU:OE2	2:B:326:GLU:HA	2.10	0.51
2:B:19:ALA:HB2	2:B:253:LEU:HD11	1.92	0.51
2:A:365:PHE:HB3	2:A:366:PRO:HD3	1.92	0.51
2:B:61:LYS:HE3	2:B:67:TYR:OH	2.11	0.51
2:A:136:GLU:HG2	2:A:139:ARG:NH1	2.26	0.51
2:A:294:THR:HG23	2:A:296:GLU:H	1.76	0.50
2:B:260:GLY:HA2	2:B:334:PHE:CZ	2.47	0.50
1:C:506:C:O2'	1:C:507:A:H5'	2.11	0.50
1:C:519:G:N2	1:C:557:G:H1'	2.27	0.50
2:A:445:PRO:CG	2:A:450:ILE:HD11	2.42	0.50
2:B:290:ILE:HG13	2:B:291:GLN:N	2.27	0.50
2:A:116:ARG:O	2:A:120:GLY:HA2	2.11	0.50
2:A:140:ARG:HG2	2:A:140:ARG:HH11	1.76	0.50
1:D:569:G:H5''	2:B:242:THR:HA	1.93	0.50
2:A:416:LEU:HD12	2:A:448:PHE:HE1	1.77	0.50
2:B:89:TYR:CD2	2:B:185:PRO:HG3	2.47	0.50
2:B:267:ARG:HD2	2:B:286:LEU:HB2	1.93	0.50
2:A:458:ARG:HH11	2:A:461:ARG:NH2	2.10	0.50
1:C:505:C:O3'	2:A:163:ARG:HD3	2.12	0.49
2:A:26:TYR:CE1	2:A:290:ILE:HD11	2.47	0.49
2:A:205:ARG:HG3	2:A:209:TRP:CD1	2.46	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:213:THR:N	2:A:214:PRO:HD2	2.28	0.49
2:A:458:ARG:HD3	2:A:461:ARG:NH2	2.26	0.49
2:B:382:LYS:NZ	2:B:382:LYS:HB3	2.27	0.49
2:B:416:LEU:HD12	2:B:448:PHE:CE1	2.48	0.49
2:B:187:TYR:CE1	5:B:602:GSU:HG2	2.48	0.49
2:B:431:ALA:CB	2:B:447:LEU:HD22	2.43	0.49
2:B:137:ARG:O	2:B:142:GLU:HB3	2.12	0.49
2:B:294:THR:HG23	2:B:294:THR:O	2.12	0.49
2:A:7:ALA:HA	2:A:39:ARG:O	2.12	0.49
2:B:179:LEU:HD21	2:B:183:GLY:C	2.38	0.49
2:B:116:ARG:HA	2:B:121:GLY:H	1.78	0.48
2:B:283:ILE:CD1	2:B:313:MET:HE2	2.43	0.48
1:C:576:A:O3'	5:A:601:GSU:N	2.46	0.48
2:B:37:ILE:HG22	2:B:38:VAL:N	2.26	0.48
1:D:521:A:H61	1:D:546:A:H2'	1.79	0.48
2:B:454:LEU:HD23	2:B:459:ALA:HB2	1.94	0.48
2:B:7:ALA:HA	2:B:39:ARG:O	2.13	0.48
2:B:124:GLY:O	2:B:127:ARG:HG3	2.13	0.48
2:A:267:ARG:HD3	6:A:1033:HOH:O	2.12	0.47
2:A:347:TYR:CE1	2:A:453:LEU:HD22	2.49	0.47
1:C:569:G:O2'	1:C:570:G:H5'	2.14	0.47
2:B:73:VAL:HG12	2:B:73:VAL:O	2.12	0.47
2:A:116:ARG:HA	2:A:121:GLY:H	1.79	0.47
2:A:422:GLU:HG3	2:A:423:LYS:N	2.28	0.47
2:B:409:GLU:HG3	6:B:1032:HOH:O	2.13	0.47
2:B:81:ARG:HB2	2:B:84:GLU:HG3	1.95	0.47
2:B:283:ILE:HD13	2:B:313:MET:HE2	1.96	0.47
2:B:6:ILE:HD12	2:B:21:ILE:HG22	1.96	0.47
2:A:163:ARG:NH1	2:A:300:LEU:CD1	2.73	0.47
2:A:444:THR:HB	2:A:445:PRO:HD2	1.96	0.47
2:B:37:ILE:CG2	2:B:38:VAL:N	2.76	0.47
2:B:296:GLU:N	2:B:296:GLU:OE1	2.48	0.47
2:A:439:THR:HG21	2:A:444:THR:HG21	1.97	0.47
2:B:86:LEU:HD21	2:B:184:TYR:CE1	2.50	0.47
2:A:257:LYS:HE3	6:A:1019:HOH:O	2.14	0.46
2:A:283:ILE:HD13	2:A:313:MET:CE	2.44	0.46
2:B:241:LYS:HE2	2:B:304:VAL:HG21	1.96	0.46
2:B:106:PHE:CD2	2:B:144:HIS:HB3	2.51	0.46
2:B:133:GLU:O	2:B:137:ARG:HG3	2.16	0.46
2:A:96:LEU:HD13	2:A:223:PHE:CE1	2.49	0.46
2:B:127:ARG:HH21	2:B:175:ASP:CG	2.23	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:290:ILE:C	2:B:290:ILE:CD1	2.87	0.46
2:B:435:ARG:NH1	2:B:444:THR:CG2	2.71	0.46
1:C:524:A:O2'	2:A:282:GLU:OE2	2.22	0.46
2:A:195:ASP:HB3	2:A:200:VAL:HG22	1.98	0.46
2:B:45:ARG:HD3	2:B:184:TYR:CZ	2.51	0.46
2:B:85:ARG:NH1	2:B:194:ASP:OD2	2.44	0.46
2:A:170:ASN:HA	2:A:173:ILE:HD12	1.98	0.46
2:B:391:LEU:N	2:B:392:PRO:CD	2.79	0.46
2:A:37:ILE:HG22	2:A:38:VAL:N	2.30	0.45
2:A:53:GLU:O	2:A:56:ILE:HG22	2.16	0.45
2:A:330:ARG:O	2:A:362:LEU:HD13	2.16	0.45
2:B:391:LEU:O	2:B:395:LYS:HG3	2.17	0.45
1:D:508:U:C2	1:D:515:G:O6	2.70	0.45
2:B:277:MET:HE3	2:B:277:MET:HB3	1.77	0.45
2:B:98:LYS:HD2	2:B:98:LYS:N	2.30	0.45
2:B:176:VAL:HG11	2:B:215:ILE:HD13	1.98	0.45
2:B:179:LEU:HD21	2:B:183:GLY:O	2.15	0.45
2:B:369:ALA:HB1	2:B:372:LEU:HD12	1.98	0.45
1:C:571:U:H2'	1:C:572:C:C6	2.52	0.45
1:C:575:C:H2'	1:C:576:A:O4'	2.16	0.45
2:A:294:THR:CG2	2:A:296:GLU:HB2	2.46	0.45
1:C:534:C:O2	2:A:435:ARG:NH2	2.39	0.45
2:A:294:THR:HG23	2:A:296:GLU:OE1	2.16	0.45
2:B:115:ILE:HD13	2:B:116:ARG:N	2.32	0.45
2:B:98:LYS:C	2:B:100:GLY:H	2.25	0.45
1:D:552:G:H5'	1:D:553:G:OP2	2.17	0.44
2:B:417:ARG:HH11	2:B:417:ARG:HG2	1.82	0.44
2:B:463:LEU:O	2:B:467:LEU:HG	2.17	0.44
2:A:133:GLU:O	2:A:137:ARG:HG3	2.17	0.44
2:A:294:THR:CG2	2:A:296:GLU:H	2.29	0.44
2:B:205:ARG:HD3	2:B:232:HIS:CD2	2.52	0.44
2:B:286:LEU:O	2:B:290:ILE:HG23	2.18	0.44
2:A:203:VAL:HA	6:A:1039:HOH:O	2.16	0.44
2:B:30:ARG:HD3	6:B:1014:HOH:O	2.17	0.44
2:B:239:PRO:HA	2:B:304:VAL:HG13	1.98	0.44
2:B:324:LEU:HD23	2:B:324:LEU:O	2.18	0.44
2:B:350:ARG:HG3	2:B:453:LEU:HD13	2.00	0.44
2:A:136:GLU:OE2	2:A:139:ARG:NH1	2.51	0.44
2:B:78:GLY:HA2	2:B:79:PRO:C	2.43	0.44
2:B:86:LEU:HB2	2:B:87:PRO:HD3	2.00	0.44
2:A:310:LEU:O	2:A:310:LEU:HD22	2.17	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:404:GLN:HG3	2:A:415:LEU:HD22	2.00	0.43
1:D:549:G:N2	1:D:566:U:H1'	2.34	0.43
2:B:79:PRO:HB3	2:B:84:GLU:OE1	2.18	0.43
2:A:176:VAL:HG11	2:A:215:ILE:HD13	2.01	0.43
2:A:404:GLN:HE21	2:A:415:LEU:HD13	1.84	0.43
1:C:525:C:H5''	2:A:312:TRP:CE2	2.54	0.43
2:B:364:GLU:CD	6:B:1389:HOH:O	2.61	0.43
2:B:213:THR:N	2:B:214:PRO:CD	2.81	0.43
1:D:506:C:C2'	1:D:507:A:H5'	2.48	0.43
2:A:110:GLU:CD	2:A:110:GLU:N	2.77	0.43
2:B:423:LYS:CB	2:B:423:LYS:NZ	2.82	0.43
2:A:106:PHE:CD2	2:A:144:HIS:HB3	2.54	0.43
2:A:454:LEU:HB3	2:A:458:ARG:HD2	2.00	0.43
2:A:15:HIS:O	2:A:18:THR:HB	2.18	0.43
2:A:404:GLN:NE2	2:A:415:LEU:HD13	2.34	0.43
2:A:78:GLY:HA2	2:A:79:PRO:C	2.44	0.42
2:A:105:ALA:HB1	2:A:107:GLU:OE2	2.19	0.42
2:A:332:LYS:HB2	2:A:333:PRO:HD3	2.01	0.42
2:B:237:ARG:HH11	2:B:302:GLY:HA3	1.83	0.42
2:B:324:LEU:C	2:B:324:LEU:CD2	2.91	0.42
2:B:446:GLY:O	2:B:449:GLU:HG2	2.19	0.42
1:C:536:C:H2'	1:C:537:A:O4'	2.19	0.42
2:B:425:VAL:HG22	2:B:429:GLN:NE2	2.34	0.42
1:D:501:G:H2'	1:D:502:G:C8	2.55	0.42
1:D:576:A:H3'	2:B:187:TYR:CD1	2.55	0.42
2:A:150:VAL:HA	2:A:151:PRO:HD3	1.87	0.42
2:B:179:LEU:HD23	2:B:184:TYR:C	2.44	0.42
2:B:463:LEU:HD22	2:B:467:LEU:HD11	2.00	0.42
2:A:211:VAL:HG22	6:A:1049:HOH:O	2.19	0.42
2:B:1:MET:HE2	2:B:34:GLY:HA2	2.01	0.42
2:B:122:TYR:CE2	2:B:124:GLY:HA2	2.55	0.42
2:B:10:PRO:CB	2:B:52:ALA:HB3	2.50	0.42
2:B:131:PRO:O	2:B:135:GLU:HG2	2.20	0.42
1:C:508:U:C2	1:C:515:G:O6	2.73	0.42
2:A:19:ALA:HB1	2:A:63:LEU:CD1	2.50	0.42
2:A:186:THR:O	2:A:187:TYR:C	2.63	0.42
2:A:460:LEU:O	2:A:464:GLU:HG3	2.20	0.42
2:B:6:ILE:HD13	2:B:21:ILE:HG22	2.02	0.42
2:A:7:ALA:HB1	2:A:41:GLU:HG3	2.02	0.41
2:A:10:PRO:HG3	2:A:42:ASP:HB3	2.01	0.41
1:C:521:A:H61	1:C:546:A:H2'	1.85	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:116:ARG:CD	2:B:121:GLY:H	2.33	0.41
2:B:206:ALA:HB3	5:B:602:GSU:O2'	2.19	0.41
1:C:543:G:H2'	1:C:544:A:C8	2.55	0.41
2:A:119:LYS:HD2	2:A:123:ASP:OD2	2.19	0.41
1:C:574:C:C4'	2:A:177:VAL:HG21	2.51	0.41
2:B:117:LYS:HB2	2:B:117:LYS:NZ	2.36	0.41
1:D:536:C:H2'	1:D:537:A:O4'	2.21	0.41
2:B:14:PRO:HB3	2:B:56:ILE:HA	2.00	0.41
2:B:267:ARG:HD2	2:B:286:LEU:HD13	2.02	0.41
2:A:375:GLU:CD	2:A:461:ARG:HH12	2.28	0.41
2:B:255:TRP:CZ2	2:B:259:GLU:HG2	2.55	0.41
2:B:450:ILE:HD13	2:B:450:ILE:HA	1.84	0.41
2:B:294:THR:CG2	2:B:294:THR:O	2.68	0.41
2:B:107:GLU:OE2	2:B:107:GLU:N	2.34	0.41
2:B:402:ARG:HH11	2:B:402:ARG:CG	2.34	0.41
1:D:514:A:C2'	1:D:515:G:H5'	2.51	0.41
2:A:102:ALA:HB1	2:A:147:ARG:O	2.20	0.41
2:A:445:PRO:HG2	2:A:450:ILE:CD1	2.50	0.41
2:B:20:TYR:OH	2:B:234:PRO:HD2	2.21	0.41
2:B:82:GLN:HG2	2:B:194:ASP:OD1	2.21	0.41
2:B:140:ARG:NE	2:B:140:ARG:HA	2.35	0.41
2:B:325:GLU:H	2:B:325:GLU:CD	2.28	0.41
2:B:390:GLY:C	2:B:392:PRO:HD2	2.46	0.41
2:B:393:LEU:HD13	2:B:430:VAL:HG22	2.02	0.41
2:B:445:PRO:HG2	2:B:450:ILE:CG1	2.51	0.41
2:A:281:ARG:HH12	2:A:288:GLU:CD	2.29	0.41
2:B:88:LEU:HD21	2:B:197:LEU:CD1	2.51	0.41
2:A:31:ARG:O	2:A:31:ARG:HG3	2.21	0.40
2:A:239:PRO:HA	2:A:304:VAL:HG13	2.02	0.40
2:B:78:GLY:HA2	2:B:79:PRO:O	2.20	0.40
2:B:92:TYR:O	2:B:95:GLU:HB3	2.21	0.40
2:B:262:LEU:HD22	2:B:330:ARG:HH11	1.86	0.40
2:A:335:LEU:HA	2:A:335:LEU:HD23	1.89	0.40
2:B:354:LEU:HD22	2:B:449:GLU:HG3	2.02	0.40
1:C:504:C:H2'	1:C:505:C:H6	1.86	0.40
1:D:565:C:O2'	1:D:566:U:H5'	2.22	0.40
2:B:290:ILE:HD12	2:B:290:ILE:O	2.20	0.40
2:A:5:ARG:CD	2:A:5:ARG:C	2.94	0.40
2:B:113:GLU:OE1	2:B:113:GLU:HA	2.20	0.40
2:B:152:ARG:HH11	2:B:152:ARG:HG2	1.86	0.40
2:B:174:PRO:HG2	2:B:176:VAL:CG1	2.52	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:386:LYS:HE2	2:B:432:GLN:CG	2.49	0.40
2:B:1:MET:HB2	2:B:2:VAL:H	1.65	0.40
2:B:274:GLY:O	2:B:298:VAL:HA	2.22	0.40
2:B:383:ALA:HA	2:B:442:LEU:HD13	2.04	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:343:GLU:O	2:B:50:PRO:O[6_654]	2.16	0.04

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	A	466/468 (100%)	453 (97%)	12 (3%)	1 (0%)	43	68
2	B	466/468 (100%)	448 (96%)	16 (3%)	2 (0%)	30	54
All	All	932/936 (100%)	901 (97%)	28 (3%)	3 (0%)	36	60

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	A	120	GLY
2	B	120	GLY
2	B	151	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	A	393/393 (100%)	360 (92%)	33 (8%)	10	26
2	B	393/393 (100%)	354 (90%)	39 (10%)	7	19
All	All	786/786 (100%)	714 (91%)	72 (9%)	8	22

All (72) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	A	5	ARG
2	A	37	ILE
2	A	67	TYR
2	A	96	LEU
2	A	97	LEU
2	A	132	GLU
2	A	136	GLU
2	A	145	VAL
2	A	185	PRO
2	A	189	LEU
2	A	197	LEU
2	A	200	VAL
2	A	205	ARG
2	A	218	LEU
2	A	235	LEU
2	A	236	LEU
2	A	247	ARG
2	A	270	LEU
2	A	272	LEU
2	A	286	LEU
2	A	294	THR
2	A	310	LEU
2	A	331	VAL
2	A	343	GLU
2	A	356	ARG
2	A	391	LEU
2	A	442	LEU
2	A	449	GLU
2	A	453	LEU
2	A	454	LEU
2	A	457	GLU
2	A	458	ARG
2	A	463	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	1	MET
2	B	5	ARG
2	B	21	ILE
2	B	54	GLU
2	B	86	LEU
2	B	90	GLN
2	B	104	ARG
2	B	115	ILE
2	B	117	LYS
2	B	119	LYS
2	B	128	ASN
2	B	179	LEU
2	B	189	LEU
2	B	205	ARG
2	B	218	LEU
2	B	236	LEU
2	B	259	GLU
2	B	266	LEU
2	B	270	LEU
2	B	272	LEU
2	B	290	ILE
2	B	309	LYS
2	B	310	LEU
2	B	324	LEU
2	B	326	GLU
2	B	331	VAL
2	B	355	MET
2	B	356	ARG
2	B	382	LYS
2	B	412	LEU
2	B	423	LYS
2	B	425	VAL
2	B	432	GLN
2	B	442	LEU
2	B	444	THR
2	B	449	GLU
2	B	450	ILE
2	B	454	LEU
2	B	463	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
2	A	82	GLN
2	A	114	GLN
2	A	404	GLN
2	A	429	GLN
2	B	25	ASN
2	B	90	GLN
2	B	170	ASN
2	B	404	GLN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	C	74/75 (98%)	14 (18%)	6 (8%)
1	D	74/75 (98%)	13 (17%)	6 (8%)
All	All	148/150 (98%)	27 (18%)	12 (8%)

All (27) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	C	507	A
1	C	508	U
1	C	509	C
1	C	516	C
1	C	518	G
1	C	519	G
1	C	520	U
1	C	548	C
1	C	553	G
1	C	558	A
1	C	559	U
1	C	573	A
1	C	574	C
1	C	575	C
1	D	508	U
1	D	509	C
1	D	516	C
1	D	518	G
1	D	519	G
1	D	520	U
1	D	548	C
1	D	553	G
1	D	558	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	559	U
1	D	573	A
1	D	574	C
1	D	575	C

All (12) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	C	507	A
1	C	509	C
1	C	518	G
1	C	519	G
1	C	558	A
1	C	573	A
1	D	507	A
1	D	518	G
1	D	519	G
1	D	558	A
1	D	560	U
1	D	573	A

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 4 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	GSU	B	602	-	34,34,34	1.43	5 (14%)	47,50,50	1.58	7 (14%)
5	GSU	A	601	-	34,34,34	1.75	7 (20%)	47,50,50	1.63	8 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GSU	B	602	-	-	8/23/40/40	0/3/3/3
5	GSU	A	601	-	-	7/23/40/40	0/3/3/3

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	601	GSU	O2S-S	5.53	1.47	1.42
5	A	601	GSU	O1S-S	4.41	1.46	1.42
5	B	602	GSU	O1S-S	4.40	1.46	1.42
5	A	601	GSU	S-N10	3.67	1.65	1.59
5	B	602	GSU	S-N10	3.05	1.64	1.59
5	B	602	GSU	OE2-CD	2.85	1.31	1.22
5	A	601	GSU	OE2-CD	2.85	1.31	1.22
5	B	602	GSU	OE1-CD	-2.67	1.22	1.30
5	A	601	GSU	C1'-N9	2.56	1.53	1.46
5	B	602	GSU	O2S-S	2.39	1.44	1.42
5	A	601	GSU	OE1-CD	-2.39	1.22	1.30
5	A	601	GSU	C5-N7	-2.17	1.35	1.39

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	601	GSU	O2S-S-O1S	-6.47	111.16	120.85
5	B	602	GSU	O2S-S-O1S	-6.05	111.80	120.85
5	A	601	GSU	O5'-C5'-C4'	5.09	116.65	107.57
5	B	602	GSU	O5'-C5'-C4'	4.74	116.01	107.57
5	B	602	GSU	O4'-C1'-N9	2.88	113.63	108.09
5	A	601	GSU	CB-CA-N	-2.88	102.62	110.12
5	A	601	GSU	OE1-CD-CG	2.67	122.45	114.00
5	B	602	GSU	OE1-CD-CG	2.56	122.10	114.00
5	A	601	GSU	OE2-CD-CG	-2.45	115.31	123.09
5	B	602	GSU	O-C-CA	2.42	125.37	120.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	602	GSU	OE2-CD-CG	-2.23	116.02	123.09
5	B	602	GSU	O5'-S-N10	2.23	111.45	105.69
5	A	601	GSU	O5'-S-N10	2.11	111.14	105.69
5	A	601	GSU	O4'-C1'-N9	2.06	112.04	108.09
5	A	601	GSU	O-C-CA	2.01	124.52	120.28

There are no chirality outliers.

All (15) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	601	GSU	C5'-O5'-S-N10
5	B	602	GSU	C5'-O5'-S-N10
5	B	602	GSU	N-CA-CB-CG
5	B	602	GSU	C-CA-CB-CG
5	A	601	GSU	C3'-C4'-C5'-O5'
5	B	602	GSU	O-C-CA-N
5	A	601	GSU	OE1-CD-CG-CB
5	A	601	GSU	OE2-CD-CG-CB
5	B	602	GSU	OE1-CD-CG-CB
5	B	602	GSU	OE2-CD-CG-CB
5	A	601	GSU	O4'-C4'-C5'-O5'
5	B	602	GSU	C3'-C4'-C5'-O5'
5	A	601	GSU	O-C-CA-N
5	A	601	GSU	N10-C-CA-N
5	B	602	GSU	N10-C-CA-N



There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	602	GSU	2	0
5	A	601	GSU	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and

any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	C	75/75 (100%)	0.23	6 (8%) 18 15	25, 43, 76, 83	0
1	D	75/75 (100%)	0.27	7 (9%) 14 12	21, 41, 75, 96	0
2	A	468/468 (100%)	-0.26	6 (1%) 75 73	13, 29, 61, 75	0
2	B	468/468 (100%)	-0.11	17 (3%) 46 42	13, 32, 76, 95	0
All	All	1086/1086 (100%)	-0.13	36 (3%) 49 45	13, 32, 70, 96	0

All (36) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	115	ILE	3.8
1	D	558	A	3.7
1	C	558	A	3.6
1	D	516	C	3.6
2	B	140	ARG	3.4
2	B	134	ALA	3.3
2	B	46	ALA	3.3
1	C	518	G	3.1
1	C	516	C	3.0
1	D	553	G	2.9
1	D	518	G	2.9
2	A	1	MET	2.8
2	B	50	PRO	2.8
2	B	98	LYS	2.7
1	D	557	G	2.6
2	A	172	GLU	2.6
1	C	553	G	2.4
1	D	556	C	2.4
2	A	118	GLU	2.3
2	B	301	GLY	2.3
1	C	565	C	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	A	166	VAL	2.3
2	B	126	ALA	2.2
2	B	1	MET	2.2
2	B	136	GLU	2.2
2	B	120	GLY	2.2
2	B	52	ALA	2.2
1	D	574	C	2.2
2	B	118	GLU	2.2
2	B	129	ILE	2.2
2	A	402	ARG	2.2
1	C	575	C	2.1
2	A	376	ASP	2.1
2	B	468	ALA	2.1
2	B	10	PRO	2.1
2	B	141	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.


6.4 Ligands [i](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	MG	C	902	1/1	0.90	0.28	36,36,36,36	0
3	MG	D	901	1/1	0.95	0.34	33,33,33,33	0
5	GSU	A	601	32/32	0.98	0.05	16,22,28,31	0
5	GSU	B	602	32/32	0.98	0.06	16,25,31,32	0
4	CL	A	904	1/1	0.99	0.17	33,33,33,33	0
4	CL	B	903	1/1	0.99	0.17	27,27,27,27	0

The following is a graphical depiction of the model fit to experimental electron density of all

instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.