



Full wwPDB X-ray Structure Validation Report i

Feb 10, 2024 – 06:42 PM EST

PDB ID : 2I7V
Title : Structure of Human CPSF-73
Authors : Mandel, C.R.; Zhang, H.; Tong, L.
Deposited on : 2006-08-31
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5197 (2.10-2.10)
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)
RSRZ outliers	127900	5083 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



2 Entry composition [\(i\)](#)

There are 4 unique types of molecules in this entry. The entry contains 3727 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Cleavage and polyadenylation specificity factor 73 kDa subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	433	3471	2214	591	642	24	0	0	0

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	4	Total Zn 4 4	0	0

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total O S 5 4 1	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	247	Total O 247 247	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Cleavage and polyadenylation specificity factor 73 kDa subunit



4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	58.50Å 83.20Å 104.95Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.25 – 2.10 29.25 – 2.10	Depositor EDS
% Data completeness (in resolution range)	96.7 (29.25-2.10) 98.5 (29.25-2.10)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	3.59 (at 2.10Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R , R_{free}	0.224 , 0.252 0.233 , 0.261	Depositor DCC
R_{free} test set	4265 reflections (7.41%)	wwPDB-VP
Wilson B-factor (Å ²)	35.7	Xtriage
Anisotropy	0.152	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 52.7	EDS
L-test for twinning ²	$< L > = 0.49$, $< L^2 > = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	3727	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.60% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [\(i\)](#)

5.1 Standard geometry [\(i\)](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.34	0/3552	0.63	2/4802 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	417	VAL	CB-CA-C	-5.66	100.65	111.40
1	A	178	GLY	N-CA-C	-5.21	100.07	113.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3471	0	3415	150	0
2	A	4	0	0	0	0
3	A	5	0	0	0	0
4	A	247	0	0	10	0
All	All	3727	0	3415	150	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 22.

All (150) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:13:LEU:HD11	1:A:453:ALA:HB1	1.31	1.12
1:A:274:LEU:HD21	1:A:277:LYS:HD2	1.43	0.97
1:A:376:THR:HG22	1:A:378:SER:H	1.35	0.89
1:A:61:PRO:HG3	1:A:87:THR:HG22	1.54	0.89
1:A:279:MET:O	1:A:283:GLN:HG3	1.83	0.79
1:A:424:MET:HG2	1:A:447:ASN:HD21	1.45	0.79
1:A:424:MET:HE2	1:A:447:ASN:ND2	1.97	0.79
1:A:244:GLY:H	1:A:247:GLN:NE2	1.82	0.77
1:A:342:GLU:OE1	1:A:376:THR:HG23	1.86	0.75
1:A:17:LEU:HD11	1:A:29:ILE:HD11	1.68	0.74
1:A:61:PRO:HG2	1:A:88:SER:OG	1.87	0.74
1:A:92:ARG:HD2	1:A:136:GLU:OE2	1.87	0.73
1:A:61:PRO:HG3	1:A:87:THR:CG2	2.17	0.72
1:A:154:TYR:CZ	1:A:194:PRO:HB3	2.26	0.70
1:A:174:LEU:HD11	1:A:202:ILE:HG13	1.74	0.70
1:A:424:MET:HG2	1:A:447:ASN:ND2	2.06	0.69
1:A:15:ARG:HB2	4:A:631:HOH:O	1.92	0.69
1:A:186:ARG:HG2	1:A:215:ARG:HH21	1.56	0.68
1:A:243:LEU:HD21	1:A:278:CYS:HB3	1.74	0.68
1:A:240:VAL:HG21	1:A:326:MET:HE3	1.75	0.67
1:A:96:THR:HG22	1:A:99:THR:H	1.59	0.67
1:A:424:MET:CE	1:A:447:ASN:ND2	2.58	0.66
1:A:449:ARG:HD3	4:A:644:HOH:O	1.95	0.66
1:A:212:HIS:CD2	1:A:213:GLU:H	2.13	0.65
1:A:35:ARG:HH21	1:A:148:GLY:HA3	1.61	0.65
1:A:125:GLU:O	1:A:129:GLU:HG2	1.97	0.64
1:A:274:LEU:HG	1:A:277:LYS:HB2	1.78	0.64
1:A:278:CYS:O	1:A:282:TYR:HB2	1.98	0.63
1:A:265:ASP:HB2	4:A:541:HOH:O	1.98	0.63
1:A:35:ARG:HE	1:A:148:GLY:H	1.44	0.62
1:A:283:GLN:O	1:A:286:VAL:HG13	2.00	0.62
1:A:397:THR:HG22	1:A:401:GLN:NE2	2.15	0.62
1:A:35:ARG:NH2	1:A:148:GLY:HA3	2.16	0.61
1:A:397:THR:HG22	1:A:401:GLN:HE21	1.65	0.61
1:A:152:TRP:CZ2	1:A:166:MET:HG2	2.36	0.61
1:A:227:HIS:HD2	1:A:256:TYR:OH	1.84	0.60
1:A:12:LEU:HD12	1:A:13:LEU:N	2.17	0.60
1:A:174:LEU:HD12	1:A:175:LEU:N	2.17	0.60
1:A:100:LYS:O	1:A:103:TYR:HB3	2.02	0.59
1:A:216:GLU:H	1:A:216:GLU:CD	2.05	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:12:LEU:HD13	1:A:32:PHE:HB2	1.83	0.59
1:A:128:LEU:O	1:A:132:MET:HE2	2.03	0.59
1:A:180:PHE:CE1	1:A:397:THR:HG21	2.37	0.59
1:A:258:GLN:CD	1:A:306:LYS:HD2	2.23	0.58
1:A:359:VAL:O	1:A:362:THR:HB	2.04	0.57
1:A:61:PRO:CG	1:A:87:THR:HG22	2.31	0.57
1:A:35:ARG:HH11	1:A:35:ARG:HG2	1.70	0.56
1:A:212:HIS:CG	1:A:213:GLU:H	2.24	0.56
1:A:363:LEU:O	1:A:367:ILE:HG13	2.06	0.56
1:A:13:LEU:HB3	1:A:31:GLU:HB2	1.87	0.56
1:A:221:ARG:NH1	1:A:391:ILE:HG12	2.22	0.54
1:A:434:GLU:O	1:A:438:ASN:HB3	2.08	0.54
1:A:185:ASP:HB2	1:A:188:LEU:HB2	1.90	0.54
1:A:186:ARG:HG3	1:A:248:GLU:OE2	2.07	0.54
1:A:362:THR:HG22	1:A:364:ALA:N	2.22	0.53
1:A:424:MET:HE1	4:A:513:HOH:O	2.08	0.53
1:A:58:LEU:HD13	1:A:451:THR:HG23	1.90	0.53
1:A:69:ILE:HD12	1:A:69:ILE:N	2.24	0.52
1:A:433:ARG:HD2	4:A:612:HOH:O	2.09	0.52
1:A:239:PRO:HA	1:A:327:ALA:O	2.09	0.51
1:A:244:GLY:H	1:A:247:GLN:HE22	1.52	0.51
1:A:331:MET:HB3	1:A:362:THR:HG23	1.93	0.51
1:A:362:THR:HG22	1:A:365:LYS:H	1.74	0.51
1:A:212:HIS:CD2	1:A:213:GLU:HG3	2.45	0.51
1:A:261:PRO:HA	1:A:264:HIS:CD2	2.46	0.51
1:A:450:ASN:O	1:A:451:THR:HB	2.10	0.51
1:A:141:HIS:HE1	1:A:192:GLU:OE1	1.94	0.50
1:A:373:GLU:OE1	1:A:381:LYS:HD2	2.10	0.50
1:A:68:LEU:HD12	1:A:167:ILE:HD11	1.93	0.50
1:A:180:PHE:CZ	1:A:397:THR:HG21	2.47	0.49
1:A:367:ILE:C	1:A:369:SER:H	2.14	0.49
1:A:103:TYR:HE2	1:A:132:MET:CE	2.25	0.49
1:A:107:LEU:O	1:A:111:VAL:HG23	2.12	0.49
1:A:108:SER:HA	1:A:125:GLU:OE1	2.13	0.49
1:A:154:TYR:CE2	1:A:194:PRO:HB3	2.47	0.49
1:A:329:PRO:HD2	1:A:334:SER:O	2.13	0.48
1:A:320:ILE:HG23	1:A:321:GLY:N	2.28	0.48
1:A:274:LEU:HD11	1:A:277:LYS:HG3	1.95	0.48
1:A:127:ASP:HA	1:A:130:GLU:OE1	2.13	0.48
1:A:61:PRO:O	1:A:89:PHE:HA	2.13	0.48
1:A:335:GLY:O	1:A:339:GLU:HG3	2.13	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:222:PHE:HA	1:A:391:ILE:HD13	1.96	0.48
1:A:182:ARG:H	1:A:401:GLN:NE2	2.12	0.47
1:A:227:HIS:HE1	4:A:511:HOH:O	1.96	0.47
1:A:301:ASN:HB3	1:A:304:VAL:HG23	1.95	0.47
1:A:235:ARG:HG2	1:A:350:ASN:OD1	2.14	0.47
1:A:235:ARG:HG3	1:A:344:TRP:CE2	2.49	0.47
1:A:320:ILE:HG23	1:A:321:GLY:H	1.80	0.47
1:A:333:GLN:OE1	1:A:333:GLN:HA	2.15	0.47
1:A:81:PRO:HG2	1:A:123:TYR:CD2	2.51	0.46
1:A:244:GLY:N	1:A:247:GLN:HE22	2.13	0.46
1:A:247:GLN:OE1	1:A:279:MET:HE3	2.16	0.46
1:A:314:MET:HG3	4:A:720:HOH:O	2.14	0.46
1:A:61:PRO:HB3	1:A:83:PHE:CE1	2.50	0.46
1:A:240:VAL:HG21	1:A:326:MET:CE	2.44	0.46
1:A:126:THR:O	1:A:130:GLU:HG3	2.16	0.45
1:A:331:MET:HB3	1:A:362:THR:CG2	2.46	0.45
1:A:60:ASP:HA	1:A:61:PRO:HD2	1.76	0.45
1:A:212:HIS:CG	1:A:213:GLU:N	2.84	0.45
1:A:103:TYR:HE2	1:A:132:MET:HE1	1.81	0.45
1:A:19:ALA:HA	1:A:22:GLU:HG2	1.98	0.45
1:A:370:GLU:O	1:A:370:GLU:HG3	2.16	0.45
1:A:35:ARG:HE	1:A:148:GLY:N	2.14	0.44
1:A:380:GLN:NE2	1:A:381:LYS:H	2.15	0.44
1:A:80:LEU:N	1:A:81:PRO:HD2	2.32	0.44
1:A:50:MET:CE	1:A:122:LEU:HD23	2.47	0.44
1:A:153:CYS:HB2	1:A:163:ALA:HB1	1.99	0.44
1:A:424:MET:CE	1:A:447:ASN:HD22	2.29	0.44
1:A:107:LEU:HD12	1:A:128:LEU:HD13	1.99	0.44
1:A:433:ARG:NH2	4:A:732:HOH:O	2.51	0.44
1:A:13:LEU:HD21	1:A:15:ARG:HH11	1.82	0.44
1:A:250:LEU:HD22	1:A:308:ILE:HD13	2.00	0.44
1:A:342:GLU:CD	1:A:376:THR:HG23	2.38	0.44
1:A:455:THR:O	1:A:456:LEU:HD23	2.17	0.44
1:A:247:GLN:NE2	1:A:247:GLN:H	2.16	0.43
1:A:182:ARG:HB2	1:A:401:GLN:HE21	1.83	0.43
1:A:424:MET:HE3	1:A:447:ASN:HA	1.99	0.43
1:A:301:ASN:HB3	1:A:304:VAL:CG2	2.49	0.43
1:A:13:LEU:HD12	1:A:454:VAL:O	2.18	0.43
1:A:18:GLY:HA3	1:A:25:ARG:O	2.18	0.43
1:A:247:GLN:HG2	1:A:282:TYR:CE2	2.53	0.43
1:A:366:HIS:HD2	4:A:591:HOH:O	2.01	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:87:THR:HG22	1:A:88:SER:H	1.84	0.43
1:A:328:SER:HB2	1:A:329:PRO:HA	2.00	0.43
1:A:369:SER:O	1:A:370:GLU:HB3	2.19	0.43
1:A:17:LEU:HD13	1:A:56:ILE:HA	2.00	0.43
1:A:374:ILE:C	1:A:374:ILE:HD12	2.39	0.43
1:A:92:ARG:CD	1:A:136:GLU:OE2	2.63	0.43
1:A:243:LEU:HA	1:A:247:GLN:HE22	1.84	0.42
1:A:17:LEU:HD11	1:A:29:ILE:CD1	2.45	0.42
1:A:436:GLU:OE2	1:A:442:HIS:HA	2.19	0.42
1:A:107:LEU:HD22	1:A:123:TYR:OH	2.19	0.42
1:A:355:ALA:HA	1:A:391:ILE:O	2.20	0.42
1:A:132:MET:HE2	1:A:132:MET:H	1.83	0.42
1:A:12:LEU:HD12	1:A:13:LEU:H	1.83	0.42
1:A:205:SER:HB3	1:A:427:LEU:HD23	2.00	0.42
1:A:50:MET:HE1	1:A:122:LEU:HD23	2.02	0.41
1:A:207:TYR:HH	1:A:394:SER:HG	1.68	0.41
1:A:47:LEU:HB2	1:A:52:ALA:HA	2.03	0.41
1:A:71:HIS:CE1	1:A:76:HIS:CD2	3.09	0.41
1:A:370:GLU:N	1:A:371:PRO:CD	2.84	0.41
1:A:380:GLN:HE21	1:A:381:LYS:H	1.69	0.41
1:A:14:ILE:CD1	1:A:415:ILE:HD12	2.50	0.41
1:A:81:PRO:HG2	1:A:123:TYR:CE2	2.56	0.41
1:A:331:MET:HB2	4:A:524:HOH:O	2.21	0.40
1:A:329:PRO:CD	1:A:334:SER:O	2.70	0.40
1:A:424:MET:HE3	1:A:447:ASN:HD22	1.86	0.40
1:A:428:LYS:O	1:A:432:ILE:HG13	2.22	0.40
1:A:451:THR:O	1:A:451:THR:HG22	2.21	0.40
1:A:11:GLN:HG3	1:A:457:ASN:OD1	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	427/459 (93%)	394 (92%)	29 (7%)	4 (1%)	17 12

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	368	MET
1	A	132	MET
1	A	417	VAL
1	A	61	PRO

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	377/400 (94%)	364 (97%)	13 (3%)	37 39

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12	LEU
1	A	90	LYS
1	A	96	THR
1	A	185	ASP
1	A	204	GLU
1	A	221	ARG
1	A	235	ARG
1	A	257	TRP
1	A	320	ILE
1	A	333	GLN
1	A	372	GLU
1	A	420	GLU
1	A	447	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	11	GLN
1	A	97	HIS
1	A	141	HIS
1	A	212	HIS
1	A	227	HIS
1	A	310	ASN
1	A	316	HIS
1	A	380	GLN
1	A	401	GLN
1	A	447	ASN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

Of 5 ligands modelled in this entry, 4 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SO4	A	491	2	4,4,4	0.29	0	6,6,6	0.07	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	433/459 (94%)	0.62	48 (11%) 5 7	22, 42, 85, 99	0

All (48) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	273	SER	8.5
1	A	274	LEU	6.1
1	A	212	HIS	5.4
1	A	278	CYS	5.1
1	A	243	LEU	5.1
1	A	240	VAL	4.4
1	A	300	ASN	4.4
1	A	112	LYS	4.0
1	A	287	ASN	3.9
1	A	302	PRO	3.9
1	A	459	ARG	3.9
1	A	301	ASN	3.6
1	A	360	GLU	3.6
1	A	440	GLU	3.5
1	A	107	LEU	3.5
1	A	48	GLU	3.5
1	A	7	GLU	3.4
1	A	8	GLU	3.4
1	A	241	PHE	3.3
1	A	304	VAL	3.3
1	A	441	VAL	3.2
1	A	130	GLU	3.2
1	A	110	TYR	3.2
1	A	111	VAL	3.0
1	A	122	LEU	2.9
1	A	105	TRP	2.9
1	A	124	THR	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	123	TYR	2.8
1	A	202	ILE	2.8
1	A	242	ALA	2.8
1	A	104	ARG	2.8
1	A	303	PHE	2.8
1	A	417	VAL	2.6
1	A	39	LEU	2.6
1	A	129	GLU	2.6
1	A	125	GLU	2.6
1	A	60	ASP	2.6
1	A	238	ILE	2.6
1	A	442	HIS	2.5
1	A	244	GLY	2.5
1	A	50	MET	2.4
1	A	102	ILE	2.4
1	A	176	TYR	2.3
1	A	106	LEU	2.2
1	A	51	ASP	2.2
1	A	279	MET	2.2
1	A	315	ASP	2.1
1	A	355	ALA	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	ZN	A	484	1/1	0.73	0.20	98,98,98,98	0
3	SO4	A	491	5/5	0.92	0.15	68,68,70,71	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	ZN	A	483	1/1	0.99	0.04	49,49,49,49	0
2	ZN	A	481	1/1	0.99	0.05	38,38,38,38	0
2	ZN	A	482	1/1	0.99	0.08	38,38,38,38	0

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.