



wwPDB X-ray Structure Validation Summary Report ⓘ

Dec 2, 2023 – 03:46 pm GMT

PDB ID : 2IV1
Title : SITE DIRECTED MUTAGENESIS OF KEY RESIDUES INVOLVED IN
THE CATALYTIC MECHANISM OF CYANASE
Authors : Guilloton, M.; Walsh, M.A.; Joachimiak, A.; Anderson, P.M.
Deposited on : 2006-06-08
Resolution : 1.88 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtrriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.88 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	10282 (1.90-1.86)
Ramachandran outliers	138981	10152 (1.90-1.86)
Sidechain outliers	138945	10152 (1.90-1.86)



The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	156	88% 11% .
1	B	156	88% 11% .
1	C	156	88% 10% .
1	D	156	88% 10% .
1	E	156	88% 9% .
1	F	156	89% 10% .
1	G	156	86% 12% .
1	H	156	89% 10% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	I	156	 90% 8% •
1	J	156	 87% 13% •

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 14604 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CYANATE HYDRATASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	156	1196	766	197	228	5	0	0	0
1	B	156	1201	771	197	228	5	0	1	0
1	C	156	1206	776	197	228	5	0	2	0
1	D	156	1196	766	197	228	5	0	0	0
1	E	156	1201	771	197	228	5	0	1	0
1	F	156	1206	776	197	228	5	0	2	0
1	G	156	1201	771	197	228	5	0	1	0
1	H	156	1206	776	197	228	5	0	2	0
1	I	156	1201	771	197	228	5	0	1	0
1	J	156	1201	771	197	228	5	0	1	0

There are 10 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	96	GLN	ARG	engineered mutation	UNP P00816
B	96	GLN	ARG	engineered mutation	UNP P00816
C	96	GLN	ARG	engineered mutation	UNP P00816
D	96	GLN	ARG	engineered mutation	UNP P00816
E	96	GLN	ARG	engineered mutation	UNP P00816
F	96	GLN	ARG	engineered mutation	UNP P00816
G	96	GLN	ARG	engineered mutation	UNP P00816
H	96	GLN	ARG	engineered mutation	UNP P00816
I	96	GLN	ARG	engineered mutation	UNP P00816

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
J	96	GLN	ARG	engineered mutation	UNP P00816

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	E	1	Total	O	S	0	0
			5	4	1		
2	E	1	Total	O	S	0	0
			5	4	1		
2	F	1	Total	O	S	0	0
			5	4	1		
2	F	1	Total	O	S	0	0
			5	4	1		
2	G	1	Total	O	S	0	0
			5	4	1		
2	G	1	Total	O	S	0	0
			5	4	1		
2	H	1	Total	O	S	0	0
			5	4	1		
2	H	1	Total	O	S	0	0
			5	4	1		
2	I	1	Total	O	S	0	0
			5	4	1		
2	J	1	Total	O	S	0	0
			5	4	1		
2	J	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Cl	0	0
			1	1		
3	B	1	Total	Cl	0	0
			1	1		
3	C	1	Total	Cl	0	0
			1	1		
3	F	1	Total	Cl	0	0
			1	1		
3	G	2	Total	Cl	0	0
			2	2		
3	H	1	Total	Cl	0	0
			1	1		
3	I	2	Total	Cl	0	0
			2	2		
3	J	1	Total	Cl	0	0
			1	1		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	213	Total O 213 213	0	0
4	B	241	Total O 241 241	0	0
4	C	229	Total O 229 229	0	0
4	D	241	Total O 241 241	0	0
4	E	234	Total O 234 234	0	0
4	F	252	Total O 252 252	0	0
4	G	262	Total O 262 262	0	0
4	H	259	Total O 259 259	0	0
4	I	272	Total O 272 272	0	0
4	J	266	Total O 266 266	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


Note EDS was not executed.

- Molecule 1: CYANATE HYDRATASE

Chain A:  88% 11%




- Molecule 1: CYANATE HYDRATASE

Chain B:  88% 11%




- Molecule 1: CYANATE HYDRATASE

Chain C:  88% 10%




- Molecule 1: CYANATE HYDRATASE

Chain D:  88% 10%




- Molecule 1: CYANATE HYDRATASE

Chain E:  88% 9%




- Molecule 1: CYANATE HYDRATASE


Chain F:  89% 10%




- Molecule 1: CYANATE HYDRATASE




- Molecule 1: CYANATE HYDRATASE



- Molecule 1: CYANATE HYDRATASE



- Molecule 1: CYANATE HYDRATASE



4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	82.24Å 82.60Å 84.30Å 61.90° 72.35° 69.56°	Depositor
Resolution (Å)	76.70 – 1.88	Depositor
% Data completeness (in resolution range)	96.9 (76.70-1.88)	Depositor
R_{merge}	0.03	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.138 , 0.184	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	14604	wwPDB-VP
Average B, all atoms (Å ²)	19.0	wwPDB-VP

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: CL, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.76	0/1213	0.81	2/1639 (0.1%)
1	B	0.79	0/1221	0.80	3/1650 (0.2%)
1	C	0.82	0/1229	0.78	1/1662 (0.1%)
1	D	0.83	0/1213	0.80	0/1639
1	E	0.84	1/1221 (0.1%)	0.81	1/1651 (0.1%)
1	F	0.82	0/1229	0.77	0/1662
1	G	0.80	0/1221	0.81	1/1650 (0.1%)
1	H	0.83	0/1229	0.80	1/1662 (0.1%)
1	I	0.80	0/1221	0.81	2/1651 (0.1%)
1	J	0.81	0/1221	0.83	0/1651
All	All	0.81	1/12218 (0.0%)	0.80	11/16517 (0.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	31	GLU	CD-OE1	6.79	1.33	1.25

The worst 5 of 11 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	I	128	LEU	CA-CB-CG	7.61	132.79	115.30
1	E	81	ARG	NE-CZ-NH1	6.71	123.66	120.30
1	A	128	LEU	CA-CB-CG	6.57	130.40	115.30
1	G	81	ARG	NE-CZ-NH1	6.25	123.42	120.30
1	I	81	ARG	NE-CZ-NH1	6.18	123.39	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1196	0	1238	15	0
1	B	1201	0	1249	14	0
1	C	1206	0	1260	15	0
1	D	1196	0	1238	17	0
1	E	1201	0	1249	17	0
1	F	1206	0	1260	22	0
1	G	1201	0	1249	27	0
1	H	1206	0	1260	21	0
1	I	1201	0	1249	12	0
1	J	1201	0	1249	29	0
2	A	15	0	0	0	0
2	B	10	0	0	0	0
2	C	20	0	0	1	0
2	D	10	0	0	0	0
2	E	10	0	0	0	0
2	F	10	0	0	1	0
2	G	10	0	0	1	0
2	H	10	0	0	0	0
2	I	5	0	0	0	0
2	J	10	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	1	0
3	C	1	0	0	0	0
3	F	1	0	0	0	0
3	G	2	0	0	0	0
3	H	1	0	0	0	0
3	I	2	0	0	1	0
3	J	1	0	0	0	0
4	A	213	0	0	3	0
4	B	241	0	0	6	0
4	C	229	0	0	5	0
4	D	241	0	0	11	0
4	E	234	0	0	6	0
4	F	252	0	0	2	0
4	G	262	0	0	6	0
4	H	259	0	0	3	1
4	I	272	0	0	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	J	266	0	0	9	1
All	All	14604	0	12501	172	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

The worst 5 of 172 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:1:MET:CE	1:F:2:ILE:HG22	1.58	1.32
1:G:60:LEU:HD22	4:G:2107:HOH:O	1.13	1.27
1:I:2:ILE:HD11	1:I:78[A]:ILE:HD11	1.25	1.13
1:H:2:ILE:HD11	1:H:78[A]:ILE:HD11	1.14	1.12
1:E:2:ILE:HD11	1:E:78[A]:ILE:HD11	1.20	1.11

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:H:2156:HOH:O	4:J:2143:HOH:O[1_546]	2.13	0.07

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	154/156 (99%)	151 (98%)	3 (2%)	0	100	100
1	B	155/156 (99%)	152 (98%)	3 (2%)	0	100	100
1	C	156/156 (100%)	153 (98%)	3 (2%)	0	100	100
1	D	154/156 (99%)	151 (98%)	3 (2%)	0	100	100
1	E	155/156 (99%)	152 (98%)	3 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	F	156/156 (100%)	153 (98%)	3 (2%)	0	100	100
1	G	155/156 (99%)	152 (98%)	3 (2%)	0	100	100
1	H	156/156 (100%)	153 (98%)	3 (2%)	0	100	100
1	I	155/156 (99%)	152 (98%)	3 (2%)	0	100	100
1	J	155/156 (99%)	151 (97%)	4 (3%)	0	100	100
All	All	1551/1560 (99%)	1520 (98%)	31 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	127/127 (100%)	125 (98%)	2 (2%)	62	56
1	B	128/127 (101%)	124 (97%)	4 (3%)	40	29
1	C	129/127 (102%)	126 (98%)	3 (2%)	50	41
1	D	127/127 (100%)	122 (96%)	5 (4%)	32	20
1	E	128/127 (101%)	123 (96%)	5 (4%)	32	20
1	F	129/127 (102%)	127 (98%)	2 (2%)	62	56
1	G	128/127 (101%)	122 (95%)	6 (5%)	26	14
1	H	129/127 (102%)	125 (97%)	4 (3%)	40	29
1	I	128/127 (101%)	125 (98%)	3 (2%)	50	41
1	J	128/127 (101%)	124 (97%)	4 (3%)	40	29
All	All	1281/1270 (101%)	1243 (97%)	38 (3%)	43	30

5 of 38 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	H	102	GLN
1	J	36	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	H	128[A]	LEU
1	I	102	GLN
1	J	133	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 21 such sidechains are listed below:

Mol	Chain	Res	Type
1	G	102	GLN
1	I	51	GLN
1	J	102	GLN
1	I	102	GLN
1	H	102	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 32 ligands modelled in this entry, 10 are monoatomic - leaving 22 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	A	1159	-	4,4,4	0.17	0	6,6,6	0.14	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SO4	H	1157	-	4,4,4	0.14	0	6,6,6	0.30	0
2	SO4	J	1158	-	4,4,4	0.12	0	6,6,6	0.22	0
2	SO4	I	1157	-	4,4,4	0.27	0	6,6,6	0.61	0
2	SO4	D	1158	-	4,4,4	0.23	0	6,6,6	0.19	0
2	SO4	A	1157	-	4,4,4	0.14	0	6,6,6	0.25	0
2	SO4	D	1157	-	4,4,4	0.16	0	6,6,6	0.30	0
2	SO4	H	1158	-	4,4,4	0.16	0	6,6,6	0.28	0
2	SO4	G	1157	-	4,4,4	0.11	0	6,6,6	0.35	0
2	SO4	G	1158	-	4,4,4	0.25	0	6,6,6	1.57	1 (16%)
2	SO4	E	1157	-	4,4,4	0.15	0	6,6,6	0.32	0
2	SO4	C	1157	-	4,4,4	0.18	0	6,6,6	0.64	0
2	SO4	C	1160	-	4,4,4	0.12	0	6,6,6	0.18	0
2	SO4	A	1158	-	4,4,4	0.29	0	6,6,6	1.31	1 (16%)
2	SO4	F	1158	-	4,4,4	0.29	0	6,6,6	0.96	0
2	SO4	F	1157	-	4,4,4	0.17	0	6,6,6	0.31	0
2	SO4	C	1158	-	4,4,4	1.45	1 (25%)	6,6,6	1.01	0
2	SO4	E	1158	-	4,4,4	0.16	0	6,6,6	0.28	0
2	SO4	B	1158	-	4,4,4	0.14	0	6,6,6	0.46	0
2	SO4	C	1159	-	4,4,4	0.23	0	6,6,6	1.31	0
2	SO4	J	1157	-	4,4,4	0.18	0	6,6,6	0.24	0
2	SO4	B	1157	-	4,4,4	0.15	0	6,6,6	0.53	0

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	1158	SO4	O1-S	-2.87	1.30	1.46

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	G	1158	SO4	O4-S-O2	-2.82	94.57	109.31
2	A	1158	SO4	O4-S-O2	-2.09	98.41	109.31

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	G	1158	SO4	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	F	1158	SO4	1	0
2	C	1158	SO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.