



Full wwPDB X-ray Structure Validation Report ⓘ

Dec 7, 2023 – 11:20 pm GMT

PDB ID : 2W6J
Title : Low resolution structures of bovine mitochondrial F1-ATPase during controlled dehydration: Hydration State 5.
Authors : Sanchez-Weatherby, J.; Felisaz, F.; Gobbo, A.; Huet, J.; Ravelli, R.B.G.; Bowler, M.W.; Cipriani, F.
Deposited on : 2008-12-18
Resolution : 3.84 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.84 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1242 (4.08-3.60)
Clashscore	141614	1004 (4.04-3.64)
Ramachandran outliers	138981	1003 (4.06-3.62)
Sidechain outliers	138945	1266 (4.08-3.60)
RSRZ outliers	127900	1149 (4.08-3.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	553	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 76%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 11%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 12%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">2% 76% 11% • 12%</p>
1	B	553	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 81%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 5%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 13%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">2% 81% 5% • 13%</p>
1	C	553	<div style="display: flex; align-items: center;"> <div style="width: 0%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 80%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 8%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 11%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">% 80% 8% • 11%</p>
2	D	528	<div style="display: flex; align-items: center;"> <div style="width: 0%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 80%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 8%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 12%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">% 80% 8% • 12%</p>
2	E	528	<div style="display: flex; align-items: center;"> <div style="width: 4%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 77%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 8%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 13%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">4% 77% 8% • 13%</p>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	528	 <p>% 81% 7% • 12%</p>
3	G	298	 <p>4% 53% 7% • 39%</p>
4	H	168	 <p>7% 38% 9% • 51%</p>
5	I	51	 <p>10% 39% 10% • 51%</p>

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 23874 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ATP SYNTHASE SUBUNIT ALPHA HEART ISOFORM, MITOCHONDRIAL.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	487	Total 3715	C 2341	N 656	O 706	S 12	0	0	0
1	B	480	Total 3663	C 2308	N 648	O 695	S 12	0	0	0
1	C	490	Total 3735	C 2353	N 659	O 711	S 12	0	0	0

- Molecule 2 is a protein called ATP SYNTHASE SUBUNIT BETA, MITOCHONDRIAL.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	D	467	Total 3539	C 2243	N 601	O 684	S 11	0	0	0
2	E	458	Total 3472	C 2201	N 592	O 669	S 10	0	0	0
2	F	466	Total 3530	C 2238	N 600	O 681	S 11	0	0	0

- Molecule 3 is a protein called ATP SYNTHASE SUBUNIT GAMMA, MITOCHONDRIAL.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	G	182	Total 1397	C 881	N 250	O 260	S 6	0	0	1

- Molecule 4 is a protein called F1-ATPASE DELTA SUBUNIT.



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	H	83	Total 620	C 391	N 102	O 126	S 1	0	0	0

- Molecule 5 is a protein called ATP SYNTHASE SUBUNIT EPSILON, MITOCHONDRIAL.



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
5	I	25	203	130	38	34	1	0	0	0





● Molecule 2: ATP SYNTHASE SUBUNIT BETA, MITOCHONDRIAL



● Molecule 2: ATP SYNTHASE SUBUNIT BETA, MITOCHONDRIAL




● Molecule 2: ATP SYNTHASE SUBUNIT BETA, MITOCHONDRIAL







• Molecule 3: ATP SYNTHASE SUBUNIT GAMMA, MITOCHONDRIAL



• Molecule 4: F1-ATPASE DELTA SUBUNIT



• Molecule 5: ATP SYNTHASE SUBUNIT EPSILON, MITOCHONDRIAL



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	106.93Å 124.07Å 264.46Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	132.45 – 3.84 71.86 – 3.84	Depositor EDS
% Data completeness (in resolution range)	95.3 (132.45-3.84) 95.3 (71.86-3.84)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.52 (at 3.89Å)	Xtrriage
Refinement program	REFMAC 5.5.0038	Depositor
R, R_{free}	0.305 , (Not available) 0.307 , 0.305	Depositor DCC
R_{free} test set	1665 reflections (5.08%)	wwPDB-VP
Wilson B-factor (Å ²)	73.4	Xtrriage
Anisotropy	0.375	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 3.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.28$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.79	EDS
Total number of atoms	23874	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.09% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.37	1/3766 (0.0%)	0.53	0/5080
1	B	0.38	0/3711	0.52	0/5005
1	C	0.35	0/3786	0.51	0/5108
2	D	0.36	0/3596	0.54	0/4879
2	E	0.35	0/3528	0.52	0/4786
2	F	0.39	0/3587	0.54	0/4867
3	G	0.37	0/1406	0.47	0/1880
4	H	0.39	0/623	0.62	0/840
5	I	0.41	0/207	0.59	0/279
All	All	0.37	1/24210 (0.0%)	0.53	0/32724

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	422	VAL	CA-CB	5.47	1.66	1.54

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3715	0	3813	42	1
1	B	3663	0	3773	15	0
1	C	3735	0	3834	21	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	D	3539	0	3593	37	1
2	E	3472	0	3526	39	0
2	F	3530	0	3587	25	0
3	G	1397	0	1481	16	0
4	H	620	0	614	30	0
5	I	203	0	205	4	0
All	All	23874	0	24426	209	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (209) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:H:122:ALA:HA	4:H:123:ALA:CB	1.74	1.15
3:G:68:ILE:HB	3:G:69:ILE:HA	1.31	1.09
2:D:89:GLU:HG3	2:D:110:THR:HB	1.29	1.08
2:D:228:ALA:O	2:D:232:VAL:HG13	1.52	1.08
4:H:104:ASP:HA	4:H:105:LEU:HB2	1.31	1.06
2:E:316:ASP:OD2	3:G:254:ARG:NH2	1.91	1.03
4:H:121:GLY:HA3	4:H:122:ALA:HB3	1.40	1.02
4:H:122:ALA:HA	4:H:123:ALA:HB2	1.38	0.99
4:H:99:THR:HA	4:H:100:LEU:HB2	1.46	0.97
2:E:282:GLN:H	2:E:282:GLN:HE21	1.14	0.96
2:F:282:GLN:H	2:F:282:GLN:HE21	1.06	0.94
3:G:20:THR:HG22	3:G:232:MET:HE3	1.52	0.92
1:A:94:ILE:HD11	1:A:128:ARG:HG2	1.53	0.91
2:D:282:GLN:H	2:D:282:GLN:HE21	0.94	0.89
4:H:104:ASP:CA	4:H:105:LEU:HB2	2.01	0.89
4:H:122:ALA:HA	4:H:123:ALA:HB3	1.56	0.87
4:H:104:ASP:HA	4:H:105:LEU:CB	2.07	0.84
4:H:122:ALA:CA	4:H:123:ALA:HB2	2.10	0.80
2:D:282:GLN:H	2:D:282:GLN:NE2	1.78	0.79
2:E:293:GLN:HE22	2:E:308:GLN:HE22	1.32	0.78
4:H:122:ALA:CA	4:H:123:ALA:CB	2.58	0.78
2:F:97:VAL:HG12	2:F:232:VAL:HB	1.66	0.77
4:H:99:THR:CA	4:H:100:LEU:HB2	2.16	0.76
1:A:151:LYS:H	1:A:430:GLN:HE22	1.30	0.76
2:D:85:PRO:HB3	2:D:110:THR:HG21	1.69	0.74
2:D:282:GLN:HE21	2:D:282:GLN:N	1.79	0.74
2:F:223:ASN:HD22	2:F:223:ASN:H	1.36	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:52:MET:HG3	1:A:95:VAL:HG22	1.71	0.72
2:E:136:GLY:HA3	2:E:431:LEU:HD12	1.72	0.72
3:G:136:PRO:HD3	3:G:221:THR:HG21	1.74	0.69
2:D:89:GLU:HG3	2:D:110:THR:CB	2.17	0.68
2:F:97:VAL:CG1	2:F:232:VAL:HB	2.25	0.66
3:G:68:ILE:CB	3:G:69:ILE:HA	2.12	0.66
2:F:282:GLN:HE21	2:F:282:GLN:N	1.88	0.66
2:D:181:SER:HB2	2:D:215:VAL:HG22	1.77	0.66
1:A:102:GLU:HG3	1:A:123:SER:HA	1.80	0.64
4:H:127:THR:N	4:H:128:ARG:HB2	2.12	0.64
2:D:96:ASN:C	2:D:96:ASN:HD22	2.02	0.63
4:H:127:THR:H	4:H:128:ARG:HB2	1.64	0.63
1:A:419:SER:O	1:A:423:ARG:HD3	1.99	0.63
4:H:99:THR:HA	4:H:100:LEU:CB	2.26	0.62
1:C:160:GLY:H	1:C:163:GLN:NE2	1.98	0.62
2:D:89:GLU:CG	2:D:110:THR:HB	2.18	0.61
4:H:127:THR:H	4:H:128:ARG:CB	2.13	0.61
4:H:58:LEU:N	5:I:11:TYR:HH	1.99	0.61
2:F:97:VAL:HG12	2:F:232:VAL:CB	2.31	0.60
1:C:128:ARG:HD2	1:C:131:LEU:HG	1.83	0.60
2:F:96:ASN:C	2:F:96:ASN:HD22	2.05	0.60
2:D:188:GLU:O	2:D:221:GLN:HB3	2.02	0.59
4:H:99:THR:HB	4:H:101:ASP:H	1.68	0.59
1:B:38:ILE:HD12	1:B:285:LEU:HD21	1.86	0.58
4:H:103:LEU:HB3	4:H:105:LEU:HD13	1.83	0.58
2:D:85:PRO:HB3	2:D:110:THR:CG2	2.32	0.58
2:E:257:ASN:OD1	2:E:260:ARG:HG3	2.03	0.58
2:E:412:ARG:HG2	2:E:458:TYR:HB2	1.86	0.57
1:A:190:ASN:HA	1:A:198:LYS:HG2	1.86	0.57
4:H:127:THR:CA	4:H:128:ARG:HB2	2.34	0.57
2:D:186:VAL:HG13	2:D:232:VAL:CG2	2.35	0.57
1:C:180:ILE:HD11	1:C:216:LEU:HD21	1.86	0.56
1:A:44:LEU:HB3	1:A:47:VAL:HG13	1.86	0.56
2:E:63:MET:HE3	2:E:97:VAL:HG21	1.87	0.56
1:B:160:GLY:H	1:B:163:GLN:NE2	2.04	0.56
2:D:366:GLU:O	2:D:370:VAL:HG23	2.06	0.56
1:A:440:GLU:O	1:A:444:VAL:HG12	2.05	0.56
2:D:87:GLY:HA2	2:D:242:TYR:CE2	2.41	0.56
1:A:44:LEU:O	1:A:47:VAL:HG22	2.07	0.55
1:B:385:GLN:HE22	1:B:489:ILE:HB	1.71	0.55
1:B:137:ILE:HG21	2:F:104:GLU:CD	2.28	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:160:GLY:H	1:B:163:GLN:HE21	1.55	0.54
2:E:223:ASN:HD22	2:E:223:ASN:H	1.56	0.54
4:H:127:THR:HB	4:H:128:ARG:HB2	1.88	0.54
2:F:223:ASN:HD22	2:F:223:ASN:N	2.02	0.54
1:A:45:ARG:HA	2:E:71:ARG:NH2	2.22	0.54
2:E:170:ILE:HG21	2:E:215:VAL:HG22	1.90	0.54
1:A:422:VAL:O	1:A:426:GLU:HG2	2.08	0.54
1:B:439:GLU:O	1:B:442:VAL:HG12	2.08	0.54
2:E:282:GLN:H	2:E:282:GLN:NE2	1.96	0.54
1:A:410:LEU:HD12	1:A:415:GLN:HG3	1.89	0.54
1:B:175:LYS:HG2	1:B:352:LEU:HD12	1.89	0.53
2:F:89:GLU:HG2	2:F:110:THR:HG22	1.89	0.53
1:A:179:ALA:HB1	1:A:267:ILE:HG12	1.89	0.53
1:A:427:LEU:HD22	1:A:444:VAL:HG23	1.91	0.53
1:B:180:ILE:HD11	1:B:216:LEU:HD21	1.91	0.52
1:C:497:LEU:O	1:C:501:VAL:HG22	2.09	0.52
2:F:188:GLU:O	2:F:221:GLN:HB3	2.09	0.52
1:A:136:ILE:HG23	2:E:194:ASN:HA	1.90	0.52
1:C:94:ILE:HG22	1:C:95:VAL:H	1.75	0.52
2:E:345:TYR:HA	2:E:346:PRO:C	2.30	0.52
2:E:293:GLN:HA	2:E:293:GLN:HE21	1.74	0.52
3:G:73:SER:HA	3:G:131:VAL:HG23	1.92	0.52
4:H:99:THR:HB	4:H:101:ASP:N	2.26	0.51
2:D:220:GLY:HA3	2:D:232:VAL:HG11	1.92	0.51
1:A:67:GLU:HG2	2:E:17:ILE:HD11	1.93	0.51
2:D:221:GLN:HE21	2:D:221:GLN:HA	1.76	0.51
2:E:229:ARG:HH22	2:E:267:GLU:CD	2.13	0.51
1:A:183:ILE:HD11	1:A:267:ILE:HD13	1.93	0.51
2:F:87:GLY:HA2	2:F:242:TYR:CE2	2.46	0.50
4:H:126:ALA:HB2	5:I:7:ALA:O	2.11	0.50
2:E:452:LEU:HB3	2:E:453:PRO:HD2	1.94	0.50
2:E:136:GLY:HA3	2:E:431:LEU:CD1	2.40	0.50
1:A:48:GLN:HB3	2:E:68:GLY:HA2	1.92	0.49
1:C:355:GLU:HG2	1:C:359:LYS:HE2	1.93	0.49
1:A:148:THR:HA	1:A:182:THR:HG23	1.94	0.49
2:E:223:ASN:HD22	2:E:223:ASN:N	2.09	0.49
4:H:127:THR:CB	4:H:128:ARG:HB2	2.43	0.49
4:H:121:GLY:HA3	4:H:122:ALA:CB	2.18	0.49
1:B:185:ASN:OD1	1:B:188:ARG:NH1	2.37	0.49
1:A:74:VAL:HG22	1:A:241:PRO:HG3	1.93	0.48
1:C:278:TYR:CE2	1:C:295:PRO:HG2	2.48	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:35:GLY:O	2:E:274:ARG:NH2	2.46	0.48
2:D:386:ASP:OD2	3:G:8:ARG:NE	2.40	0.48
2:F:390:ILE:HD11	3:G:242:MET:SD	2.52	0.48
1:A:446:TYR:CE1	1:A:450:ARG:HD2	2.48	0.48
2:F:287:THR:O	2:F:291:THR:HG23	2.13	0.48
2:E:257:ASN:OD1	2:E:260:ARG:N	2.47	0.48
2:F:221:GLN:HE21	2:F:221:GLN:HA	1.79	0.48
2:E:449:TYR:HD2	2:E:452:LEU:HD12	1.78	0.48
1:A:115:ILE:O	2:D:124:VAL:HG13	2.14	0.48
1:C:26:GLU:HA	1:C:45:ARG:HB2	1.96	0.47
1:C:160:GLY:H	1:C:163:GLN:HE21	1.60	0.47
4:H:121:GLY:CA	4:H:122:ALA:HB3	2.29	0.47
5:I:13:ARG:HH11	5:I:16:GLN:NE2	2.11	0.47
1:A:457:GLU:HA	1:A:458:PRO:HD2	1.75	0.47
2:E:257:ASN:OD1	2:E:259:PHE:HB3	2.13	0.47
3:G:13:ILE:HG22	3:G:243:ILE:HG13	1.95	0.47
4:H:96:GLU:HG2	5:I:19:ALA:HB1	1.97	0.47
2:D:266:SER:HB3	2:D:282:GLN:HE22	1.80	0.47
1:A:397:TYR:CD1	1:A:421:GLY:HA3	2.50	0.47
1:A:286:ARG:NH1	2:D:275:ILE:HD11	2.30	0.47
2:E:94:ILE:HD11	2:E:197:TYR:CD1	2.50	0.47
2:E:330:ASP:HA	2:E:356:ARG:HD2	1.97	0.47
1:A:74:VAL:HG21	1:A:281:MET:HG2	1.96	0.47
1:A:44:LEU:HB3	1:A:47:VAL:CG1	2.45	0.46
1:A:385:GLN:HG3	1:A:386:VAL:HG13	1.97	0.46
2:E:87:GLY:HA2	2:E:242:TYR:CE2	2.50	0.46
1:A:446:TYR:HE1	1:A:450:ARG:HD2	1.80	0.46
1:C:141:SER:HB2	1:C:143:ARG:HH21	1.79	0.46
2:E:412:ARG:HH11	2:E:455:GLN:HE22	1.64	0.46
1:B:213:VAL:O	1:B:217:VAL:HG12	2.15	0.46
1:A:344:SER:O	2:E:189:ARG:NH2	2.45	0.45
2:D:130:GLN:HE22	2:D:356:ARG:HD2	1.81	0.45
1:C:78:ASN:HD22	1:C:80:LYS:H	1.63	0.45
1:C:362:ARG:HA	1:C:363:PRO:C	2.36	0.45
1:C:107:VAL:HB	1:C:116:ASP:HB3	1.99	0.45
3:G:69:ILE:HG23	3:G:107:GLY:H	1.81	0.45
2:D:287:THR:O	2:D:291:THR:HG23	2.16	0.45
2:E:280:GLY:HA2	3:G:262:LEU:HD21	1.99	0.45
4:H:122:ALA:N	4:H:123:ALA:HB2	2.31	0.45
1:A:400:VAL:HG13	1:A:403:PHE:CE1	2.52	0.44
1:B:362:ARG:HA	1:B:363:PRO:C	2.37	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:181:SER:HB2	2:E:215:VAL:HG13	1.99	0.44
2:F:391:LEU:HB3	2:F:395:GLU:HG3	1.98	0.44
4:H:112:LEU:HG	4:H:138:ASN:HB3	1.99	0.44
2:D:25:PHE:O	2:D:56:SER:HB3	2.18	0.44
1:A:62:MET:CE	1:A:64:LEU:HD21	2.47	0.44
2:D:256:ASP:HA	2:D:257:ASN:HA	1.81	0.44
2:F:282:GLN:H	2:F:282:GLN:NE2	1.90	0.44
1:A:99:VAL:HG22	1:A:253:MET:HA	1.99	0.44
1:A:441:GLN:O	1:A:444:VAL:HG13	2.17	0.44
1:A:500:ILE:O	1:A:504:PHE:HB2	2.17	0.44
3:G:68:ILE:HB	3:G:69:ILE:HD13	2.00	0.44
1:A:99:VAL:HG13	1:A:256:TYR:HB2	1.99	0.43
2:D:370:VAL:HG21	2:D:442:GLN:HG3	1.99	0.43
2:E:409:LYS:NZ	2:E:450:ASP:HA	2.33	0.43
2:D:221:GLN:HA	2:D:221:GLN:NE2	2.33	0.43
1:C:179:ALA:HB1	1:C:267:ILE:HD13	2.00	0.43
2:F:139:VAL:HG13	2:F:414:LEU:HB3	2.00	0.43
2:D:9:THR:HG21	2:D:28:GLY:HA3	2.00	0.43
2:D:97:VAL:HG22	2:D:232:VAL:HG12	2.01	0.43
1:B:211:SER:HB3	2:E:126:MET:HE1	2.00	0.42
3:G:69:ILE:HA	3:G:69:ILE:HD13	1.91	0.42
1:A:346:THR:O	1:A:373:ARG:NH2	2.51	0.42
2:F:223:ASN:H	2:F:223:ASN:ND2	2.12	0.42
2:D:96:ASN:C	2:D:96:ASN:ND2	2.71	0.42
2:D:359:ASP:O	2:D:363:VAL:HG22	2.20	0.42
2:E:63:MET:HE3	2:E:97:VAL:CG2	2.48	0.42
2:D:396:LEU:HD22	2:D:400:ASP:HB3	2.02	0.42
2:E:139:VAL:HG12	2:E:414:LEU:HD22	2.01	0.42
1:C:283:LEU:HD21	1:C:289:PRO:HB3	2.02	0.42
1:C:419:SER:O	1:C:423:ARG:HD2	2.20	0.42
1:A:28:THR:HG22	1:A:89:LYS:HG2	2.02	0.42
1:A:48:GLN:OE1	2:E:68:GLY:HA2	2.19	0.42
2:F:13:ILE:HD12	2:F:73:GLN:HB3	2.02	0.42
2:F:142:LEU:HD12	2:F:438:ILE:HD13	2.01	0.42
1:A:24:ASP:O	1:A:28:THR:OG1	2.37	0.41
1:C:334:VAL:HG13	1:C:351:PHE:CE1	2.55	0.41
2:D:412:ARG:HE	2:D:455:GLN:NE2	2.18	0.41
4:H:79:SER:O	4:H:94:ALA:HA	2.20	0.41
2:D:386:ASP:OD1	3:G:8:ARG:NH2	2.53	0.41
2:F:70:VAL:H	2:F:73:GLN:HE21	1.68	0.41
2:E:318:THR:OG1	3:G:255:GLN:NE2	2.52	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:151:LYS:H	1:A:430:GLN:NE2	2.07	0.41
2:D:163:THR:O	2:D:166:ILE:HG22	2.20	0.41
2:D:32:ILE:O	2:D:33:LEU:HB2	2.21	0.41
4:H:123:ALA:H	4:H:128:ARG:HD3	1.86	0.41
1:C:99:VAL:HG22	1:C:253:MET:HA	2.02	0.41
1:A:479:LEU:HG	1:A:496:LYS:HD3	2.03	0.41
1:B:200:TYR:O	1:B:264:ALA:HA	2.21	0.41
1:C:361:ILE:O	1:C:364:ALA:HA	2.20	0.41
2:F:367:HIS:CE1	2:F:434:LEU:HD11	2.56	0.41
1:B:288:PRO:HA	1:B:289:PRO:HD3	1.92	0.41
1:C:200:TYR:O	1:C:264:ALA:HA	2.20	0.41
2:E:298:THR:HG23	2:E:303:SER:HB3	2.03	0.41
2:E:257:ASN:ND2	2:E:259:PHE:H	2.19	0.40
3:G:138:PHE:HE1	3:G:211:ASN:HD22	1.68	0.40
2:F:256:ASP:HA	2:F:257:ASN:HA	1.90	0.40
2:D:188:GLU:H	2:D:221:GLN:NE2	2.19	0.40
1:C:287:ARG:HA	1:C:288:PRO:HD3	1.96	0.40
2:F:233:ALA:O	2:F:237:LEU:HD13	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:48:GLN:CD	2:D:111:LYS:NZ[4_545]	2.17	0.03

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	485/553 (88%)	469 (97%)	15 (3%)	1 (0%)	47 78
1	B	476/553 (86%)	465 (98%)	10 (2%)	1 (0%)	47 78

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	488/553 (88%)	476 (98%)	12 (2%)	0	100	100
2	D	465/528 (88%)	445 (96%)	20 (4%)	0	100	100
2	E	454/528 (86%)	444 (98%)	9 (2%)	1 (0%)	47	78
2	F	464/528 (88%)	450 (97%)	13 (3%)	1 (0%)	47	78
3	G	170/298 (57%)	161 (95%)	8 (5%)	1 (1%)	25	62
4	H	73/168 (44%)	64 (88%)	6 (8%)	3 (4%)	3	26
5	I	23/51 (45%)	22 (96%)	1 (4%)	0	100	100
All	All	3098/3760 (82%)	2996 (97%)	94 (3%)	8 (0%)	41	74

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	H	123	ALA
4	H	128	ARG
4	H	105	LEU
2	E	279	VAL
1	B	35	GLY
3	G	106	ILE
2	F	279	VAL
1	A	451	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	393/444 (88%)	382 (97%)	11 (3%)	43	67
1	B	389/444 (88%)	380 (98%)	9 (2%)	50	71
1	C	396/444 (89%)	383 (97%)	13 (3%)	38	64
2	D	377/417 (90%)	371 (98%)	6 (2%)	62	79
2	E	370/417 (89%)	362 (98%)	8 (2%)	52	72
2	F	376/417 (90%)	364 (97%)	12 (3%)	39	64

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	G	152/251 (61%)	145 (95%)	7 (5%)	27	56
4	H	66/128 (52%)	64 (97%)	2 (3%)	41	66
5	I	19/42 (45%)	19 (100%)	0	100	100
All	All	2538/3004 (84%)	2470 (97%)	68 (3%)	44	68

All (68) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	94	ILE
1	A	99	VAL
1	A	164	ARG
1	A	274	GLN
1	A	385	GLN
1	A	422	VAL
1	A	444	VAL
1	A	446	TYR
1	A	454	ASP
1	A	479	LEU
1	A	486	ASP
1	B	38	ILE
1	B	65	ASN
1	B	131	LEU
1	B	164	ARG
1	B	216	LEU
1	B	217	VAL
1	B	362	ARG
1	B	389	THR
1	B	479	LEU
1	C	22	SER
1	C	45	ARG
1	C	78	ASN
1	C	96	ASP
1	C	99	VAL
1	C	124	LYS
1	C	164	ARG
1	C	334	VAL
1	C	341	ASN
1	C	349	GLN
1	C	455	LYS
1	C	479	LEU
1	C	505	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	89	GLU
2	D	96	ASN
2	D	97	VAL
2	D	249	GLN
2	D	274	ARG
2	D	282	GLN
2	E	215	VAL
2	E	223	ASN
2	E	282	GLN
2	E	293	GLN
2	E	301	LYS
2	E	412	ARG
2	E	439	LYS
2	E	450	ASP
2	F	27	GLU
2	F	96	ASN
2	F	112	GLN
2	F	139	VAL
2	F	175	LYS
2	F	223	ASN
2	F	274	ARG
2	F	282	GLN
2	F	385	GLN
2	F	387	ILE
2	F	398	GLU
2	F	419	GLN
3	G	33	ARG
3	G	69	ILE
3	G	130	GLU
3	G	166	ARG
3	G	212	ILE
3	G	218	LYS
3	G	262	LEU
4	H	112	LEU
4	H	118	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (38) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	274	GLN
1	A	396	GLN
1	A	430	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	477	GLN
1	B	163	GLN
1	B	208	GLN
1	B	466	ASN
1	B	503	ASN
1	C	78	ASN
1	C	163	GLN
1	C	263	HIS
1	C	341	ASN
1	C	349	GLN
2	D	73	GLN
2	D	96	ASN
2	D	130	GLN
2	D	221	GLN
2	D	282	GLN
2	E	171	ASN
2	E	223	ASN
2	E	249	GLN
2	E	282	GLN
2	E	293	GLN
2	E	367	HIS
2	E	419	GLN
2	E	427	HIS
2	E	455	GLN
2	F	51	GLN
2	F	73	GLN
2	F	96	ASN
2	F	112	GLN
2	F	221	GLN
2	F	223	ASN
2	F	282	GLN
2	F	443	GLN
3	G	211	ASN
4	H	91	GLN
5	I	16	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	487/553 (88%)	0.20	13 (2%) 54 45	20, 20, 20, 20	4 (0%)
1	B	480/553 (86%)	0.27	13 (2%) 54 45	20, 20, 20, 20	1 (0%)
1	C	490/553 (88%)	0.10	6 (1%) 79 72	20, 20, 20, 20	0
2	D	467/528 (88%)	0.13	3 (0%) 89 85	20, 20, 20, 20	2 (0%)
2	E	458/528 (86%)	0.33	21 (4%) 32 27	20, 20, 20, 20	2 (0%)
2	F	466/528 (88%)	0.16	3 (0%) 89 85	20, 20, 20, 20	3 (0%)
3	G	182/298 (61%)	0.73	13 (7%) 16 12	20, 20, 20, 20	0
4	H	83/168 (49%)	1.13	11 (13%) 3 3	20, 20, 20, 20	0
5	I	25/51 (49%)	1.10	5 (20%) 1 1	20, 20, 20, 20	0
All	All	3138/3760 (83%)	0.26	88 (2%) 53 43	20, 20, 20, 20	12 (0%)

All (88) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	21	THR	4.6
1	A	501	VAL	4.4
1	C	22	SER	4.4
3	G	163	ASN	3.7
2	E	398	GLU	3.7
3	G	144	ILE	3.7
2	E	462	PRO	3.6
4	H	29	ASN	3.6
1	B	400	VAL	3.5
2	E	457	PHE	3.4
2	E	474	ALA	3.3
2	E	409	LYS	3.3
5	I	1	VAL	3.3
2	E	384	LEU	3.3
2	F	474	ALA	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	H	26	VAL	3.2
3	G	169	ILE	3.1
2	E	453	PRO	3.1
1	A	500	ILE	3.1
2	E	454	GLU	3.1
2	E	471	ASP	3.0
1	B	193	THR	3.0
1	B	416	GLN	2.8
2	E	403	THR	2.8
1	A	474	SER	2.8
1	C	124	LYS	2.8
2	D	249	GLN	2.7
2	E	428	LEU	2.7
2	D	9	THR	2.6
1	B	401	ALA	2.6
3	G	43	VAL	2.6
1	B	448	GLY	2.6
5	I	7	ALA	2.6
1	B	417	LEU	2.6
2	E	468	ALA	2.6
4	H	27	PHE	2.6
1	B	487	GLY	2.5
1	B	490	SER	2.5
3	G	67	LEU	2.5
1	B	493	SER	2.5
4	H	97	ALA	2.5
1	A	510	ALA	2.5
3	G	168	VAL	2.5
3	G	140	ASP	2.5
1	A	505	LEU	2.4
2	E	456	ALA	2.4
1	C	475	GLN	2.4
2	E	387	ILE	2.4
1	A	446	TYR	2.4
3	G	171	TYR	2.3
1	B	410	LEU	2.3
2	E	407	ALA	2.3
5	I	6	GLN	2.3
5	I	10	SER	2.3
4	H	124	ASP	2.3
2	D	95	MET	2.3
1	A	480	LEU	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
5	I	16	GLN	2.3
3	G	216	SER	2.3
2	E	400	ASP	2.2
2	E	427	HIS	2.2
1	A	504	PHE	2.2
1	B	489	ILE	2.2
1	A	497	LEU	2.2
1	A	405	GLN	2.2
1	A	493	SER	2.2
1	A	94	ILE	2.2
3	G	81	ILE	2.2
1	A	316	PHE	2.2
4	H	115	ALA	2.2
3	G	271	ALA	2.1
3	G	160	ILE	2.1
4	H	17	SER	2.1
2	F	172	ASN	2.1
1	C	23	VAL	2.1
4	H	102	MET	2.1
3	G	170	SER	2.1
4	H	105	LEU	2.1
4	H	107	ALA	2.1
4	H	18	PHE	2.1
2	F	11	GLY	2.1
2	E	472	LYS	2.1
2	E	423	VAL	2.1
1	C	421	GLY	2.1
2	E	461	GLY	2.1
2	E	455	GLN	2.1
1	B	412	ALA	2.0
1	B	455	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands

There are no ligands in this entry.

6.5 Other polymers

There are no such residues in this entry.