



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 10, 2024 – 09:43 PM EST

PDB ID : 2XIN  
Title : PROTEIN ENGINEERING OF XYLOSE (GLUCOSE) ISOMERASE FROM ACTINOPLANES MISSOURIENSIS. 1. CRYSTALLOGRAPHY AND SITE-DIRECTED MUTAGENESIS OF METAL BINDING SITES  
Authors : Janin, J.  
Deposited on : 1992-04-06  
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtrriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	393	 78% 18% . .
1	B	393	 79% 19% . .
1	C	393	 80% 18% .
1	D	393	 80% 17% .

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 13160 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called D-XYLOSE ISOMERASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	392	3051	1937	531	579	4	0	0	0
1	B	392	3051	1937	531	579	4	0	0	0
1	C	392	3051	1937	531	579	4	0	0	0
1	D	392	3051	1937	531	579	4	0	0	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	290	ASN	HIS	conflict	UNP P12851
B	290	ASN	HIS	conflict	UNP P12851
C	290	ASN	HIS	conflict	UNP P12851
D	290	ASN	HIS	conflict	UNP P12851

- Molecule 2 is sorbitol (three-letter code: SOR) (formula: C<sub>6</sub>H<sub>14</sub>O<sub>6</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 12 6 6	0	0
2	B	1	Total C O 12 6 6	0	0
2	C	1	Total C O 12 6 6	0	0
2	D	1	Total C O 12 6 6	0	0

- Molecule 3 is COBALT (II) ION (three-letter code: CO) (formula: Co).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	2	Total Co 2 2	0	0
3	B	2	Total Co 2 2	0	0
3	C	2	Total Co 2 2	0	0
3	D	2	Total Co 2 2	0	0

- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	230	Total O 230 230	0	0

*Continued on next page...*

*Continued from previous page...*


<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>ZeroOcc</b>	<b>AltConf</b>
4	B	221	Total 221	O 221	0	0
4	C	231	Total 231	O 231	0	0
4	D	218	Total 218	O 218	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


Note EDS was not executed.


- Molecule 1: D-XYLOSE ISOMERASE

Chain A:  78% 18%




- Molecule 1: D-XYLOSE ISOMERASE


Chain B:  79% 19%



- Molecule 1: D-XYLOSE ISOMERASE


Chain C:  80% 18%





● Molecule 1: D-XYLOSE ISOMERASE

Chain D: 80% 17%



## 4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	143.45Å 143.45Å 231.50Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	(Not available) – 2.30	Depositor
% Data completeness (in resolution range)	(Not available) ((Not available)-2.30)	Depositor
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	PROLSQ	Depositor
R, $R_{free}$	0.154 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	13160	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	21.0	wwPDB-VP



## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: CO, SOR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.81	0/3122	1.74	73/4229 (1.7%)
1	B	0.80	0/3122	1.69	59/4229 (1.4%)
1	C	0.81	0/3122	1.64	59/4229 (1.4%)
1	D	0.79	0/3122	1.61	51/4229 (1.2%)
All	All	0.80	0/12488	1.67	242/16916 (1.4%)

There are no bond length outliers.

All (242) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	394	ARG	NE-CZ-NH2	-20.22	110.19	120.30
1	A	313	ARG	NE-CZ-NH1	16.70	128.65	120.30
1	B	321	ARG	NE-CZ-NH2	-15.60	112.50	120.30
1	C	31	ARG	NE-CZ-NH1	14.86	127.73	120.30
1	B	23	ARG	NE-CZ-NH1	14.72	127.66	120.30
1	C	117	ARG	NE-CZ-NH1	14.49	127.54	120.30
1	B	172	ARG	NE-CZ-NH1	13.99	127.30	120.30
1	D	112	ARG	NE-CZ-NH1	13.85	127.23	120.30
1	A	150	ASP	CB-CG-OD1	13.46	130.41	118.30
1	D	150	ASP	CB-CG-OD1	12.85	129.86	118.30
1	A	68	ARG	NE-CZ-NH1	12.28	126.44	120.30
1	A	172	ARG	NE-CZ-NH1	12.03	126.31	120.30
1	A	121	ARG	NE-CZ-NH2	-11.77	114.41	120.30
1	C	177	ARG	NE-CZ-NH2	-11.64	114.48	120.30
1	C	31	ARG	NE-CZ-NH2	-11.15	114.73	120.30
1	B	330	GLU	OE1-CD-OE2	11.11	136.64	123.30
1	C	361	ARG	NE-CZ-NH2	10.86	125.73	120.30
1	D	255	ASP	CB-CG-OD1	10.83	128.05	118.30
1	A	172	ARG	CD-NE-CZ	10.69	138.56	123.60
1	D	109	ARG	NE-CZ-NH1	10.61	125.60	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	117	ARG	NE-CZ-NH1	10.40	125.50	120.30
1	B	117	ARG	NE-CZ-NH1	10.35	125.47	120.30
1	A	171	ASP	CB-CG-OD1	10.18	127.46	118.30
1	A	121	ARG	NE-CZ-NH1	10.04	125.32	120.30
1	A	328	ASP	CB-CG-OD2	10.00	127.30	118.30
1	A	109	ARG	NE-CZ-NH2	-9.89	115.35	120.30
1	A	394	ARG	NE-CZ-NH1	-9.89	115.35	120.30
1	C	394	ARG	NE-CZ-NH1	-9.80	115.40	120.30
1	B	23	ARG	NE-CZ-NH2	-9.76	115.42	120.30
1	D	35	ASP	CB-CG-OD1	9.73	127.06	118.30
1	B	109	ARG	NE-CZ-NH1	9.56	125.08	120.30
1	A	394	ARG	NE-CZ-NH2	-9.50	115.55	120.30
1	B	172	ARG	NE-CZ-NH2	-9.47	115.57	120.30
1	A	333	GLU	CA-CB-CG	9.36	134.00	113.40
1	A	313	ARG	NE-CZ-NH2	-9.34	115.63	120.30
1	A	112	ARG	NE-CZ-NH1	-9.21	115.69	120.30
1	D	101	ASP	CB-CG-OD2	9.13	126.52	118.30
1	A	188	ARG	NE-CZ-NH1	8.99	124.80	120.30
1	A	124	ASP	CB-CG-OD1	8.99	126.39	118.30
1	D	121	ARG	NE-CZ-NH2	-8.98	115.81	120.30
1	D	208	ARG	NE-CZ-NH1	8.93	124.76	120.30
1	A	394	ARG	NH1-CZ-NH2	8.80	129.08	119.40
1	B	313	ARG	NE-CZ-NH1	8.79	124.70	120.30
1	A	321	ARG	NE-CZ-NH2	-8.78	115.91	120.30
1	C	121	ARG	NE-CZ-NH1	8.76	124.68	120.30
1	D	257	ASP	CB-CG-OD1	8.71	126.14	118.30
1	B	394	ARG	NE-CZ-NH1	8.64	124.62	120.30
1	C	188	ARG	NE-CZ-NH2	8.58	124.59	120.30
1	C	188	ARG	NE-CZ-NH1	-8.44	116.08	120.30
1	B	158	TYR	CB-CG-CD2	8.39	126.03	121.00
1	C	117	ARG	NE-CZ-NH2	-8.37	116.11	120.30
1	C	297	ARG	NE-CZ-NH2	8.32	124.46	120.30
1	B	255	ASP	CB-CG-OD1	8.32	125.79	118.30
1	C	23	ARG	NE-CZ-NH2	-8.32	116.14	120.30
1	C	255	ASP	N-CA-CB	-8.24	95.76	110.60
1	D	121	ARG	NE-CZ-NH1	8.17	124.38	120.30
1	C	157	ARG	NE-CZ-NH1	8.14	124.37	120.30
1	A	159	ARG	NE-CZ-NH1	7.98	124.29	120.30
1	A	23	ARG	NE-CZ-NH2	-7.83	116.39	120.30
1	B	297	ARG	NE-CZ-NH1	7.82	124.21	120.30
1	C	141	GLU	OE1-CD-OE2	-7.79	113.95	123.30
1	A	273	ASP	CB-CG-OD1	7.79	125.31	118.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	80	ASP	CB-CG-OD1	-7.77	111.31	118.30
1	C	23	ARG	NE-CZ-NH1	7.77	124.18	120.30
1	D	157	ARG	NE-CZ-NH2	7.75	124.17	120.30
1	C	23	ARG	CD-NE-CZ	7.73	134.43	123.60
1	A	205	GLU	OE1-CD-OE2	-7.66	114.11	123.30
1	B	157	ARG	NE-CZ-NH1	7.65	124.13	120.30
1	A	321	ARG	NE-CZ-NH1	7.60	124.10	120.30
1	A	8	GLU	OE1-CD-OE2	7.60	132.42	123.30
1	D	368	ASP	CB-CG-OD1	7.53	125.08	118.30
1	A	297	ARG	NE-CZ-NH2	7.47	124.04	120.30
1	D	57	ASP	CB-CG-OD2	7.47	125.02	118.30
1	A	68	ARG	CD-NE-CZ	7.43	134.01	123.60
1	B	177	ARG	CD-NE-CZ	-7.35	113.31	123.60
1	C	321	ARG	NE-CZ-NH2	-7.34	116.63	120.30
1	B	289	ARG	NE-CZ-NH2	-7.28	116.66	120.30
1	B	286	ASP	CB-CG-OD1	7.27	124.84	118.30
1	D	150	ASP	CB-CG-OD2	-7.21	111.81	118.30
1	B	150	ASP	CB-CG-OD1	7.17	124.76	118.30
1	D	101	ASP	CB-CG-OD1	-7.12	111.90	118.30
1	C	121	ARG	NE-CZ-NH2	-7.08	116.76	120.30
1	B	368	ASP	CB-CG-OD2	-7.08	111.93	118.30
1	C	313	ARG	NE-CZ-NH1	7.08	123.84	120.30
1	A	117	ARG	NE-CZ-NH1	7.05	123.83	120.30
1	A	255	ASP	N-CA-CB	-7.04	97.92	110.60
1	C	286	ASP	CB-CG-OD1	7.00	124.60	118.30
1	B	156	ASP	CB-CG-OD2	-6.97	112.03	118.30
1	D	172	ARG	CD-NE-CZ	6.97	133.35	123.60
1	A	204	GLN	OE1-CD-NE2	-6.94	105.95	121.90
1	C	186	GLU	OE1-CD-OE2	-6.89	115.04	123.30
1	C	255	ASP	CB-CG-OD1	-6.85	112.13	118.30
1	C	326	ARG	NE-CZ-NH2	6.83	123.72	120.30
1	D	172	ARG	NE-CZ-NH1	6.81	123.70	120.30
1	D	342	GLU	CG-CD-OE2	6.80	131.91	118.30
1	D	112	ARG	NH1-CZ-NH2	-6.79	111.94	119.40
1	B	140	ARG	NE-CZ-NH2	-6.73	116.94	120.30
1	B	326	ARG	NE-CZ-NH2	6.67	123.64	120.30
1	D	109	ARG	CD-NE-CZ	6.66	132.93	123.60
1	C	143	ALA	N-CA-CB	-6.65	100.79	110.10
1	A	207	GLU	CA-CB-CG	6.65	128.03	113.40
1	B	68	ARG	NE-CZ-NH1	-6.65	116.97	120.30
1	C	297	ARG	NE-CZ-NH1	-6.62	116.99	120.30
1	B	255	ASP	N-CA-CB	-6.61	98.69	110.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	188	ARG	NE-CZ-NH2	-6.59	117.00	120.30
1	A	146	ASP	CB-CG-OD1	6.57	124.21	118.30
1	A	157	ARG	NE-CZ-NH1	6.56	123.58	120.30
1	C	328	ASP	CB-CG-OD2	6.54	124.19	118.30
1	C	361	ARG	NE-CZ-NH1	-6.52	117.04	120.30
1	B	171	ASP	CB-CG-OD1	6.50	124.15	118.30
1	A	292	ASP	CB-CG-OD2	6.49	124.14	118.30
1	D	80	ASP	CB-CG-OD1	-6.47	112.47	118.30
1	B	156	ASP	CB-CG-OD1	6.47	124.12	118.30
1	C	108	ASP	CB-CG-OD1	6.45	124.10	118.30
1	A	289	ARG	NE-CZ-NH1	-6.43	117.09	120.30
1	D	68	ARG	NE-CZ-NH1	-6.40	117.10	120.30
1	D	342	GLU	OE1-CD-OE2	-6.38	115.65	123.30
1	D	112	ARG	CD-NE-CZ	6.33	132.47	123.60
1	A	204	GLN	CB-CG-CD	6.31	128.00	111.60
1	C	174	TYR	CB-CG-CD1	6.27	124.76	121.00
1	C	330	GLU	OE1-CD-OE2	6.23	130.78	123.30
1	C	321	ARG	NE-CZ-NH1	6.22	123.41	120.30
1	D	109	ARG	NE-CZ-NH2	-6.17	117.21	120.30
1	B	207	GLU	CG-CD-OE2	-6.16	105.98	118.30
1	A	80	ASP	CA-CB-CG	-6.14	99.90	113.40
1	B	330	GLU	CG-CD-OE2	-6.14	106.02	118.30
1	C	172	ARG	CD-NE-CZ	-6.13	115.02	123.60
1	B	204	GLN	OE1-CD-NE2	-6.10	107.86	121.90
1	C	174	TYR	CB-CG-CD2	-6.10	117.34	121.00
1	A	188	ARG	NH1-CZ-NH2	-6.07	112.72	119.40
1	B	207	GLU	CG-CD-OE1	6.07	130.45	118.30
1	A	330	GLU	OE1-CD-OE2	6.07	130.59	123.30
1	A	171	ASP	CB-CG-OD2	-6.07	112.84	118.30
1	D	330	GLU	OE1-CD-OE2	6.06	130.57	123.30
1	C	313	ARG	CD-NE-CZ	6.06	132.08	123.60
1	C	276	GLU	CG-CD-OE2	6.05	130.41	118.30
1	D	64	ASP	CB-CG-OD1	-6.05	112.85	118.30
1	A	300	ASP	CB-CG-OD2	-6.03	112.87	118.30
1	B	172	ARG	CD-NE-CZ	6.03	132.04	123.60
1	A	188	ARG	CD-NE-CZ	6.02	132.03	123.60
1	C	205	GLU	CG-CD-OE2	6.01	130.32	118.30
1	C	217	GLU	OE1-CD-OE2	6.00	130.50	123.30
1	B	68	ARG	NE-CZ-NH2	6.00	123.30	120.30
1	D	255	ASP	CB-CG-OD2	-6.00	112.90	118.30
1	A	45	GLU	OE1-CD-OE2	5.99	130.49	123.30
1	B	190	ASP	CB-CG-OD2	5.99	123.69	118.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	177	ARG	NE-CZ-NH1	5.99	123.29	120.30
1	D	172	ARG	NE-CZ-NH2	-5.97	117.31	120.30
1	B	394	ARG	N-CA-CB	5.95	121.31	110.60
1	D	23	ARG	CD-NE-CZ	5.93	131.91	123.60
1	A	370	ASP	CB-CG-OD1	5.93	123.64	118.30
1	C	45	GLU	CA-CB-CG	5.88	126.34	113.40
1	A	56	ASP	CB-CG-OD2	5.88	123.59	118.30
1	C	145	TYR	CB-CG-CD2	5.85	124.51	121.00
1	A	23	ARG	CD-NE-CZ	5.84	131.77	123.60
1	B	88	MET	CB-CA-C	-5.84	98.72	110.40
1	B	158	TYR	CB-CG-CD1	-5.83	117.50	121.00
1	B	177	ARG	N-CA-CB	5.81	121.06	110.60
1	C	188	ARG	CD-NE-CZ	5.81	131.74	123.60
1	D	360	ASP	CB-CG-OD2	5.80	123.52	118.30
1	D	207	GLU	CA-CB-CG	5.80	126.16	113.40
1	A	8	GLU	CA-CB-CG	-5.77	100.71	113.40
1	D	292	ASP	CB-CG-OD2	5.76	123.48	118.30
1	B	205	GLU	CG-CD-OE2	5.74	129.77	118.30
1	B	109	ARG	NE-CZ-NH2	-5.72	117.44	120.30
1	B	257	ASP	CB-CG-OD1	5.71	123.44	118.30
1	A	55	ASP	CB-CG-OD1	5.71	123.44	118.30
1	A	257	ASP	CB-CG-OD1	5.70	123.43	118.30
1	A	143	ALA	N-CA-CB	-5.69	102.13	110.10
1	A	217	GLU	CG-CD-OE2	5.66	129.62	118.30
1	B	305	TRP	CA-CB-CG	-5.66	102.95	113.70
1	A	23	ARG	NE-CZ-NH1	5.65	123.12	120.30
1	C	207	GLU	CG-CD-OE1	5.65	129.60	118.30
1	A	217	GLU	CG-CD-OE1	-5.64	107.01	118.30
1	B	55	ASP	CB-CG-OD1	5.64	123.38	118.30
1	C	172	ARG	NE-CZ-NH2	-5.63	117.48	120.30
1	C	306	GLU	CG-CD-OE2	-5.58	107.15	118.30
1	D	300	ASP	CB-CG-OD1	5.57	123.31	118.30
1	B	121	ARG	CD-NE-CZ	5.55	131.38	123.60
1	D	333	GLU	CG-CD-OE1	5.55	129.41	118.30
1	A	88	MET	CB-CG-SD	5.54	129.03	112.40
1	D	394	ARG	NE-CZ-NH2	-5.54	117.53	120.30
1	C	205	GLU	OE1-CD-OE2	-5.52	116.67	123.30
1	C	172	ARG	NE-CZ-NH1	5.51	123.05	120.30
1	A	52	THR	CA-CB-OG1	-5.49	97.46	109.00
1	B	143	ALA	N-CA-CB	-5.48	102.43	110.10
1	C	190	ASP	CB-CG-OD1	-5.48	113.37	118.30
1	D	276	GLU	CG-CD-OE2	5.48	129.25	118.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	207	GLU	CG-CD-OE2	-5.47	107.35	118.30
1	B	302	ASP	CB-CG-OD1	5.41	123.17	118.30
1	D	124	ASP	CB-CG-OD2	-5.38	113.46	118.30
1	B	7	ARG	NE-CZ-NH1	5.37	122.98	120.30
1	B	328	ASP	CB-CG-OD2	5.37	123.13	118.30
1	D	204	GLN	OE1-CD-NE2	-5.37	109.56	121.90
1	B	306	GLU	OE1-CD-OE2	5.36	129.74	123.30
1	A	306	GLU	CB-CA-C	-5.35	99.70	110.40
1	B	354	TYR	CB-CG-CD1	-5.33	117.80	121.00
1	A	289	ARG	N-CA-C	-5.33	96.62	111.00
1	C	306	GLU	CG-CD-OE1	5.33	128.95	118.30
1	C	281	GLY	N-CA-C	-5.31	99.82	113.10
1	A	80	ASP	O-C-N	5.31	131.20	122.70
1	C	68	ARG	NE-CZ-NH1	-5.30	117.65	120.30
1	A	177	ARG	CD-NE-CZ	-5.30	116.18	123.60
1	A	306	GLU	OE1-CD-OE2	5.28	129.64	123.30
1	C	145	TYR	CB-CG-CD1	-5.28	117.83	121.00
1	A	255	ASP	CB-CG-OD2	5.27	123.05	118.30
1	C	281	GLY	CA-C-N	-5.27	105.61	117.20
1	A	172	ARG	NH1-CZ-NH2	-5.26	113.61	119.40
1	A	247	ASN	CB-CA-C	5.26	120.92	110.40
1	B	394	ARG	NH1-CZ-NH2	5.25	125.17	119.40
1	C	80	ASP	CB-CG-OD1	-5.24	113.58	118.30
1	D	313	ARG	N-CA-CB	5.22	119.99	110.60
1	D	221	GLU	CG-CD-OE1	5.21	128.73	118.30
1	A	8	GLU	CG-CD-OE1	-5.21	107.88	118.30
1	A	113	ARG	NE-CZ-NH1	5.21	122.90	120.30
1	B	229	THR	CA-CB-OG1	-5.20	98.08	109.00
1	C	177	ARG	CA-CB-CG	5.20	124.84	113.40
1	B	217	GLU	OE1-CD-OE2	5.19	129.53	123.30
1	A	282	ALA	N-CA-CB	-5.18	102.84	110.10
1	A	208	ARG	NE-CZ-NH1	5.18	122.89	120.30
1	B	7	ARG	NE-CZ-NH2	-5.17	117.71	120.30
1	A	141	GLU	OE1-CD-OE2	-5.16	117.11	123.30
1	A	117	ARG	NE-CZ-NH2	-5.15	117.72	120.30
1	A	388	GLU	CA-CB-CG	-5.13	102.12	113.40
1	D	177	ARG	NE-CZ-NH2	-5.12	117.74	120.30
1	D	377	PHE	CB-CG-CD2	-5.12	117.22	120.80
1	A	205	GLU	CG-CD-OE2	5.11	128.52	118.30
1	D	171	ASP	CB-CG-OD2	-5.11	113.70	118.30
1	C	394	ARG	CD-NE-CZ	-5.11	116.45	123.60
1	C	177	ARG	N-CA-CB	5.10	119.77	110.60

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	144	GLU	N-CA-CB	5.10	119.78	110.60
1	A	300	ASP	CB-CG-OD1	5.07	122.87	118.30
1	D	388	GLU	CG-CD-OE2	5.07	128.44	118.30
1	B	112	ARG	NE-CZ-NH1	-5.07	117.77	120.30
1	A	208	ARG	CD-NE-CZ	5.04	130.66	123.60
1	B	54	HIS	CB-CA-C	-5.04	100.33	110.40
1	D	313	ARG	CA-CB-CG	5.04	124.48	113.40
1	C	7	ARG	NE-CZ-NH1	5.03	122.82	120.30
1	D	320	GLU	CA-CB-CG	5.02	124.45	113.40
1	B	334	ALA	CB-CA-C	5.02	117.63	110.10
1	D	113	ARG	NE-CZ-NH1	5.02	122.81	120.30
1	D	12	SER	N-CA-CB	5.01	118.01	110.50

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3051	0	2953	35	0
1	B	3051	0	2953	32	0
1	C	3051	0	2953	32	0
1	D	3051	0	2953	33	0
2	A	12	0	11	0	0
2	B	12	0	11	0	0
2	C	12	0	12	1	0
2	D	12	0	11	0	0
3	A	2	0	0	0	0
3	B	2	0	0	0	0
3	C	2	0	0	0	0
3	D	2	0	0	0	0
4	A	230	0	0	4	0
4	B	221	0	0	1	0
4	C	231	0	0	5	0
4	D	218	0	0	3	0
All	All	13160	0	11857	116	0



The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (116) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:204:GLN:OE1	1:D:204:GLN:OE1	1.60	1.15
1:D:208:ARG:HG2	1:D:208:ARG:HH11	1.12	1.12
1:D:133:THR:HG21	1:D:243:HIS:NE2	1.69	1.07
1:A:204:GLN:OE1	1:C:204:GLN:OE1	1.75	1.02
1:D:234:GLN:HE21	1:D:238:HIS:HE1	1.13	0.95
1:B:164:LEU:HD12	1:D:348:LEU:HD11	1.49	0.94
1:D:133:THR:CG2	1:D:243:HIS:NE2	2.32	0.93
1:C:234:GLN:HE21	1:C:238:HIS:HE1	1.16	0.90
1:D:208:ARG:HG2	1:D:208:ARG:NH1	1.87	0.85
1:A:234:GLN:HE21	1:A:238:HIS:HE1	1.21	0.83
1:A:204:GLN:HG2	4:A:549:HOH:O	1.82	0.80
1:A:208:ARG:NH1	1:A:210:GLU:OE2	2.15	0.79
1:B:234:GLN:HE21	1:B:238:HIS:HE1	1.35	0.75
1:B:164:LEU:CD1	1:D:348:LEU:HD11	2.19	0.71
1:D:234:GLN:HE21	1:D:238:HIS:CE1	2.04	0.70
1:C:133:THR:HG21	1:C:243:HIS:CD2	2.27	0.69
1:A:238:HIS:HD2	1:C:205:GLU:OE2	1.76	0.69
1:B:183:LYS:NZ	1:B:255:ASP:OD2	2.26	0.68
1:C:22:ALA:HB1	1:C:297:ARG:HG3	1.75	0.67
1:D:72:ILE:O	1:D:76:LYS:HG3	1.95	0.66
1:B:306:GLU:HG2	1:C:381:LYS:HB2	1.77	0.66
1:B:238:HIS:HD2	1:D:205:GLU:OE2	1.80	0.64
1:C:183:LYS:NZ	1:C:255:ASP:OD2	2.21	0.64
1:A:133:THR:OG1	1:A:243:HIS:HE1	1.81	0.63
1:A:133:THR:OG1	1:A:243:HIS:CE1	2.55	0.60
1:A:54:HIS:CD2	1:A:90:THR:HG23	2.36	0.60
1:A:242:PHE:O	1:A:243:HIS:ND1	2.34	0.59
1:D:394:ARG:HD2	4:D:608:HOH:O	2.02	0.58
1:B:183:LYS:CE	1:B:255:ASP:OD2	2.52	0.58
1:C:183:LYS:HG3	1:C:220:HIS:CG	2.40	0.56
1:C:242:PHE:O	1:C:243:HIS:CD2	2.59	0.56
1:A:164:LEU:C	1:A:164:LEU:HD23	2.26	0.56
1:B:219:GLY:O	1:B:223:MET:HG3	2.06	0.56
1:D:133:THR:HG23	1:D:243:HIS:NE2	2.20	0.56
1:A:205:GLU:OE2	1:C:238:HIS:HD2	1.89	0.55
1:B:205:GLU:OE2	1:D:238:HIS:HD2	1.90	0.55
1:C:234:GLN:HE21	1:C:238:HIS:CE1	2.09	0.55

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:164:LEU:HD12	1:D:348:LEU:CD1	2.28	0.55
1:C:15:LEU:HD13	1:C:51:ILE:HD11	1.89	0.55
1:C:243:HIS:HB3	4:C:620:HOH:O	2.08	0.54
1:A:306:GLU:HG2	1:D:381:LYS:HB2	1.90	0.53
1:B:243:HIS:HB3	4:B:608:HOH:O	2.08	0.53
1:C:88:MET:HG3	1:C:243:HIS:CE1	2.44	0.53
1:C:133:THR:CB	1:C:243:HIS:HE2	2.22	0.53
1:A:36:PRO:O	1:A:40:VAL:HG23	2.09	0.52
1:A:42:LYS:O	1:A:45:GLU:HB3	2.10	0.52
1:A:133:THR:CB	1:A:243:HIS:CE1	2.93	0.51
1:A:164:LEU:HD12	1:C:348:LEU:HD11	1.93	0.51
1:B:3:VAL:HG12	1:B:4:GLN:H	1.75	0.51
1:A:9:ASP:HB3	1:A:11:PHE:CE2	2.44	0.51
1:D:242:PHE:O	1:D:243:HIS:CD2	2.64	0.51
1:A:298:THR:HA	1:B:100:LYS:HD2	1.92	0.50
1:C:133:THR:CB	1:C:243:HIS:NE2	2.74	0.50
1:A:238:HIS:O	1:A:239:LYS:HB2	2.11	0.49
1:A:243:HIS:HB3	4:A:585:HOH:O	2.11	0.49
1:B:72:ILE:O	1:B:76:LYS:HG3	2.12	0.49
1:C:255:ASP:OD1	4:C:616:HOH:O	2.20	0.49
1:C:319:LYS:O	1:C:323:LYS:HG2	2.12	0.49
1:A:77:LYS:O	1:A:80:ASP:CB	2.61	0.48
1:A:234:GLN:HE21	1:A:238:HIS:CE1	2.14	0.48
1:C:72:ILE:O	1:C:76:LYS:HG3	2.14	0.47
1:C:86:VAL:O	1:C:131:ALA:HA	2.14	0.47
1:A:361:ARG:HA	1:A:365:GLU:OE1	2.14	0.47
1:C:96:HIS:HA	1:C:97:PRO:HD3	1.81	0.47
1:B:88:MET:HG3	1:B:243:HIS:CE1	2.50	0.47
1:D:102:GLY:HA2	1:D:140:ARG:HB2	1.97	0.47
1:B:115:ALA:O	1:B:119:VAL:HG23	2.15	0.46
1:C:100:LYS:NZ	4:C:626:HOH:O	2.48	0.46
1:A:35:ASP:HA	1:A:36:PRO:HD3	1.77	0.46
1:A:372:VAL:HA	1:A:375:LYS:HD2	1.98	0.46
1:B:178:PHE:HB2	1:B:212:PHE:CD2	2.51	0.46
1:C:98:VAL:HG22	1:C:111:VAL:HG22	1.97	0.46
1:B:278:GLY:CA	1:B:282:ALA:O	2.64	0.45
1:A:243:HIS:HB3	4:A:521:HOH:O	2.16	0.45
1:C:164:LEU:C	1:C:164:LEU:HD23	2.37	0.45
1:D:388:GLU:HB3	1:D:394:ARG:HG3	1.99	0.45
1:A:8:GLU:H	1:A:8:GLU:HG3	1.53	0.44
1:B:317:LEU:O	1:B:321:ARG:HD2	2.17	0.44

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:172:ARG:HH11	1:C:172:ARG:HD2	1.67	0.44
1:A:252:PRO:HB2	1:B:252:PRO:HB2	1.98	0.44
1:B:86:VAL:HG12	1:B:86:VAL:O	2.17	0.44
1:C:35:ASP:HA	1:C:36:PRO:HD3	1.81	0.44
1:D:317:LEU:HD23	1:D:317:LEU:HA	1.83	0.44
1:C:41:HIS:HE1	4:C:514:HOH:O	2.00	0.44
1:A:186:GLU:HA	1:A:187:PRO:HA	1.75	0.43
1:A:388:GLU:OE2	1:D:313:ARG:HD3	2.18	0.43
1:A:282:ALA:HA	1:A:283:PRO:HD3	1.88	0.43
1:B:112:ARG:O	1:B:116:ILE:HG13	2.19	0.43
1:A:42:LYS:HD3	1:A:42:LYS:HA	1.57	0.43
1:B:234:GLN:HE21	1:B:238:HIS:CE1	2.25	0.43
1:C:9:ASP:HB3	1:C:11:PHE:CE2	2.54	0.43
1:A:100:LYS:HD2	1:B:298:THR:HA	2.00	0.43
2:C:397:SOR:H12	4:C:544:HOH:O	2.18	0.43
1:A:106:SER:O	1:A:112:ARG:HD3	2.18	0.43
1:B:278:GLY:HA3	1:B:282:ALA:O	2.18	0.43
1:D:3:VAL:HG12	1:D:4:GLN:H	1.84	0.43
1:B:206:LEU:O	1:B:209:PRO:HD3	2.18	0.42
1:B:222:GLN:HE21	1:B:249:GLN:HB3	1.84	0.42
1:B:42:LYS:HD3	1:B:42:LYS:HA	1.93	0.42
1:D:361:ARG:HA	1:D:365:GLU:OE1	2.19	0.42
1:D:168:TYR:O	1:D:172:ARG:HG2	2.19	0.42
1:D:349:ASN:HB3	1:D:350:PRO:CD	2.48	0.42
1:D:178:PHE:HB2	1:D:212:PHE:CD2	2.55	0.42
1:D:159:ARG:HG3	1:D:206:LEU:HD23	2.01	0.42
1:B:154:ALA:HB2	1:D:343:LEU:HD21	2.02	0.42
1:D:161:ALA:O	1:D:165:LEU:HG	2.20	0.42
1:D:186:GLU:HA	1:D:187:PRO:HA	1.81	0.42
1:B:186:GLU:HA	1:B:187:PRO:HA	1.88	0.41
1:C:192:LEU:HA	1:C:192:LEU:HD23	1.87	0.41
1:A:88:MET:HE3	4:A:585:HOH:O	2.20	0.41
1:D:60:PRO:O	1:D:61:PHE:C	2.58	0.41
1:D:243:HIS:HB3	4:D:474:HOH:O	2.20	0.41
1:C:10:LYS:HA	1:C:49:TYR:CD1	2.56	0.40
1:B:120:LEU:O	1:B:123:MET:HB2	2.22	0.40
1:D:3:VAL:HG23	4:D:597:HOH:O	2.21	0.40
1:C:186:GLU:HA	1:C:187:PRO:HA	1.91	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	390/393 (99%)	374 (96%)	15 (4%)	1 (0%)	41	50
1	B	390/393 (99%)	376 (96%)	13 (3%)	1 (0%)	41	50
1	C	390/393 (99%)	375 (96%)	12 (3%)	3 (1%)	19	23
1	D	390/393 (99%)	372 (95%)	17 (4%)	1 (0%)	41	50
All	All	1560/1572 (99%)	1497 (96%)	57 (4%)	6 (0%)	34	42

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	280	ASP
1	A	186	GLU
1	B	186	GLU
1	C	186	GLU
1	C	279	PRO
1	D	186	GLU

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	306/310 (99%)	294 (96%)	12 (4%)	32	46
1	B	306/310 (99%)	297 (97%)	9 (3%)	42	58
1	C	306/310 (99%)	298 (97%)	8 (3%)	46	63
1	D	306/310 (99%)	295 (96%)	11 (4%)	35	49

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	1224/1240 (99%)	1184 (97%)	40 (3%)	38 53

All (40) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	VAL
1	A	38	GLU
1	A	46	ILE
1	A	49	TYR
1	A	80	ASP
1	A	84	LEU
1	A	88	MET
1	A	158	TYR
1	A	203	VAL
1	A	208	ARG
1	A	286	ASP
1	A	394	ARG
1	B	49	TYR
1	B	81	GLU
1	B	84	LEU
1	B	88	MET
1	B	132	LYS
1	B	158	TYR
1	B	185	ASN
1	B	203	VAL
1	B	255	ASP
1	C	38	GLU
1	C	49	TYR
1	C	80	ASP
1	C	88	MET
1	C	158	TYR
1	C	185	ASN
1	C	203	VAL
1	C	252	PRO
1	D	3	VAL
1	D	49	TYR
1	D	80	ASP
1	D	88	MET
1	D	133	THR
1	D	158	TYR
1	D	185	ASN
1	D	203	VAL

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	208	ARG
1	D	255	ASP
1	D	323	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	185	ASN
1	A	204	GLN
1	A	238	HIS
1	A	243	HIS
1	B	41	HIS
1	B	185	ASN
1	B	204	GLN
1	B	222	GLN
1	B	238	HIS
1	C	185	ASN
1	C	238	HIS
1	D	185	ASN
1	D	238	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 8 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	SOR	C	397	3	11,11,11	1.02	1 (9%)	14,14,14	2.24	6 (42%)
2	SOR	A	397	3	11,11,11	0.78	0	14,14,14	1.68	4 (28%)
2	SOR	D	397	3	11,11,11	1.18	1 (9%)	14,14,14	2.35	7 (50%)
2	SOR	B	397	3	11,11,11	0.91	1 (9%)	14,14,14	2.03	5 (35%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SOR	C	397	3	-	2/16/16/16	-
2	SOR	A	397	3	-	2/16/16/16	-
2	SOR	D	397	3	-	7/16/16/16	-
2	SOR	B	397	3	-	3/16/16/16	-

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	397	SOR	C1-C2	2.69	1.59	1.52
2	C	397	SOR	C1-C2	2.19	1.58	1.52
2	B	397	SOR	C6-C5	2.06	1.57	1.52

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	397	SOR	O1-C1-C2	-4.80	100.61	111.07
2	D	397	SOR	O2-C2-C3	4.42	119.83	109.10
2	B	397	SOR	O6-C6-C5	-4.02	102.30	111.07
2	D	397	SOR	O6-C6-C5	-3.79	102.82	111.07
2	D	397	SOR	C1-C2-C3	-3.29	105.28	112.41
2	A	397	SOR	O6-C6-C5	-3.27	103.95	111.07
2	C	397	SOR	C2-C3-C4	2.95	117.08	112.47
2	B	397	SOR	O4-C4-C3	2.87	116.15	109.47

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	397	SOR	O1-C1-C2	-2.76	105.07	111.07
2	B	397	SOR	O1-C1-C2	-2.75	105.08	111.07
2	C	397	SOR	O3-C3-C4	2.69	115.74	109.47
2	C	397	SOR	O2-C2-C3	2.61	115.44	109.10
2	C	397	SOR	C6-C5-C4	-2.57	106.85	112.41
2	D	397	SOR	O2-C2-C1	-2.48	103.33	109.14
2	D	397	SOR	C5-C4-C3	2.46	116.32	112.47
2	A	397	SOR	O5-C5-C4	2.42	114.99	109.10
2	A	397	SOR	O4-C4-C3	2.38	115.02	109.47
2	B	397	SOR	C5-C4-C3	2.36	116.16	112.47
2	C	397	SOR	O6-C6-C5	-2.30	106.07	111.07
2	A	397	SOR	C5-C4-C3	2.29	116.05	112.47
2	B	397	SOR	O3-C3-C4	2.27	114.77	109.47
2	D	397	SOR	O5-C5-C4	2.21	114.47	109.10

There are no chirality outliers.

All (14) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	D	397	SOR	C4-C5-C6-O6
2	A	397	SOR	O5-C5-C6-O6
2	D	397	SOR	O1-C1-C2-O2
2	D	397	SOR	O5-C5-C6-O6
2	A	397	SOR	C4-C5-C6-O6
2	B	397	SOR	C4-C5-C6-O6
2	C	397	SOR	C4-C5-C6-O6
2	B	397	SOR	O5-C5-C6-O6
2	C	397	SOR	O5-C5-C6-O6
2	B	397	SOR	O1-C1-C2-O2
2	D	397	SOR	O2-C2-C3-C4
2	D	397	SOR	O2-C2-C3-O3
2	D	397	SOR	C1-C2-C3-C4
2	D	397	SOR	O1-C1-C2-C3

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	397	SOR	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section is therefore empty.

### 6.3 Carbohydrates [i](#)

EDS was not executed - this section is therefore empty.

### 6.4 Ligands [i](#)

EDS was not executed - this section is therefore empty.

### 6.5 Other polymers [i](#)

EDS was not executed - this section is therefore empty.