WORLDWIDE PDB
PROTEIN DATA BANK

Full wwPDB X-ray Structure Validation Report ⓘ

Oct 25, 2023 – 02:58 AM EDT

|		
PDB ID	:	3EB7
Title	:	Crystal Structure of Insecticidal Delta-Endotoxin Cry8Ea1 from Bacillus Thuringiensis at 2.2 Angstroms Resolution
Authors	:	Guo, S.; Ye, S.; Song, F.; Zhang, J.; Wei, L.; Shu, C.L.
Deposited on	:	2008-08-27
Resolution	:	2.30 Å(reported)

1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.

Metric	Percentile Ranks	Value
Rfree		0.228
Clashscore		7
Ramachandran outliers		0.2%
Sidechain outliers		7.1%
RSRZ outliers		0.2%

Worse   *Better*

▮ Percentile relative to all X-ray structures

▯ Percentile relative to X-ray structures of similar resolution

Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	589	84% 14% •
1	B	589	83% 15% •
1	C	589	79% 17% • •

2 Entry composition ⓘ

There are 4 unique types of molecules in this entry. The entry contains 15253 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Insecticidal Delta-Endotoxin Cry8Ea1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	589	Total	C	N	O	S	0	2	0
			4701	3005	790	895	11			
1	B	589	Total	C	N	O	S	0	1	0
			4690	2999	786	894	11			
1	C	588	Total	C	N	O	S	0	1	0
			4684	2996	785	892	11			

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O_4S).

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total 5	O 4	S 1	0	0
2	B	1	Total 5	O 4	S 1	0	0
2	B	1	Total 5	O 4	S 1	0	0
2	B	1	Total 5	O 4	S 1	0	0
2	B	1	Total 5	O 4	S 1	0	0
2	B	1	Total 5	O 4	S 1	0	0
2	C	1	Total 5	O 4	S 1	0	0
2	C	1	Total 5	O 4	S 1	0	0
2	C	1	Total 5	O 4	S 1	0	0
2	C	1	Total 5	O 4	S 1	0	0

- Molecule 3 is ACETATE ION (three-letter code: ACT) (formula: $C_2H_3O_2$).

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total 4	C 2	O 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total 4	C 2	O 2	0	0
3	C	1	Total 4	C 2	O 2	0	0

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	348	Total 348	O 348	0	0
4	B	392	Total 392	O 392	0	0
4	C	361	Total 361	O 361	0	0

3 Residue-property plots ⓘ

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Insecticidal Delta-Endotoxin Cry8Ea1

Chain A:

- Molecule 1: Insecticidal Delta-Endotoxin Cry8Ea1

Chain B:

- Molecule 1: Insecticidal Delta-Endotoxin Cry8Ea1

Chain C:

G401 V404 L408 K420 I432 Y433 P434 D435 N436 K437 Y438 K439 E449 A453 Q454 E455 K456 P463 Q469 P470 E473 N480 Y481 V482 T483 F484 I485 R486 N487 P488 D489 A500 D501 N504 K510 I514 K518 D521 N528 S540 S546

T547 G548 R551 L552 K561 V564 D577 R580 T583 N587 S593 W599 K603 Y604 E605 N606 F607 K608 S613 F616 Q622 L625 K626 R630 Y642 V651 N652

4 Data and refinement statistics ⓘ

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α, β, γ	407.28Å 47.96Å 103.12Å 90.00° 91.12° 90.00°	Depositor
Resolution (Å)	43.20 – 2.30 43.20 – 2.20	Depositor EDS
% Data completeness (in resolution range)	99.0 (43.20-2.30) 96.9 (43.20-2.20)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	0.14	Depositor
$< I/\sigma(I) >$ [1]	2.37 (at 2.20Å)	Xtriage
Refinement program	CNS, REFMAC 5.2.0019	Depositor
R, R_{free}	0.162 , 0.230 0.164 , 0.228	Depositor DCC
R_{free} test set	9895 reflections (10.00%)	wwPDB-VP
Wilson B-factor (Å^2)	25.0	Xtriage
Anisotropy	0.544	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.36 , 39.3	EDS
L-test for twinning[2]	$< |L| > = 0.49, < L^2 > = 0.33$	Xtriage
Estimated twinning fraction	0.013 for -h,-k,l	Xtriage
F_o,F_c correlation	0.95	EDS
Total number of atoms	15253	wwPDB-VP
Average B, all atoms (Å^2)	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.87% of the height of the origin peak. No significant pseudotranslation is detected.*

---

[1]Intensities estimated from amplitudes.

[2]Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5   Model quality (i)

5.1   Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, ACT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#$|Z|$ >5	RMSZ	#$|Z|$ >5
1	A	0.81	0/4820	0.78	4/6550 (0.1%)
1	B	0.84	0/4809	0.82	6/6536 (0.1%)
1	C	0.81	3/4802 (0.1%)	0.82	10/6525 (0.2%)
All	All	0.82	3/14431 (0.0%)	0.81	20/19611 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	488	PRO	N-CD	8.10	1.59	1.47
1	C	273	GLU	CG-CD	5.38	1.60	1.51
1	C	605	GLU	CG-CD	5.26	1.59	1.51

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	488	PRO	N-CA-C	8.18	133.35	112.10
1	C	76	LEU	CA-CB-CG	7.07	131.57	115.30
1	C	487	ASN	N-CA-C	6.80	129.37	111.00
1	A	308	ASP	CB-CG-OD1	6.67	124.31	118.30
1	C	289	ASP	CB-CG-OD1	-6.55	112.40	118.30
1	A	486	ARG	NE-CZ-NH2	-6.48	117.06	120.30
1	C	356	SER	CB-CA-C	6.16	121.81	110.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	C	152	LEU	CA-CB-CG	5.98	129.05	115.30
1	C	488	PRO	CA-N-CD	-5.90	103.23	111.50
1	A	335	ARG	NE-CZ-NH2	-5.61	117.50	120.30
1	B	413	VAL	CB-CA-C	-5.55	100.85	111.40
1	B	81	LEU	CA-CB-CG	5.39	127.71	115.30
1	B	250	ARG	NE-CZ-NH1	-5.27	117.67	120.30
1	C	289	ASP	CB-CG-OD2	5.18	122.96	118.30
1	B	269	ARG	NE-CZ-NH1	5.17	122.89	120.30
1	C	489	ASP	CB-CG-OD1	5.16	122.94	118.30
1	C	501	ASP	CB-CG-OD1	5.16	122.94	118.30
1	B	521	ASP	CB-CG-OD2	5.15	122.94	118.30
1	A	178	LEU	CA-CB-CG	5.05	126.91	115.30
1	B	625	LEU	CA-CB-CG	5.02	126.84	115.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	64	ILE	Peptide

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4701	0	4609	55	0
1	B	4690	0	4597	56	0
1	C	4684	0	4591	80	0
2	A	10	0	0	0	0
2	B	35	0	0	0	0
2	C	20	0	0	0	0
3	A	4	0	3	0	0
3	B	4	0	3	0	0
3	C	4	0	3	0	0
4	A	348	0	0	5	0
4	B	392	0	0	6	0
4	C	361	0	0	9	0
All	All	15253	0	13806	188	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (188) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:159:PRO:O	1:C:161:SER:HB3	1.45	1.16
1:B:556:SER:HB3	1:B:557:PRO:CD	1.72	1.16
1:B:556:SER:HB3	1:B:557:PRO:HD2	1.08	1.03
1:C:159:PRO:O	1:C:161:SER:CB	2.07	1.02
1:A:603:LYS:H	1:A:606:ASN:HD22	1.11	0.96
1:A:211:LYS:NZ	1:A:290:MET:SD	2.42	0.93
1:A:290:MET:SD	4:A:2287:HOH:O	2.31	0.89
1:C:408:LEU:HG	1:C:455:GLU:OE2	1.71	0.89
1:A:596:ASN:HD21	1:A:638:GLY:HA3	1.38	0.86
1:C:486:ARG:HD2	1:C:489:ASP:OD1	1.74	0.86
1:A:345:ARG:HH21	1:A:396:GLN:HE21	1.25	0.83
1:A:64:ILE:HG23	1:A:67:ARG:HD2	1.63	0.81
1:B:551:ARG:HG3	1:B:551:ARG:HH11	1.46	0.80
1:C:603:LYS:H	1:C:606:ASN:HD22	1.30	0.80
1:C:456:LYS:HE3	4:C:2109:HOH:O	1.80	0.80
1:A:603:LYS:H	1:A:606:ASN:ND2	1.80	0.80
1:B:211:LYS:NZ	1:B:290:MET:SD	2.55	0.79
1:B:603:LYS:H	1:B:606:ASN:HD22	1.30	0.78
1:C:469:GLN:HB2	1:C:470:PRO:HD2	1.65	0.78
1:C:486:ARG:CD	1:C:489:ASP:OD1	2.36	0.73
1:A:521:ASP:O	1:A:548:GLY:HA3	1.90	0.71
1:B:600:GLN:HE21	1:B:600:GLN:H	1.37	0.71
1:B:583:THR:HG22	4:B:2080:HOH:O	1.92	0.69
1:C:300:GLN:HG3	1:C:500:ALA:HA	1.74	0.69
1:C:593:SER:HB2	1:C:608:LYS:HD2	1.75	0.68
1:A:64:ILE:HG23	1:A:67:ARG:CD	2.24	0.67
1:C:159:PRO:C	1:C:161:SER:HB3	2.14	0.67
1:C:300:GLN:HE21	1:C:501:ASP:H	1.43	0.66
1:C:298:LYS:HD3	1:C:510:LYS:HD3	1.79	0.65
4:A:2092:HOH:O	1:C:108:LYS:HE2	1.96	0.64
1:C:593:SER:CB	1:C:608:LYS:HD2	2.28	0.63
1:A:487:ASN:HD21	1:B:622:GLN:HG3	1.62	0.63
1:A:379:GLN:CD	1:A:381:GLN:HE21	2.02	0.63
1:C:159:PRO:O	1:C:161:SER:OG	2.17	0.62
1:B:65:SER:OG	1:B:116:GLU:OE1	2.18	0.62
1:B:269:ARG:NH1	1:B:308:ASP:OD2	2.34	0.60
1:C:171:ARG:HD3	4:C:2302:HOH:O	2.00	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:436:ASN:C	1:A:436:ASN:HD22	2.05	0.60
1:C:300:GLN:NE2	1:C:501:ASP:H	1.99	0.60
1:B:100:ILE:HD12	1:B:149:LEU:HD22	1.82	0.59
1:B:436:ASN:HD22	1:B:436:ASN:C	2.04	0.59
1:B:556:SER:O	1:B:557:PRO:C	2.39	0.59
1:B:64:ILE:HG13	1:B:67:ARG:HD3	1.83	0.59
1:C:296:GLU:HG2	1:C:510:LYS:HG2	1.83	0.59
1:C:374:ILE:HD12	1:C:504:ASN:ND2	2.18	0.58
1:C:115:MET:CE	1:C:135:LEU:HD13	2.33	0.58
1:A:436:ASN:ND2	1:A:438:TYR:H	2.01	0.58
1:B:506:VAL:O	1:B:555:ASN:HB2	2.04	0.58
1:C:268:ASN:OD1	4:C:2132:HOH:O	2.17	0.58
1:A:345:ARG:HH21	1:A:396:GLN:NE2	2.00	0.57
1:B:86:VAL:HG11	1:B:91:PRO:HB2	1.87	0.57
1:A:298:LYS:HG3	1:A:507:TYR:CE1	2.38	0.57
1:C:436:ASN:ND2	1:C:438:TYR:H	2.02	0.57
1:B:556:SER:CB	1:B:557:PRO:CD	2.63	0.57
1:A:436:ASN:HD22	1:A:438:TYR:H	1.54	0.56
1:C:469:GLN:HB2	1:C:470:PRO:CD	2.35	0.56
1:A:408:LEU:HD12	4:A:2220:HOH:O	2.04	0.56
1:A:486:ARG:HD2	1:A:489:ASP:OD1	2.05	0.55
1:A:131:ARG:HG2	1:A:135:LEU:HD22	1.87	0.55
1:C:64:ILE:HG13	1:C:67:ARG:HD3	1.89	0.55
1:A:108:LYS:HD2	1:C:453:ALA:HB3	1.89	0.55
1:C:552:LEU:HD11	1:C:625:LEU:HD22	1.88	0.55
1:C:381:GLN:HG3	4:C:2101:HOH:O	2.08	0.54
1:B:564:VAL:HG22	1:B:616:PHE:HE2	1.72	0.54
1:B:363:LYS:NZ	1:B:489:ASP:OD2	2.33	0.54
1:B:583:THR:CG2	4:B:2080:HOH:O	2.51	0.54
1:A:551:ARG:HB2	4:A:2211:HOH:O	2.08	0.54
1:C:300:GLN:NE2	1:C:518:LYS:NZ	2.56	0.54
1:A:410:THR:HG23	1:A:453:ALA:HB1	1.90	0.54
1:B:286:PRO:HG3	1:B:604:TYR:HE1	1.73	0.53
1:C:170:ASN:HB2	4:C:2365:HOH:O	2.08	0.53
1:C:603:LYS:H	1:C:606:ASN:ND2	2.03	0.53
1:B:268:ASN:OD1	4:B:2217:HOH:O	2.19	0.53
1:C:199:TYR:HH	1:C:241:TYR:HD2	1.57	0.52
1:B:74:ILE:HD12	1:B:463:PRO:HD2	1.92	0.52
1:C:383:TYR:HB3	1:C:484:PHE:HB3	1.92	0.52
1:B:401:GLY:O	1:B:434:PRO:HD2	2.10	0.52
1:A:381:GLN:HG3	4:A:2157:HOH:O	2.10	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:436:ASN:HD22	1:C:438:TYR:H	1.57	0.52
1:B:179:PHE:O	1:B:183:MET:HG2	2.10	0.52
1:B:551:ARG:HH11	1:B:551:ARG:CG	2.21	0.52
1:B:552:LEU:HD11	1:B:625:LEU:HD22	1.92	0.52
1:A:304:GLU:OE2	1:A:480:ASN:ND2	2.43	0.51
1:A:561:LYS:HD3	1:A:617:THR:CG2	2.41	0.51
1:C:436:ASN:HD22	1:C:436:ASN:C	2.14	0.51
1:B:486:ARG:HD2	1:B:489:ASP:OD1	2.10	0.51
1:C:77:VAL:O	1:C:81:LEU:HB2	2.11	0.50
1:A:552:LEU:HD11	1:A:625:LEU:HD22	1.94	0.50
1:C:170:ASN:CB	4:C:2365:HOH:O	2.59	0.50
1:C:564:VAL:HG23	1:C:616:PHE:HE2	1.75	0.50
1:B:540:SER:HB3	1:B:642:TYR:CD2	2.47	0.50
1:C:521:ASP:O	1:C:548:GLY:HA3	2.12	0.50
1:B:601:SER:O	1:B:603:LYS:HD3	2.12	0.49
1:A:516:VAL:HG23	1:A:539:ILE:HG12	1.94	0.49
1:B:64:ILE:CG1	1:B:67:ARG:HD3	2.42	0.49
1:A:449:GLU:HG3	1:C:139:GLU:OE2	2.13	0.48
1:C:300:GLN:CG	1:C:500:ALA:HA	2.42	0.48
1:C:540:SER:HB3	1:C:642:TYR:CD2	2.49	0.48
1:A:118:VAL:O	1:A:122:ILE:HG12	2.13	0.48
1:C:201:GLN:NE2	4:C:2050:HOH:O	2.42	0.48
1:B:516:VAL:HG23	1:B:539:ILE:HG12	1.94	0.48
1:C:546:SER:HB3	1:C:626:LYS:HD3	1.94	0.48
1:B:204:ASN:ND2	1:B:288:TYR:OH	2.44	0.48
1:A:603:LYS:N	1:A:606:ASN:HD22	1.94	0.47
1:C:300:GLN:NE2	1:C:518:LYS:HZ2	2.11	0.47
1:C:112:GLU:OE2	1:C:116:GLU:OE2	2.31	0.47
1:C:347:SER:HA	1:C:395:GLN:O	2.15	0.47
1:A:577:ASP:OD1	1:A:628:SER:HB2	2.15	0.47
1:C:528:ASN:HB2	1:C:599:TRP:CD2	2.49	0.46
1:B:525:PRO:HB3	1:B:537:ASP:HB3	1.97	0.46
1:C:77:VAL:HG23	1:C:81:LEU:HD22	1.98	0.46
1:B:304:GLU:HG2	1:B:480:ASN:HD22	1.81	0.46
1:C:170:ASN:HB2	4:C:2281:HOH:O	2.14	0.46
1:C:304:GLU:HG2	1:C:480:ASN:HD22	1.80	0.46
1:C:469:GLN:HG3	1:C:473:GLU:HG3	1.97	0.46
1:B:112:GLU:OE2	1:B:116:GLU:OE2	2.34	0.46
1:C:76:LEU:HD12	1:C:99:LEU:HD12	1.97	0.46
1:C:605:GLU:H	1:C:605:GLU:CD	2.20	0.46
1:C:86:VAL:HG12	1:C:86:VAL:O	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:565:ARG:HG2	1:A:649:ILE:HD11	1.99	0.45
1:A:211:LYS:HG3	1:A:290:MET:HG2	1.98	0.45
1:B:234:GLN:O	1:B:238:ILE:HG13	2.17	0.45
1:A:155:TRP:HA	1:A:164:VAL:HG11	1.99	0.45
1:C:375:GLY:HA3	1:C:551:ARG:HG3	1.97	0.45
1:B:573:ASP:HB2	1:B:633:SER:HB3	1.99	0.45
1:C:115:MET:HE3	1:C:135:LEU:HD13	1.99	0.45
1:B:577:ASP:OD1	1:B:628:SER:HB2	2.17	0.45
1:A:196:LEU:HD13	1:A:278:VAL:HG21	1.99	0.44
1:C:108:LYS:HE3	1:C:113:ILE:HG13	1.99	0.44
1:A:155:TRP:HA	1:A:164:VAL:CG1	2.48	0.44
1:B:316:GLN:O	1:B:420:LYS:HE2	2.18	0.44
1:A:561:LYS:HD3	1:A:617:THR:HG23	2.00	0.44
1:B:211:LYS:HG3	1:B:290:MET:HG2	1.99	0.44
1:B:603:LYS:H	1:B:606:ASN:ND2	2.09	0.44
1:C:72:THR:HG22	1:C:76:LEU:HD22	1.98	0.44
1:C:287:MET:HA	1:C:293:TYR:CD1	2.53	0.44
1:B:557:PRO:HG2	1:B:560:GLN:HB2	2.00	0.44
1:C:74:ILE:HD12	1:C:463:PRO:HD2	2.00	0.44
1:C:367:HIS:HE1	1:C:484:PHE:HB2	1.83	0.44
1:C:115:MET:HE1	1:C:135:LEU:HD13	2.00	0.43
1:A:530:VAL:CG2	1:A:599:TRP:HB2	2.49	0.43
1:C:76:LEU:HD13	1:C:102:VAL:HG11	2.00	0.43
1:A:486:ARG:CD	1:A:489:ASP:OD1	2.67	0.43
1:A:408:LEU:HD11	1:A:455:GLU:OE1	2.19	0.43
1:A:410:THR:CG2	1:A:453:ALA:HB1	2.49	0.43
1:C:432:ILE:HD12	1:C:439:LYS:HG2	2.00	0.43
1:C:108:LYS:HZ3	1:C:108:LYS:HB2	1.83	0.43
1:A:204:ASN:ND2	1:A:288:TYR:OH	2.50	0.43
1:A:596:ASN:ND2	1:A:638:GLY:HA3	2.19	0.43
1:C:603:LYS:HG3	1:C:605:GLU:HG2	2.01	0.42
1:B:137:GLU:HB3	1:B:182:TYR:CD1	2.54	0.42
1:B:369:ILE:HD13	1:B:482:VAL:H	1.83	0.42
1:B:529:GLU:HB3	1:B:532:HIS:CE1	2.55	0.42
1:C:580:ARG:C	1:C:580:ARG:HD2	2.38	0.42
1:B:469:GLN:HB2	1:B:470:PRO:HD2	2.02	0.42
1:C:283:THR:HG22	1:C:283:THR:O	2.19	0.42
1:C:366:GLY:HA3	1:C:385:THR:O	2.19	0.42
1:A:74:ILE:HD12	1:A:463:PRO:HD2	2.01	0.42
1:B:456:LYS:HD2	4:B:2071:HOH:O	2.19	0.42
1:C:408:LEU:CG	1:C:455:GLU:OE2	2.56	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:86:VAL:HA	1:A:87:PRO:HD3	1.96	0.42
1:C:172:PHE:CZ	1:C:213:ALA:HB2	2.55	0.42
1:A:172:PHE:CZ	1:A:213:ALA:HB2	2.54	0.42
1:B:290:MET:HE2	1:B:293:TYR:O	2.20	0.42
1:B:353:SER:OG	1:B:363:LYS:HE2	2.20	0.42
1:B:580:ARG:HD2	1:B:580:ARG:C	2.40	0.42
1:A:541:PHE:O	1:A:640:VAL:HA	2.20	0.42
1:C:84:LEU:HD12	1:C:84:LEU:HA	1.88	0.42
1:A:521:ASP:OD2	1:A:521:ASP:C	2.58	0.41
1:A:593:SER:HB2	1:A:608:LYS:HG3	2.03	0.41
1:C:300:GLN:HE21	1:C:501:ASP:N	2.15	0.41
1:C:487:ASN:HA	1:C:488:PRO:HA	1.57	0.41
1:A:316:GLN:H	1:A:316:GLN:CD	2.23	0.41
1:A:367:HIS:HE1	1:A:484:PHE:HB2	1.86	0.41
1:C:455:GLU:HG3	4:C:2027:HOH:O	2.20	0.41
1:C:401:GLY:O	1:C:434:PRO:HD2	2.20	0.41
1:C:361:LEU:HG	1:C:363:LYS:HB3	2.04	0.41
1:C:369:ILE:HD13	1:C:482:VAL:H	1.86	0.40
1:B:439:LYS:NZ	4:B:2392:HOH:O	2.54	0.40
1:B:528:ASN:HB2	1:B:599:TRP:CD2	2.55	0.40
1:B:86:VAL:HA	1:B:87:PRO:HD3	1.86	0.40
1:B:553:ASN:ND2	4:B:2395:HOH:O	2.55	0.40
1:A:77:VAL:O	1:A:81:LEU:HB2	2.22	0.40
1:A:304:GLU:CG	1:A:480:ASN:HD22	2.35	0.40
1:A:513:GLN:HG2	1:A:647:GLU:HG2	2.04	0.40
1:B:436:ASN:HD22	1:B:438:TYR:H	1.69	0.40
1:C:108:LYS:HB2	1:C:108:LYS:NZ	2.36	0.40
1:A:349:TYR:CD2	1:A:394:THR:HG22	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	589/589 (100%)	574 (98%)	15 (2%)	0	100	100
1	B	588/589 (100%)	571 (97%)	15 (3%)	2 (0%)	41	50
1	C	585/589 (99%)	571 (98%)	13 (2%)	1 (0%)	47	58
All	All	1762/1767 (100%)	1716 (97%)	43 (2%)	3 (0%)	47	58

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	556	SER
1	C	356	SER
1	B	435	ASP

5.3.2   Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	516/514 (100%)	485 (94%)	31 (6%)	19	26
1	B	515/514 (100%)	486 (94%)	29 (6%)	21	29
1	C	514/514 (100%)	465 (90%)	49 (10%)	8	10
All	All	1545/1542 (100%)	1436 (93%)	109 (7%)	14	19

All (109) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	64	ILE
1	A	76	LEU
1	A	81	LEU
1	A	99	LEU
1	A	108	LYS
1	A	125	LYS
1	A	135	LEU
1	A	163	ARG
1	A	177	SER
1	A	178	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	196	LEU
1	A	210	LEU
1	A	218	GLU
1	A	219	GLU
1	A	303	ARG
1	A	320	TYR
1	A	346	LEU
1	A	356	SER
1	A	358	SER
1	A	382	THR
1	A	435	ASP
1	A	436	ASN
1	A	449	GLU
1	A	454	GLN
1	A	469	GLN
1	A	486	ARG
1	A	551	ARG
1	A	583	THR
1	A	589	ARG
1	A	596	ASN
1	A	625	LEU
1	B	64	ILE
1	B	76	LEU
1	B	81	LEU
1	B	84	LEU
1	B	99	LEU
1	B	135	LEU
1	B	141	LEU
1	B	178	LEU
1	B	196	LEU
1	B	210	LEU
1	B	303	ARG
1	B	346	LEU
1	B	347	SER
1	B	356	SER
1	B	363	LYS
1	B	406	LYS
1	B	408	LEU
1	B	436	ASN
1	B	469	GLN
1	B	486	ARG
1	B	551	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	553	ASN
1	B	556	SER
1	B	564	VAL
1	B	583	THR
1	B	592	LYS
1	B	600	GLN
1	B	635	ILE
1	B	652	ASN
1	C	64	ILE
1	C	71	LYS
1	C	76	LEU
1	C	81	LEU
1	C	84	LEU
1	C	99	LEU
1	C	108	LYS
1	C	135	LEU
1	C	141	LEU
1	C	145	TYR
1	C	152	LEU
1	C	158	ASN
1	C	170	ASN
1	C	171	ARG
1	C	175	LEU
1	C	178	LEU
1	C	196	LEU
1	C	210	LEU
1	C	211	LYS
1	C	271	ARG
1	C	303	ARG
1	C	345	ARG
1	C	346	LEU
1	C	354	SER
1	C	356	SER
1	C	363	LYS
1	C	374	ILE
1	C	379	GLN
1	C	396	GLN
1	C	404	VAL
1	C	420	LYS
1	C	435	ASP
1	C	436	ASN
1	C	449	GLU

Continued from previous page...

Mol	Chain	Res	Type
1	C	455	GLU
1	C	469	GLN
1	C	486	ARG
1	C	488	PRO
1	C	514	ILE
1	C	561	LYS
1	C	577	ASP
1	C	583	THR
1	C	587	ASN
1	C	613	SER
1	C	622	GLN
1	C	625	LEU
1	C	626	LYS
1	C	630	ARG
1	C	651	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (41) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	110	GLN
1	A	117	GLN
1	A	124	GLN
1	A	201	GLN
1	A	204	ASN
1	A	372	GLN
1	A	381	GLN
1	A	396	GLN
1	A	436	ASN
1	A	480	ASN
1	A	487	ASN
1	A	586	ASN
1	A	596	ASN
1	A	606	ASN
1	B	110	GLN
1	B	117	GLN
1	B	170	ASN
1	B	201	GLN
1	B	204	ASN
1	B	372	GLN
1	B	396	GLN
1	B	436	ASN
1	B	480	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	553	ASN
1	B	600	GLN
1	B	606	ASN
1	B	622	GLN
1	B	652	ASN
1	C	117	GLN
1	C	124	GLN
1	C	201	GLN
1	C	204	ASN
1	C	240	GLN
1	C	300	GLN
1	C	368	GLN
1	C	372	GLN
1	C	396	GLN
1	C	436	ASN
1	C	480	ASN
1	C	586	ASN
1	C	606	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

5.6 Ligand geometry ⓘ

16 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#|Z| > 2$	Counts	RMSZ	$\#|Z| > 2$
2	SO4	B	2012	-	4,4,4	0.22	0	6,6,6	0.52	0
2	SO4	B	2002	-	4,4,4	0.24	0	6,6,6	0.73	0
3	ACT	A	2014	-	3,3,3	0.75	0	3,3,3	1.13	0
2	SO4	B	2006	-	4,4,4	0.12	0	6,6,6	0.44	0
2	SO4	C	2004	-	4,4,4	0.18	0	6,6,6	0.42	0
2	SO4	B	2010	-	4,4,4	0.23	0	6,6,6	0.43	0
2	SO4	B	2005	-	4,4,4	0.14	0	6,6,6	0.47	0
3	ACT	C	2016	-	3,3,3	0.89	0	3,3,3	1.31	0
2	SO4	B	2007	-	4,4,4	0.18	0	6,6,6	0.34	0
2	SO4	A	2008	-	4,4,4	0.13	0	6,6,6	0.26	0
2	SO4	B	2001	-	4,4,4	0.27	0	6,6,6	0.44	0
2	SO4	C	2009	-	4,4,4	0.16	0	6,6,6	0.45	0
2	SO4	C	2013	-	4,4,4	0.23	0	6,6,6	0.17	0
2	SO4	C	2003	-	4,4,4	0.16	0	6,6,6	0.64	0
3	ACT	B	2015	-	3,3,3	0.91	0	3,3,3	1.20	0
2	SO4	A	2011	-	4,4,4	0.10	0	6,6,6	0.41	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å^2)	Q<0.9
1	A	589/589 (100%)	-0.56	0	100	100	14, 25, 38, 56	0
1	B	589/589 (100%)	-0.64	1 (0%)	95	96	12, 23, 34, 53	0
1	C	588/589 (99%)	-0.49	2 (0%)	94	96	15, 26, 39, 57	0
All	All	1766/1767 (99%)	-0.56	3 (0%)	95	96	12, 25, 38, 57	0

All (3) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	64	ILE	3.7
1	B	64	ILE	2.6
1	C	487	ASN	2.4

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no monosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
3	ACT	C	2016	4/4	0.70	0.23	50,50,51,51	0

Continued on next page...

WORLDWIDE
wwPDB
PROTEIN DATA BANK

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
3	ACT	B	2015	4/4	0.78	0.20	53,54,54,54	0
2	SO4	C	2013	5/5	0.86	0.23	77,77,79,79	0
2	SO4	A	2008	5/5	0.90	0.14	74,74,75,76	0
2	SO4	B	2012	5/5	0.91	0.27	61,61,62,62	0
3	ACT	A	2014	4/4	0.92	0.13	38,38,39,39	0
2	SO4	A	2011	5/5	0.92	0.14	75,75,76,76	0
2	SO4	B	2007	5/5	0.92	0.19	63,63,64,65	0
2	SO4	B	2010	5/5	0.93	0.12	66,66,66,67	0
2	SO4	C	2009	5/5	0.95	0.23	66,67,67,68	0
2	SO4	B	2006	5/5	0.96	0.25	50,52,54,55	0
2	SO4	C	2003	5/5	0.98	0.09	46,47,48,49	0
2	SO4	B	2001	5/5	0.98	0.10	29,29,30,35	0
2	SO4	B	2005	5/5	0.98	0.09	40,41,42,44	0
2	SO4	C	2004	5/5	0.99	0.09	46,46,47,47	0
2	SO4	B	2002	5/5	0.99	0.07	33,33,35,37	0

6.5 Other polymers ⓘ

There are no such residues in this entry.