



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 17, 2021 – 04:01 AM EDT

PDB ID : 3FHH
Title : Crystal structure of the heme/hemoglobin outer membrane transporter ShuA from *Shigella dysenteriae*
Authors : Brillet, K.; Cobessi, D.
Deposited on : 2008-12-09
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 2.20
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.20


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3163 (2.60-2.60)
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)
RSRZ outliers	127900	3104 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	640	

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 4825 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Outer membrane heme receptor ShuA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	621	4756	2963	818	961	14	0	0	0

- Molecule 2 is octyl beta-D-glucopyranoside (three-letter code: BOG) (formula: C₁₄H₂₈O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
2	A	1	20	14	6	0	0

- Molecule 3 is LEAD (II) ION (three-letter code: PB) (formula: Pb).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Pb		
3	A	4	4	4	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	45	Total	O	0	0
			45	45		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Outer membrane heme receptor ShuA



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	78.10Å 114.22Å 117.08Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.94 – 2.60 19.85 – 2.60	Depositor EDS
% Data completeness (in resolution range)	99.9 (19.94-2.60) 99.9 (19.85-2.60)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.47 (at 2.59Å)	Xtrriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.237 , 0.286 0.248 , 0.299	Depositor DCC
R_{free} test set	1647 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	47.6	Xtrriage
Anisotropy	0.245	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 46.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtrriage
Estimated twinning fraction	0.026 for -h,l,k	Xtrriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	4825	wwPDB-VP
Average B, all atoms (Å ²)	59.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.36% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PB, BOG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.60	0/4860	0.73	1/6608 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	130	LEU	CA-CB-CG	5.61	128.21	115.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	112	GLY	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4756	0	4441	143	0
2	A	20	0	28	0	0
3	A	4	0	0	0	0
4	A	45	0	0	5	0
All	All	4825	0	4469	143	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (143) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:452:THR:HB	1:A:480:THR:HG22	1.43	0.99
1:A:226:ASN:H	1:A:237:ASN:HD21	0.99	0.98
1:A:134:GLY:HA3	4:A:670:HOH:O	1.65	0.96
1:A:126:ASP:HB3	1:A:129:ASP:HB3	1.51	0.90
1:A:302:THR:HG23	1:A:312:LEU:HD13	1.61	0.82
1:A:49:THR:HG23	1:A:62:ASN:HB2	1.64	0.80
1:A:428:HIS:ND1	1:A:497:THR:HG21	2.00	0.76
1:A:43:ARG:NH1	1:A:50:LEU:HD22	1.99	0.76
1:A:358:THR:HG23	4:A:679:HOH:O	1.86	0.74
1:A:359:LEU:HD12	1:A:364:ILE:HB	1.70	0.74
1:A:93:ASP:H	1:A:195:ASN:HD22	1.32	0.73
1:A:452:THR:HB	1:A:480:THR:CG2	2.17	0.73
1:A:182:SER:HB2	1:A:618:GLU:HA	1.70	0.72
1:A:129:ASP:CG	1:A:130:LEU:H	1.93	0.72
1:A:437:ASN:ND2	1:A:497:THR:HG23	2.05	0.71
1:A:132:GLN:HG2	1:A:133:GLU:N	2.05	0.71
1:A:106:PRO:HG3	1:A:452:THR:HG23	1.72	0.71
1:A:292:THR:HB	1:A:322:GLN:HG2	1.71	0.70
1:A:606:THR:HG23	1:A:637:SER:HB3	1.76	0.68
1:A:347:ASP:OD2	1:A:376:ARG:NH2	2.28	0.67
1:A:628:ASP:OD1	1:A:628:ASP:N	2.27	0.66
1:A:418:THR:HG22	1:A:421:GLU:H	1.60	0.66
1:A:296:ARG:HD3	4:A:667:HOH:O	1.96	0.66
1:A:418:THR:HG22	1:A:420:GLY:N	2.11	0.65
1:A:93:ASP:H	1:A:195:ASN:ND2	1.96	0.64
1:A:98:LYS:HE3	1:A:130:LEU:HB3	1.79	0.64
1:A:129:ASP:O	1:A:131:LEU:N	2.30	0.64
1:A:162:THR:HG22	1:A:163:GLU:N	2.13	0.63
1:A:430:SER:O	1:A:432:GLY:N	2.31	0.63
1:A:46:PRO:HD3	1:A:550:THR:OG1	1.98	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:26:ASP:O	1:A:26:ASP:OD1	2.18	0.62
1:A:83:ASP:OD1	1:A:418:THR:HG21	1.99	0.61
1:A:106:PRO:CG	1:A:452:THR:HG23	2.29	0.61
1:A:226:ASN:H	1:A:237:ASN:ND2	1.84	0.61
1:A:2:GLU:OE2	1:A:460:ARG:NH1	2.27	0.60
1:A:25:ILE:HB	1:A:100:VAL:HG13	1.83	0.60
1:A:106:PRO:HG2	1:A:411:ALA:HB3	1.82	0.60
1:A:305:ALA:HA	1:A:310:SER:OG	2.01	0.60
1:A:247:ARG:HH11	1:A:275:ARG:HH12	1.48	0.60
1:A:415:ARG:HG3	1:A:416:ALA:O	2.02	0.59
1:A:366:LEU:HD23	1:A:396:MET:HG3	1.84	0.59
1:A:53:THR:HG22	1:A:625:ILE:HD13	1.84	0.59
1:A:11:ASN:ND2	1:A:300:ARG:HH11	2.01	0.58
1:A:162:THR:CG2	1:A:163:GLU:N	2.66	0.58
1:A:16:PHE:HB2	1:A:472:GLU:OE2	2.03	0.57
1:A:430:SER:C	1:A:432:GLY:H	2.07	0.57
1:A:33:GLN:OE1	1:A:608:THR:HG21	2.05	0.56
1:A:567:VAL:HB	1:A:591:ASP:HB2	1.88	0.55
1:A:39:THR:HB	1:A:50:LEU:HD21	1.89	0.54
1:A:357:ILE:O	1:A:365:THR:HG22	2.07	0.54
1:A:126:ASP:HB3	1:A:129:ASP:CB	2.33	0.54
1:A:413:ALA:HB3	1:A:450:ASN:OD1	2.07	0.54
1:A:98:LYS:HG3	1:A:129:ASP:OD2	2.07	0.54
1:A:209:SER:HB3	1:A:254:LYS:HB3	1.90	0.54
1:A:26:ASP:OD1	1:A:26:ASP:C	2.46	0.53
1:A:532:GLY:N	1:A:544:ILE:HD11	2.23	0.53
1:A:63:MET:CE	1:A:102:ILE:HG21	2.39	0.53
1:A:379:SER:HB2	1:A:423:TYR:CD2	2.44	0.52
1:A:129:ASP:CG	1:A:130:LEU:N	2.59	0.52
1:A:129:ASP:OD1	1:A:130:LEU:N	2.39	0.52
1:A:375:TYR:CZ	1:A:387:ALA:HB3	2.45	0.52
1:A:346:ILE:N	1:A:419:MET:HE1	2.25	0.51
1:A:162:THR:CG2	1:A:163:GLU:H	2.24	0.51
1:A:223:GLU:O	1:A:240:VAL:HG22	2.11	0.51
1:A:401:THR:OG1	1:A:402:ASN:N	2.44	0.51
1:A:357:ILE:HB	1:A:366:LEU:HB2	1.93	0.51
1:A:40:ASP:HA	1:A:43:ARG:HG3	1.92	0.50
1:A:178:ASP:HB3	1:A:186:THR:CG2	2.41	0.50
1:A:132:GLN:HG3	1:A:161:ARG:HH12	1.77	0.50
1:A:63:MET:CE	1:A:102:ILE:CG2	2.89	0.50
1:A:452:THR:CB	1:A:480:THR:HG22	2.28	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:63:MET:HE3	1:A:102:ILE:CG2	2.42	0.49
1:A:63:MET:HE3	1:A:102:ILE:HG21	1.94	0.49
1:A:24:VAL:HG22	1:A:101:GLU:HG2	1.94	0.49
1:A:171:TRP:HD1	1:A:196:MET:HG2	1.76	0.49
1:A:565:GLY:HA3	1:A:593:TYR:CZ	2.49	0.48
1:A:403:TRP:CD1	1:A:403:TRP:N	2.81	0.48
1:A:11:ASN:ND2	1:A:300:ARG:NH1	2.61	0.48
1:A:431:ILE:HG13	1:A:435:TYR:CD1	2.49	0.48
1:A:131:LEU:HD12	1:A:168:ILE:CD1	2.43	0.48
1:A:233:SER:OG	1:A:234:GLU:OE2	2.26	0.48
1:A:311:HIS:HD2	1:A:355:ASP:OD2	1.96	0.48
1:A:181:GLN:HG3	1:A:626:PRO:HB2	1.96	0.48
1:A:113:SER:O	1:A:414:PHE:O	2.33	0.47
1:A:127:ALA:C	1:A:129:ASP:N	2.68	0.47
1:A:127:ALA:C	1:A:129:ASP:H	2.18	0.47
1:A:149:ASP:O	1:A:150:HIS:C	2.53	0.47
1:A:168:ILE:HG13	1:A:169:VAL:N	2.29	0.47
1:A:197:LEU:HD23	1:A:197:LEU:C	2.35	0.47
1:A:292:THR:HA	1:A:321:ARG:O	2.15	0.47
1:A:97:ILE:HD13	1:A:122:TYR:CD1	2.49	0.47
1:A:3:THR:O	1:A:15:SER:HB3	2.16	0.46
1:A:233:SER:HB3	1:A:237:ASN:H	1.81	0.46
1:A:97:ILE:HD13	1:A:122:TYR:HD1	1.80	0.46
1:A:144:THR:HG22	1:A:153:GLY:HA3	1.97	0.46
1:A:452:THR:HB	1:A:480:THR:CB	2.46	0.46
1:A:72:LEU:HD12	1:A:115:ALA:HB2	1.97	0.46
1:A:262:TRP:HA	1:A:301:SER:HB3	1.98	0.46
1:A:7:THR:HG21	1:A:121:SER:CB	2.46	0.46
1:A:25:ILE:HD13	1:A:41:LEU:O	2.16	0.45
1:A:178:ASP:HB3	1:A:186:THR:HG23	1.98	0.45
1:A:437:ASN:HD21	1:A:496:THR:C	2.20	0.45
1:A:132:GLN:CG	1:A:133:GLU:N	2.79	0.45
1:A:429:PHE:CE2	1:A:431:ILE:HG23	2.52	0.45
1:A:246:GLN:HA	1:A:273:GLU:O	2.17	0.45
1:A:26:ASP:OD1	1:A:29:ALA:HB2	2.17	0.44
1:A:373:ASP:O	1:A:388:ASP:HA	2.17	0.44
1:A:526:ALA:O	1:A:549:VAL:HA	2.17	0.44
1:A:162:THR:HG22	1:A:164:ASN:H	1.83	0.44
1:A:45:VAL:HA	1:A:46:PRO:HD2	1.83	0.44
1:A:98:LYS:HD3	1:A:98:LYS:C	2.38	0.44
1:A:437:ASN:HD21	1:A:497:THR:HG23	1.80	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:418:THR:CG2	1:A:420:GLY:H	2.31	0.43
1:A:190:ASP:O	1:A:221:ALA:HA	2.19	0.43
1:A:205:ASP:OD2	1:A:208:GLN:HG3	2.18	0.43
1:A:345:LYS:C	1:A:419:MET:HE1	2.39	0.43
1:A:234:GLU:CD	1:A:235:SER:H	2.21	0.43
1:A:98:LYS:HE3	1:A:130:LEU:CB	2.45	0.43
1:A:599:GLN:HB3	1:A:600:GLN:OE1	2.17	0.43
1:A:132:GLN:CD	1:A:161:ARG:HH22	2.21	0.42
1:A:488:THR:HG22	4:A:681:HOH:O	2.19	0.42
1:A:55:ARG:HE	1:A:189:ASN:HB2	1.84	0.42
1:A:151:SER:HA	1:A:175:ASP:O	2.20	0.42
1:A:265:ALA:HA	1:A:299:ASN:HA	2.02	0.42
1:A:379:SER:HB2	1:A:423:TYR:CE2	2.55	0.42
1:A:403:TRP:O	1:A:459:LEU:HA	2.20	0.42
1:A:106:PRO:HD3	1:A:452:THR:HG21	2.02	0.42
1:A:622:PRO:HD2	1:A:623:GLN:HE22	1.84	0.42
1:A:181:GLN:HE21	1:A:181:GLN:HB3	1.53	0.41
1:A:226:ASN:N	1:A:237:ASN:HD21	1.85	0.41
1:A:613:ASN:ND2	1:A:628:ASP:O	2.49	0.41
1:A:162:THR:HB	1:A:165:LEU:HB2	2.01	0.41
1:A:299:ASN:CG	4:A:676:HOH:O	2.59	0.41
1:A:418:THR:CG2	1:A:420:GLY:N	2.82	0.41
1:A:300:ARG:HG3	1:A:314:THR:HB	2.03	0.41
1:A:605:MET:HB2	1:A:638:TYR:HD2	1.85	0.41
1:A:63:MET:HE1	1:A:102:ILE:CG2	2.51	0.40
1:A:106:PRO:HD3	1:A:452:THR:CG2	2.51	0.40
1:A:105:GLY:O	1:A:118:GLY:HA2	2.21	0.40
1:A:108:ALA:O	1:A:109:LEU:C	2.60	0.40
1:A:132:GLN:HG3	1:A:161:ARG:NH1	2.36	0.40
1:A:454:GLU:HG3	1:A:477:TYR:O	2.21	0.40
1:A:608:THR:HG23	1:A:635:PHE:HB3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	613/640 (96%)	569 (93%)	31 (5%)	13 (2%)	7 13

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	130	LEU
1	A	132	GLN
1	A	426	SER
1	A	431	ILE
1	A	183	ASN
1	A	206	SER
1	A	234	GLU
1	A	630	ARG
1	A	184	GLY
1	A	339	THR
1	A	113	SER
1	A	577	ILE
1	A	503	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	497/530 (94%)	432 (87%)	65 (13%)	4 7

All (65) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	THR
1	A	20	MET
1	A	26	ASP
1	A	31	GLU
1	A	40	ASP
1	A	45	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	49	THR
1	A	56	THR
1	A	72	LEU
1	A	98	LYS
1	A	100	VAL
1	A	119	VAL
1	A	128	LYS
1	A	129	ASP
1	A	130	LEU
1	A	132	GLN
1	A	135	GLN
1	A	154	LEU
1	A	169	VAL
1	A	176	ARG
1	A	180	ARG
1	A	181	GLN
1	A	183	ASN
1	A	192	SER
1	A	197	LEU
1	A	202	TRP
1	A	204	ILE
1	A	230	VAL
1	A	234	GLU
1	A	254	LYS
1	A	260	ASN
1	A	266	ASP
1	A	292	THR
1	A	300	ARG
1	A	301	SER
1	A	302	THR
1	A	310	SER
1	A	314	THR
1	A	318	GLU
1	A	365	THR
1	A	370	THR
1	A	380	ASP
1	A	397	THR
1	A	415	ARG
1	A	418	THR
1	A	419	MET
1	A	430	SER
1	A	437	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	452	THR
1	A	480	THR
1	A	488	THR
1	A	500	TYR
1	A	504	ASN
1	A	513	MET
1	A	514	THR
1	A	544	ILE
1	A	573	ARG
1	A	599	GLN
1	A	605	MET
1	A	606	THR
1	A	608	THR
1	A	617	LYS
1	A	625	ILE
1	A	628	ASP
1	A	630	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	11	ASN
1	A	135	GLN
1	A	183	ASN
1	A	189	ASN
1	A	195	ASN
1	A	203	GLN
1	A	237	ASN
1	A	260	ASN
1	A	311	HIS
1	A	343	GLN
1	A	399	ASN
1	A	402	ASN
1	A	437	ASN
1	A	453	GLN
1	A	504	ASN
1	A	584	GLN
1	A	597	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 4 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	BOG	A	641	-	20,20,20	0.56	0	25,25,25	0.62	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BOG	A	641	-	-	7/11/31/31	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.


All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	641	BOG	C2'-C1'-O1-C1
2	A	641	BOG	O1-C1'-C2'-C3'
2	A	641	BOG	C3'-C4'-C5'-C6'
2	A	641	BOG	O5-C5-C6-O6
2	A	641	BOG	C4-C5-C6-O6
2	A	641	BOG	C4'-C5'-C6'-C7'
2	A	641	BOG	C5'-C6'-C7'-C8'

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	621/640 (97%)	-0.22	11 (1%) 68 64	21, 58, 81, 100	0

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	493	ALA	4.1
1	A	204	ILE	3.9
1	A	130	LEU	3.7
1	A	431	ILE	3.6
1	A	338	THR	3.6
1	A	601	ALA	3.6
1	A	602	LEU	3.1
1	A	327	HIS	2.4
1	A	402	ASN	2.2
1	A	185	GLU	2.2
1	A	576	HIS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	BOG	A	641	20/20	0.84	0.23	104,108,113,115	0
3	PB	A	644	1/1	0.93	0.08	72,72,72,72	1
3	PB	A	643	1/1	0.94	0.08	92,92,92,92	1
3	PB	A	642	1/1	0.99	0.14	102,102,102,102	0
3	PB	A	645	1/1	0.99	0.06	83,83,83,83	1

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.