



# Full wwPDB X-ray Structure Validation Report i

Aug 26, 2023 – 11:03 PM EDT

PDB ID : 3FVC  
Title : Crystal structure of a trimeric variant of the Epstein-Barr virus glycoprotein B  
Authors : Backovic, M.  
Deposited on : 2009-01-15  
Resolution : 3.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>  
with specific help available everywhere you see the i symbol.

The types of validation reports are described at  
<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.35  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35


# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:

## X-RAY DIFFRACTION


The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1133 (3.20-3.20)
Clashscore	141614	1253 (3.20-3.20)
Ramachandran outliers	138981	1234 (3.20-3.20)
Sidechain outliers	138945	1233 (3.20-3.20)
RSRZ outliers	127900	1095 (3.20-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	A	686	-	-	-	X

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	A	687	-	-	-	X

## 2 Entry composition [\(i\)](#)

There are 3 unique types of molecules in this entry. The entry contains 4552 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Glycoprotein GP110.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	559	4501	2833	775	872	21	0	0	0

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	112	HIS	TRP	engineered mutation	UNP P03188
A	113	ARG	TYR	engineered mutation	UNP P03188
A	193	ARG	TRP	engineered mutation	UNP P03188
A	194	VAL	LEU	engineered mutation	UNP P03188
A	195	GLU	ILE	engineered mutation	UNP P03188
A	196	ALA	TRP	engineered mutation	UNP P03188

- Molecule 2 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C<sub>8</sub>H<sub>15</sub>NO<sub>6</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C N O 14 8 1 5	0	0
2	A	1	Total C N O 14 8 1 5	0	0
2	A	1	Total C N O 14 8 1 5	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	9	Total O 9 9	0	0

### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Glycoprotein GP110



## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 3 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	106.80 Å    106.80 Å    210.75 Å 90.00°      90.00°      120.00°	Depositor
Resolution (Å)	26.61 – 3.20 26.61 – 3.20	Depositor EDS
% Data completeness (in resolution range)	98.4 (26.61-3.20) 98.4 (26.61-3.20)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle^1$	2.65 (at 3.17 Å)	Xtriage
Refinement program	REFMAC	Depositor
$R$ , $R_{free}$	0.242 , 0.283 0.238 , 0.277	Depositor DCC
$R_{free}$ test set	2155 reflections (9.25%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	65.3	Xtriage
Anisotropy	0.074	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.29 , 77.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.021 for -h,-k,l	Xtriage
$F_o, F_c$ correlation	0.88	EDS
Total number of atoms	4552	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	79.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.65% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [\(i\)](#)

### 5.1 Standard geometry [\(i\)](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.79	0/4590	0.85	2/6209 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	A	187	LEU	CB-CG-CD1	-5.88	101.01	111.00
1	A	82	LEU	CA-CB-CG	-5.02	103.76	115.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4501	0	4362	217	0
2	A	42	0	39	2	0
3	A	9	0	0	0	0
All	All	4552	0	4401	217	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 24.

All (217) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:623:GLN:HG3	1:A:625:PHE:CE1	1.71	1.25
1:A:660:ILE:C	1:A:660:ILE:HD12	1.67	1.12
1:A:533:GLN:HA	1:A:533:GLN:NE2	1.64	1.08
1:A:361:ARG:HH11	1:A:361:ARG:HG2	0.98	1.08
1:A:533:GLN:HE21	1:A:533:GLN:CA	1.69	1.06
1:A:554:ARG:HB2	1:A:571:GLN:HE21	1.24	0.99
1:A:361:ARG:HG2	1:A:361:ARG:NH1	1.76	0.96
1:A:533:GLN:HA	1:A:533:GLN:HE21	0.80	0.96
1:A:538:LEU:HA	1:A:557:VAL:HG12	1.47	0.93
1:A:592:SER:OG	1:A:607:ASP:HA	1.72	0.90
1:A:238:GLY:O	1:A:239:LYS:HB2	1.73	0.87
1:A:259:ILE:HD11	1:A:274:ARG:NE	1.90	0.85
1:A:323:THR:O	1:A:323:THR:HG23	1.76	0.85
1:A:602:ILE:HD12	1:A:619:ILE:HD12	1.58	0.85
1:A:623:GLN:CG	1:A:625:PHE:CE1	2.58	0.84
1:A:81:LEU:HD12	1:A:383:LEU:HD11	1.59	0.84
1:A:361:ARG:HH11	1:A:361:ARG:CG	1.87	0.83
1:A:632:LEU:HD23	1:A:632:LEU:H	1.42	0.83
1:A:554:ARG:HB2	1:A:571:GLN:NE2	1.94	0.83
1:A:259:ILE:HD11	1:A:274:ARG:CZ	2.09	0.82
1:A:660:ILE:HD12	1:A:660:ILE:O	1.79	0.82
1:A:542:MET:HB2	1:A:608:TYR:HB3	1.63	0.81
1:A:47:PRO:O	1:A:49:ARG:HG3	1.81	0.80
1:A:605:TYR:CD2	1:A:610:HIS:HA	2.17	0.80
1:A:106:ILE:HD11	1:A:187:LEU:HD11	1.62	0.80
1:A:184:GLN:OE1	1:A:184:GLN:HA	1.81	0.78
1:A:672:ALA:HB1	1:A:675:ARG:NH1	1.99	0.77
1:A:374:THR:HG22	1:A:376:GLY:H	1.49	0.76
1:A:237:ASP:OD1	1:A:237:ASP:N	2.17	0.76
1:A:184:GLN:OE1	1:A:184:GLN:CA	2.34	0.75
1:A:232:MET:HE1	1:A:244:PHE:HE2	1.51	0.74
1:A:330:THR:HG21	1:A:372:PHE:HD2	1.50	0.74
1:A:71:PHE:HD2	1:A:71:PHE:C	1.91	0.74
1:A:188:TYR:CE2	1:A:201:ARG:HD2	2.24	0.72
1:A:334:ILE:HB	1:A:370:THR:HB	1.70	0.72
1:A:71:PHE:C	1:A:71:PHE:CD2	2.62	0.72
1:A:574:THR:O	1:A:575:ASP:HB2	1.89	0.71
1:A:232:MET:HE2	1:A:244:PHE:CD2	2.25	0.71
1:A:160:ASP:OD1	1:A:202:THR:HB	1.92	0.70
1:A:295:CYS:SG	1:A:296:PRO:HD2	2.32	0.70
1:A:168:LEU:CD2	1:A:183:SER:HB3	2.22	0.69

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:369:ILE:HD13	1:A:383:LEU:HB3	1.75	0.69
1:A:192:GLY:HA3	1:A:199:ARG:HD3	1.75	0.69
1:A:623:GLN:HG3	1:A:625:PHE:HE1	1.51	0.68
1:A:672:ALA:HB1	1:A:675:ARG:HH11	1.57	0.68
1:A:554:ARG:CB	1:A:571:GLN:HE21	2.05	0.68
1:A:81:LEU:HG	1:A:385:LEU:HD11	1.75	0.68
1:A:61:ARG:HG3	1:A:62:PHE:N	2.09	0.67
1:A:605:TYR:CE2	1:A:610:HIS:HB2	2.29	0.67
1:A:330:THR:HG21	1:A:372:PHE:CD2	2.28	0.67
1:A:323:THR:O	1:A:323:THR:CG2	2.43	0.66
1:A:647:ASP:OD2	1:A:647:ASP:N	2.24	0.66
1:A:101:LYS:HD3	1:A:145:VAL:HG22	1.77	0.66
1:A:632:LEU:H	1:A:632:LEU:CD2	2.08	0.66
1:A:374:THR:CG2	1:A:376:GLY:H	2.09	0.65
1:A:383:LEU:O	1:A:383:LEU:HD13	1.97	0.65
1:A:601:GLU:HB3	1:A:615:GLU:HA	1.79	0.65
1:A:660:ILE:C	1:A:660:ILE:CD1	2.48	0.64
1:A:348:ASN:HD22	1:A:348:ASN:C	2.00	0.64
1:A:593:GLN:O	1:A:594:TYR:HD2	1.80	0.64
1:A:232:MET:HE1	1:A:244:PHE:CE2	2.32	0.63
1:A:168:LEU:HD23	1:A:183:SER:HB3	1.78	0.63
1:A:46:PHE:N	1:A:46:PHE:CD2	2.68	0.62
1:A:112:HIS:HB2	1:A:195:GLU:OE2	2.00	0.61
1:A:128:ASP:O	1:A:132:THR:HG23	2.00	0.61
1:A:559:PHE:HE2	1:A:561:PHE:CE2	2.18	0.61
1:A:232:MET:CE	1:A:244:PHE:CE2	2.83	0.61
1:A:509:ILE:HG13	1:A:510:TYR:N	2.15	0.61
1:A:168:LEU:HD12	1:A:208:ILE:HD12	1.82	0.61
1:A:81:LEU:HD12	1:A:383:LEU:CD1	2.31	0.61
1:A:124:LYS:O	1:A:281:THR:HA	2.00	0.61
1:A:626:ILE:HD12	1:A:626:ILE:H	1.66	0.61
1:A:448:LYS:HD2	1:A:449:SER:H	1.66	0.60
1:A:101:LYS:HD3	1:A:145:VAL:CG2	2.32	0.60
1:A:273:ARG:CZ	1:A:288:LEU:HD23	2.31	0.60
1:A:374:THR:HG22	1:A:376:GLY:N	2.15	0.60
1:A:671:ILE:HA	1:A:674:LEU:HD22	1.83	0.59
1:A:138:ILE:O	1:A:139:TYR:HB2	2.02	0.59
1:A:168:LEU:HD12	1:A:208:ILE:CD1	2.33	0.59
1:A:50:VAL:O	1:A:50:VAL:HG13	2.02	0.58
1:A:325:SER:OG	1:A:462:GLN:HG3	2.03	0.58
1:A:48:PHE:HZ	1:A:599:GLY:H	1.52	0.58

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:67:GLN:O	1:A:69:PRO:HD3	2.04	0.58
1:A:542:MET:CB	1:A:608:TYR:HB3	2.34	0.58
1:A:348:ASN:C	1:A:348:ASN:ND2	2.57	0.58
1:A:626:ILE:HD12	1:A:626:ILE:N	2.19	0.57
1:A:559:PHE:HE2	1:A:561:PHE:CZ	2.22	0.57
1:A:645:SER:O	1:A:649:GLN:HG2	2.04	0.57
1:A:486:GLU:O	1:A:490:GLN:HG2	2.05	0.57
1:A:605:TYR:CE2	1:A:610:HIS:HA	2.39	0.56
1:A:658:GLU:HG3	1:A:662:ARG:HD3	1.86	0.56
1:A:660:ILE:HD12	1:A:661:PHE:N	2.18	0.56
1:A:259:ILE:CD1	1:A:274:ARG:CZ	2.82	0.55
1:A:313:LYS:O	1:A:331:THR:CG2	2.55	0.55
1:A:672:ALA:CB	1:A:675:ARG:HH11	2.19	0.55
1:A:57:GLY:O	1:A:58:ASP:OD1	2.26	0.54
1:A:354:LYS:HD3	1:A:354:LYS:N	2.23	0.53
1:A:46:PHE:H	1:A:46:PHE:HD2	1.56	0.53
1:A:80:GLY:HA2	1:A:385:LEU:HD12	1.89	0.53
1:A:560:SER:OG	1:A:561:PHE:N	2.42	0.53
1:A:188:TYR:CD2	1:A:201:ARG:HB3	2.44	0.53
1:A:656:ASP:O	1:A:657:LEU:C	2.43	0.53
1:A:99:TYR:C	1:A:100:THR:HG22	2.28	0.52
1:A:678:LEU:O	1:A:679:ASP:C	2.47	0.52
1:A:331:THR:O	1:A:332:VAL:HB	2.10	0.52
1:A:347:VAL:HG12	1:A:348:ASN:N	2.25	0.52
1:A:348:ASN:HD22	1:A:349:LYS:N	2.08	0.52
1:A:600:ASN:C	1:A:601:GLU:HG3	2.30	0.52
1:A:533:GLN:NE2	1:A:533:GLN:CA	2.44	0.52
1:A:623:GLN:HG3	1:A:625:PHE:CZ	2.36	0.51
1:A:380:LEU:HD12	1:A:380:LEU:N	2.26	0.51
1:A:361:ARG:NH1	1:A:361:ARG:CG	2.54	0.51
1:A:55:SER:O	1:A:56:HIS:C	2.48	0.51
1:A:144:ALA:CB	2:A:1:NAG:H82	2.41	0.51
1:A:465:TYR:CD1	1:A:465:TYR:C	2.84	0.51
1:A:380:LEU:N	1:A:380:LEU:CD1	2.74	0.51
1:A:334:ILE:HG22	1:A:372:PHE:CZ	2.46	0.51
1:A:554:ARG:NH1	1:A:572:LEU:O	2.43	0.50
1:A:232:MET:HE2	1:A:244:PHE:HD2	1.73	0.50
1:A:593:GLN:NE2	1:A:595:TYR:OH	2.43	0.50
1:A:152:LEU:N	1:A:152:LEU:HD23	2.27	0.50
1:A:247:ARG:HB2	1:A:250:SER:OG	2.11	0.50
1:A:672:ALA:HA	1:A:675:ARG:HD3	1.94	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:542:MET:HB2	1:A:608:TYR:CB	2.40	0.50
1:A:559:PHE:CE2	1:A:561:PHE:CE2	3.00	0.50
1:A:237:ASP:OD1	1:A:240:ASN:HB2	2.11	0.49
1:A:215:SER:HB2	1:A:222:PHE:HB3	1.94	0.49
1:A:249:ASP:N	1:A:249:ASP:OD1	2.44	0.49
1:A:478:ASP:OD1	1:A:478:ASP:N	2.43	0.49
1:A:295:CYS:SG	1:A:296:PRO:CD	3.00	0.49
1:A:531:VAL:HG12	1:A:561:PHE:CE1	2.47	0.49
1:A:80:GLY:HA3	1:A:382:TRP:CH2	2.48	0.49
1:A:351:MET:SD	1:A:383:LEU:HD12	2.53	0.49
1:A:71:PHE:CZ	1:A:477:GLY:HA2	2.48	0.48
1:A:617:ASP:OD1	1:A:617:ASP:N	2.47	0.48
1:A:529:VAL:HG13	1:A:529:VAL:O	2.14	0.48
1:A:144:ALA:HB3	2:A:1:NAG:H82	1.95	0.48
1:A:450:LEU:HD12	1:A:450:LEU:H	1.79	0.48
1:A:656:ASP:O	1:A:660:ILE:HG23	2.12	0.48
1:A:343:ILE:O	1:A:344:GLU:C	2.52	0.47
1:A:605:TYR:CZ	1:A:610:HIS:HB2	2.49	0.47
1:A:505:VAL:O	1:A:509:ILE:HG23	2.14	0.47
1:A:129:SER:HA	1:A:132:THR:HG23	1.96	0.47
1:A:232:MET:CE	1:A:244:PHE:CD2	2.97	0.47
1:A:372:PHE:HB2	1:A:380:LEU:HB2	1.95	0.47
1:A:60:PHE:CD1	1:A:60:PHE:N	2.81	0.47
1:A:379:LEU:HB2	1:A:450:LEU:HD23	1.96	0.47
1:A:505:VAL:O	1:A:509:ILE:CG2	2.63	0.47
1:A:575:ASP:O	1:A:576:ASN:HB2	2.14	0.47
1:A:238:GLY:O	1:A:239:LYS:CB	2.49	0.47
1:A:497:LEU:HD23	1:A:497:LEU:HA	1.77	0.47
1:A:232:MET:HE2	1:A:244:PHE:CE2	2.48	0.47
1:A:181:TYR:O	1:A:207:LEU:HD23	2.16	0.46
1:A:259:ILE:HD12	1:A:259:ILE:HG21	1.71	0.46
1:A:328:THR:OG1	1:A:330:THR:HG23	2.16	0.46
1:A:232:MET:HE3	1:A:246:GLU:HG3	1.97	0.46
1:A:448:LYS:HD2	1:A:449:SER:N	2.32	0.45
1:A:313:LYS:O	1:A:331:THR:HG22	2.15	0.45
1:A:657:LEU:HA	1:A:657:LEU:HD22	1.64	0.45
1:A:108:ILE:O	1:A:108:ILE:HG23	2.17	0.45
1:A:138:ILE:HD13	1:A:138:ILE:HG21	1.66	0.45
1:A:143:ASN:HB2	1:A:158:ASP:HB2	1.98	0.45
1:A:318:VAL:HG11	1:A:470:ARG:HH12	1.82	0.45
1:A:510:TYR:HD2	1:A:514:VAL:HG11	1.82	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:174:LEU:HD23	1:A:174:LEU:HA	1.72	0.44
1:A:259:ILE:HD11	1:A:274:ARG:CD	2.46	0.44
1:A:141:CYS:O	1:A:166:VAL:HG22	2.17	0.44
1:A:66:ILE:CG1	1:A:488:LYS:HA	2.47	0.44
1:A:63:SER:O	1:A:64:SER:C	2.56	0.44
1:A:71:PHE:CE1	1:A:480:ALA:HB2	2.53	0.44
1:A:313:LYS:O	1:A:331:THR:HG23	2.18	0.44
1:A:574:THR:O	1:A:575:ASP:CB	2.62	0.44
1:A:62:PHE:O	1:A:63:SER:C	2.55	0.44
1:A:129:SER:O	1:A:130:TYR:C	2.55	0.44
1:A:518:ARG:HE	1:A:518:ARG:HB3	1.66	0.43
1:A:509:ILE:HD12	1:A:509:ILE:O	2.18	0.43
1:A:257:TYR:CD2	1:A:274:ARG:HD3	2.53	0.43
1:A:306:THR:HG22	1:A:319:THR:HB	2.00	0.43
1:A:498:THR:HG22	1:A:505:VAL:HG11	2.01	0.43
1:A:554:ARG:HA	1:A:555:PRO:HD3	1.91	0.43
1:A:604:VAL:O	1:A:605:TYR:HD2	2.01	0.43
1:A:193:ARG:H	1:A:193:ARG:HG2	1.69	0.43
1:A:650:ARG:C	1:A:652:SER:H	2.21	0.43
1:A:140:GLN:HA	1:A:166:VAL:O	2.19	0.43
1:A:605:TYR:CE2	1:A:610:HIS:CB	2.98	0.43
1:A:184:GLN:N	1:A:205:ASN:OD1	2.40	0.43
1:A:494:LEU:O	1:A:498:THR:HG23	2.19	0.43
1:A:49:ARG:HD3	1:A:513:ALA:HB1	1.99	0.42
1:A:259:ILE:HG23	1:A:259:ILE:HD13	1.76	0.42
1:A:283:THR:HG22	1:A:284:LEU:N	2.33	0.42
1:A:303:PHE:HB3	1:A:306:THR:CG2	2.49	0.42
1:A:576:ASN:HD21	1:A:598:SER:HA	1.83	0.42
1:A:265:ARG:HE	1:A:265:ARG:HB2	1.31	0.42
1:A:217:SER:HA	1:A:219:PHE:N	2.35	0.42
1:A:58:ASP:O	1:A:525:VAL:N	2.52	0.42
1:A:104:THR:HB	1:A:203:THR:HG23	2.02	0.42
1:A:347:VAL:CG1	1:A:348:ASN:N	2.81	0.41
1:A:539:ARG:HD3	1:A:556:LEU:CB	2.49	0.41
1:A:71:PHE:HZ	1:A:476:LEU:O	2.03	0.41
1:A:576:ASN:HD21	1:A:598:SER:CA	2.33	0.41
1:A:602:ILE:HG22	1:A:603:HIS:N	2.36	0.41
1:A:358:VAL:O	1:A:358:VAL:HG13	2.20	0.41
1:A:295:CYS:HA	1:A:296:PRO:HD3	1.69	0.41
1:A:366:GLN:OE1	1:A:384:PRO:HD3	2.20	0.41
1:A:85:PHE:O	1:A:378:LEU:HD12	2.21	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:360:ASP:OD2	1:A:360:ASP:N	2.53	0.41
1:A:461:ILE:C	1:A:463:PHE:N	2.74	0.41
1:A:650:ARG:O	1:A:652:SER:N	2.54	0.41
1:A:201:ARG:HH11	1:A:201:ARG:HD3	1.68	0.40
1:A:324:SER:HB2	1:A:459:VAL:HG23	2.02	0.40
1:A:150:ASP:C	1:A:152:LEU:H	2.24	0.40
1:A:221:PHE:CD2	1:A:221:PHE:C	2.95	0.40
1:A:299:HIS:CG	1:A:346:GLN:HE22	2.40	0.40
1:A:355:TYR:CD1	1:A:355:TYR:C	2.92	0.40
1:A:63:SER:O	1:A:65:ASP:N	2.55	0.40
1:A:66:ILE:HG12	1:A:488:LYS:HA	2.04	0.40
1:A:85:PHE:CD1	1:A:299:HIS:HA	2.56	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	547/663 (82%)	479 (88%)	60 (11%)	8 (2%)	10   44

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	332	VAL
1	A	341	LYS
1	A	651	ALA
1	A	48	PHE
1	A	534	ALA
1	A	503	THR
1	A	358	VAL
1	A	57	GLY

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	500/585 (86%)	401 (80%)	99 (20%)	1   7

All (99) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	44	THR
1	A	46	PHE
1	A	49	ARG
1	A	51	CYS
1	A	59	LEU
1	A	60	PHE
1	A	64	SER
1	A	71	PHE
1	A	76	ASN
1	A	78	THR
1	A	84	VAL
1	A	86	LYS
1	A	87	ASP
1	A	88	ASN
1	A	96	VAL
1	A	99	TYR
1	A	100	THR
1	A	105	ASN
1	A	107	LEU
1	A	108	ILE
1	A	138	ILE
1	A	148	THR
1	A	153	THR
1	A	157	VAL
1	A	176	ASN
1	A	179	ARG
1	A	184	GLN
1	A	187	LEU
1	A	200	THR
1	A	203	THR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	207	LEU
1	A	223	VAL
1	A	229	THR
1	A	232	MET
1	A	241	LYS
1	A	242	GLU
1	A	243	THR
1	A	247	ARG
1	A	253	VAL
1	A	255	THR
1	A	258	LYS
1	A	267	THR
1	A	279	LYS
1	A	297	LEU
1	A	302	THR
1	A	304	ASP
1	A	309	THR
1	A	313	LYS
1	A	319	THR
1	A	323	THR
1	A	327	VAL
1	A	334	ILE
1	A	338	ASP
1	A	342	CYS
1	A	347	VAL
1	A	348	ASN
1	A	354	LYS
1	A	358	VAL
1	A	360	ASP
1	A	361	ARG
1	A	378	LEU
1	A	383	LEU
1	A	386	THR
1	A	448	LYS
1	A	450	LEU
1	A	472	ILE
1	A	475	MET
1	A	478	ASP
1	A	479	LEU
1	A	481	ARG
1	A	488	LYS
1	A	489	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	509	ILE
1	A	510	TYR
1	A	533	GLN
1	A	550	MET
1	A	554	ARG
1	A	557	VAL
1	A	567	THR
1	A	569	GLU
1	A	574	THR
1	A	575	ASP
1	A	591	THR
1	A	601	GLU
1	A	614	ILE
1	A	617	ASP
1	A	625	PHE
1	A	632	LEU
1	A	637	ASP
1	A	643	LEU
1	A	647	ASP
1	A	648	GLU
1	A	650	ARG
1	A	652	SER
1	A	657	LEU
1	A	660	ILE
1	A	663	GLU
1	A	674	LEU
1	A	678	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	105	ASN
1	A	134	GLN
1	A	228	GLN
1	A	252	HIS
1	A	256	ASN
1	A	329	ASN
1	A	346	GLN
1	A	348	ASN
1	A	460	GLN
1	A	533	GLN
1	A	571	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	576	ASN
1	A	593	GLN

### 5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [\(i\)](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	NAG	A	1	1	14,14,15	0.88	0	17,19,21	2.34	5 (29%)
2	NAG	A	687	1	14,14,15	0.79	1 (7%)	17,19,21	1.37	1 (5%)
2	NAG	A	686	1	14,14,15	0.96	1 (7%)	17,19,21	1.85	3 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	1	1	-	0/6/23/26	0/1/1/1

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	687	1	-	2/6/23/26	0/1/1/1
2	NAG	A	686	1	-	4/6/23/26	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	686	NAG	C8-C7	2.37	1.55	1.50
2	A	687	NAG	C1-C2	2.00	1.55	1.52

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1	NAG	C1-O5-C5	6.50	121.00	112.19
2	A	686	NAG	O5-C5-C6	5.35	115.59	107.20
2	A	687	NAG	C1-O5-C5	4.09	117.73	112.19
2	A	1	NAG	O5-C1-C2	-3.70	105.44	111.29
2	A	686	NAG	C4-C3-C2	-3.30	106.18	111.02
2	A	1	NAG	C2-N2-C7	3.15	127.39	122.90
2	A	686	NAG	C1-C2-N2	2.82	115.30	110.49
2	A	1	NAG	O4-C4-C5	2.58	115.69	109.30
2	A	1	NAG	C1-C2-N2	-2.43	106.33	110.49

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	687	NAG	O5-C5-C6-O6
2	A	686	NAG	C8-C7-N2-C2
2	A	687	NAG	C4-C5-C6-O6
2	A	686	NAG	C4-C5-C6-O6
2	A	686	NAG	O7-C7-N2-C2
2	A	686	NAG	O5-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1	NAG	2	0

## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data i

### 6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	559/663 (84%)	0.33	49 (8%) <span style="background-color: red; border: 1px solid black; padding: 2px;">10</span> <span style="background-color: red; border: 1px solid black; padding: 2px;">5</span>	57, 77, 100, 108	0

All (49) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	552	TYR	7.0
1	A	551	CYS	6.9
1	A	550	MET	5.3
1	A	592	SER	5.0
1	A	331	THR	5.0
1	A	535	THR	4.8
1	A	332	VAL	4.4
1	A	567	THR	4.2
1	A	68	CYS	4.2
1	A	679	ASP	4.0
1	A	543	ARG	4.0
1	A	553	SER	3.6
1	A	510	TYR	3.5
1	A	43	GLN	3.4
1	A	532	ASN	3.2
1	A	591	THR	3.2
1	A	609	HIS	3.1
1	A	67	GLN	3.0
1	A	52	GLU	3.0
1	A	65	ASP	3.0
1	A	53	LEU	3.0
1	A	267	THR	2.8
1	A	312	GLY	2.8
1	A	313	LYS	2.7
1	A	44	THR	2.7
1	A	330	THR	2.7
1	A	569	GLU	2.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	531	VAL	2.6
1	A	615	GLU	2.6
1	A	389	SER	2.5
1	A	618	GLY	2.5
1	A	600	ASN	2.5
1	A	269	PRO	2.4
1	A	542	MET	2.4
1	A	613	THR	2.4
1	A	578	ILE	2.3
1	A	334	ILE	2.3
1	A	603	HIS	2.2
1	A	590	ALA	2.2
1	A	514	VAL	2.2
1	A	536	VAL	2.1
1	A	270	GLN	2.1
1	A	390	LEU	2.1
1	A	264	ASN	2.1
1	A	620	ALA	2.1
1	A	561	PHE	2.0
1	A	512	LYS	2.0
1	A	367	GLU	2.0
1	A	621	THR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	NAG	A	687	14/15	0.66	0.68	102,106,107,107	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	NAG	A	686	14/15	0.67	0.49	99,102,104,104	0
2	NAG	A	1	14/15	0.89	0.20	68,69,70,71	0

## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.