



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 26, 2023 – 05:03 PM EDT

PDB ID : 3FYE
Title : Catalytic core subunits (I and II) of cytochrome c oxidase from *Rhodobacter sphaeroides* in the reduced state
Authors : Qin, L.; Mills, D.A.; Proshlyakov, D.A.; Hiser, C.; Ferguson-Miller, S.
Deposited on : 2009-01-22
Resolution : 2.15 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1479 (2.16-2.16)
Clashscore	141614	1585 (2.16-2.16)
Ramachandran outliers	138981	1560 (2.16-2.16)
Sidechain outliers	138945	1559 (2.16-2.16)
RSRZ outliers	127900	1456 (2.16-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	566	<div style="display: flex; align-items: center;"> <div style="width: 9%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 86%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 8%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 5%; height: 10px; background-color: grey;"></div> </div>
1	C	566	<div style="display: flex; align-items: center;"> <div style="width: 16%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 86%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 7%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 6%; height: 10px; background-color: grey;"></div> </div>
2	B	262	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 94%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 2%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey;"></div> </div>
2	D	262	<div style="display: flex; align-items: center;"> <div style="width: 7%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 92%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 5%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey;"></div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
10	HTO	B	1	X	-	-	-
3	HEA	A	567	X	-	-	-
3	HEA	A	568	X	-	-	-
3	HEA	C	567	X	-	-	-
3	HEA	C	568	X	-	-	-

2 Entry composition [i](#)

There are 12 unique types of molecules in this entry. The entry contains 13611 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytochrome C oxidase subunit 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	535	Total	C	N	O	S	26	1	0
			4218	2826	663	698	31			
1	C	531	Total	C	N	O	S	22	0	0
			4172	2794	656	691	31			


- Molecule 2 is a protein called Cytochrome C oxidase subunit 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	256	Total	C	N	O	S	7	1	0
			2031	1325	333	367	6			
2	D	256	Total	C	N	O	S	9	1	0
			2031	1325	333	367	6			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	282	HIS	-	expression tag	UNP Q03736
B	283	HIS	-	expression tag	UNP Q03736
B	284	HIS	-	expression tag	UNP Q03736
B	285	HIS	-	expression tag	UNP Q03736
B	286	HIS	-	expression tag	UNP Q03736
B	287	HIS	-	expression tag	UNP Q03736
D	282	HIS	-	expression tag	UNP Q03736
D	283	HIS	-	expression tag	UNP Q03736
D	284	HIS	-	expression tag	UNP Q03736
D	285	HIS	-	expression tag	UNP Q03736
D	286	HIS	-	expression tag	UNP Q03736
D	287	HIS	-	expression tag	UNP Q03736

- Molecule 3 is HEME-A (three-letter code: HEA) (formula: C₄₉H₅₆FeN₄O₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
3	A	1	Total	C	Fe	N	O	0	0
			60	49	1	4	6		
3	A	1	Total	C	Fe	N	O	0	0
			60	49	1	4	6		
3	C	1	Total	C	Fe	N	O	0	0
			60	49	1	4	6		
3	C	1	Total	C	Fe	N	O	0	0
			60	49	1	4	6		

- Molecule 4 is COPPER (I) ION (three-letter code: CU1) (formula: Cu).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Cu	0	0
			1	1		
4	B	2	Total	Cu	0	0
			2	2		
4	C	1	Total	Cu	0	0
			1	1		
4	D	2	Total	Cu	0	0
			2	2		

- Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Mg	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	C	1	Total Mg 1 1	0	0


- Molecule 6 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total Ca 1 1	0	0
6	C	1	Total Ca 1 1	0	0

- Molecule 7 is UNKNOWN ATOM OR ION (three-letter code: UNX) (formula: X).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total X 1 1	0	0
7	C	1	Total X 1 1	0	0

- Molecule 8 is DECYL-BETA-D-MALTOPYRANOSIDE (three-letter code: DMU) (formula: C₂₂H₄₂O₁₁).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	1	Total C O 33 22 11	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	C	O	0	0
			33	22	11		
8	A	1	Total	C	O	0	0
			22	16	6		
8	A	1	Total	C	O	0	0
			33	22	11		
8	B	1	Total	C	O	0	0
			33	22	11		
8	B	1	Total	C	O	0	0
			23	12	11		
8	C	1	Total	C	O	0	0
			23	12	11		
8	C	1	Total	C	O	0	0
			33	22	11		
8	D	1	Total	C	O	0	0
			33	22	11		
8	D	1	Total	C	O	0	0
			23	12	11		

- Molecule 9 is TRIDECANE (three-letter code: TRD) (formula: C₁₃H₂₈).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	1	Total	C	0	0
			13	13		
9	A	1	Total	C	0	0
			13	13		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	A	1	Total C 7 7	0	0
9	A	1	Total C 13 13	0	0
9	A	1	Total C 9 9	0	0
9	B	1	Total C 7 7	0	0
9	C	1	Total C 13 13	0	0
9	C	1	Total C 13 13	0	0
9	C	1	Total C 7 7	0	0
9	C	1	Total C 9 9	0	0
9	D	1	Total C 13 13	0	0
9	D	1	Total C 7 7	0	0

- Molecule 10 is HEPTANE-1,2,3-TRIOL (three-letter code: HTO) (formula: C₇H₁₆O₃).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	B	1	Total C O 10 7 3	0	0

- Molecule 11 is CADMIUM ION (three-letter code: CD) (formula: Cd).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	B	2	Total 2	Cd 2	0	0
11	D	2	Total 2	Cd 2	0	0


- Molecule 12 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	A	129	Total 129	O 129	0	0
12	B	134	Total 134	O 134	0	0
12	C	97	Total 97	O 97	0	0
12	D	120	Total 120	O 120	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Cytochrome C oxidase subunit 1




- Molecule 1: Cytochrome C oxidase subunit 1






- Molecule 2: Cytochrome C oxidase subunit 2





- Molecule 2: Cytochrome C oxidase subunit 2



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	124.61Å 131.47Å 176.19Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.15 40.23 – 2.15	Depositor EDS
% Data completeness (in resolution range)	99.1 (50.00-2.15) 99.1 (40.23-2.15)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.17 (at 2.16Å)	Xtrriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.196 , 0.221 0.197 , 0.221	Depositor DCC
R_{free} test set	4375 reflections (2.81%)	wwPDB-VP
Wilson B-factor (Å ²)	42.1	Xtrriage
Anisotropy	0.034	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 78.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	13611	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.43% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: TRD, MG, HEA, CD, UNX, CA, HTO, DMU, CU1

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.59	0/4377	0.57	0/5973
1	C	0.50	0/4326	0.54	0/5905
2	B	0.55	0/2096	0.59	0/2869
2	D	0.50	0/2096	0.57	0/2869
All	All	0.54	0/12895	0.56	0/17616

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4218	0	4139	33	0
1	C	4172	0	4095	32	0
2	B	2031	0	1988	7	0
2	D	2031	0	1988	7	0
3	A	120	0	108	8	0
3	C	120	0	108	8	0
4	A	1	0	0	0	0
4	B	2	0	0	0	0
4	C	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	D	2	0	0	0	0
5	A	1	0	0	0	0
5	C	1	0	0	0	0
6	A	1	0	0	0	0
6	C	1	0	0	0	0
7	A	1	0	0	1	0
7	C	1	0	0	0	0
8	A	121	0	157	2	0
8	B	56	0	63	0	0
8	C	56	0	63	1	0
8	D	56	0	63	1	0
9	A	55	0	114	1	0
9	B	7	0	13	2	0
9	C	42	0	86	1	0
9	D	20	0	41	1	0
10	B	10	0	16	0	0
11	B	2	0	0	0	0
11	D	2	0	0	0	0
12	A	129	0	0	1	0
12	B	134	0	0	3	0
12	C	97	0	0	0	0
12	D	120	0	0	0	0
All	All	13611	0	13042	87	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (87) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:228:GLN:NE2	12:B:723:HOH:O	1.92	1.03
3:C:567:HEA:HMC1	3:C:567:HEA:HBC1	1.58	0.85
1:A:21:PHE:HB3	1:A:144:TRP:HZ2	1.42	0.82
3:A:568:HEA:HBD2	3:A:568:HEA:HMD1	1.61	0.81
2:B:32:ILE:HG22	2:B:35:ARG:HD3	1.62	0.81
1:C:381:MET:HE2	1:C:381:MET:HA	1.60	0.79
1:A:381:MET:HA	1:A:381:MET:HE2	1.63	0.79
3:A:567:HEA:HMC1	3:A:567:HEA:HBC1	1.67	0.77
3:C:568:HEA:HMD1	3:C:568:HEA:HBD2	1.66	0.76
1:C:182:GLU:O	1:C:257:ARG:NH1	2.21	0.73
1:A:302:ILE:HA	1:A:381:MET:HE1	1.72	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:381:MET:HA	1:A:381:MET:CE	2.21	0.70
1:C:56:MET:HE1	8:C:1005:DMU:H7	1.73	0.69
1:C:253:LEU:O	1:C:257:ARG:HG3	1.93	0.68
1:A:301:VAL:HG12	1:A:381:MET:CE	2.25	0.67
1:C:50:TYR:OH	1:C:79:SER:HB2	1.96	0.66
1:C:543:THR:HG22	1:C:547:PRO:HD3	1.77	0.65
1:C:367:ILE:HA	1:C:370:MET:CE	2.28	0.63
1:C:381:MET:HA	1:C:381:MET:CE	2.29	0.61
7:A:573:UNX:UNK	12:A:666:HOH:O	1.81	0.61
1:C:367:ILE:HA	1:C:370:MET:HE2	1.82	0.60
1:A:350:MET:HA	1:A:353:MET:CE	2.33	0.59
1:A:346:SER:O	1:A:350:MET:HG2	2.03	0.58
1:C:396:VAL:HB	2:D:65:ILE:HB	1.85	0.58
1:C:302:ILE:HA	1:C:381:MET:HE1	1.84	0.58
1:A:396:VAL:HB	2:B:65:ILE:HB	1.84	0.58
1:C:349:MET:O	1:C:353:MET:HG3	2.03	0.57
1:A:350:MET:HA	1:A:353:MET:HE2	1.85	0.57
1:A:204:GLY:O	1:A:208:MET:HG2	2.04	0.56
1:C:284:HIS:CD2	1:C:284:HIS:C	2.79	0.56
1:C:543:THR:HG23	1:C:545:PRO:O	2.06	0.56
2:B:35:ARG:HD2	12:B:347:HOH:O	2.07	0.55
1:C:287:VAL:HB	3:C:568:HEA:HAC	1.89	0.55
1:A:357:VAL:O	1:A:361:ILE:HG12	2.07	0.54
1:C:398:GLY:O	3:C:568:HEA:HMB3	2.07	0.54
1:A:21:PHE:HB3	1:A:144:TRP:CZ2	2.33	0.54
1:C:204:GLY:O	1:C:208:MET:HG2	2.09	0.53
3:A:568:HEA:HMD1	3:A:568:HEA:CBD	2.36	0.52
1:A:56:MET:HE1	8:A:577:DMU:H6	1.92	0.51
1:C:346:SER:O	1:C:350:MET:HG2	2.10	0.51
1:A:17:PHE:C	1:A:19:ARG:H	2.15	0.50
2:D:41:THR:OG1	9:D:1007:TRD:H12	2.12	0.50
1:C:398:GLY:C	3:C:568:HEA:HMB3	2.33	0.49
1:A:442:LYS:O	1:A:545:PRO:HA	2.13	0.49
3:C:568:HEA:HMD1	3:C:568:HEA:CBD	2.40	0.48
1:C:52:ARG:HG3	1:C:501:ALA:CB	2.44	0.48
1:C:301:VAL:HG12	1:C:381:MET:CE	2.44	0.47
1:C:547:PRO:HD2	1:C:550:THR:CG2	2.44	0.47
1:A:353:MET:HE3	9:B:289:TRD:H61	1.96	0.47
1:C:319:ALA:HB3	1:C:362:LYS:HE2	1.96	0.47
1:A:332:ALA:HB1	1:A:340:LEU:HD11	1.97	0.46
1:C:350:MET:HA	1:C:353:MET:HE2	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:349:MET:O	1:A:353:MET:HE2	2.15	0.46
1:A:287:VAL:HB	3:A:568:HEA:HAC	1.97	0.46
1:C:128:ILE:HB	1:C:216:ARG:HG2	1.97	0.46
1:A:284:HIS:C	1:A:284:HIS:CD2	2.90	0.45
2:D:75:LEU:HD13	8:D:1003:DMU:H18	1.98	0.45
1:A:352:THR:HG22	3:A:568:HEA:HMB2	1.99	0.45
8:A:577:DMU:H12	9:A:578:TRD:H92	1.99	0.45
1:C:131:PRO:HA	1:C:550:THR:O	2.17	0.44
2:D:220:THR:O	2:D:250:GLY:HA3	2.18	0.44
2:B:138:VAL:HG11	2:B:219:TRP:CD1	2.52	0.44
2:D:104:TRP:CD1	2:D:104:TRP:C	2.91	0.44
1:A:128:ILE:HB	1:A:216:ARG:HG2	2.00	0.44
1:A:45:VAL:HG21	3:A:567:HEA:H171	1.99	0.44
3:A:568:HEA:H212	3:A:568:HEA:H18	1.78	0.43
1:C:377:LEU:HD13	9:C:1010:TRD:H31	1.99	0.43
1:A:301:VAL:HG12	1:A:381:MET:HE3	1.97	0.43
1:A:86[B]:GLU:CD	1:A:86[B]:GLU:H	2.21	0.43
1:A:212:PHE:CE2	1:A:225:VAL:HG11	2.53	0.43
1:C:486:TYR:CD2	1:C:490:PHE:HB2	2.54	0.43
1:A:421:HIS:HA	1:A:425:SER:HB2	2.01	0.43
1:A:350:MET:SD	9:B:289:TRD:H41	2.59	0.43
2:D:138:VAL:HG11	2:D:219:TRP:CD1	2.52	0.42
1:A:94:LEU:O	1:A:98:MET:HG2	2.19	0.42
1:C:291:VAL:HB	3:C:568:HEA:HBC2	2.00	0.42
1:A:381:MET:HE2	1:A:384:ALA:HB3	2.01	0.42
1:C:240:LEU:O	1:C:244:PRO:HG2	2.19	0.42
2:B:273:GLU:HG3	12:B:348:HOH:O	2.20	0.41
1:A:307:LYS:HE2	1:A:374:SER:HB3	2.03	0.41
3:A:568:HEA:HMB1	3:A:568:HEA:H11	1.89	0.41
1:C:302:ILE:HG12	1:C:381:MET:HE1	2.03	0.41
1:A:319:ALA:HB3	1:A:362:LYS:HE2	2.01	0.41
3:C:568:HEA:H11	3:C:568:HEA:HMB1	1.94	0.41
1:A:93:HIS:HB2	2:B:258:ILE:HD12	2.02	0.41
1:C:284:HIS:O	1:C:287:VAL:HG22	2.21	0.40
2:D:190:PHE:O	2:D:191:LEU:HB2	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	534/566 (94%)	524 (98%)	9 (2%)	1 (0%)	47	46
1	C	529/566 (94%)	523 (99%)	6 (1%)	0	100	100
2	B	255/262 (97%)	250 (98%)	5 (2%)	0	100	100
2	D	255/262 (97%)	249 (98%)	6 (2%)	0	100	100
All	All	1573/1656 (95%)	1546 (98%)	26 (2%)	1 (0%)	51	53

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	18	THR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	436/459 (95%)	424 (97%)	12 (3%)	43	44
1	C	431/459 (94%)	424 (98%)	7 (2%)	62	67
2	B	216/221 (98%)	214 (99%)	2 (1%)	78	83
2	D	216/221 (98%)	211 (98%)	5 (2%)	50	53
All	All	1299/1360 (96%)	1273 (98%)	26 (2%)	55	59

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	52	ARG
1	A	56	MET
1	A	61	GLN
1	A	80	LEU
1	A	137	ARG
1	A	183	SER
1	A	222	MET
1	A	291	VAL
1	A	361	ILE
1	A	381	MET
1	A	412	ASP
1	A	550	THR
2	B	35	ARG
2	B	104	TRP
1	C	61	GLN
1	C	174	LEU
1	C	222	MET
1	C	282	PHE
1	C	291	VAL
1	C	381	MET
1	C	412	ASP
2	D	35	ARG
2	D	104	TRP
2	D	202	VAL
2	D	214	ASP
2	D	227	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	140	ASN
2	D	127	GLN
2	D	209	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 43 ligands modelled in this entry, 14 are monoatomic and 2 are unknown - leaving 27 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
9	TRD	B	289	-	6,6,12	0.30	0	5,5,11	0.28	0
8	DMU	D	1003	-	34,34,34	0.56	0	45,45,45	0.59	0
3	HEA	C	568	1	57,67,67	1.43	5 (8%)	61,103,103	1.71	20 (32%)
9	TRD	A	581	-	12,12,12	0.26	0	11,11,11	0.52	0
9	TRD	C	1010	-	8,8,12	0.29	0	7,7,11	0.38	0
3	HEA	A	567	1	57,67,67	1.42	6 (10%)	61,103,103	1.25	9 (14%)
9	TRD	A	579	-	12,12,12	0.28	0	11,11,11	0.43	0
9	TRD	C	1006	-	12,12,12	0.28	0	11,11,11	0.51	0
8	DMU	C	1002	-	24,24,34	0.51	0	35,35,45	0.65	0
8	DMU	B	11	-	24,24,34	0.50	0	35,35,45	0.83	0
9	TRD	C	1009	-	6,6,12	0.28	0	5,5,11	0.35	0
8	DMU	A	577	-	34,34,34	0.60	1 (2%)	45,45,45	0.93	1 (2%)
8	DMU	C	1005	-	34,34,34	0.59	0	45,45,45	0.83	1 (2%)
10	HTO	B	1	-	9,9,9	0.42	0	10,10,10	0.66	0
9	TRD	D	1008	-	6,6,12	0.27	0	5,5,11	0.33	0
3	HEA	A	568	1	57,67,67	1.32	7 (12%)	61,103,103	1.72	17 (27%)
9	TRD	A	582	-	8,8,12	0.26	0	7,7,11	0.46	0
9	TRD	A	580	-	6,6,12	0.25	0	5,5,11	0.41	0
9	TRD	C	1001	-	12,12,12	0.28	0	11,11,11	0.45	0
8	DMU	B	288	-	34,34,34	0.57	0	45,45,45	0.69	0
8	DMU	D	1011	-	24,24,34	0.51	0	35,35,45	0.83	0
8	DMU	A	574	-	34,34,34	0.52	0	45,45,45	1.01	3 (6%)
8	DMU	A	575	-	34,34,34	0.58	1 (2%)	45,45,45	0.96	3 (6%)
9	TRD	A	578	-	12,12,12	0.27	0	11,11,11	0.49	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	HEA	C	567	1	57,67,67	1.37	5 (8%)	61,103,103	1.08	4 (6%)
8	DMU	A	576	-	22,22,34	0.57	0	27,27,45	0.93	2 (7%)
9	TRD	D	1007	-	12,12,12	0.23	0	11,11,11	0.59	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	TRD	B	289	-	-	1/4/4/10	-
8	DMU	D	1003	-	-	6/19/59/59	0/2/2/2
3	HEA	C	568	1	3/3/7/16	5/32/76/76	-
9	TRD	A	581	-	-	6/10/10/10	-
9	TRD	C	1010	-	-	4/6/6/10	-
3	HEA	A	567	1	3/3/7/16	4/32/76/76	-
9	TRD	A	579	-	-	5/10/10/10	-
9	TRD	C	1006	-	-	3/10/10/10	-
8	DMU	C	1002	-	-	2/8/48/59	0/2/2/2
8	DMU	B	11	-	-	1/8/48/59	0/2/2/2
9	TRD	C	1009	-	-	0/4/4/10	-
8	DMU	A	577	-	-	10/19/59/59	0/2/2/2
8	DMU	C	1005	-	-	9/19/59/59	0/2/2/2
10	HTO	B	1	-	1/1/2/2	5/10/10/10	-
9	TRD	D	1008	-	-	1/4/4/10	-
3	HEA	A	568	1	3/3/7/16	5/32/76/76	-
9	TRD	A	582	-	-	3/6/6/10	-
9	TRD	A	580	-	-	1/4/4/10	-
9	TRD	C	1001	-	-	4/10/10/10	-
8	DMU	B	288	-	-	5/19/59/59	0/2/2/2
8	DMU	D	1011	-	-	2/8/48/59	0/2/2/2
8	DMU	A	574	-	-	3/19/59/59	0/2/2/2
8	DMU	A	575	-	-	6/19/59/59	0/2/2/2
9	TRD	A	578	-	-	7/10/10/10	-
3	HEA	C	567	1	3/3/7/16	4/32/76/76	-
8	DMU	A	576	-	-	9/13/33/59	0/1/1/2
9	TRD	D	1007	-	-	8/10/10/10	-

All (25) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	568	HEA	FE-NB	5.68	2.25	1.96
3	C	567	HEA	C3A-C2A	-4.98	1.33	1.40
3	A	567	HEA	C3A-C2A	-4.72	1.33	1.40
3	C	568	HEA	C3A-C2A	-4.15	1.34	1.40
3	A	567	HEA	C3C-C2C	-4.04	1.34	1.40
3	C	567	HEA	C3C-C2C	-3.97	1.34	1.40
3	A	568	HEA	FE-NB	3.88	2.16	1.96
3	A	568	HEA	C3A-C2A	-3.80	1.35	1.40
3	C	568	HEA	C3C-C2C	-3.71	1.35	1.40
3	A	567	HEA	C3C-CAC	3.47	1.55	1.47
3	A	568	HEA	C3C-C2C	-3.07	1.36	1.40
3	A	568	HEA	CMD-C2D	2.76	1.56	1.50
3	C	567	HEA	C3C-CAC	2.73	1.53	1.47
3	C	568	HEA	C3C-CAC	2.53	1.53	1.47
3	A	567	HEA	C3A-CMA	2.37	1.51	1.46
3	C	568	HEA	CHD-C1D	2.33	1.40	1.35
3	A	567	HEA	CMB-C2B	2.29	1.55	1.50
3	A	567	HEA	CMD-C2D	2.23	1.55	1.50
8	A	575	DMU	O16-C6	2.21	1.44	1.40
3	A	568	HEA	C3C-CAC	2.20	1.52	1.47
3	C	567	HEA	C3A-CMA	2.19	1.51	1.46
3	C	567	HEA	CMB-C2B	2.13	1.55	1.50
8	A	577	DMU	O16-C6	2.05	1.43	1.40
3	A	568	HEA	CMB-C2B	2.01	1.55	1.50
3	A	568	HEA	CHD-C1D	2.00	1.40	1.35

All (60) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	568	HEA	CBA-CAA-C2A	-4.15	105.61	112.60
3	A	568	HEA	CMC-C2C-C1C	-3.82	122.59	128.46
8	A	575	DMU	O16-C6-C1	3.76	114.17	108.30
3	C	568	HEA	C4B-NB-C1B	3.58	108.78	105.07
3	A	568	HEA	CBA-CAA-C2A	-3.49	106.73	112.60
3	C	568	HEA	C4A-CHB-C1B	3.31	126.92	122.56
3	A	567	HEA	C27-C19-C20	3.29	120.81	115.27
3	C	568	HEA	C4D-CHA-C1A	3.25	126.84	122.56
3	A	568	HEA	C26-C15-C16	3.14	120.55	115.27
3	A	568	HEA	C4A-CHB-C1B	3.08	126.63	122.56
3	A	568	HEA	CMB-C2B-C3B	-3.03	124.56	130.34
3	A	567	HEA	C26-C15-C16	3.00	120.31	115.27
3	A	567	HEA	C13-C12-C11	-2.94	109.93	114.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	568	HEA	CMB-C2B-C3B	-2.91	124.80	130.34
3	C	568	HEA	C3C-C4C-NC	-2.85	105.52	109.21
3	A	568	HEA	OMA-CMA-C3A	-2.73	118.96	124.91
3	C	567	HEA	CMC-C2C-C1C	-2.73	124.27	128.46
3	A	568	HEA	C4D-CHA-C1A	2.70	126.13	122.56
3	C	568	HEA	CMC-C2C-C1C	-2.70	124.31	128.46
3	A	568	HEA	C3C-C4C-NC	-2.70	105.72	109.21
3	A	568	HEA	C27-C19-C20	2.66	119.75	115.27
3	A	568	HEA	CBD-CAD-C3D	2.56	119.74	112.63
3	C	568	HEA	C3A-C4A-NA	-2.54	106.14	110.94
3	A	568	HEA	CMC-C2C-C3C	2.52	129.39	124.68
8	A	575	DMU	C10-O1-C9	2.50	118.60	113.69
3	A	568	HEA	C13-C14-C15	-2.45	121.75	127.66
3	A	568	HEA	CHA-C4D-ND	2.45	127.10	124.43
3	A	567	HEA	CAD-CBD-CGD	-2.43	108.37	113.60
3	C	568	HEA	C2B-C1B-NB	-2.42	106.98	109.88
3	C	568	HEA	C1D-ND-C4D	2.40	107.55	105.07
3	A	568	HEA	C3A-C4A-NA	-2.39	106.44	110.94
3	A	568	HEA	C13-C12-C11	-2.38	110.77	114.35
8	A	575	DMU	C10-O7-C3	-2.38	112.08	117.96
8	A	574	DMU	C10-O7-C3	-2.37	112.09	117.96
8	A	577	DMU	O16-C6-C1	2.36	111.98	108.30
3	C	568	HEA	C17-C18-C19	-2.33	122.04	127.66
8	A	576	DMU	C18-O16-C6	-2.29	110.05	113.84
8	C	1005	DMU	C10-O1-C9	2.28	118.16	113.69
3	A	567	HEA	C17-C18-C19	-2.28	122.17	127.66
8	A	574	DMU	O2-C8-C9	2.26	114.92	109.30
3	C	567	HEA	CMC-C2C-C3C	2.23	128.84	124.68
3	C	568	HEA	C1B-C2B-C3B	2.22	109.46	106.80
8	A	574	DMU	C7-C8-C9	-2.21	106.29	110.24
3	C	568	HEA	C26-C15-C16	2.21	118.99	115.27
3	A	567	HEA	CMC-C2C-C1C	-2.19	125.09	128.46
3	C	568	HEA	C2D-C1D-ND	-2.18	107.25	109.84
3	A	567	HEA	C16-C15-C14	-2.16	116.74	121.12
3	C	568	HEA	C1D-C2D-C3D	2.12	109.19	106.96
3	C	568	HEA	C27-C19-C20	2.11	118.83	115.27
3	C	567	HEA	CAD-CBD-CGD	-2.10	109.08	113.60
3	C	568	HEA	CBD-CAD-C3D	2.10	118.47	112.63
3	C	568	HEA	OMA-CMA-C3A	-2.09	120.35	124.91
3	A	568	HEA	C4B-NB-C1B	2.08	107.22	105.07
3	A	567	HEA	O2A-CGA-CBA	2.07	120.68	114.03
8	A	576	DMU	O16-C6-C1	2.07	111.53	108.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	568	HEA	C12-C13-C14	-2.06	106.79	112.23
3	A	567	HEA	O2D-CGD-CBD	2.05	120.61	114.03
3	C	568	HEA	CHB-C1B-C2B	2.03	128.16	124.98
3	C	567	HEA	C25-C23-C24	2.02	119.06	114.60
3	C	568	HEA	CAD-C3D-C2D	2.00	131.61	127.88

All (13) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	A	567	HEA	ND
3	A	567	HEA	NB
3	A	567	HEA	NA
3	A	568	HEA	ND
3	A	568	HEA	NA
3	A	568	HEA	NB
3	C	567	HEA	ND
3	C	567	HEA	NB
3	C	567	HEA	NA
3	C	568	HEA	ND
3	C	568	HEA	NA
3	C	568	HEA	NB
10	B	1	HTO	C2

All (119) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	568	HEA	C2D-C3D-CAD-CBD
3	C	568	HEA	C2D-C3D-CAD-CBD
8	A	575	DMU	C1-C6-O16-C18
8	A	575	DMU	O5-C6-O16-C18
8	A	575	DMU	C19-C18-O16-C6
8	C	1005	DMU	C19-C18-O16-C6
10	B	1	HTO	O1-C1-C2-C3
3	A	568	HEA	C4D-C3D-CAD-CBD
3	C	568	HEA	C4D-C3D-CAD-CBD
10	B	1	HTO	O1-C1-C2-O2
8	A	576	DMU	O5-C4-C57-O61
8	C	1005	DMU	O1-C10-O7-C3
8	D	1003	DMU	O6-C11-C9-O1
8	C	1002	DMU	O6-C11-C9-O1
8	A	575	DMU	O6-C11-C9-O1
8	A	576	DMU	C3-C4-C57-O61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
8	D	1003	DMU	O6-C11-C9-C8
8	A	577	DMU	C3-C4-C57-O61
8	D	1011	DMU	O5-C4-C57-O61
8	C	1002	DMU	O6-C11-C9-C8
8	A	576	DMU	C19-C22-C25-C28
9	D	1008	TRD	C2-C3-C4-C5
8	A	576	DMU	C1-C6-O16-C18
8	A	576	DMU	C28-C31-C34-C37
8	A	577	DMU	C28-C31-C34-C37
9	A	579	TRD	C4-C5-C6-C7
8	B	288	DMU	C25-C28-C31-C34
9	C	1001	TRD	C5-C6-C7-C8
8	A	576	DMU	O5-C6-O16-C18
9	D	1007	TRD	C6-C7-C8-C9
9	A	581	TRD	C9-C10-C11-C12
9	D	1007	TRD	C4-C5-C6-C7
8	A	577	DMU	O1-C10-O7-C3
10	B	1	HTO	O3-C3-C4-C5
9	C	1010	TRD	C3-C4-C5-C6
8	A	575	DMU	C28-C31-C34-C37
8	B	288	DMU	C28-C31-C34-C37
8	D	1003	DMU	C22-C25-C28-C31
9	D	1007	TRD	C2-C3-C4-C5
8	A	575	DMU	O6-C11-C9-C8
8	B	11	DMU	O6-C11-C9-O1
9	A	578	TRD	C2-C3-C4-C5
8	B	288	DMU	C22-C25-C28-C31
8	C	1005	DMU	C28-C31-C34-C37
9	A	581	TRD	C5-C6-C7-C8
8	D	1011	DMU	O6-C11-C9-O1
9	A	579	TRD	C2-C3-C4-C5
9	A	582	TRD	C2-C3-C4-C5
9	D	1007	TRD	C5-C6-C7-C8
9	C	1001	TRD	C3-C4-C5-C6
9	C	1001	TRD	C4-C5-C6-C7
8	C	1005	DMU	C18-C19-C22-C25
9	D	1007	TRD	C10-C11-C12-C13
9	A	582	TRD	C6-C7-C8-C9
9	A	579	TRD	C6-C7-C8-C9
9	A	578	TRD	C11-C10-C9-C8
9	A	578	TRD	C9-C10-C11-C12
9	A	578	TRD	C3-C4-C5-C6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
9	C	1001	TRD	C1-C2-C3-C4
9	A	578	TRD	C5-C6-C7-C8
10	B	1	HTO	C2-C3-C4-C5
8	A	574	DMU	C25-C28-C31-C34
8	A	577	DMU	C4-C3-O7-C10
8	A	577	DMU	C2-C3-O7-C10
9	A	582	TRD	C1-C2-C3-C4
9	C	1006	TRD	C5-C6-C7-C8
3	C	568	HEA	C19-C20-C21-C22
8	D	1003	DMU	C25-C28-C31-C34
9	D	1007	TRD	C11-C10-C9-C8
8	A	574	DMU	C31-C34-C37-C40
9	A	581	TRD	C6-C7-C8-C9
8	A	577	DMU	O5-C4-C57-O61
8	A	577	DMU	O5-C6-O16-C18
9	C	1006	TRD	C7-C8-C9-C10
9	C	1010	TRD	C4-C5-C6-C7
8	A	576	DMU	O16-C18-C19-C22
9	A	580	TRD	C4-C5-C6-C7
8	A	577	DMU	C1-C6-O16-C18
9	B	289	TRD	C4-C5-C6-C7
3	A	568	HEA	C19-C20-C21-C22
8	C	1005	DMU	C31-C34-C37-C40
9	A	581	TRD	C3-C4-C5-C6
9	A	579	TRD	C5-C6-C7-C8
8	C	1005	DMU	C3-C4-C57-O61
9	A	581	TRD	C2-C3-C4-C5
9	A	579	TRD	C11-C10-C9-C8
8	A	576	DMU	C31-C34-C37-C40
9	D	1007	TRD	C3-C4-C5-C6
9	C	1010	TRD	C6-C7-C8-C9
3	A	567	HEA	CAD-CBD-CGD-O2D
3	A	568	HEA	CAA-CBA-CGA-O2A
3	C	568	HEA	CAA-CBA-CGA-O1A
3	C	568	HEA	CAA-CBA-CGA-O2A
3	A	568	HEA	CAA-CBA-CGA-O1A
3	C	567	HEA	CAD-CBD-CGD-O1D
3	A	567	HEA	CAD-CBD-CGD-O1D
9	A	581	TRD	C7-C8-C9-C10
8	D	1003	DMU	C28-C31-C34-C37
8	A	576	DMU	C18-C19-C22-C25
3	C	567	HEA	CAD-CBD-CGD-O2D

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
8	B	288	DMU	C19-C22-C25-C28
8	C	1005	DMU	C2-C3-O7-C10
8	A	577	DMU	C5-C10-O7-C3
8	A	574	DMU	C18-C19-C22-C25
9	D	1007	TRD	C9-C10-C11-C12
8	A	577	DMU	C31-C34-C37-C40
3	C	567	HEA	CAA-CBA-CGA-O1A
10	B	1	HTO	O2-C2-C3-O3
8	B	288	DMU	C3-C4-C57-O61
3	C	567	HEA	CAA-CBA-CGA-O2A
3	A	567	HEA	CAA-CBA-CGA-O1A
9	A	578	TRD	C1-C2-C3-C4
8	C	1005	DMU	C4-C3-O7-C10
3	A	567	HEA	CAA-CBA-CGA-O2A
9	A	578	TRD	C6-C7-C8-C9
9	C	1010	TRD	C5-C6-C7-C8
8	C	1005	DMU	C19-C22-C25-C28
9	C	1006	TRD	C10-C11-C12-C13
8	D	1003	DMU	C19-C18-O16-C6


There are no ring outliers.



11 monomers are involved in 24 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	B	289	TRD	2	0
8	D	1003	DMU	1	0
3	C	568	HEA	7	0
9	C	1010	TRD	1	0
3	A	567	HEA	2	0
8	A	577	DMU	2	0
8	C	1005	DMU	1	0
3	A	568	HEA	6	0
9	A	578	TRD	1	0
3	C	567	HEA	1	0
9	D	1007	TRD	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be


highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.






























5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	535/566 (94%)	0.28	51 (9%) 8 12	26, 37, 59, 74	6 (1%)
1	C	531/566 (93%)	0.71	88 (16%) 1 2	33, 52, 75, 96	5 (0%)
2	B	256/262 (97%)	-0.12	8 (3%) 49 58	25, 41, 55, 62	2 (0%)
2	D	256/262 (97%)	0.04	19 (7%) 14 20	32, 45, 64, 73	2 (0%)
All	All	1578/1656 (95%)	0.32	166 (10%) 6 9	25, 43, 66, 96	15 (0%)

All (166) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	20	TRP	7.9
1	C	222	MET	6.8
1	A	72	LEU	6.4
1	A	20	TRP	6.2
1	C	21	PHE	5.7
1	A	81	TRP	5.2
1	A	22	MET	5.1
1	C	550	THR	5.1
1	C	318	TYR	5.1
1	C	520	THR	5.1
1	C	172	TRP	5.1
1	C	75	GLY	5.0
1	C	22	MET	4.8
1	C	77	PHE	4.8
1	A	551	PHE	4.7
1	C	259	PHE	4.5
2	D	124	PHE	4.5
1	C	81	TRP	4.4
1	A	223	HIS	4.4
1	A	73	VAL	4.4
1	C	71	GLY	4.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	56	TRP	4.3
1	A	172	TRP	4.2
1	C	72	LEU	4.1
1	A	17	PHE	4.1
1	C	290	ILE	4.1
2	D	81	TRP	4.1
1	C	549	HIS	4.1
1	A	549	HIS	3.9
1	C	144	TRP	3.9
1	C	73	VAL	3.9
1	C	517	TYR	3.9
1	C	521	ARG	3.9
2	D	87	ARG	3.7
1	C	218	PRO	3.7
1	A	420	PHE	3.7
1	C	74	LYS	3.7
1	C	78	GLN	3.6
1	C	287	VAL	3.6
1	C	76	PHE	3.6
1	A	290	ILE	3.6
1	A	107	MET	3.5
1	C	220	MET	3.5
1	A	221	THR	3.5
1	C	99	ILE	3.5
1	A	287	VAL	3.5
1	C	70	SER	3.5
1	A	423	VAL	3.5
1	A	71	GLY	3.4
1	C	525	VAL	3.4
1	C	414	TYR	3.4
1	C	173	VAL	3.4
1	C	69	GLU	3.4
1	A	104	ILE	3.4
2	D	99	PRO	3.4
2	D	56	TRP	3.3
1	C	481	ARG	3.3
1	A	19	ARG	3.3
1	A	21	PHE	3.3
1	C	138	MET	3.3
1	C	480	PRO	3.3
1	C	268	GLY	3.2
1	C	548	GLU	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	99	ILE	3.2
1	C	223	HIS	3.2
1	A	417	VAL	3.2
1	C	100	THR	3.2
1	A	398	GLY	3.2
1	C	527	ALA	3.2
1	A	173	VAL	3.2
1	C	423	VAL	3.2
1	A	401	LEU	3.1
1	A	426	LEU	3.1
1	C	314	LEU	3.1
1	C	213	LEU	3.1
1	C	426	LEU	3.1
1	C	417	VAL	3.1
1	A	222	MET	3.1
2	D	98	SER	3.0
1	C	185	TYR	3.0
1	A	424	MET	3.0
1	C	171	GLY	2.9
1	A	220	MET	2.9
1	C	451	TRP	2.9
2	B	284	HIS	2.9
1	C	135	PHE	2.9
2	D	118	PHE	2.9
2	B	87	ARG	2.9
1	A	77	PHE	2.8
1	C	429	VAL	2.8
1	A	217	ALA	2.8
1	C	413	THR	2.7
2	D	131	GLU	2.7
2	D	121	PRO	2.7
1	C	221	THR	2.7
1	C	427	GLY	2.7
1	C	217	ALA	2.7
1	C	289	ILE	2.7
1	C	107	MET	2.6
1	C	279	LEU	2.6
1	A	416	VAL	2.6
1	A	69	GLU	2.6
2	D	284	HIS	2.6
1	C	416	VAL	2.6
1	C	283	GLY	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	219	GLY	2.6
1	C	412	ASP	2.6
2	D	93	ARG	2.6
1	C	428	ALA	2.6
1	C	482	ARG	2.5
1	A	414	TYR	2.5
1	C	214	ASN	2.5
1	C	280	TRP	2.5
1	A	418	ALA	2.5
1	A	397	THR	2.5
1	C	111	VAL	2.5
1	C	446	ARG	2.5
1	C	288	TYR	2.5
1	A	387	PHE	2.4
2	D	255	LEU	2.4
2	B	102	ILE	2.4
1	C	425	SER	2.4
1	C	424	MET	2.4
1	C	103	GLY	2.4
2	B	99	PRO	2.4
2	D	84	HIS	2.4
2	B	81	TRP	2.4
2	B	124	PHE	2.4
2	D	96	HIS	2.4
1	A	394	GLY	2.4
1	A	427	GLY	2.4
1	A	425	SER	2.3
1	C	23	SER	2.3
1	A	550	THR	2.3
1	C	522	GLY	2.3
1	C	452	ALA	2.3
1	C	547	PRO	2.3
1	A	548	GLU	2.3
1	C	530	TYR	2.2
1	A	419	HIS	2.2
2	D	82	ARG	2.2
1	A	289	ILE	2.2
1	A	241	LEU	2.2
1	C	210	THR	2.2
1	C	175	TYR	2.2
2	D	178	GLN	2.2
1	A	75	GLY	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	291	VAL	2.2
1	C	104	ILE	2.2
2	B	100	LEU	2.2
2	D	97	ASN	2.2
1	C	455	LEU	2.2
1	C	393	VAL	2.2
1	A	406	VAL	2.1
1	C	390	LEU	2.1
1	A	400	VAL	2.1
1	C	170	ILE	2.1
2	D	102	ILE	2.1
1	C	269	GLY	2.1
1	C	394	GLY	2.1
1	C	106	MET	2.1
1	A	18	THR	2.1
1	A	100	THR	2.1
1	A	78	GLN	2.0
1	C	519	LEU	2.0
2	D	252	CYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
9	TRD	C	1001	13/13	0.55	0.27	75,76,77,77	0
9	TRD	B	289	7/13	0.63	0.19	62,63,66,66	0
9	TRD	A	581	13/13	0.70	0.20	56,62,69,70	0
9	TRD	D	1008	7/13	0.70	0.16	67,68,68,68	0


Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
9	TRD	C	1006	13/13	0.72	0.23	70,75,81,81	0
9	TRD	A	578	13/13	0.75	0.38	67,67,71,72	0
9	TRD	C	1010	9/13	0.75	0.14	67,68,69,70	0
8	DMU	A	576	22/33	0.75	0.19	46,65,73,74	0
8	DMU	C	1002	23/33	0.79	0.25	98,99,100,100	23
10	HTO	B	1	10/10	0.80	0.30	55,60,64,64	0
8	DMU	A	577	33/33	0.81	0.19	43,52,55,56	33
8	DMU	D	1003	33/33	0.81	0.24	88,93,98,99	0
9	TRD	A	582	9/13	0.81	0.21	65,66,67,67	0
9	TRD	C	1009	7/13	0.84	0.15	65,66,67,67	0
9	TRD	A	579	13/13	0.85	0.26	47,50,56,58	0
8	DMU	B	11	23/33	0.85	0.17	72,73,75,75	23
8	DMU	D	1011	23/33	0.86	0.18	68,70,72,72	23
8	DMU	A	575	33/33	0.88	0.24	67,74,77,79	0
9	TRD	D	1007	13/13	0.88	0.22	53,55,56,57	0
8	DMU	C	1005	33/33	0.88	0.15	53,58,62,63	33
9	TRD	A	580	7/13	0.88	0.14	58,61,62,62	0
7	UNX	A	573	1/1	0.89	0.34	29,29,29,29	0
7	UNX	C	573	1/1	0.91	0.29	46,46,46,46	0
8	DMU	B	288	33/33	0.92	0.14	71,74,79,79	0
8	DMU	A	574	33/33	0.94	0.12	29,39,53,56	0
3	HEA	C	568	60/60	0.95	0.19	36,42,54,56	0
3	HEA	A	568	60/60	0.96	0.24	31,34,51,52	0
3	HEA	C	567	60/60	0.97	0.21	32,36,48,49	0
3	HEA	A	567	60/60	0.98	0.20	24,26,30,31	0
11	CD	D	9	1/1	0.98	0.10	49,49,49,49	1
5	MG	C	571	1/1	0.99	0.26	14,14,14,14	0
6	CA	C	572	1/1	0.99	0.06	43,43,43,43	0
4	CU1	C	570	1/1	0.99	0.13	42,42,42,42	0
11	CD	B	8	1/1	0.99	0.07	44,44,44,44	0
11	CD	D	8	1/1	0.99	0.07	42,42,42,42	0
5	MG	A	571	1/1	0.99	0.26	9,9,9,9	0
6	CA	A	572	1/1	1.00	0.08	29,29,29,29	0
4	CU1	A	570	1/1	1.00	0.14	35,35,35,35	0
4	CU1	D	3	1/1	1.00	0.11	35,35,35,35	0
4	CU1	D	4	1/1	1.00	0.11	35,35,35,35	0
11	CD	B	9	1/1	1.00	0.15	40,40,40,40	1
4	CU1	B	3	1/1	1.00	0.11	29,29,29,29	0
4	CU1	B	4	1/1	1.00	0.12	29,29,29,29	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different

orientation to approximate a three-dimensional view.






Electron density around DMU C 1002:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DMU A 577:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DMU D 1003:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DMU B 11:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DMU D 1011:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around DMU A 575:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around DMU C 1005:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around DMU B 288:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around DMU A 574:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







6.5 Other polymers [i](#)

There are no such residues in this entry.