



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 12, 2024 – 10:28 PM EST

PDB ID : 3IAD
Title : Crystal structure of human phosphodiesterase 4D with bound allosteric modulator
Authors : Staker, B.L.; Burgin Jr., A.B.
Deposited on : 2009-07-13
Resolution : 2.65 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1332 (2.68-2.64)
Clashscore	141614	1374 (2.68-2.64)
Ramachandran outliers	138981	1349 (2.68-2.64)
Sidechain outliers	138945	1349 (2.68-2.64)
RSRZ outliers	127900	1318 (2.68-2.64)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	377	
1	B	377	
1	C	377	
1	D	377	

2 Entry composition i

There are 6 unique types of molecules in this entry. The entry contains 11397 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called cAMP-specific 3',5'-cyclic phosphodiesterase 4D.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	340	Total 2743	C 1734	N 465	O 530	S 14	0	0	0
1	B	338	Total 2727	C 1726	N 462	O 525	S 14	0	0	0
1	C	339	Total 2740	C 1732	N 466	O 528	S 14	0	0	0
1	D	339	Total 2741	C 1733	N 467	O 527	S 14	0	0	0

There are 112 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	243	MET	-	initiating methionine	UNP Q08499
A	579	ALA	-	linker	UNP Q08499
A	580	PRO	-	linker	UNP Q08499
A	581	ALA	-	linker	UNP Q08499
A	582	PRO	-	linker	UNP Q08499
A	583	PRO	-	linker	UNP Q08499
A	584	LEU	-	linker	UNP Q08499
A	585	ASP	-	linker	UNP Q08499
A	586	GLU	-	linker	UNP Q08499
A	587	GLN	-	linker	UNP Q08499
A	588	ASN	-	linker	UNP Q08499
A	589	ARG	-	linker	UNP Q08499
A	590	ASP	-	linker	UNP Q08499
A	591	SER	-	linker	UNP Q08499
A	592	GLN	-	linker	UNP Q08499
A	607	GLU	-	expression tag	UNP Q08499
A	608	ASN	-	expression tag	UNP Q08499
A	609	LEU	-	expression tag	UNP Q08499
A	610	TYR	-	expression tag	UNP Q08499
A	611	PHE	-	expression tag	UNP Q08499
A	612	GLN	-	expression tag	UNP Q08499

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	613	GLY	-	expression tag	UNP Q08499
A	614	HIS	-	expression tag	UNP Q08499
A	615	HIS	-	expression tag	UNP Q08499
A	616	HIS	-	expression tag	UNP Q08499
A	617	HIS	-	expression tag	UNP Q08499
A	618	HIS	-	expression tag	UNP Q08499
A	619	HIS	-	expression tag	UNP Q08499
B	243	MET	-	initiating methionine	UNP Q08499
B	579	ALA	-	linker	UNP Q08499
B	580	PRO	-	linker	UNP Q08499
B	581	ALA	-	linker	UNP Q08499
B	582	PRO	-	linker	UNP Q08499
B	583	PRO	-	linker	UNP Q08499
B	584	LEU	-	linker	UNP Q08499
B	585	ASP	-	linker	UNP Q08499
B	586	GLU	-	linker	UNP Q08499
B	587	GLN	-	linker	UNP Q08499
B	588	ASN	-	linker	UNP Q08499
B	589	ARG	-	linker	UNP Q08499
B	590	ASP	-	linker	UNP Q08499
B	591	SER	-	linker	UNP Q08499
B	592	GLN	-	linker	UNP Q08499
B	607	GLU	-	expression tag	UNP Q08499
B	608	ASN	-	expression tag	UNP Q08499
B	609	LEU	-	expression tag	UNP Q08499
B	610	TYR	-	expression tag	UNP Q08499
B	611	PHE	-	expression tag	UNP Q08499
B	612	GLN	-	expression tag	UNP Q08499
B	613	GLY	-	expression tag	UNP Q08499
B	614	HIS	-	expression tag	UNP Q08499
B	615	HIS	-	expression tag	UNP Q08499
B	616	HIS	-	expression tag	UNP Q08499
B	617	HIS	-	expression tag	UNP Q08499
B	618	HIS	-	expression tag	UNP Q08499
B	619	HIS	-	expression tag	UNP Q08499
C	243	MET	-	initiating methionine	UNP Q08499
C	579	ALA	-	linker	UNP Q08499
C	580	PRO	-	linker	UNP Q08499
C	581	ALA	-	linker	UNP Q08499
C	582	PRO	-	linker	UNP Q08499
C	583	PRO	-	linker	UNP Q08499
C	584	LEU	-	linker	UNP Q08499

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	585	ASP	-	linker	UNP Q08499
C	586	GLU	-	linker	UNP Q08499
C	587	GLN	-	linker	UNP Q08499
C	588	ASN	-	linker	UNP Q08499
C	589	ARG	-	linker	UNP Q08499
C	590	ASP	-	linker	UNP Q08499
C	591	SER	-	linker	UNP Q08499
C	592	GLN	-	linker	UNP Q08499
C	607	GLU	-	expression tag	UNP Q08499
C	608	ASN	-	expression tag	UNP Q08499
C	609	LEU	-	expression tag	UNP Q08499
C	610	TYR	-	expression tag	UNP Q08499
C	611	PHE	-	expression tag	UNP Q08499
C	612	GLN	-	expression tag	UNP Q08499
C	613	GLY	-	expression tag	UNP Q08499
C	614	HIS	-	expression tag	UNP Q08499
C	615	HIS	-	expression tag	UNP Q08499
C	616	HIS	-	expression tag	UNP Q08499
C	617	HIS	-	expression tag	UNP Q08499
C	618	HIS	-	expression tag	UNP Q08499
C	619	HIS	-	expression tag	UNP Q08499
D	243	MET	-	initiating methionine	UNP Q08499
D	579	ALA	-	linker	UNP Q08499
D	580	PRO	-	linker	UNP Q08499
D	581	ALA	-	linker	UNP Q08499
D	582	PRO	-	linker	UNP Q08499
D	583	PRO	-	linker	UNP Q08499
D	584	LEU	-	linker	UNP Q08499
D	585	ASP	-	linker	UNP Q08499
D	586	GLU	-	linker	UNP Q08499
D	587	GLN	-	linker	UNP Q08499
D	588	ASN	-	linker	UNP Q08499
D	589	ARG	-	linker	UNP Q08499
D	590	ASP	-	linker	UNP Q08499
D	591	SER	-	linker	UNP Q08499
D	592	GLN	-	linker	UNP Q08499
D	607	GLU	-	expression tag	UNP Q08499
D	608	ASN	-	expression tag	UNP Q08499
D	609	LEU	-	expression tag	UNP Q08499
D	610	TYR	-	expression tag	UNP Q08499
D	611	PHE	-	expression tag	UNP Q08499
D	612	GLN	-	expression tag	UNP Q08499

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	613	GLY	-	expression tag	UNP Q08499
D	614	HIS	-	expression tag	UNP Q08499
D	615	HIS	-	expression tag	UNP Q08499
D	616	HIS	-	expression tag	UNP Q08499
D	617	HIS	-	expression tag	UNP Q08499
D	618	HIS	-	expression tag	UNP Q08499
D	619	HIS	-	expression tag	UNP Q08499

- Molecule 2 is 1-{4-[(2-fluoro-6-methoxy-3'-nitrophenyl-3-yl)methyl]phenyl}urea (three-letter code: 15X) (formula: C₂₁H₁₈FN₃O₄).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	F	N			O
2	A	1	Total	C	F	N	O	0	0
			29	21	1	3	4		
2	B	1	Total	C	F	N	O	0	1
			58	42	2	6	8		
2	C	1	Total	C	F	N	O	0	0
			29	21	1	3	4		
2	D	1	Total	C	F	N	O	0	0
			29	21	1	3	4		

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Zn	0	0
			1	1		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Zn	0	0
			1	1		
3	C	1	Total	Zn	0	0
			1	1		
3	D	1	Total	Zn	0	0
			1	1		

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Mg	0	0
			1	1		
4	B	1	Total	Mg	0	0
			1	1		
4	C	1	Total	Mg	0	0
			1	1		
4	D	1	Total	Mg	0	0
			1	1		

- Molecule 5 is 4-(2-HYDROXYETHYL)-1-PIPERAZINE ETHANESULFONIC ACID (three-letter code: EPE) (formula: C₈H₁₈N₂O₄S).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
5	A	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
5	B	1	Total	C	N	O	S	0	0
			15	8	2	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	B	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
5	C	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
5	D	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
5	D	1	Total	C	N	O	S	0	0
			15	8	2	4	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	53	Total	O	0	0
			53	53		
6	B	46	Total	O	0	0
			46	46		
6	C	44	Total	O	0	0
			44	44		
6	D	60	Total	O	0	0
			60	60		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: cAMP-specific 3',5'-cyclic phosphodiesterase 4D




- Molecule 1: cAMP-specific 3',5'-cyclic phosphodiesterase 4D




- Molecule 1: cAMP-specific 3',5'-cyclic phosphodiesterase 4D



- Molecule 1: cAMP-specific 3',5'-cyclic phosphodiesterase 4D





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	97.55Å 112.00Å 162.38Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.65 48.78 – 2.65	Depositor EDS
% Data completeness (in resolution range)	(Not available) (50.00-2.65) 93.2 (48.78-2.65)	Depositor EDS
R_{merge}	0.19	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.27 (at 2.65Å)	Xtrriage
Refinement program	REFMAC 5.5.0088	Depositor
R, R_{free}	0.214 , 0.267 0.214 , 0.263	Depositor DCC
R_{free} test set	2479 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	27.3	Xtrriage
Anisotropy	0.151	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 40.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	11397	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.93% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 15X, EPE, MG, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.35	0/2797	0.48	0/3798
1	B	0.35	0/2782	0.49	0/3780
1	C	0.36	0/2794	0.49	0/3794
1	D	0.37	0/2796	0.51	0/3797
All	All	0.36	0/11169	0.49	0/15169

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2743	0	2682	17	0
1	B	2727	0	2664	17	0
1	C	2740	0	2682	15	0
1	D	2741	0	2684	17	0
2	A	29	0	18	1	0
2	B	58	0	36	6	0
2	C	29	0	18	1	0
2	D	29	0	18	1	0
3	A	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
5	A	15	0	17	0	0
5	B	30	0	34	0	0
5	C	15	0	17	0	0
5	D	30	0	34	0	0
6	A	53	0	0	3	0
6	B	46	0	0	0	0
6	C	44	0	0	0	0
6	D	60	0	0	2	0
All	All	11397	0	10904	73	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (73) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:542:ILE:HD11	1:A:600:ILE:HG23	1.54	0.86
1:C:542:ILE:HD11	1:C:600:ILE:HG23	1.59	0.84
1:D:439:MET:HE2	1:D:604:PHE:HE2	1.41	0.84
1:D:542:ILE:HD11	1:D:600:ILE:HG23	1.58	0.83
2:B:901[A]:15X:O57	2:B:901[A]:15X:H31	1.80	0.80
1:B:542:ILE:HD11	1:B:600:ILE:HG23	1.66	0.77
1:D:439:MET:HE2	1:D:604:PHE:CE2	2.22	0.74
2:B:901[B]:15X:O57	2:B:901[B]:15X:H33	1.90	0.70
1:B:439:MET:HE2	1:B:604:PHE:HE2	1.59	0.66
1:B:358:ALA:HB2	1:B:426:LEU:HD12	1.78	0.65
1:B:439:MET:HE2	1:B:604:PHE:CE2	2.32	0.64
1:A:270:LEU:HD11	1:A:275:ILE:HD11	1.86	0.58
1:C:270:LEU:HD11	1:C:275:ILE:HD11	1.85	0.57
1:A:459:THR:HG22	1:A:465:LEU:HD12	1.87	0.56
1:B:323:VAL:HG13	1:B:505:GLU:OE1	2.05	0.56
1:C:323:VAL:HG13	1:C:505:GLU:OE1	2.08	0.54
1:D:267:LYS:NZ	6:D:30:HOH:O	2.40	0.54
1:B:400:LEU:HD21	1:B:434:VAL:HB	1.90	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:542:ILE:HD13	1:A:604:PHE:CE1	2.45	0.52
1:C:323:VAL:CG1	1:C:505:GLU:OE1	2.58	0.52
1:B:496:ARG:HD3	1:B:571:TRP:CH2	2.44	0.52
1:D:270:LEU:HD11	1:D:275:ILE:HD11	1.90	0.52
1:C:418:LEU:HD23	1:C:422:GLN:HB3	1.91	0.52
1:A:550:TRP:O	1:A:554:VAL:HG22	2.10	0.51
1:C:439:MET:HE2	1:C:604:PHE:CE2	2.46	0.51
2:B:901[B]:15X:H30	2:B:901[B]:15X:F59	2.01	0.51
1:D:487:ASN:HB2	1:D:488:PRO:HD3	1.93	0.50
1:D:439:MET:HE1	1:D:485:LEU:HD21	1.95	0.49
1:A:474:GLN:HA	1:A:477:GLN:HE21	1.76	0.49
1:B:449:LEU:HG	1:B:549:THR:HG22	1.96	0.48
1:A:523:MET:SD	1:A:534:SER:OG	2.71	0.48
1:D:371:PRO:HG2	1:D:373:VAL:HG22	1.96	0.47
2:A:901:15X:H31	2:A:901:15X:HN55	1.80	0.47
1:C:287:ILE:HD12	1:C:332:ALA:HB1	1.96	0.47
1:C:542:ILE:HD13	1:C:604:PHE:CD1	2.50	0.47
1:B:262:LEU:HD11	1:B:286:VAL:CG1	2.45	0.47
1:D:394:VAL:HG23	6:D:47:HOH:O	2.15	0.46
1:D:439:MET:HE3	1:D:439:MET:HA	1.97	0.46
1:D:323:VAL:HG13	1:D:505:GLU:OE1	2.15	0.46
1:A:249:GLY:N	6:A:93:HOH:O	2.48	0.46
1:A:426:LEU:O	1:A:430:VAL:HG23	2.15	0.46
1:A:439:MET:HE2	1:A:604:PHE:CE2	2.50	0.46
1:D:256:ASP:OD2	1:D:257:VAL:HG23	2.15	0.46
1:B:439:MET:HE3	1:B:439:MET:HA	1.98	0.46
2:B:901[A]:15X:O57	2:B:901[A]:15X:C31	2.48	0.46
2:D:901:15X:O57	2:D:901:15X:H33	2.16	0.45
1:A:250:VAL:HG22	6:A:93:HOH:O	2.17	0.45
1:A:439:MET:HE3	1:A:439:MET:HA	1.98	0.45
2:C:901:15X:O57	2:C:901:15X:H33	2.17	0.45
1:D:373:VAL:HA	1:D:509:GLN:HE21	1.82	0.45
2:B:901[B]:15X:O57	2:B:901[B]:15X:C33	2.57	0.44
1:C:492:LEU:HD21	1:C:571:TRP:CE2	2.51	0.44
1:B:542:ILE:HD13	1:B:604:PHE:CE1	2.52	0.44
1:B:282:ARG:N	1:B:283:PRO:CD	2.81	0.44
1:C:487:ASN:HB2	1:C:488:PRO:HD3	2.00	0.43
1:A:439:MET:HE2	1:A:604:PHE:HE2	1.83	0.43
1:B:410:GLU:CD	1:C:420:LYS:HZ3	2.22	0.43
1:A:253:GLU:O	1:A:257:VAL:HG23	2.19	0.43
1:D:373:VAL:HA	1:D:509:GLN:NE2	2.34	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:282:ARG:N	1:C:283:PRO:CD	2.83	0.42
1:D:270:LEU:HD22	1:D:336:GLN:HG3	2.01	0.42
1:A:539:ILE:HA	1:A:543:VAL:HB	2.02	0.42
1:C:342:LEU:HD13	1:C:356:ILE:HG23	2.01	0.42
1:A:293:GLN:NE2	6:A:87:HOH:O	2.51	0.41
1:C:371:PRO:HG2	1:C:373:VAL:HG22	2.02	0.41
1:B:502:ILE:HG21	2:B:901[A]:15X:H43A	2.01	0.41
1:D:542:ILE:HD13	1:D:604:PHE:CE1	2.56	0.41
1:C:439:MET:HE3	1:C:439:MET:HA	2.02	0.41
1:B:439:MET:HE1	1:B:485:LEU:HD21	2.02	0.41
1:D:355:GLU:OE1	1:D:472:ARG:NH1	2.54	0.41
1:B:487:ASN:HB2	1:B:488:PRO:HD3	2.03	0.41
1:A:459:THR:HG23	1:A:465:LEU:HB2	2.04	0.40
1:B:562:LEU:HD23	1:B:562:LEU:HA	1.97	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	336/377 (89%)	326 (97%)	10 (3%)	0	100	100
1	B	334/377 (89%)	321 (96%)	13 (4%)	0	100	100
1	C	335/377 (89%)	325 (97%)	10 (3%)	0	100	100
1	D	335/377 (89%)	327 (98%)	8 (2%)	0	100	100
All	All	1340/1508 (89%)	1299 (97%)	41 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	310/344 (90%)	304 (98%)	6 (2%)	57 74
1	B	308/344 (90%)	298 (97%)	10 (3%)	39 56
1	C	310/344 (90%)	300 (97%)	10 (3%)	39 56
1	D	310/344 (90%)	305 (98%)	5 (2%)	62 78
All	All	1238/1376 (90%)	1207 (98%)	31 (2%)	47 66

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	252	THR
1	A	452	MET
1	A	456	LYS
1	A	470	SER
1	A	534	SER
1	A	570	GLU
1	B	255	GLU
1	B	256	ASP
1	B	258	LEU
1	B	344	THR
1	B	421	LYS
1	B	452	MET
1	B	493	GLN
1	B	504	GLU
1	B	534	SER
1	B	567	ASP
1	C	253	GLU
1	C	254	GLN
1	C	385	LEU
1	C	387	LEU
1	C	408	GLN
1	C	421	LYS
1	C	463	VAL
1	C	474	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	523	MET
1	C	597	SER
1	D	256	ASP
1	D	274	ARG
1	D	294	GLU
1	D	376	GLN
1	D	474	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	477	GLN
1	A	528	ASN
1	D	254	GLN
1	D	293	GLN
1	D	416	GLN
1	D	509	GLN
1	D	528	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 19 ligands modelled in this entry, 8 are monoatomic - leaving 11 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	15X	B	901[A]	-	29,31,31	2.70	4 (13%)	36,43,43	1.51	6 (16%)
5	EPE	B	801	-	15,15,15	0.83	1 (6%)	18,20,20	1.21	2 (11%)
2	15X	C	901	-	29,31,31	2.64	4 (13%)	36,43,43	1.62	8 (22%)
5	EPE	A	806	-	15,15,15	0.78	1 (6%)	18,20,20	1.26	3 (16%)
2	15X	A	901	-	29,31,31	2.83	4 (13%)	36,43,43	2.67	10 (27%)
5	EPE	B	802	-	15,15,15	0.90	1 (6%)	18,20,20	1.25	3 (16%)
5	EPE	C	803	-	15,15,15	0.75	1 (6%)	18,20,20	1.40	2 (11%)
2	15X	D	901	-	29,31,31	2.59	4 (13%)	36,43,43	1.48	7 (19%)
2	15X	B	901[B]	-	29,31,31	2.72	4 (13%)	36,43,43	1.44	6 (16%)
5	EPE	D	804	-	15,15,15	0.75	1 (6%)	18,20,20	1.24	1 (5%)
5	EPE	D	805	-	15,15,15	0.78	1 (6%)	18,20,20	1.44	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	15X	B	901[A]	-	-	1/12/18/18	0/3/3/3
5	EPE	B	801	-	-	4/9/19/19	0/1/1/1
2	15X	C	901	-	-	2/12/18/18	0/3/3/3
5	EPE	A	806	-	-	1/9/19/19	0/1/1/1
2	15X	A	901	-	-	3/12/18/18	0/3/3/3
5	EPE	B	802	-	-	1/9/19/19	0/1/1/1
5	EPE	C	803	-	-	3/9/19/19	0/1/1/1
2	15X	D	901	-	-	2/12/18/18	0/3/3/3
2	15X	B	901[B]	-	-	0/12/18/18	0/3/3/3
5	EPE	D	804	-	-	2/9/19/19	0/1/1/1
5	EPE	D	805	-	-	3/9/19/19	0/1/1/1

All (26) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	901	15X	O51-N47	10.26	1.40	1.22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	901	15X	O51-N47	10.08	1.39	1.22
2	B	901[B]	15X	O51-N47	9.91	1.39	1.22
2	B	901[A]	15X	O51-N47	9.90	1.39	1.22
2	A	901	15X	C14-C15	9.72	1.49	1.38
2	D	901	15X	O51-N47	9.67	1.39	1.22
2	B	901[B]	15X	C14-C15	8.94	1.48	1.38
2	B	901[A]	15X	C14-C15	8.78	1.47	1.38
2	D	901	15X	C14-C15	8.36	1.47	1.38
2	C	901	15X	C14-C15	8.22	1.47	1.38
2	C	901	15X	C17-C16	3.15	1.49	1.42
5	B	802	EPE	C10-S	3.09	1.81	1.77
2	B	901[B]	15X	C17-C16	2.93	1.48	1.42
2	B	901[A]	15X	C17-C16	2.93	1.48	1.42
5	B	801	EPE	C10-S	2.90	1.81	1.77
2	A	901	15X	C17-C16	2.86	1.48	1.42
2	B	901[A]	15X	C32-N51	-2.75	1.36	1.41
2	D	901	15X	C17-C16	2.71	1.48	1.42
5	A	806	EPE	C10-S	2.68	1.81	1.77
5	D	805	EPE	C10-S	2.63	1.81	1.77
2	B	901[B]	15X	C32-N51	-2.57	1.36	1.41
5	C	803	EPE	C10-S	2.56	1.81	1.77
5	D	804	EPE	C10-S	2.56	1.81	1.77
2	D	901	15X	C32-N51	-2.24	1.37	1.41
2	A	901	15X	C32-N51	-2.18	1.37	1.41
2	C	901	15X	C32-N51	-2.06	1.37	1.41

All (50) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	901	15X	N55-C53-N51	10.94	127.80	115.49
2	A	901	15X	O57-C53-N51	-6.34	115.42	122.36
2	A	901	15X	F59-C15-C14	3.98	122.06	117.85
2	B	901[A]	15X	C13-C14-C15	3.92	119.28	116.43
2	A	901	15X	O57-C53-N55	-3.76	116.77	123.22
2	B	901[B]	15X	C13-C14-C15	3.74	119.15	116.43
5	D	805	EPE	O2S-S-C10	3.71	111.38	106.92
2	C	901	15X	C13-C14-C15	3.69	119.12	116.43
5	D	804	EPE	O2S-S-C10	3.67	111.34	106.92
2	C	901	15X	C4-C3-N47	3.58	122.07	119.38
2	D	901	15X	C43-O43-C17	3.55	122.71	117.75
2	B	901[B]	15X	O43-C17-C16	3.38	120.86	115.89
2	C	901	15X	O43-C17-C16	3.38	120.86	115.89

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	901[A]	15X	O43-C17-C16	3.37	120.84	115.89
2	D	901	15X	C13-C14-C15	3.34	118.86	116.43
5	C	803	EPE	O2S-S-C10	3.27	110.86	106.92
2	A	901	15X	C43-O43-C17	3.27	122.32	117.75
2	D	901	15X	O57-C53-N55	-3.20	117.72	123.22
5	C	803	EPE	O1S-S-C10	3.09	110.63	106.92
2	C	901	15X	O57-C53-N55	-3.02	118.04	123.22
5	B	802	EPE	O1S-S-C10	2.94	110.46	106.92
2	B	901[B]	15X	F59-C15-C14	2.92	120.93	117.85
2	A	901	15X	C13-C14-C15	2.91	118.55	116.43
5	B	802	EPE	O3S-S-C10	2.88	110.43	105.77
2	B	901[A]	15X	F59-C15-C14	2.74	120.74	117.85
2	B	901[A]	15X	C14-C26-C28	-2.74	108.04	114.22
5	A	806	EPE	O1S-S-C10	2.70	110.17	106.92
2	B	901[A]	15X	O43-C17-C18	-2.64	119.86	124.24
2	B	901[B]	15X	C14-C15-C16	-2.60	118.76	123.88
2	C	901	15X	C43-O43-C17	2.59	121.37	117.75
2	B	901[B]	15X	O43-C17-C18	-2.59	119.95	124.24
2	B	901[A]	15X	C14-C15-C16	-2.52	118.92	123.88
5	B	801	EPE	O3S-S-C10	2.50	109.82	105.77
5	D	805	EPE	O1S-S-C10	2.48	109.91	106.92
2	A	901	15X	C14-C15-C16	-2.48	119.00	123.88
2	D	901	15X	O57-C53-N51	2.47	125.07	122.36
2	A	901	15X	C4-C3-N47	2.42	121.19	119.38
2	D	901	15X	C14-C15-C16	-2.38	119.18	123.88
2	C	901	15X	C14-C15-C16	-2.36	119.24	123.88
5	B	801	EPE	O2S-S-C10	2.24	109.61	106.92
5	A	806	EPE	O3S-S-C10	2.21	109.34	105.77
2	C	901	15X	O43-C17-C18	-2.21	120.59	124.24
2	B	901[B]	15X	O57-C53-N55	-2.18	119.47	123.22
5	B	802	EPE	O2S-S-C10	2.17	109.53	106.92
2	D	901	15X	C4-C3-N47	2.16	121.00	119.38
2	C	901	15X	F59-C15-C14	2.13	120.10	117.85
2	A	901	15X	C31-C32-N51	2.12	127.53	120.40
2	A	901	15X	O43-C17-C16	2.11	119.00	115.89
5	A	806	EPE	C6-N1-C2	2.07	113.50	108.83
2	D	901	15X	F59-C15-C14	2.04	120.00	117.85

There are no chirality outliers.

All (22) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	901[A]	15X	C15-C14-C26-C28
5	B	801	EPE	C9-C10-S-O1S
5	C	803	EPE	C9-C10-S-O2S
5	C	803	EPE	C9-C10-S-O3S
5	A	806	EPE	N4-C7-C8-O8
2	C	901	15X	C16-C17-O43-C43
5	D	804	EPE	N4-C7-C8-O8
5	B	801	EPE	N4-C7-C8-O8
2	C	901	15X	C18-C17-O43-C43
5	B	801	EPE	C9-C10-S-O3S
5	D	805	EPE	C9-C10-S-O3S
2	A	901	15X	N55-C53-N51-C32
2	A	901	15X	O57-C53-N51-C32
5	B	802	EPE	N4-C7-C8-O8
5	D	804	EPE	S-C10-C9-N1
2	A	901	15X	C15-C14-C26-C28
5	B	801	EPE	C9-C10-S-O2S
5	C	803	EPE	C9-C10-S-O1S
5	D	805	EPE	C9-C10-S-O1S
5	D	805	EPE	C9-C10-S-O2S
2	D	901	15X	C18-C17-O43-C43
2	D	901	15X	C16-C17-O43-C43


There are no ring outliers.



5 monomers are involved in 9 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	901[A]	15X	3	0
2	C	901	15X	1	0
2	A	901	15X	1	0
2	D	901	15X	1	0
2	B	901[B]	15X	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.

The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	340/377 (90%)	0.23	18 (5%) 26 23	7, 19, 40, 51	0
1	B	338/377 (89%)	0.14	8 (2%) 59 54	8, 24, 38, 53	0
1	C	339/377 (89%)	0.24	16 (4%) 31 28	10, 23, 43, 56	0
1	D	339/377 (89%)	-0.03	8 (2%) 59 54	6, 14, 32, 41	0
All	All	1356/1508 (89%)	0.14	50 (3%) 41 38	6, 20, 39, 56	0

All (50) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	460	SER	5.4
1	D	593	GLY	5.0
1	A	461	SER	4.9
1	C	593	GLY	4.7
1	C	253	GLU	4.4
1	A	458	VAL	3.9
1	C	254	GLN	3.9
1	A	249	GLY	3.8
1	B	606	ASP	3.5
1	A	594	ASN	3.4
1	C	575	THR	3.4
1	A	463	VAL	3.3
1	A	606	ASP	3.1
1	C	460	SER	3.1
1	C	252	THR	3.1
1	B	256	ASP	3.0
1	A	459	THR	2.9
1	C	458	VAL	2.9
1	A	462	GLY	2.8
1	C	459	THR	2.8
1	B	594	ASN	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	530	SER	2.7
1	A	528	ASN	2.7
1	D	528	ASN	2.7
1	D	606	ASP	2.6
1	B	260	LYS	2.6
1	C	528	ASN	2.5
1	C	467	ASP	2.5
1	C	461	SER	2.5
1	A	250	VAL	2.5
1	B	255	GLU	2.5
1	C	534	SER	2.5
1	A	605	LEU	2.4
1	D	578	GLN	2.4
1	B	299	LYS	2.3
1	D	534	SER	2.3
1	B	595	GLN	2.3
1	A	574	SER	2.2
1	C	606	ASP	2.2
1	A	534	SER	2.2
1	B	305	VAL	2.2
1	C	519	GLU	2.1
1	C	255	GLU	2.1
1	A	541	TYR	2.1
1	A	527	HIS	2.1
1	C	260	LYS	2.1
1	A	602	ASN	2.1
1	D	255	GLU	2.1
1	D	465	LEU	2.0
1	A	575	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	MG	A	621	1/1	0.89	0.22	17,17,17,17	0
2	15X	B	901[A]	29/29	0.91	0.27	19,20,21,21	29
2	15X	B	901[B]	29/29	0.91	0.27	13,14,16,16	29
2	15X	C	901	29/29	0.91	0.25	26,29,34,35	0
2	15X	A	901	29/29	0.91	0.28	22,27,35,37	0
5	EPE	A	806	15/15	0.91	0.32	52,57,58,59	0
5	EPE	B	801	15/15	0.92	0.21	48,51,51,51	0
2	15X	D	901	29/29	0.93	0.23	16,19,26,27	0
5	EPE	D	804	15/15	0.93	0.24	41,43,43,44	0
5	EPE	B	802	15/15	0.94	0.23	44,47,49,49	0
5	EPE	D	805	15/15	0.94	0.27	34,41,44,45	0
4	MG	B	621	1/1	0.95	0.13	17,17,17,17	0
5	EPE	C	803	15/15	0.96	0.24	31,33,37,37	0
4	MG	C	621	1/1	0.97	0.06	10,10,10,10	0
4	MG	D	621	1/1	0.98	0.06	3,3,3,3	0
3	ZN	B	620	1/1	0.99	0.08	13,13,13,13	0
3	ZN	C	620	1/1	0.99	0.07	16,16,16,16	0
3	ZN	A	620	1/1	0.99	0.09	14,14,14,14	0
3	ZN	D	620	1/1	1.00	0.08	10,10,10,10	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 15X B 901 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 15X B 901 (B):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around 15X C 901:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around 15X A 901:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.