



wwPDB EM Validation Summary Report ⓘ

Nov 19, 2022 – 09:09 AM EST

PDB ID : 3JAH
EMDB ID : EMD-3039
Title : Structure of a mammalian ribosomal termination complex with ABCE1, eRF1(AAQ), and the UAG stop codon
Authors : Brown, A.; Shao, S.; Murray, J.; Hegde, R.S.; Ramakrishnan, V.
Deposited on : 2015-06-10
Resolution : 3.45 Å (reported)
Based on initial models : 3J7P, 1DT9, 3J92, 4V51, 3BK7

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.3

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	244	88% 11% .
2	B	394	87% 12% .
3	C	362	84% 15% .
4	D	292	89% 11%
5	E	248	10% 78% 17% 5%
6	F	225	87% 12% .
7	G	241	13% 88% 12%
8	H	190	87% 13%


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	I	213	 84% 12%
10	J	169	 87% 12%
11	L	210	 5% 80% 19%
12	M	138	 88% 12%
13	N	203	 91% 9%
14	O	199	 86% 13%
15	P	153	 91% 9%
16	Q	187	 89% 11%
17	R	180	 88% 12%
18	S	175	 83% 17%
19	T	159	 87% 12%
20	U	99	 90% 8%
21	V	131	 86% 14%
22	W	63	 89% 11%
23	X	119	 90% 10%
24	Y	134	 86% 13%
25	Z	135	 89% 11%
26	a	147	 89% 11%
27	b	75	 17% 92% 8%
28	c	94	 86% 14%
29	d	107	 85% 13%
30	e	128	 84% 16%
31	f	109	 83% 17%
32	g	114	 6% 86% 13%
33	h	122	 88% 11%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	i	102	 91% 9%
35	j	86	 83% 15%
36	k	69	 84% 14%
37	l	50	 84% 16%
38	m	52	 83% 17%
39	n	23	 83% 17%
40	o	104	 86% 13%
41	p	91	 92% 8%
42	r	125	 78% 18%
43	s	198	 72% 90% 10%
44	t	163	 69% 80% 20%
45	1	15	 20% 80% 20%
46	2	76	 72% 26%
47	3	75	 20% 51% 41% 8%
48	5	3662	 7% 66% 32%
49	7	120	 83% 17%
50	8	156	 67% 33%
51	9	1719	 6% 63% 35%
52	AA	208	 85% 15%
53	BB	213	 83% 16%
54	CC	218	 84% 15%
55	DD	227	 7% 85% 15%
56	EE	262	 78% 21%
57	FF	191	 6% 77% 22%
58	GG	237	 11% 86% 14%





Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
59	HH	189	13% 83% 16%
60	II	206	10% 84% 16%
61	JJ	185	84% 14%
62	KK	98	11% 79% 19%
63	LL	152	11% 81% 17%
64	MM	124	55% 80% 19%
65	NN	150	82% 18%
66	OO	136	75% 21%
67	PP	127	12% 83% 17%
68	QQ	141	85% 15%
69	RR	129	11% 85% 13%
70	SS	137	84% 13%
71	TT	141	84% 15%
72	UU	104	11% 81% 16%
73	VV	83	87% 13%
74	WW	129	85% 14%
75	XX	141	81% 18%
76	YY	126	6% 78% 22%
77	ZZ	75	88% 12%
78	aa	98	81% 19%
79	bb	83	5% 80% 20%
80	cc	61	8% 80% 20%
81	dd	53	81% 19%
82	ee	57	16% 82% 16%
83	ff	68	35% 87% 9%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
84	gg	313	 <p>10% 90% 9%</p>
85	hh	12	 <p>42% 58%</p>
86	ii	416	 <p>39% 89% 10%</p>
87	jj	594	 <p>51% 91% 5%</p>

2 Entry composition [i](#)

There are 91 unique types of molecules in this entry. The entry contains 226454 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called uL2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	244	1868	1171	382	309	6	0	0

- Molecule 2 is a protein called uL3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	394	3148	2007	591	537	13	0	0

- Molecule 3 is a protein called uL4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	C	362	2884	1814	578	478	14	0	0

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	361	LYS	-	EXPRESSION TAG	UNP G1SVW5
C	362	LYS	-	EXPRESSION TAG	UNP G1SVW5
C	363	SER	-	EXPRESSION TAG	UNP G1SVW5

- Molecule 4 is a protein called uL18.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	D	292	2386	1509	437	426	14	0	0

- Molecule 5 is a protein called eL6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	E	236	1898	1215	362	318	3	0	0

- Molecule 6 is a protein called uL30.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	F	225	1870	1202	358	301	9	0	0

- Molecule 7 is a protein called eL8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	G	241	1934	1233	371	326	4	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
G	191	GLY	CYS	CONFLICT	UNP G1STW0

- Molecule 8 is a protein called uL6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	H	190	1516	954	284	272	6	0	0

- Molecule 9 is a protein called uL16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	I	204	1655	1051	319	272	13	0	0

- Molecule 10 is a protein called uL5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	J	169	1353	855	252	240	6	0	0

- Molecule 11 is a protein called eL13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	L	210	1703	1065	354	280	4	0	0

- Molecule 12 is a protein called eL14.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	M	138	Total	C	N	O	S	0	0
			1137	727	221	182	7		

- Molecule 13 is a protein called eL15.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	N	203	Total	C	N	O	S	0	0
			1701	1072	359	266	4		

- Molecule 14 is a protein called uL13.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	O	199	Total	C	N	O	S	0	0
			1638	1056	321	256	5		

- Molecule 15 is a protein called uL22.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	P	153	Total	C	N	O	S	0	0
			1242	776	241	216	9		

- Molecule 16 is a protein called uL14.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	Q	187	Total	C	N	O	S	0	0
			1506	941	311	249	5		

- Molecule 17 is a protein called eL19.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	R	180	Total	C	N	O	S	0	0
			1508	933	328	238	9		

- Molecule 18 is a protein called eL20.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	S	175	Total	C	N	O	S	0	0
			1454	925	284	235	10		

- Molecule 19 is a protein called eL21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	T	159	1298	823	252	217	6	0	0

- Molecule 20 is a protein called eL22.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	U	99	808	518	141	147	2	0	0

- Molecule 21 is a protein called uL14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
21	V	131	979	618	184	172	5	0	0

- Molecule 22 is a protein called eL24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	W	63	528	337	103	85	3	0	0

- Molecule 23 is a protein called uL23.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	X	119	976	624	183	168	1	0	0

- Molecule 24 is a protein called uL24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
24	Y	134	1115	700	226	186	3	0	0

- Molecule 25 is a protein called eL27.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
25	Z	135	1107	714	208	182	3	0	0

- Molecule 26 is a protein called uL15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
26	a	147	1162	734	239	185	4	0	0

- Molecule 27 is a protein called eL29.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
27	b	75	609	378	130	98	3	0	0

- Molecule 28 is a protein called eL30.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
28	c	94	732	465	130	131	6	0	0

- Molecule 29 is a protein called eL31.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
29	d	107	888	560	171	155	2	0	0

- Molecule 30 is a protein called eL32.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
30	e	128	1053	667	216	165	5	0	0

- Molecule 31 is a protein called eL33.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	f	109	876	555	174	143	4	0	0

- Molecule 32 is a protein called eL34.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
32	g	114	906	566	187	147	6	0	0

- Molecule 33 is a protein called uL29.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	h	122	Total	C	N	O	S	0	0
			1013	640	204	168	1		

- Molecule 34 is a protein called eL36.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	i	102	Total	C	N	O	S	0	0
			830	520	176	129	5		

- Molecule 35 is a protein called eL37.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	j	86	Total	C	N	O	S	0	0
			705	434	155	111	5		

- Molecule 36 is a protein called eL38.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	k	69	Total	C	N	O	S	0	0
			569	366	103	99	1		

- Molecule 37 is a protein called eL39.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	l	50	Total	C	N	O	S	0	0
			444	281	98	64	1		

- Molecule 38 is a protein called eL40.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	m	52	Total	C	N	O	S	0	0
			429	266	90	67	6		

- Molecule 39 is a protein called eL41.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	n	23	Total	C	N	O	S	0	0
			222	134	61	25	2		

- Molecule 40 is a protein called eL42.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	o	104	Total	C	N	O	S	0	0
			851	533	174	138	6		

- Molecule 41 is a protein called eL43.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	p	91	Total	C	N	O	S	0	0
			708	445	136	120	7		

- Molecule 42 is a protein called eL28.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	r	125	Total	C	N	O	S	0	0
			1001	621	206	168	6		

- Molecule 43 is a protein called uL10.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	s	198	Total	C	N	O	S	0	0
			1523	969	265	280	9		

- Molecule 44 is a protein called uL11.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	t	163	Total	C	N	O	S	0	0
			1238	773	230	230	5		

- Molecule 45 is a protein called peptide.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	1	15	Total	C	N	O	S	0	0
			125	82	20	22	1		

- Molecule 46 is a RNA chain called tRNA(Val).

Mol	Chain	Residues	Atoms					AltConf	Trace
46	2	76	Total	C	N	O	P	0	0
			1616	723	291	527	75		

- Molecule 47 is a RNA chain called tRNA(Lys).

Mol	Chain	Residues	Atoms					AltConf	Trace
47	3	75	Total	C	N	O	P	0	0
			1593	712	281	526	74		

- Molecule 48 is a RNA chain called 28S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	5	3662	Total	C	N	O	P	0	0
			78486	34947	14363	25515	3661		

- Molecule 49 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	7	120	Total	C	N	O	P	0	0
			2558	1141	456	842	119		

- Molecule 50 is a RNA chain called 5.8S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	8	156	Total	C	N	O	P	0	0
			3314	1480	585	1094	155		

- Molecule 51 is a RNA chain called 18S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	9	1719	Total	C	N	O	P	0	0
			36680	16371	6586	12005	1718		

- Molecule 52 is a protein called uS2.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	AA	208	Total	C	N	O	S	0	0
			1642	1045	289	300	8		

- Molecule 53 is a protein called eS1.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	BB	213	Total	C	N	O	S	0	0
			1729	1098	309	308	14		

- Molecule 54 is a protein called uS5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
54	CC	218	1692	1102	287	296	7	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
CC	194	ARG	HIS	CONFLICT	UNP G1TUT9
CC	228	GLY	SER	CONFLICT	UNP G1TUT9

- Molecule 55 is a protein called uS3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
55	DD	227	1764	1124	317	315	8	0	0

- Molecule 56 is a protein called eS4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
56	EE	262	2073	1323	384	357	9	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
EE	25	GLY	SER	CONFLICT	UNP G1TK17

- Molecule 57 is a protein called uS7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
57	FF	191	1509	943	286	273	7	0	0

- Molecule 58 is a protein called eS6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
58	GG	237	1923	1200	387	329	7	0	0

- Molecule 59 is a protein called eS7.

Mol	Chain	Residues	Atoms					AltConf	Trace
59	HH	189	Total	C	N	O	S	0	0
			1521	969	280	271	1		

- Molecule 60 is a protein called eS8.

Mol	Chain	Residues	Atoms					AltConf	Trace
60	II	206	Total	C	N	O	S	0	0
			1686	1058	332	291	5		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
II	47	ARG	GLY	CONFLICT	UNP G1TJW1

- Molecule 61 is a protein called uS4.

Mol	Chain	Residues	Atoms					AltConf	Trace
61	JJ	185	Total	C	N	O	S	0	0
			1525	969	306	248	2		

- Molecule 62 is a protein called eS10.

Mol	Chain	Residues	Atoms					AltConf	Trace
62	KK	98	Total	C	N	O	S	0	0
			827	539	148	134	6		

- Molecule 63 is a protein called uS17.

Mol	Chain	Residues	Atoms					AltConf	Trace
63	LL	152	Total	C	N	O	S	0	0
			1238	788	232	212	6		

- Molecule 64 is a protein called eS12.

Mol	Chain	Residues	Atoms					AltConf	Trace
64	MM	124	Total	C	N	O	S	0	0
			958	600	170	179	9		

- Molecule 65 is a protein called uS15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
65	NN	150	1208	773	229	205	1	0	0

- Molecule 66 is a protein called uS11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
66	OO	136	1016	621	199	190	6	0	0

- Molecule 67 is a protein called uS19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
67	PP	127	1060	673	201	179	7	0	0

- Molecule 68 is a protein called uS9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
68	QQ	141	1124	715	212	194	3	0	0

- Molecule 69 is a protein called eS17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
69	RR	129	1047	658	193	191	5	0	0

- Molecule 70 is a protein called uS13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
70	SS	137	1139	714	231	193	1	0	0

- Molecule 71 is a protein called eS19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
71	TT	141	1102	692	212	195	3	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
TT	119	GLY	TRP	CONFLICT	UNP G1TN62

- Molecule 72 is a protein called uS10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
72	UU	104	821	514	155	148	4	0	0

- Molecule 73 is a protein called eS21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
73	VV	83	636	394	118	119	5	0	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
VV	3	ASN	SER	CONFLICT	UNP G1TM82
VV	4	ASP	ASN	CONFLICT	UNP G1TM82
VV	50	PHE	SER	CONFLICT	UNP G1TM82
VV	75	ALA	SER	CONFLICT	UNP G1TM82

- Molecule 74 is a protein called uS8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
74	WW	129	1034	659	193	176	6	0	0

- Molecule 75 is a protein called uS12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
75	XX	141	1098	693	219	183	3	0	0

- Molecule 76 is a protein called eS24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
76	YY	126	1023	646	200	172	5	0	0

- Molecule 77 is a protein called eS25.

Mol	Chain	Residues	Atoms					AltConf	Trace
77	ZZ	75	Total	C	N	O	S	0	0
			598	382	111	104	1		

- Molecule 78 is a protein called eS26.

Mol	Chain	Residues	Atoms					AltConf	Trace
78	aa	98	Total	C	N	O	S	0	0
			781	486	161	129	5		

- Molecule 79 is a protein called eS27.

Mol	Chain	Residues	Atoms					AltConf	Trace
79	bb	83	Total	C	N	O	S	0	0
			651	408	121	115	7		

- Molecule 80 is a protein called eS28.

Mol	Chain	Residues	Atoms					AltConf	Trace
80	cc	61	Total	C	N	O	S	0	0
			475	290	92	91	2		

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
cc	18	ILE	LEU	CONFLICT	UNP G1TIB4
cc	20	LYS	ARG	CONFLICT	UNP G1TIB4
cc	40	HIS	ARG	CONFLICT	UNP G1TIB4
cc	42	THR	ILE	CONFLICT	UNP G1TIB4

- Molecule 81 is a protein called uS14.

Mol	Chain	Residues	Atoms					AltConf	Trace
81	dd	53	Total	C	N	O	S	0	0
			445	278	90	72	5		

- Molecule 82 is a protein called eS30.

Mol	Chain	Residues	Atoms					AltConf	Trace
82	ee	57	Total	C	N	O	S	0	0
			457	282	101	73	1		

- Molecule 83 is a protein called eS31.

Mol	Chain	Residues	Atoms					AltConf	Trace
83	ff	62	Total	C	N	O	S	0	0
			520	331	98	85	6		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
ff	?	-	VAL	DELETION	UNP G1SK22

- Molecule 84 is a protein called RACK1.

Mol	Chain	Residues	Atoms					AltConf	Trace
84	gg	313	Total	C	N	O	S	0	0
			2436	1535	424	465	12		

- Molecule 85 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
85	hh	12	Total	C	N	O	P	0	0
			257	115	46	84	12		

- Molecule 86 is a protein called eRF1.

Mol	Chain	Residues	Atoms					AltConf	Trace
86	ii	416	Total	C	N	O	S	0	0
			3280	2087	559	623	11		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
ii	183	ALA	GLY	ENGINEERED MUTATION	UNP P62495
ii	184	ALA	GLY	ENGINEERED MUTATION	UNP P62495

- Molecule 87 is a protein called ABCE1.

Mol	Chain	Residues	Atoms					AltConf	Trace
87	jj	576	Total	C	N	O	S	0	0
			4543	2904	779	829	31		


- Molecule 88 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	AltConf
88	B	1	Total Mg 1 1	0
88	C	1	Total Mg 1 1	0
88	I	1	Total Mg 1 1	0
88	P	1	Total Mg 1 1	0
88	V	1	Total Mg 1 1	0
88	g	1	Total Mg 1 1	0
88	5	146	Total Mg 146 146	0
88	7	5	Total Mg 5 5	0
88	8	2	Total Mg 2 2	0
88	9	34	Total Mg 34 34	0
88	LL	1	Total Mg 1 1	0
88	hh	1	Total Mg 1 1	0

- Molecule 89 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms	AltConf
89	g	1	Total Zn 1 1	0
89	j	1	Total Zn 1 1	0
89	m	1	Total Zn 1 1	0
89	o	1	Total Zn 1 1	0
89	p	1	Total Zn 1 1	0
89	aa	1	Total Zn 1 1	0
89	dd	1	Total Zn 1 1	0
89	ff	1	Total Zn 1 1	0

- Molecule 90 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula: Fe₄S₄).



Mol	Chain	Residues	Atoms		AltConf
90	jj	1	Total	Fe S	0
			16	8 8	
90	jj	1	Total	Fe S	0
			16	8 8	

- Molecule 91 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: C₁₀H₁₅N₅O₁₀P₂).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
91	jj	1	54	20	10	20	4	0
91	jj	1	54	20	10	20	4	0

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: uL2

Chain A:  88% 11%




- Molecule 2: uL3

Chain B:  87% 12%





- Molecule 3: uL4

Chain C:  84% 15%





- Molecule 4: uL18

Chain D:  89% 11%








• Molecule 5: eL6





• Molecule 6: uL30




• Molecule 7: eL8



• Molecule 8: uL6




• Molecule 9: uL16







• Molecule 10: uL5





• Molecule 11: eL13




• Molecule 12: eL14




• Molecule 13: eL15




• Molecule 14: uL13





• Molecule 15: uL22




- Molecule 16: uL14





- Molecule 17: eL19





- Molecule 18: eL20





- Molecule 19: eL21




- Molecule 20: eL22




- Molecule 21: uL14




- Molecule 22: eL24







- Molecule 23: uL23



- Molecule 24: uL24





- Molecule 25: eL27




- Molecule 26: uL15




- Molecule 27: eL29




- Molecule 28: eL30





- Molecule 29: eL31







- Molecule 30: eL32





- Molecule 31: eL33




- Molecule 32: eL34





- Molecule 33: uL29




- Molecule 34: eL36




- Molecule 35: eL37





- Molecule 36: eL38








- Molecule 37: eL39





- Molecule 38: eL40




- Molecule 39: eL41





- Molecule 40: eL42




- Molecule 41: eL43




- Molecule 42: eL28




- Molecule 43: uL10




• Molecule 44: uL11




• Molecule 45: peptide




• Molecule 46: tRNA(Val)





• Molecule 47: tRNA(Lys)




● Molecule 48: 28S ribosomal RNA








• Molecule 49: 5S ribosomal RNA





• Molecule 50: 5.8S ribosomal RNA





• Molecule 51: 18S ribosomal RNA











• Molecule 52: uS2





• Molecule 53: eS1





• Molecule 54: uS5





• Molecule 55: uS3





• Molecule 56: eS4





• Molecule 57: uS7



• Molecule 58: eS6





• Molecule 59: eS7









• Molecule 60: eS8




• Molecule 61: uS4




• Molecule 62: eS10





• Molecule 63: uS17





• Molecule 64: eS12









• Molecule 65: uS15





• Molecule 66: uS11





• Molecule 67: uS19




• Molecule 68: uS9



• Molecule 69: eS17





• Molecule 70: uS13








• Molecule 71: eS19




• Molecule 72: uS10





• Molecule 73: eS21




• Molecule 74: uS8




• Molecule 75: uS12



• Molecule 76: eS24




• Molecule 77: eS25








- Molecule 78: eS26




- Molecule 79: eS27





- Molecule 80: eS28





- Molecule 81: uS14





- Molecule 82: eS30




- Molecule 83: eS31





- Molecule 84: RACK1





• Molecule 85: mRNA




• Molecule 86: eRF1



• Molecule 87: ABCE1





4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	20515	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	Not provided	
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	30	Depositor
Minimum defocus (nm)	1700	Depositor
Maximum defocus (nm)	3600	Depositor
Magnification	104478	Depositor
Image detector	FEI FALCON II (4k x 4k)	Depositor
Maximum map value	0.528	Depositor
Minimum map value	-0.315	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.017	Depositor
Recommended contour level	0.07	Depositor
Map size (\AA)	562.8, 562.8, 562.8	wwPDB
Map dimensions	420, 420, 420	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.3399999, 1.3399999, 1.3399999	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: ADP, ZN, MG, SF4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.46	0/1906	0.79	0/2556
2	B	0.40	0/3216	0.78	1/4311 (0.0%)
3	C	0.43	0/2938	0.80	5/3946 (0.1%)
4	D	0.37	0/2432	0.70	2/3257 (0.1%)
5	E	0.46	0/1936	0.82	2/2600 (0.1%)
6	F	0.40	0/1905	0.75	1/2539 (0.0%)
7	G	0.38	0/1967	0.73	1/2647 (0.0%)
8	H	0.37	0/1535	0.71	0/2063
9	I	0.41	0/1693	0.69	0/2260
10	J	0.38	0/1376	0.73	0/1841
11	L	0.41	0/1734	0.79	0/2317
12	M	0.37	0/1158	0.74	0/1547
13	N	0.43	0/1746	0.83	0/2338
14	O	0.40	0/1671	0.77	0/2234
15	P	0.42	0/1268	0.75	0/1701
16	Q	0.41	0/1530	0.81	1/2041 (0.0%)
17	R	0.41	0/1524	0.79	0/2013
18	S	0.40	0/1493	0.85	3/2002 (0.1%)
19	T	0.41	0/1326	0.72	0/1770
20	U	0.41	0/822	0.68	0/1103
21	V	0.40	0/993	0.73	0/1332
22	W	0.48	0/541	0.83	1/720 (0.1%)
23	X	0.42	0/993	0.74	0/1334
24	Y	0.37	0/1132	0.80	2/1504 (0.1%)
25	Z	0.39	0/1130	0.72	0/1507
26	a	0.40	0/1191	0.79	0/1590
27	b	0.44	0/619	0.73	0/818
28	c	0.36	0/742	0.69	0/996
29	d	0.38	0/903	0.81	1/1216 (0.1%)
30	e	0.47	0/1071	0.85	0/1429
31	f	0.52	0/895	0.87	0/1198
32	g	0.42	0/916	0.81	1/1220 (0.1%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	h	0.36	0/1021	0.77	1/1348 (0.1%)
34	i	0.40	0/841	0.82	2/1112 (0.2%)
35	j	0.45	0/720	0.93	1/952 (0.1%)
36	k	0.37	0/575	0.68	0/761
37	l	0.50	0/454	0.84	0/599
38	m	0.37	0/435	0.76	0/575
39	n	0.41	0/223	0.91	0/284
40	o	0.39	0/864	0.75	0/1140
41	p	0.42	0/718	0.71	0/953
42	r	0.48	0/1017	0.80	1/1364 (0.1%)
43	s	0.38	0/1547	0.58	0/2088
44	t	0.41	0/1257	0.69	0/1697
45	1	0.45	0/129	0.72	0/173
46	2	0.26	0/1805	0.72	1/2809 (0.0%)
47	3	0.36	0/1777	0.97	10/2763 (0.4%)
48	5	0.37	4/87790 (0.0%)	0.79	75/136937 (0.1%)
49	7	0.30	0/2858	0.69	0/4455
50	8	0.36	0/3701	0.74	0/5766
51	9	0.32	1/41013 (0.0%)	0.79	45/63919 (0.1%)
52	AA	0.36	0/1679	0.70	0/2283
53	BB	0.38	0/1756	0.77	4/2350 (0.2%)
54	CC	0.41	0/1730	0.76	1/2344 (0.0%)
55	DD	0.37	0/1792	0.72	0/2412
56	EE	0.39	0/2115	0.78	0/2843
57	FF	0.49	0/1531	0.78	1/2059 (0.0%)
58	GG	0.37	0/1946	0.78	0/2590
59	HH	0.44	0/1544	0.72	1/2068 (0.0%)
60	II	0.41	0/1715	0.78	0/2287
61	JJ	0.41	0/1550	0.88	4/2069 (0.2%)
62	KK	0.47	0/851	0.73	0/1147
63	LL	0.40	0/1259	0.78	0/1684
64	MM	0.42	0/968	0.64	0/1296
65	NN	0.39	0/1232	0.77	0/1656
66	OO	0.42	0/1029	0.88	1/1380 (0.1%)
67	PP	0.39	0/1079	0.76	0/1437
68	QQ	0.37	0/1142	0.70	0/1528
69	RR	0.42	0/1060	0.71	0/1421
70	SS	0.38	0/1157	0.84	1/1548 (0.1%)
71	TT	0.43	0/1120	0.78	2/1499 (0.1%)
72	UU	0.36	0/831	0.71	0/1115
73	VV	0.39	0/645	0.75	0/865
74	WW	0.38	0/1051	0.79	0/1406
75	XX	0.38	0/1116	0.80	0/1490

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
76	YY	0.39	0/1040	0.74	0/1382
77	ZZ	0.37	0/604	0.75	0/810
78	aa	0.39	0/794	0.83	0/1065
79	bb	0.37	0/665	0.67	0/891
80	cc	0.36	0/478	0.78	0/640
81	dd	0.40	0/455	0.80	0/603
82	ee	0.46	0/462	0.75	0/607
83	ff	0.39	0/531	0.62	0/703
84	gg	0.37	0/2493	0.65	0/3394
85	hh	0.29	0/287	0.76	0/445
86	ii	0.39	0/3333	0.63	2/4483 (0.0%)
87	jj	0.47	1/4625 (0.0%)	0.58	0/6238
All	All	0.38	6/242712 (0.0%)	0.78	174/355683 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
2	B	0	4
3	C	0	2
4	D	0	1
5	E	0	1
7	G	0	1
9	I	0	2
11	L	0	3
17	R	0	1
18	S	0	2
19	T	0	1
20	U	0	1
24	Y	0	1
31	f	0	1
42	r	0	2
48	5	0	1
51	9	0	1
52	AA	0	1
56	EE	0	2
57	FF	0	2
59	HH	0	1
60	II	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
61	JJ	0	2
66	OO	0	1
68	QQ	0	1
70	SS	0	1
71	TT	0	1
72	UU	0	2
73	VV	0	1
74	WW	0	2
75	XX	0	1
78	aa	0	1
86	ii	0	3
All	All	0	49

The worst 5 of 6 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
48	5	1965	G	O3'-P	-23.01	1.33	1.61
87	jj	121	LYS	CE-NZ	19.94	1.99	1.49
51	9	908	A	O3'-P	8.98	1.72	1.61
48	5	1847	C	O3'-P	-6.16	1.53	1.61
48	5	957	G	O3'-P	5.62	1.67	1.61

The worst 5 of 174 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
51	9	909	G	O5'-P-OP2	-16.21	91.11	105.70
47	3	70	G	N9-C1'-C2'	-13.18	96.87	114.00
48	5	3753	G	N9-C1'-C2'	-11.91	98.52	114.00
51	9	1235	G	N9-C1'-C2'	-11.46	99.11	114.00
48	5	3718	A	N9-C1'-C2'	-10.30	100.61	114.00

There are no chirality outliers.

5 of 49 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	196	TRP	Peptide
2	B	17	LEU	Peptide
2	B	257	TRP	Peptide
2	B	258	HIS	Peptide
2	B	351	LEU	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	242/244 (99%)	209 (86%)	28 (12%)	5 (2%)	7	36
2	B	392/394 (100%)	345 (88%)	42 (11%)	5 (1%)	12	46
3	C	360/362 (99%)	322 (89%)	27 (8%)	11 (3%)	4	29
4	D	290/292 (99%)	262 (90%)	25 (9%)	3 (1%)	15	52
5	E	232/248 (94%)	179 (77%)	36 (16%)	17 (7%)	1	10
6	F	223/225 (99%)	204 (92%)	17 (8%)	2 (1%)	17	54
7	G	239/241 (99%)	203 (85%)	31 (13%)	5 (2%)	7	36
8	H	188/190 (99%)	165 (88%)	20 (11%)	3 (2%)	9	42
9	I	200/213 (94%)	181 (90%)	15 (8%)	4 (2%)	7	37
10	J	167/169 (99%)	147 (88%)	13 (8%)	7 (4%)	3	22
11	L	208/210 (99%)	180 (86%)	16 (8%)	12 (6%)	1	15
12	M	136/138 (99%)	123 (90%)	12 (9%)	1 (1%)	22	60
13	N	201/203 (99%)	181 (90%)	20 (10%)	0	100	100
14	O	197/199 (99%)	184 (93%)	12 (6%)	1 (0%)	29	66
15	P	151/153 (99%)	135 (89%)	16 (11%)	0	100	100
16	Q	185/187 (99%)	169 (91%)	14 (8%)	2 (1%)	14	50
17	R	178/180 (99%)	166 (93%)	9 (5%)	3 (2%)	9	40
18	S	173/175 (99%)	157 (91%)	12 (7%)	4 (2%)	6	34
19	T	157/159 (99%)	139 (88%)	15 (10%)	3 (2%)	8	38
20	U	97/99 (98%)	82 (84%)	11 (11%)	4 (4%)	3	23
21	V	129/131 (98%)	115 (89%)	13 (10%)	1 (1%)	19	57

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
22	W	61/63 (97%)	56 (92%)	4 (7%)	1 (2%)	9	42
23	X	117/119 (98%)	109 (93%)	6 (5%)	2 (2%)	9	40
24	Y	132/134 (98%)	114 (86%)	17 (13%)	1 (1%)	19	57
25	Z	133/135 (98%)	113 (85%)	13 (10%)	7 (5%)	2	16
26	a	145/147 (99%)	122 (84%)	19 (13%)	4 (3%)	5	31
27	b	73/75 (97%)	67 (92%)	5 (7%)	1 (1%)	11	44
28	c	92/94 (98%)	89 (97%)	3 (3%)	0	100	100
29	d	105/107 (98%)	91 (87%)	13 (12%)	1 (1%)	15	52
30	e	126/128 (98%)	115 (91%)	6 (5%)	5 (4%)	3	23
31	f	107/109 (98%)	94 (88%)	8 (8%)	5 (5%)	2	19
32	g	112/114 (98%)	103 (92%)	8 (7%)	1 (1%)	17	54
33	h	120/122 (98%)	107 (89%)	9 (8%)	4 (3%)	4	27
34	i	100/102 (98%)	92 (92%)	6 (6%)	2 (2%)	7	37
35	j	84/86 (98%)	70 (83%)	9 (11%)	5 (6%)	1	14
36	k	67/69 (97%)	56 (84%)	7 (10%)	4 (6%)	1	14
37	l	48/50 (96%)	40 (83%)	7 (15%)	1 (2%)	7	36
38	m	50/52 (96%)	44 (88%)	6 (12%)	0	100	100
39	n	21/23 (91%)	21 (100%)	0	0	100	100
40	o	102/104 (98%)	92 (90%)	7 (7%)	3 (3%)	4	30
41	p	89/91 (98%)	80 (90%)	8 (9%)	1 (1%)	14	50
42	r	123/125 (98%)	102 (83%)	14 (11%)	7 (6%)	1	15
43	s	196/198 (99%)	164 (84%)	22 (11%)	10 (5%)	2	17
44	t	161/163 (99%)	102 (63%)	33 (20%)	26 (16%)	0	2
45	1	13/15 (87%)	11 (85%)	0	2 (15%)	0	2
52	AA	206/208 (99%)	173 (84%)	23 (11%)	10 (5%)	2	18
53	BB	211/213 (99%)	165 (78%)	33 (16%)	13 (6%)	1	13
54	CC	216/218 (99%)	184 (85%)	26 (12%)	6 (3%)	5	31
55	DD	225/227 (99%)	181 (80%)	33 (15%)	11 (5%)	2	18
56	EE	260/262 (99%)	200 (77%)	42 (16%)	18 (7%)	1	11
57	FF	189/191 (99%)	160 (85%)	21 (11%)	8 (4%)	3	22
58	GG	235/237 (99%)	198 (84%)	31 (13%)	6 (3%)	5	32

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
59	HH	187/189 (99%)	148 (79%)	25 (13%)	14 (8%)	1	10
60	II	204/206 (99%)	168 (82%)	28 (14%)	8 (4%)	3	24
61	JJ	183/185 (99%)	153 (84%)	20 (11%)	10 (6%)	2	16
62	KK	96/98 (98%)	65 (68%)	21 (22%)	10 (10%)	0	6
63	LL	150/152 (99%)	125 (83%)	19 (13%)	6 (4%)	3	23
64	MM	122/124 (98%)	87 (71%)	28 (23%)	7 (6%)	1	15
65	NN	148/150 (99%)	126 (85%)	17 (12%)	5 (3%)	3	27
66	OO	134/136 (98%)	99 (74%)	21 (16%)	14 (10%)	0	6
67	PP	125/127 (98%)	107 (86%)	15 (12%)	3 (2%)	6	34
68	QQ	139/141 (99%)	116 (84%)	18 (13%)	5 (4%)	3	25
69	RR	127/129 (98%)	106 (84%)	15 (12%)	6 (5%)	2	19
70	SS	135/137 (98%)	114 (84%)	16 (12%)	5 (4%)	3	25
71	TT	139/141 (99%)	126 (91%)	10 (7%)	3 (2%)	6	35
72	UU	102/104 (98%)	87 (85%)	9 (9%)	6 (6%)	1	14
73	VV	81/83 (98%)	67 (83%)	10 (12%)	4 (5%)	2	18
74	WW	127/129 (98%)	106 (84%)	16 (13%)	5 (4%)	3	24
75	XX	139/141 (99%)	118 (85%)	13 (9%)	8 (6%)	1	15
76	YY	124/126 (98%)	99 (80%)	17 (14%)	8 (6%)	1	12
77	ZZ	73/75 (97%)	59 (81%)	12 (16%)	2 (3%)	5	31
78	aa	96/98 (98%)	73 (76%)	13 (14%)	10 (10%)	0	6
79	bb	81/83 (98%)	61 (75%)	16 (20%)	4 (5%)	2	18
80	cc	59/61 (97%)	47 (80%)	10 (17%)	2 (3%)	3	27
81	dd	51/53 (96%)	45 (88%)	3 (6%)	3 (6%)	1	14
82	ee	55/57 (96%)	40 (73%)	12 (22%)	3 (6%)	2	16
83	ff	58/68 (85%)	50 (86%)	6 (10%)	2 (3%)	3	27
84	gg	311/313 (99%)	269 (86%)	33 (11%)	9 (3%)	4	30
86	ii	414/416 (100%)	380 (92%)	26 (6%)	8 (2%)	8	38
87	jj	568/594 (96%)	513 (90%)	41 (7%)	14 (2%)	5	32
All	All	12492/12709 (98%)	10717 (86%)	1333 (11%)	442 (4%)	6	26

5 of 442 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	196	TRP
3	C	273	LEU
5	E	91	PRO
5	E	95	ASP
5	E	118	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	187/187 (100%)	161 (86%)	26 (14%)	3	18
2	B	336/342 (98%)	291 (87%)	45 (13%)	4	19
3	C	302/302 (100%)	260 (86%)	42 (14%)	3	18
4	D	247/247 (100%)	218 (88%)	29 (12%)	5	24
5	E	208/221 (94%)	185 (89%)	23 (11%)	6	26
6	F	194/195 (100%)	165 (85%)	29 (15%)	3	16
7	G	206/206 (100%)	182 (88%)	24 (12%)	5	24
8	H	169/169 (100%)	148 (88%)	21 (12%)	4	22
9	I	174/180 (97%)	153 (88%)	21 (12%)	5	22
10	J	142/142 (100%)	126 (89%)	16 (11%)	6	25
11	L	176/176 (100%)	145 (82%)	31 (18%)	2	9
12	M	117/117 (100%)	102 (87%)	15 (13%)	4	20
13	N	171/171 (100%)	152 (89%)	19 (11%)	6	26
14	O	171/171 (100%)	144 (84%)	27 (16%)	2	14
15	P	134/134 (100%)	120 (90%)	14 (10%)	7	29
16	Q	163/163 (100%)	145 (89%)	18 (11%)	6	27
17	R	159/159 (100%)	140 (88%)	19 (12%)	5	23
18	S	156/156 (100%)	132 (85%)	24 (15%)	2	14
19	T	139/139 (100%)	122 (88%)	17 (12%)	5	22
20	U	89/89 (100%)	82 (92%)	7 (8%)	12	41

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
21	V	101/101 (100%)	84 (83%)	17 (17%)	2	11
22	W	55/55 (100%)	50 (91%)	5 (9%)	9	35
23	X	107/107 (100%)	97 (91%)	10 (9%)	9	34
24	Y	124/124 (100%)	107 (86%)	17 (14%)	3	18
25	Z	117/117 (100%)	109 (93%)	8 (7%)	16	47
26	a	119/119 (100%)	107 (90%)	12 (10%)	7	30
27	b	62/62 (100%)	57 (92%)	5 (8%)	11	40
28	c	79/79 (100%)	66 (84%)	13 (16%)	2	12
29	d	98/98 (100%)	82 (84%)	16 (16%)	2	12
30	e	114/114 (100%)	99 (87%)	15 (13%)	4	19
31	f	88/88 (100%)	76 (86%)	12 (14%)	3	18
32	g	98/98 (100%)	83 (85%)	15 (15%)	2	15
33	h	109/109 (100%)	97 (89%)	12 (11%)	6	27
34	i	86/86 (100%)	81 (94%)	5 (6%)	20	52
35	j	73/73 (100%)	62 (85%)	11 (15%)	3	15
36	k	64/64 (100%)	56 (88%)	8 (12%)	4	21
37	l	47/47 (100%)	40 (85%)	7 (15%)	3	16
38	m	48/48 (100%)	39 (81%)	9 (19%)	1	7
39	n	22/22 (100%)	18 (82%)	4 (18%)	1	8
40	o	92/92 (100%)	79 (86%)	13 (14%)	3	17
41	p	74/74 (100%)	68 (92%)	6 (8%)	11	40
42	r	109/109 (100%)	88 (81%)	21 (19%)	1	6
43	s	166/166 (100%)	155 (93%)	11 (7%)	16	48
44	t	136/136 (100%)	128 (94%)	8 (6%)	19	52
45	l	13/13 (100%)	12 (92%)	1 (8%)	13	42
52	AA	174/174 (100%)	152 (87%)	22 (13%)	4	21
53	BB	194/194 (100%)	169 (87%)	25 (13%)	4	20
54	CC	183/183 (100%)	155 (85%)	28 (15%)	2	15
55	DD	190/190 (100%)	168 (88%)	22 (12%)	5	24
56	EE	223/223 (100%)	183 (82%)	40 (18%)	2	8
57	FF	161/161 (100%)	126 (78%)	35 (22%)	1	4

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
58	GG	207/207 (100%)	179 (86%)	28 (14%)	4	19
59	HH	169/169 (100%)	151 (89%)	18 (11%)	6	28
60	II	178/178 (100%)	155 (87%)	23 (13%)	4	20
61	JJ	161/161 (100%)	141 (88%)	20 (12%)	4	22
62	KK	89/89 (100%)	76 (85%)	13 (15%)	3	16
63	LL	136/136 (100%)	110 (81%)	26 (19%)	1	6
64	MM	104/104 (100%)	85 (82%)	19 (18%)	1	7
65	NN	130/130 (100%)	108 (83%)	22 (17%)	2	11
66	OO	106/106 (100%)	81 (76%)	25 (24%)	1	3
67	PP	116/116 (100%)	98 (84%)	18 (16%)	2	14
68	QQ	117/117 (100%)	102 (87%)	15 (13%)	4	20
69	RR	117/117 (100%)	102 (87%)	15 (13%)	4	20
70	SS	119/119 (100%)	100 (84%)	19 (16%)	2	13
71	TT	112/112 (100%)	94 (84%)	18 (16%)	2	13
72	UU	94/94 (100%)	79 (84%)	15 (16%)	2	13
73	VV	67/67 (100%)	61 (91%)	6 (9%)	9	35
74	WW	112/112 (100%)	99 (88%)	13 (12%)	5	24
75	XX	113/113 (100%)	94 (83%)	19 (17%)	2	11
76	YY	108/108 (100%)	88 (82%)	20 (18%)	1	7
77	ZZ	66/66 (100%)	59 (89%)	7 (11%)	6	28
78	aa	85/85 (100%)	77 (91%)	8 (9%)	8	33
79	bb	75/75 (100%)	62 (83%)	13 (17%)	2	10
80	cc	54/54 (100%)	44 (82%)	10 (18%)	1	7
81	dd	47/47 (100%)	40 (85%)	7 (15%)	3	16
82	ee	47/47 (100%)	39 (83%)	8 (17%)	2	10
83	ff	58/61 (95%)	57 (98%)	1 (2%)	60	82
84	gg	272/272 (100%)	250 (92%)	22 (8%)	11	40
86	ii	358/358 (100%)	324 (90%)	34 (10%)	8	33
87	jj	506/522 (97%)	487 (96%)	19 (4%)	33	64
All	All	10889/10934 (100%)	9508 (87%)	1381 (13%)	8	20

5 of 1381 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
58	GG	227	GLN
70	SS	17	ASN
60	II	82	VAL
58	GG	224	ARG
64	MM	78	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
5	E	217	GLN
7	G	29	ASN
42	r	103	HIS

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
46	2	74/76 (97%)	20 (27%)	1 (1%)
47	3	72/75 (96%)	36 (50%)	7 (9%)
48	5	3645/3662 (99%)	1179 (32%)	269 (7%)
49	7	119/120 (99%)	19 (15%)	1 (0%)
50	8	155/156 (99%)	52 (33%)	6 (3%)
51	9	1711/1719 (99%)	608 (35%)	129 (7%)
85	hh	11/12 (91%)	7 (63%)	0
All	All	5787/5820 (99%)	1921 (33%)	413 (7%)

5 of 1921 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
46	2	7	G
46	2	8	U
46	2	9	A
46	2	13	U
46	2	16	C

5 of 413 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
48	5	4124	G
51	9	3	C
51	9	1646	C
48	5	4378	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
48	5	4889	G

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 207 ligands modelled in this entry, 203 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
91	ADP	jj	602	-	24,29,29	1.05	2 (8%)	29,45,45	1.46	5 (17%)
90	SF4	jj	600	87	0,12,12	-	-	-	-	-
91	ADP	jj	603	-	24,29,29	1.06	2 (8%)	29,45,45	1.47	5 (17%)
90	SF4	jj	601	87	0,12,12	-	-	-	-	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
90	SF4	jj	600	87	-	-	0/6/5/5
91	ADP	jj	602	-	-	1/12/32/32	0/3/3/3
91	ADP	jj	603	-	-	1/12/32/32	0/3/3/3
90	SF4	jj	601	87	-	-	0/6/5/5

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
91	jj	603	ADP	C5-C4	2.68	1.48	1.40
91	jj	602	ADP	C5-C4	2.63	1.47	1.40
91	jj	603	ADP	C2-N3	2.30	1.35	1.32
91	jj	602	ADP	C2-N3	2.20	1.35	1.32

The worst 5 of 10 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
91	jj	602	ADP	N3-C2-N1	-3.76	122.80	128.68
91	jj	603	ADP	N3-C2-N1	-3.76	122.81	128.68
91	jj	603	ADP	C3'-C2'-C1'	3.29	105.93	100.98
91	jj	602	ADP	C3'-C2'-C1'	3.17	105.76	100.98
91	jj	603	ADP	PA-O3A-PB	-3.00	122.53	132.83

There are no chirality outliers.


All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
91	jj	602	ADP	PB-O3A-PA-O1A
91	jj	603	ADP	O4'-C4'-C5'-O5'

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

The following chains have linkage breaks:

Mol	Chain	Number of breaks
48	5	17
51	9	8
47	3	2
46	2	1
87	jj	1

The worst 5 of 29 chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	9	753:C	O3'	785:C	P	23.16
1	9	126:G	O3'	139:C	P	22.33
1	9	698:G	O3'	730:C	P	19.62
1	5	4776:G	O3'	4859:C	P	17.95
1	9	1761:U	O3'	1771:G	P	17.55


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-3039. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map




The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 228



Y Index: 211



Z Index: 203


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.07. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1656 nm³; this corresponds to an approximate mass of 1496 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.290\AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.290 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.45	-	-
Author-provided FSC curve	3.45	4.12	3.51
Unmasked-calculated*	-	-	-

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-3039 and PDB model 3JAH. Per-residue inclusion information can be found in section 3 on page 24.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.07 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.07).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 87% of all backbone atoms, 79% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.07) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7882	 0.4220
1	 0.5785	 0.4150
2	 0.8212	 0.3920
3	 0.5405	 0.2310
5	 0.8444	 0.4100
7	 0.9446	 0.4810
8	 0.8851	 0.4360
9	 0.8583	 0.4170
A	 0.8157	 0.5110
AA	 0.7533	 0.4540
B	 0.8159	 0.4980
BB	 0.7451	 0.4630
C	 0.8044	 0.4910
CC	 0.7676	 0.4710
D	 0.7986	 0.4550
DD	 0.6676	 0.4010
E	 0.7210	 0.4160
EE	 0.7633	 0.4700
F	 0.8052	 0.4870
FF	 0.6989	 0.4280
G	 0.6973	 0.4070
GG	 0.6782	 0.3660
H	 0.7666	 0.4690
HH	 0.6434	 0.3800
I	 0.7883	 0.4810
II	 0.7326	 0.4270
J	 0.7622	 0.4350
JJ	 0.7597	 0.4550
KK	 0.6447	 0.3440
L	 0.7780	 0.4530
LL	 0.7184	 0.4460
M	 0.7998	 0.4560
MM	 0.3718	 0.1710
N	 0.8377	 0.5080
NN	 0.7833	 0.4740

























Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
O	0.8124	0.4870
OO	0.7710	0.4790
P	0.8194	0.5040
PP	0.6511	0.3750
Q	0.7963	0.5000
QQ	0.7353	0.4470
R	0.7627	0.4520
RR	0.6693	0.3950
S	0.8121	0.4910
SS	0.7427	0.4190
T	0.7933	0.4790
TT	0.7360	0.4240
U	0.7494	0.4220
UU	0.6613	0.4020
V	0.7630	0.4940
VV	0.7347	0.4630
W	0.8055	0.4840
WW	0.7901	0.4880
X	0.7777	0.4670
XX	0.7703	0.4960
Y	0.7913	0.4670
YY	0.7372	0.4160
Z	0.8099	0.4740
ZZ	0.6930	0.3830
a	0.8431	0.5100
aa	0.7915	0.4860
b	0.6880	0.4000
bb	0.7136	0.4450
c	0.8042	0.4690
cc	0.6746	0.4260
d	0.7946	0.4660
dd	0.7780	0.4520
e	0.8043	0.5000
ee	0.6545	0.4090
f	0.8278	0.5090
ff	0.4822	0.2530
g	0.7784	0.4700
gg	0.6612	0.3860
h	0.7886	0.4630
hh	0.8101	0.4440
i	0.7764	0.4520
ii	0.4331	0.3710

Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
j	 0.8440	 0.5000
jj	 0.3775	 0.3410
k	 0.7235	 0.4200
l	 0.8180	 0.4960
m	 0.7837	 0.4770
n	 0.7960	 0.4730
o	 0.7676	 0.4860
p	 0.7925	 0.4850
r	 0.8216	 0.4860
s	 0.2518	 0.1220
t	 0.2804	 0.1180