



Full wwPDB X-ray Structure Validation Report i

Sep 15, 2023 – 06:29 AM EDT

PDB ID : 3MPI
Title : Structure of the glutaryl-coenzyme A dehydrogenase glutaryl-CoA complex
Authors : Wischgoll, S.; Warkentin, E.; Boll, M.; Ermler, U.
Deposited on : 2010-04-27
Resolution : 2.05 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1692 (2.04-2.04)
Clashscore	141614	1773 (2.04-2.04)
Ramachandran outliers	138981	1752 (2.04-2.04)
Sidechain outliers	138945	1752 (2.04-2.04)
RSRZ outliers	127900	1672 (2.04-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 12936 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glutaryl-CoA dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	391	Total 3023	C 1913	N 515	O 575	S 20	0	4	0
1	B	390	Total 2984	C 1888	N 510	O 566	S 20	0	0	0
1	C	395	Total 3028	C 1914	N 523	O 571	S 20	0	0	0
1	D	390	Total 2989	C 1892	N 510	O 566	S 21	0	1	0

There are 32 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	390	LYS	-	expression tag	UNP C3UVB0
A	391	GLY	-	expression tag	UNP C3UVB0
A	392	HIS	-	expression tag	UNP C3UVB0
A	393	HIS	-	expression tag	UNP C3UVB0
A	394	HIS	-	expression tag	UNP C3UVB0
A	395	HIS	-	expression tag	UNP C3UVB0
A	396	HIS	-	expression tag	UNP C3UVB0
A	397	HIS	-	expression tag	UNP C3UVB0
B	390	LYS	-	expression tag	UNP C3UVB0
B	391	GLY	-	expression tag	UNP C3UVB0
B	392	HIS	-	expression tag	UNP C3UVB0
B	393	HIS	-	expression tag	UNP C3UVB0
B	394	HIS	-	expression tag	UNP C3UVB0
B	395	HIS	-	expression tag	UNP C3UVB0
B	396	HIS	-	expression tag	UNP C3UVB0
B	397	HIS	-	expression tag	UNP C3UVB0
C	390	LYS	-	expression tag	UNP C3UVB0
C	391	GLY	-	expression tag	UNP C3UVB0
C	392	HIS	-	expression tag	UNP C3UVB0
C	393	HIS	-	expression tag	UNP C3UVB0
C	394	HIS	-	expression tag	UNP C3UVB0

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	395	HIS	-	expression tag	UNP C3UVB0
C	396	HIS	-	expression tag	UNP C3UVB0
C	397	HIS	-	expression tag	UNP C3UVB0
D	390	LYS	-	expression tag	UNP C3UVB0
D	391	GLY	-	expression tag	UNP C3UVB0
D	392	HIS	-	expression tag	UNP C3UVB0
D	393	HIS	-	expression tag	UNP C3UVB0
D	394	HIS	-	expression tag	UNP C3UVB0
D	395	HIS	-	expression tag	UNP C3UVB0
D	396	HIS	-	expression tag	UNP C3UVB0
D	397	HIS	-	expression tag	UNP C3UVB0

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: C₂₇H₃₃N₉O₁₅P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	C	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	D	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 3 is glutaryl-coenzyme A (three-letter code: GRA) (formula: C₂₆H₄₂N₇O₁₉P₃S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
			Total	C	N	O	P	S		
3	A	1	56	26	7	19	3	1	0	0
3	B	1	56	26	7	19	3	1	0	0
3	C	1	56	26	7	19	3	1	0	0
3	D	1	56	26	7	19	3	1	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
4	A	158	158	158	0	0
4	B	58	58	58	0	0
4	C	155	155	155	0	0
4	D	105	105	105	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Glutaryl-CoA dehydrogenase




- Molecule 1: Glutaryl-CoA dehydrogenase



- Molecule 1: Glutaryl-CoA dehydrogenase



- Molecule 1: Glutaryl-CoA dehydrogenase



4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	174.99 Å 114.79 Å 122.24 Å 90.00° 133.95° 90.00°	Depositor
Resolution (Å)	30.00 – 2.05 28.28 – 2.05	Depositor EDS
% Data completeness (in resolution range)	97.0 (30.00-2.05) 97.0 (28.28-2.05)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	2.42 (at 2.04 Å)	Xtriage
Refinement program	REFMAC 5.6.0046	Depositor
R , R_{free}	0.176 , 0.219 0.193 , 0.229	Depositor DCC
R_{free} test set	5245 reflections (4.97%)	wwPDB-VP
Wilson B-factor (Å ²)	41.5	Xtriage
Anisotropy	0.043	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 48.4	EDS
L-test for twinning ²	$< L > = 0.50$, $< L^2 > = 0.33$	Xtriage
Estimated twinning fraction	0.023 for h+2*l,k,-h-l 0.014 for h,-k,-h-l 0.017 for -h-2*l,-k,l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	12936	wwPDB-VP
Average B, all atoms (Å ²)	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.46% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [\(i\)](#)

5.1 Standard geometry [\(i\)](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FAD, GRA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.65	0/3083	0.69	0/4162
1	B	0.55	1/3042 (0.0%)	0.59	1/4105 (0.0%)
1	C	0.67	0/3090	0.69	1/4170 (0.0%)
1	D	0.58	0/3050	0.63	2/4115 (0.0%)
All	All	0.61	1/12265 (0.0%)	0.65	4/16552 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	126	PHE	CE1-CZ	6.67	1.50	1.37

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	342	LEU	CA-CB-CG	6.17	129.50	115.30
1	B	126	PHE	CD1-CE1-CZ	-6.11	112.77	120.10
1	D	342	LEU	CB-CG-CD2	5.24	119.91	111.00
1	C	217	LEU	CA-CB-CG	5.07	126.97	115.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	348	SER	Peptide

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3023	0	2981	40	0
1	B	2984	0	2950	36	0
1	C	3028	0	2981	32	0
1	D	2989	0	2959	27	0
2	A	53	0	31	4	0
2	B	53	0	31	6	0
2	C	53	0	31	7	0
2	D	53	0	31	5	0
3	A	56	0	37	3	0
3	B	56	0	37	4	0
3	C	56	0	37	1	0
3	D	56	0	37	3	0
4	A	158	0	0	6	0
4	B	58	0	0	2	0
4	C	155	0	0	2	0
4	D	105	0	0	3	0
All	All	12936	0	12143	142	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (142) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:17:ARG:NH1	1:B:81:ARG:HH22	1.60	0.98
1:A:350[B]:GLU:OE2	1:A:351[B]:TYR:CE2	2.15	0.98
1:C:393:HIS:HE1	1:C:395:HIS:HD2	1.21	0.87
1:B:18:ASN:HB3	4:B:473:HOH:O	1.76	0.84
1:B:81:ARG:HD2	4:B:404:HOH:O	1.77	0.83
1:C:21:ASN:HD21	1:C:81:ARG:HH22	1.25	0.81
1:A:17:ARG:NH2	4:A:533:HOH:O	2.15	0.79

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:393:HIS:CE1	1:C:395:HIS:HD2	2.02	0.78
1:C:351:TYR:CD1	1:C:352:PRO:HD2	2.18	0.76
1:C:393:HIS:HE1	1:C:395:HIS:CD2	2.04	0.76
1:C:21:ASN:ND2	1:C:81:ARG:HH22	1.83	0.75
1:A:17:ARG:CZ	4:A:533:HOH:O	2.35	0.74
1:B:117:LEU:HD21	1:B:168:VAL:HG13	1.69	0.72
2:B:400:FAD:N5	3:B:402:GRA:H9A	2.04	0.71
1:B:17:ARG:HH12	1:B:81:ARG:HH22	1.39	0.67
1:A:17:ARG:NE	4:A:533:HOH:O	2.28	0.67
1:A:350[B]:GLU:OE2	1:A:351[B]:TYR:HE2	1.78	0.66
1:A:81:ARG:HD2	4:A:435:HOH:O	1.95	0.66
2:C:400:FAD:C9	2:C:400:FAD:H2'	2.26	0.65
2:B:400:FAD:C9	2:B:400:FAD:H2'	2.26	0.65
1:B:17:ARG:NH1	1:B:81:ARG:NH2	2.40	0.64
2:B:400:FAD:H2'	2:B:400:FAD:H9	1.80	0.64
1:B:35:ASN:HD22	1:B:208:HIS:HB3	1.64	0.62
2:C:400:FAD:H2'	2:C:400:FAD:H9	1.81	0.62
2:A:400:FAD:C9	2:A:400:FAD:H2'	2.29	0.62
2:A:400:FAD:N5	3:A:402:GRA:H9A	2.15	0.61
2:D:400:FAD:N5	3:D:402:GRA:H9A	2.15	0.61
1:A:350[B]:GLU:OE2	1:A:351[B]:TYR:CD2	2.54	0.61
1:A:327:ALA:O	1:A:331:VAL:HG13	2.01	0.60
1:D:35:ASN:HD22	1:D:208:HIS:HB3	1.66	0.60
1:B:17:ARG:HH11	1:B:81:ARG:HH22	1.45	0.60
1:A:350[B]:GLU:CD	1:A:351[B]:TYR:CD2	2.77	0.58
1:A:130:GLU:HG2	1:A:157:LYS:HD3	1.84	0.58
1:A:25:VAL:CG2	1:A:26:PRO:HD3	2.33	0.58
1:B:331:VAL:HG21	1:B:363:TYR:HB2	1.84	0.58
1:D:17:ARG:NH1	1:D:81:ARG:NH2	2.52	0.58
1:A:25:VAL:HG22	1:A:26:PRO:HD3	1.86	0.57
1:C:318:LEU:H	1:C:388:ASN:ND2	2.02	0.57
2:A:400:FAD:H2'	2:A:400:FAD:H9	1.87	0.57
1:D:327:ALA:O	1:D:331:VAL:HG13	2.06	0.56
1:B:81:ARG:HG2	1:B:259:ALA:HB2	1.87	0.56
1:B:147:LYS:HE3	1:B:152:LEU:HD12	1.88	0.56
1:D:162:ASN:HA	1:D:165:GLN:HE21	1.71	0.56
1:D:72:ALA:O	1:D:76:THR:CG2	2.54	0.55
1:B:72:ALA:O	1:B:76:THR:HG22	2.07	0.55
1:B:327:ALA:O	1:B:331:VAL:HG13	2.07	0.55
1:A:348:SER:HB3	1:A:350[B]:GLU:H	1.73	0.54
1:A:11:MET:HE3	1:A:14:LYS:HB3	1.88	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:25:VAL:CG2	1:B:26:PRO:HD3	2.37	0.54
1:C:1:MET:HG2	1:D:70:LEU:HD21	1.88	0.54
1:C:72:ALA:O	1:C:76:THR:HG22	2.07	0.54
2:C:400:FAD:N5	3:C:402:GRA:H9A	2.23	0.54
2:D:400:FAD:H2'	2:D:400:FAD:C9	2.37	0.54
1:A:21:ASN:O	1:A:25:VAL:HG22	2.07	0.54
1:A:17:ARG:HH12	1:A:81:ARG:NH2	2.06	0.54
1:A:350[B]:GLU:O	1:A:350[B]:GLU:HG2	2.07	0.54
1:D:72:ALA:O	1:D:76:THR:HG22	2.08	0.54
1:A:117:LEU:HD21	1:A:168:VAL:HG13	1.90	0.53
1:C:204:LYS:O	1:C:208:HIS:HE1	1.90	0.53
1:D:76:THR:HG22	1:D:90:LEU:HD23	1.90	0.53
1:A:76:THR:HG22	1:A:90:LEU:HD23	1.91	0.53
1:D:197:ILE:HG12	1:D:217:LEU:HD22	1.91	0.53
2:D:400:FAD:H2'	2:D:400:FAD:H9	1.90	0.53
1:B:76:THR:HG22	1:B:90:LEU:HD23	1.91	0.52
1:C:375:MET:HE1	2:C:400:FAD:N1A	2.24	0.52
1:A:162:ASN:HA	1:A:165:GLN:HE21	1.74	0.51
1:C:44:ARG:HH21	1:C:121:GLU:HG3	1.76	0.51
1:A:293:VAL:HA	1:B:322:MET:CE	2.41	0.51
1:B:197:ILE:HG12	1:B:217:LEU:HD22	1.93	0.50
2:C:400:FAD:H2A	1:D:282:GLN:HE22	1.76	0.50
1:B:66:ASP:N	1:B:66:ASP:OD1	2.43	0.50
1:C:393:HIS:CE1	1:C:395:HIS:CD2	2.88	0.50
1:C:159:TRP:O	2:C:400:FAD:C4X	2.61	0.49
1:D:124:GLY:HA2	1:D:168:VAL:O	2.13	0.49
2:D:400:FAD:C4	3:D:402:GRA:H8	2.43	0.49
1:C:351:TYR:HA	4:C:480:HOH:O	2.13	0.48
1:D:8:GLU:HB2	4:D:467:HOH:O	2.14	0.48
1:A:72:ALA:O	1:A:76:THR:HG22	2.14	0.48
1:C:76:THR:HG21	1:C:248:SER:OG	2.14	0.48
1:C:285:GLN:OE1	1:D:375[B]:MET:SD	2.71	0.48
1:C:152:LEU:HD11	1:C:219:ASN:OD1	2.14	0.48
1:A:56:ILE:HB	1:A:62:GLY:HA3	1.95	0.48
1:C:130:GLU:HG2	1:C:157:LYS:HD3	1.96	0.47
1:D:81:ARG:NH1	4:D:401:HOH:O	2.47	0.47
1:A:296:GLU:OE1	1:B:304:LYS:NZ	2.42	0.47
1:C:76:THR:HG22	1:C:90:LEU:HD23	1.95	0.47
1:C:327:ALA:O	1:C:331:VAL:HG13	2.15	0.47
1:C:282:GLN:HE22	2:D:400:FAD:H2A	1.79	0.47
1:A:55:VAL:HG22	4:A:482:HOH:O	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:25:VAL:HG22	1:B:26:PRO:HD3	1.97	0.46
1:C:191:PRO:HA	1:C:197:ILE:HD12	1.97	0.46
1:C:394:HIS:HD2	4:C:436:HOH:O	1.98	0.46
1:B:253:GLY:O	1:B:331:VAL:HG12	2.16	0.46
1:B:361:PRO:HA	1:B:364:TYR:CZ	2.49	0.46
1:C:159:TRP:O	2:C:400:FAD:C10	2.64	0.45
1:A:94:VAL:HA	1:A:98:ALA:HB3	1.97	0.45
1:A:351[B]:TYR:HB3	1:A:352[B]:PRO:HD2	1.99	0.45
2:B:400:FAD:C4X	3:B:402:GRA:H9A	2.47	0.45
1:D:130:GLU:HG2	1:D:157:LYS:HD3	1.97	0.45
1:B:336:ASN:OD1	1:B:340:ARG:NE	2.49	0.45
1:A:1:MET:HG2	1:B:70:LEU:CD2	2.46	0.45
1:A:350[B]:GLU:OE1	1:A:351[B]:TYR:HD2	2.01	0.44
1:B:72:ALA:O	1:B:76:THR:CG2	2.65	0.44
1:A:367:GLU:OE2	3:A:402:GRA:H8B	2.16	0.44
1:A:44:ARG:HB3	1:A:45:PRO:HD3	2.00	0.44
1:A:182:ARG:HG3	1:A:182:ARG:NH1	2.33	0.44
1:C:127:GLY:HA2	1:C:160:ILE:HD12	2.00	0.44
1:D:266:LYS:HE3	1:D:270:GLU:OE1	2.18	0.44
1:C:72:ALA:O	1:C:76:THR:CG2	2.65	0.43
1:D:31:TRP:CZ2	1:D:41:GLU:HG3	2.53	0.43
1:C:351:TYR:HD1	1:C:352:PRO:HD2	1.77	0.43
1:D:191:PRO:HA	1:D:197:ILE:HD13	2.00	0.43
2:B:400:FAD:C4	3:B:402:GRA:H8	2.49	0.43
1:B:159:TRP:O	2:B:400:FAD:C4X	2.67	0.43
1:B:84:SER:O	1:B:87:ARG:HG3	2.19	0.43
1:B:266:LYS:HE2	1:B:270:GLU:OE1	2.19	0.43
1:B:130:GLU:HG2	1:B:157:LYS:HD3	2.01	0.43
1:A:25:VAL:HG21	4:A:423:HOH:O	2.18	0.42
1:D:72:ALA:O	1:D:76:THR:HG23	2.19	0.42
1:B:319:ASP:H	1:B:388:ASN:HD21	1.65	0.42
1:D:367:GLU:OE2	3:D:402:GRA:H8B	2.18	0.42
1:D:81:ARG:NH2	4:D:488:HOH:O	2.52	0.42
1:A:17:ARG:HH11	1:A:17:ARG:HG3	1.83	0.42
1:A:293:VAL:HA	1:B:322:MET:HE3	2.01	0.42
1:C:84:SER:O	1:C:87:ARG:HG3	2.20	0.42
1:D:319:ASP:H	1:D:388:ASN:HD21	1.67	0.42
1:A:1:MET:HG2	1:B:70:LEU:HD21	2.02	0.42
1:C:325:TYR:CE1	1:C:374:LYS:HE3	2.53	0.42
1:B:367:GLU:OE2	3:B:402:GRA:H8B	2.20	0.42
1:D:204:LYS:O	1:D:208:HIS:HE1	2.02	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:243:ASN:HD22	1:D:243:ASN:HA	1.63	0.42
1:A:159:TRP:O	2:A:400:FAD:C4X	2.68	0.41
1:D:253:GLY:O	1:D:331:VAL:HG12	2.20	0.41
1:D:318:LEU:H	1:D:388:ASN:ND2	2.18	0.41
1:B:243:ASN:HD22	1:B:243:ASN:HA	1.70	0.41
1:C:1:MET:HG2	1:D:70:LEU:CD2	2.51	0.41
1:A:181:SER:HB2	3:A:402:GRA:H4X	2.03	0.41
1:B:52:PHE:O	1:B:94:VAL:HG21	2.21	0.40
1:A:243:ASN:HD22	1:A:243:ASN:HA	1.69	0.40
1:A:36:HIS:O	1:A:38:PRO:HD3	2.22	0.40
1:C:23:LYS:HB3	1:C:23:LYS:HE2	1.69	0.40
1:B:125:GLY:HA3	1:B:169:LEU:HD12	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	393/397 (99%)	381 (97%)	12 (3%)	0	100 100
1	B	388/397 (98%)	378 (97%)	10 (3%)	0	100 100
1	C	393/397 (99%)	385 (98%)	8 (2%)	0	100 100
1	D	389/397 (98%)	382 (98%)	7 (2%)	0	100 100
All	All	1563/1588 (98%)	1526 (98%)	37 (2%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	307/309 (99%)	292 (95%)	15 (5%)	25 17
1	B	303/309 (98%)	293 (97%)	10 (3%)	38 31
1	C	307/309 (99%)	287 (94%)	20 (6%)	17 9
1	D	304/309 (98%)	291 (96%)	13 (4%)	29 22
All	All	1221/1236 (99%)	1163 (95%)	58 (5%)	25 18

All (58) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	ASP
1	A	33	ASN
1	A	66	ASP
1	A	76	THR
1	A	93	GLU
1	A	100	THR
1	A	152	LEU
1	A	168	VAL
1	A	169	LEU
1	A	182	ARG
1	A	217	LEU
1	A	282	GLN
1	A	300	LEU
1	A	331	VAL
1	A	348	SER
1	B	66	ASP
1	B	73	MET
1	B	76	THR
1	B	86	LEU
1	B	93	GLU
1	B	100	THR
1	B	152	LEU
1	B	168	VAL
1	B	300	LEU
1	B	342	LEU
1	C	2	ASP
1	C	7	LYS
1	C	11	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	73	MET
1	C	76	THR
1	C	90	LEU
1	C	93	GLU
1	C	100	THR
1	C	168	VAL
1	C	169	LEU
1	C	175	THR
1	C	217	LEU
1	C	236	ARG
1	C	300	LEU
1	C	331	VAL
1	C	342	LEU
1	C	348	SER
1	C	349	THR
1	C	351	TYR
1	C	394	HIS
1	D	2	ASP
1	D	25	VAL
1	D	59	GLU
1	D	76	THR
1	D	90	LEU
1	D	100	THR
1	D	152	LEU
1	D	168	VAL
1	D	200	SER
1	D	300	LEU
1	D	342	LEU
1	D	372	ILE
1	D	389	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (39) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	21	ASN
1	A	36	HIS
1	A	165	GLN
1	A	208	HIS
1	A	243	ASN
1	A	269	ASN
1	A	282	GLN
1	A	388	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	21	ASN
1	B	30	GLN
1	B	33	ASN
1	B	35	ASN
1	B	165	GLN
1	B	208	HIS
1	B	243	ASN
1	B	269	ASN
1	B	282	GLN
1	B	388	ASN
1	C	21	ASN
1	C	30	GLN
1	C	35	ASN
1	C	36	HIS
1	C	165	GLN
1	C	208	HIS
1	C	243	ASN
1	C	282	GLN
1	C	388	ASN
1	C	393	HIS
1	C	395	HIS
1	D	21	ASN
1	D	30	GLN
1	D	33	ASN
1	D	35	ASN
1	D	165	GLN
1	D	208	HIS
1	D	243	ASN
1	D	269	ASN
1	D	282	GLN
1	D	388	ASN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	FAD	A	400	-	53,58,58	1.30	5 (9%)	68,89,89	1.45	11 (16%)
3	GRA	C	402	-	50,58,58	1.47	6 (12%)	62,85,85	1.63	11 (17%)
2	FAD	D	400	-	53,58,58	1.16	5 (9%)	68,89,89	1.51	13 (19%)
3	GRA	D	402	-	50,58,58	1.50	6 (12%)	62,85,85	1.72	12 (19%)
3	GRA	B	402	-	50,58,58	1.31	4 (8%)	62,85,85	1.73	11 (17%)
2	FAD	C	400	-	53,58,58	1.29	8 (15%)	68,89,89	1.50	13 (19%)
3	GRA	A	402	-	50,58,58	1.48	5 (10%)	62,85,85	1.63	11 (17%)
2	FAD	B	400	-	53,58,58	1.19	5 (9%)	68,89,89	1.46	12 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	A	400	-	-	5/30/50/50	0/6/6/6
3	GRA	C	402	-	-	6/53/73/73	0/3/3/3
2	FAD	D	400	-	-	8/30/50/50	0/6/6/6
3	GRA	D	402	-	-	6/53/73/73	0/3/3/3
3	GRA	B	402	-	-	6/53/73/73	0/3/3/3
2	FAD	C	400	-	-	5/30/50/50	0/6/6/6
3	GRA	A	402	-	-	7/53/73/73	0/3/3/3
2	FAD	B	400	-	-	4/30/50/50	0/6/6/6

All (44) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	402	GRA	O4-C7	6.04	1.30	1.21
3	D	402	GRA	O4-C7	5.69	1.30	1.21
3	B	402	GRA	O4-C7	5.29	1.29	1.21
3	C	402	GRA	O4-C7	5.14	1.29	1.21
2	A	400	FAD	C4X-N5	4.81	1.40	1.30
3	D	402	GRA	C9-C8	-4.68	1.35	1.52
3	A	402	GRA	C9-C8	-4.41	1.36	1.52
3	C	402	GRA	C9-C8	-4.30	1.36	1.52
3	C	402	GRA	C8-C7	-4.29	1.46	1.50
2	C	400	FAD	C4X-N5	4.23	1.39	1.30
3	D	402	GRA	C8-C7	-4.22	1.46	1.50
2	D	400	FAD	C4X-N5	4.16	1.38	1.30
2	B	400	FAD	C4X-N5	4.06	1.38	1.30
2	A	400	FAD	C2A-N3A	3.82	1.38	1.32
2	D	400	FAD	C2A-N3A	3.70	1.38	1.32
2	C	400	FAD	C2A-N3A	3.45	1.37	1.32
3	B	402	GRA	C9-C8	-3.31	1.40	1.52
2	B	400	FAD	C1'-C2'	3.30	1.57	1.52
2	B	400	FAD	C2A-N3A	3.25	1.37	1.32
2	A	400	FAD	C10-N1	3.23	1.39	1.33
2	C	400	FAD	O4B-C1B	3.00	1.45	1.41
2	C	400	FAD	C2A-N1A	2.96	1.39	1.33
3	A	402	GRA	C8-C7	-2.92	1.47	1.50
2	B	400	FAD	C10-N1	2.87	1.39	1.33
2	D	400	FAD	C1'-C2'	2.81	1.56	1.52
2	C	400	FAD	C1'-C2'	2.79	1.56	1.52
2	A	400	FAD	C1'-C2'	2.70	1.56	1.52
2	D	400	FAD	C2A-N1A	2.54	1.38	1.33
3	C	402	GRA	C4A-N3A	2.52	1.39	1.35
2	A	400	FAD	C2B-C1B	-2.49	1.50	1.53
2	C	400	FAD	C5'-C4'	2.48	1.55	1.51
3	B	402	GRA	C2A-N1A	-2.47	1.29	1.33
2	B	400	FAD	C2A-N1A	2.44	1.38	1.33
2	C	400	FAD	C10-N1	2.41	1.38	1.33
2	D	400	FAD	C10-N1	2.32	1.38	1.33
3	B	402	GRA	C2A-N3A	-2.21	1.28	1.32
3	A	402	GRA	C2A-N3A	-2.21	1.28	1.32
3	A	402	GRA	C2A-N1A	-2.20	1.29	1.33
3	C	402	GRA	O4X-C1X	2.15	1.44	1.41
3	D	402	GRA	C2A-N1A	-2.13	1.29	1.33
3	C	402	GRA	C2A-N1A	-2.11	1.30	1.33
3	D	402	GRA	C2A-N3A	-2.09	1.28	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	400	FAD	C1'-N10	2.07	1.53	1.48
3	D	402	GRA	O4X-C1X	2.02	1.43	1.41

All (94) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	402	GRA	C6-S1-C7	6.85	123.21	101.87
2	C	400	FAD	N3A-C2A-N1A	-6.60	118.36	128.68
2	A	400	FAD	N3A-C2A-N1A	-6.27	118.88	128.68
3	D	402	GRA	C6-S1-C7	6.06	120.73	101.87
2	B	400	FAD	N3A-C2A-N1A	-5.73	119.73	128.68
2	D	400	FAD	N3A-C2A-N1A	-5.46	120.15	128.68
3	C	402	GRA	C6-S1-C7	5.46	118.86	101.87
3	A	402	GRA	C6-S1-C7	5.18	117.99	101.87
3	C	402	GRA	O4-C7-S1	-4.47	116.81	122.61
3	D	402	GRA	O4-C7-S1	-4.31	117.02	122.61
3	A	402	GRA	O4-C7-S1	-4.30	117.02	122.61
3	A	402	GRA	C8-C7-S1	4.20	118.34	113.46
3	D	402	GRA	C8-C7-S1	4.17	118.31	113.46
3	B	402	GRA	C8-C7-S1	4.05	118.18	113.46
3	C	402	GRA	C8-C7-S1	4.04	118.16	113.46
3	B	402	GRA	O4-C7-S1	-3.93	117.51	122.61
3	C	402	GRA	N3A-C2A-N1A	-3.53	123.16	128.68
2	D	400	FAD	C4-N3-C2	-3.43	119.30	125.64
3	D	402	GRA	N6A-C6A-N1A	3.40	125.62	118.57
3	A	402	GRA	N3A-C2A-N1A	-3.33	123.47	128.68
2	B	400	FAD	C4-N3-C2	-3.22	119.70	125.64
3	D	402	GRA	C3-C2-N1	-3.12	105.60	111.90
2	B	400	FAD	C4X-C10-N1	-3.11	117.50	124.73
2	D	400	FAD	C9A-C5X-N5	-3.10	119.06	122.43
3	B	402	GRA	N3A-C2A-N1A	-3.05	123.92	128.68
2	C	400	FAD	C4X-C10-N10	3.02	120.89	116.48
3	D	402	GRA	C6-C5-N2	-2.97	106.17	112.42
2	C	400	FAD	C4-N3-C2	-2.95	120.19	125.64
3	B	402	GRA	C6-C5-N2	-2.92	106.28	112.42
2	D	400	FAD	O2'-C2'-C1'	2.92	116.85	109.80
3	B	402	GRA	N6A-C6A-N1A	2.89	124.57	118.57
2	B	400	FAD	C4-C4X-C10	2.85	121.58	116.79
2	A	400	FAD	C4-N3-C2	-2.83	120.41	125.64
2	B	400	FAD	C10-C4X-N5	-2.83	118.85	124.86
3	D	402	GRA	N3A-C2A-N1A	-2.83	124.26	128.68
3	A	402	GRA	O7A-P3X-O9A	2.81	118.38	107.64

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	400	FAD	O4-C4-C4X	-2.79	119.19	126.60
3	C	402	GRA	C6-C5-N2	-2.77	106.59	112.42
3	C	402	GRA	C15-C12-C14	2.66	113.44	108.82
3	C	402	GRA	C3-C2-N1	-2.65	106.54	111.90
3	B	402	GRA	C3-C2-N1	-2.61	106.62	111.90
3	A	402	GRA	C6-C5-N2	-2.60	106.95	112.42
2	C	400	FAD	C5X-C9A-N10	2.60	120.64	117.95
2	B	400	FAD	C9A-C5X-N5	-2.59	119.61	122.43
3	C	402	GRA	C2A-N1A-C6A	2.59	123.19	118.75
2	A	400	FAD	C1B-N9A-C4A	-2.56	122.14	126.64
3	B	402	GRA	C10-C9-C8	-2.56	106.77	112.19
2	C	400	FAD	P-O3P-PA	-2.54	124.12	132.83
2	D	400	FAD	P-O3P-PA	-2.53	124.16	132.83
2	D	400	FAD	O4-C4-C4X	-2.52	119.91	126.60
2	A	400	FAD	O2'-C2'-C1'	2.52	115.89	109.80
2	C	400	FAD	C1'-C2'-C3'	2.49	116.75	109.79
2	C	400	FAD	C4-C4X-C10	2.48	120.97	116.79
3	D	402	GRA	C2-N1-C1	2.48	127.00	122.59
2	D	400	FAD	C4X-C4-N3	2.47	119.46	113.19
3	A	402	GRA	C4A-C5A-N7A	-2.47	106.83	109.40
2	D	400	FAD	C5X-C9A-N10	2.46	120.50	117.95
2	D	400	FAD	C4-C4X-C10	2.46	120.92	116.79
2	D	400	FAD	C4X-C10-N1	-2.45	119.05	124.73
2	A	400	FAD	C4X-C4-N3	2.44	119.39	113.19
3	A	402	GRA	C3-C2-N1	-2.43	106.99	111.90
2	B	400	FAD	C5X-N5-C4X	2.41	122.08	118.07
2	D	400	FAD	C10-C4X-N5	-2.39	119.78	124.86
2	B	400	FAD	C4X-C4-N3	2.38	119.24	113.19
3	C	402	GRA	N6A-C6A-N1A	2.37	123.50	118.57
3	C	402	GRA	C2-N1-C1	2.35	126.78	122.59
3	A	402	GRA	N6A-C6A-N1A	2.34	123.42	118.57
2	D	400	FAD	C4X-C10-N10	2.33	119.89	116.48
3	C	402	GRA	O7A-P3X-O9A	2.32	116.50	107.64
3	D	402	GRA	O1A-P1A-O2A	2.31	123.66	112.24
3	D	402	GRA	C2A-N1A-C6A	2.29	122.67	118.75
2	A	400	FAD	C4X-C10-N1	-2.28	119.44	124.73
2	B	400	FAD	C4X-C10-N10	2.27	119.80	116.48
2	C	400	FAD	O4-C4-C4X	-2.27	120.59	126.60
2	A	400	FAD	C4X-C10-N10	2.26	119.78	116.48
3	B	402	GRA	C2A-N1A-C6A	2.24	122.59	118.75
3	A	402	GRA	C16-C12-C14	2.24	112.71	108.82
2	C	400	FAD	O2-C2-N1	-2.23	118.14	121.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	400	FAD	O2'-C2'-C1'	2.22	115.17	109.80
2	A	400	FAD	C9A-C5X-N5	-2.22	120.02	122.43
2	A	400	FAD	C2A-N1A-C6A	2.21	122.53	118.75
3	B	402	GRA	O7A-P3X-O9A	2.21	116.07	107.64
2	C	400	FAD	C4X-C10-N1	-2.18	119.67	124.73
3	D	402	GRA	O7A-P3X-O9A	2.16	115.88	107.64
2	B	400	FAD	C10-N1-C2	2.14	121.19	116.90
2	A	400	FAD	C10-C4X-N5	-2.10	120.39	124.86
3	A	402	GRA	C2A-N1A-C6A	2.09	122.33	118.75
3	B	402	GRA	C15-C12-C14	2.09	112.44	108.82
2	B	400	FAD	C1'-C2'-C3'	2.08	115.60	109.79
2	C	400	FAD	C4X-C4-N3	2.08	118.47	113.19
2	C	400	FAD	O2'-C2'-C1'	2.06	114.77	109.80
3	D	402	GRA	C5A-C6A-N1A	-2.01	115.79	120.35
2	C	400	FAD	C10-C4X-N5	-2.01	120.60	124.86
2	D	400	FAD	C5B-C4B-C3B	-2.00	107.68	115.18

There are no chirality outliers.

All (47) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	400	FAD	C1'-C2'-C3'-O3'
2	A	400	FAD	C1'-C2'-C3'-C4'
2	A	400	FAD	PA-O3P-P-O5'
2	C	400	FAD	C1'-C2'-C3'-O3'
2	C	400	FAD	C1'-C2'-C3'-C4'
2	C	400	FAD	PA-O3P-P-O5'
2	D	400	FAD	C1'-C2'-C3'-O3'
2	D	400	FAD	C1'-C2'-C3'-C4'
3	C	402	GRA	N1-C2-C3-C4
3	C	402	GRA	C11-C10-C9-C8
3	D	402	GRA	C11-C10-C9-C8
3	A	402	GRA	C11-C10-C9-C8
3	B	402	GRA	C11-C10-C9-C8
2	C	400	FAD	C2'-C1'-N10-C10
2	D	400	FAD	PA-O3P-P-O5'
3	A	402	GRA	N1-C2-C3-C4
3	B	402	GRA	N1-C2-C3-C4
3	D	402	GRA	N1-C2-C3-C4
3	B	402	GRA	P1A-O3A-P2A-O4A
3	A	402	GRA	P1A-O3A-P2A-O4A
3	C	402	GRA	P1A-O3A-P2A-O4A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	D	402	GRA	P1A-O3A-P2A-O4A
2	A	400	FAD	C4'-C5'-O5'-P
2	C	400	FAD	C4'-C5'-O5'-P
3	B	402	GRA	C9-C10-C11-O5
3	D	402	GRA	C9-C10-C11-O5
3	A	402	GRA	C9-C10-C11-O5
3	C	402	GRA	C9-C10-C11-O5
2	D	400	FAD	C4'-C5'-O5'-P
3	B	402	GRA	C9-C10-C11-O6
3	D	402	GRA	C9-C10-C11-O6
3	C	402	GRA	C9-C10-C11-O6
3	A	402	GRA	C9-C10-C11-O6
2	D	400	FAD	O3'-C3'-C4'-C5'
2	B	400	FAD	PA-O3P-P-O5'
3	A	402	GRA	O2-C1-C14-O1
2	B	400	FAD	C4'-C5'-O5'-P
2	D	400	FAD	O2'-C2'-C3'-O3'
3	A	402	GRA	P1A-O3A-P2A-O5A
3	B	402	GRA	P1A-O3A-P2A-O5A
3	C	402	GRA	P1A-O3A-P2A-O5A
3	D	402	GRA	P1A-O3A-P2A-O5A
2	D	400	FAD	C5B-O5B-PA-O1A
2	B	400	FAD	C1'-C2'-C3'-O3'
2	A	400	FAD	C2'-C1'-N10-C10
2	B	400	FAD	C2'-C1'-N10-C10
2	D	400	FAD	C2'-C1'-N10-C10


There are no ring outliers.



8 monomers are involved in 26 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	400	FAD	4	0
3	C	402	GRA	1	0
2	D	400	FAD	5	0
3	D	402	GRA	3	0
3	B	402	GRA	4	0
2	C	400	FAD	7	0
3	A	402	GRA	3	0
2	B	400	FAD	6	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In


addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	391/397 (98%)	-0.26	6 (1%) 73 76	31, 43, 63, 76	0
1	B	390/397 (98%)	0.21	28 (7%) 15 17	39, 59, 83, 97	0
1	C	395/397 (99%)	-0.23	10 (2%) 57 61	31, 43, 66, 90	0
1	D	390/397 (98%)	0.11	20 (5%) 28 30	33, 53, 76, 89	0
All	All	1566/1588 (98%)	-0.05	64 (4%) 37 40	31, 49, 75, 97	0

All (64) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	390	LYS	4.7
1	D	390	LYS	4.6
1	B	171	TYR	4.6
1	D	126	PHE	4.4
1	B	126	PHE	3.9
1	C	126	PHE	3.7
1	B	169	LEU	3.7
1	B	125	GLY	3.7
1	C	394	HIS	3.6
1	B	170	ILE	3.5
1	D	90	LEU	3.4
1	D	88	VAL	3.4
1	B	7	LYS	3.4
1	B	88	VAL	3.3
1	A	126	PHE	3.3
1	C	170	ILE	3.3
1	A	125	GLY	3.2
1	D	125	GLY	3.2
1	D	145	GLU	3.1
1	B	189	ILE	2.9
1	B	150	HIS	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	395	HIS	2.9
1	A	350[A]	GLU	2.9
1	B	172	TYR	2.8
1	B	97	CYS	2.8
1	B	92	MET	2.8
1	B	127	GLY	2.8
1	C	391	GLY	2.8
1	B	117	LEU	2.7
1	D	170	ILE	2.7
1	D	169	LEU	2.7
1	D	92	MET	2.7
1	D	11	MET	2.6
1	C	88	VAL	2.6
1	A	170	ILE	2.6
1	D	178	ALA	2.6
1	B	94	VAL	2.6
1	D	187	PHE	2.6
1	D	171	TYR	2.5
1	B	11	MET	2.5
1	C	349	THR	2.4
1	B	91	ASN	2.4
1	B	58	GLU	2.3
1	B	98	ALA	2.3
1	C	350	GLU	2.3
1	D	180	GLY	2.3
1	B	168	VAL	2.3
1	D	188	VAL	2.3
1	B	96	GLY	2.3
1	D	97	CYS	2.2
1	A	245	THR	2.2
1	C	392	HIS	2.2
1	B	173	ALA	2.1
1	B	107	GLU	2.1
1	B	187	PHE	2.1
1	A	180	GLY	2.1
1	D	7	LYS	2.1
1	C	189	ILE	2.1
1	D	189	ILE	2.1
1	B	245	THR	2.1
1	D	198	LYS	2.1
1	D	66	ASP	2.1
1	B	199	THR	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	111	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)


There are no monosaccharides in this entry.


6.4 Ligands [\(i\)](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	GRA	B	402	56/56	0.89	0.13	49,62,107,117	0
3	GRA	D	402	56/56	0.91	0.12	43,57,83,91	0
2	FAD	B	400	53/53	0.93	0.19	52,59,67,69	0
2	FAD	D	400	53/53	0.95	0.17	45,52,59,62	0
3	GRA	A	402	56/56	0.95	0.09	35,46,69,78	0
3	GRA	C	402	56/56	0.96	0.08	34,45,56,61	0
2	FAD	C	400	53/53	0.96	0.14	35,40,43,45	0
2	FAD	A	400	53/53	0.97	0.15	34,40,46,48	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.









6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.