



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 17, 2022 – 09:54 PM EDT

PDB ID : 3X0Y
Title : Crystal structure of FMN-bound DszC from Rhodococcus erythropolis D-1
Authors : Guan, L.J.; Lee, W.C.; Wang, S.P.; Ohtsuka, J.; Tanokura, M.
Deposited on : 2014-10-23
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at <http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.29
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.29


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION






The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	417	 91% 5% .
1	B	417	 92% . .
1	C	417	 92% . .
1	D	417	 91% 5% . .
1	E	417	 92% . .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	417	 4% 91% 5% •
1	G	417	 5% 91% 5% •
1	H	417	 26% 91% 5% •

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 25400 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DszC.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	402	Total 3078	C 1931	N 551	O 592	S 4	0	1	0
1	B	400	Total 3054	C 1918	N 545	O 587	S 4	0	0	0
1	C	400	Total 3054	C 1918	N 545	O 587	S 4	0	0	0
1	D	402	Total 3072	C 1928	N 549	O 591	S 4	0	1	0
1	E	401	Total 3059	C 1921	N 546	O 588	S 4	0	0	0
1	F	400	Total 3054	C 1918	N 545	O 587	S 4	0	0	0
1	G	401	Total 3059	C 1921	N 546	O 588	S 4	0	0	0
1	H	400	Total 3051	C 1915	N 545	O 587	S 4	0	0	0

- Molecule 2 is FLAVIN MONONUCLEOTIDE (three-letter code: FMN) (formula: C₁₇H₂₁N₄O₉P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			31	17	4	9	1		
2	C	1	Total	C	N	O	P	0	0
			31	17	4	9	1		
2	D	1	Total	C	N	O	P	0	0
			31	17	4	9	1		
2	F	1	Total	C	N	O	P	0	0
			31	17	4	9	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	160	Total	O	0	0
			160	160		
3	B	110	Total	O	0	0
			110	110		
3	C	115	Total	O	0	0
			115	115		
3	D	95	Total	O	0	0
			95	95		
3	E	96	Total	O	0	0
			96	96		
3	F	95	Total	O	0	0
			95	95		
3	G	84	Total	O	0	0
			84	84		
3	H	40	Total	O	0	0
			40	40		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: DszC




- Molecule 1: DszC



- Molecule 1: DszC





- Molecule 1: DszC









- Molecule 1: DszC







- Molecule 1: DszC



- Molecule 1: DszC



- Molecule 1: DszC





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	145.48Å 123.52Å 184.52Å 90.00° 101.31° 90.00°	Depositor
Resolution (Å)	44.38 – 2.30 44.38 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.4 (44.38-2.30) 99.4 (44.38-2.30)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.21 (at 2.32Å)	Xtrriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.230 , 0.272 0.229 , 0.272	Depositor DCC
R_{free} test set	7038 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	31.2	Xtrriage
Anisotropy	0.406	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 41.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.38$, $\langle L^2 \rangle = 0.21$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	25400	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.35% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FMN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.28	0/3153	0.48	0/4298
1	B	0.28	0/3129	0.48	0/4265
1	C	0.28	0/3129	0.47	0/4265
1	D	0.29	0/3147	0.47	0/4290
1	E	0.28	0/3134	0.47	0/4272
1	F	0.28	0/3129	0.47	0/4265
1	G	0.28	0/3134	0.46	0/4272
1	H	0.27	0/3126	0.44	0/4261
All	All	0.28	0/25081	0.47	0/34188

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3078	0	2954	16	0
1	B	3054	0	2932	11	0
1	C	3054	0	2932	9	0
1	D	3072	0	2944	15	0
1	E	3059	0	2934	10	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	3054	0	2932	8	0
1	G	3059	0	2934	9	0
1	H	3051	0	2923	10	0
2	A	31	0	19	0	0
2	C	31	0	19	1	0
2	D	31	0	19	1	0
2	F	31	0	19	2	0
3	A	160	0	0	0	0
3	B	110	0	0	1	0
3	C	115	0	0	0	0
3	D	95	0	0	0	0
3	E	96	0	0	0	0
3	F	95	0	0	0	0
3	G	84	0	0	0	0
3	H	40	0	0	0	0
All	All	25400	0	23561	85	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (85) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:500:FMN:HM81	1:E:369:ALA:HB1	1.72	0.70
1:E:192:ILE:HG21	1:E:225:VAL:HG12	1.80	0.63
1:A:280:GLN:HE22	1:B:409:GLN:HG2	1.64	0.62
1:D:273:ALA:HB2	1:D:363:VAL:HG13	1.81	0.62
1:D:265:ILE:HG21	1:D:385:VAL:HG23	1.80	0.62
1:E:179:ASP:O	1:E:184:GLN:NE2	2.33	0.61
1:D:174:PHE:CD2	1:D:187:ILE:HD11	2.36	0.61
1:B:179:ASP:O	1:B:184:GLN:NE2	2.36	0.59
1:D:177:VAL:CG2	1:D:188:ILE:HD11	2.33	0.59
1:A:280:GLN:HE22	1:B:409:GLN:CG	2.17	0.58
1:A:104:ILE:HD11	1:A:117:TYR:CD1	2.40	0.57
1:A:251:ALA:HB3	1:A:252:PRO:HD3	1.88	0.56
1:H:187:ILE:HD12	1:H:238:VAL:CG2	2.36	0.54
1:A:101:ALA:HB3	1:A:102:PRO:HD3	1.90	0.54
1:C:273:ALA:HB2	1:C:363:VAL:HG13	1.90	0.54
1:B:273:ALA:HB2	1:B:363:VAL:HG13	1.90	0.54
1:H:171:LEU:HB2	1:H:194:THR:HG22	1.90	0.54
1:F:187:ILE:HD12	1:F:238:VAL:CG2	2.39	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:60:LEU:HD21	1:A:76:ALA:HA	1.92	0.51
1:D:177:VAL:HG22	1:D:188:ILE:HD11	1.93	0.51
1:E:273:ALA:HB2	1:E:363:VAL:HG13	1.92	0.50
1:B:103:MET:CE	1:B:189:ALA:HB1	2.41	0.50
1:E:177:VAL:HG11	1:E:183:GLN:HB3	1.92	0.50
1:C:265:ILE:HG21	1:C:385:VAL:HG23	1.93	0.50
1:E:94:PHE:CE2	1:E:98:LEU:HD11	2.47	0.50
1:A:159:LYS:HB3	1:A:162:CYS:SG	2.52	0.49
1:D:31:TRP:HZ3	1:D:83:ILE:HG23	1.76	0.49
1:C:177:VAL:CG2	1:C:188:ILE:HD11	2.43	0.49
1:H:273:ALA:HB2	1:H:363:VAL:HG13	1.94	0.49
1:F:388:HIS:HD2	2:F:500:FMN:HM73	1.76	0.48
1:E:289:ILE:N	1:E:289:ILE:HD12	2.28	0.48
1:G:309:LEU:HG	1:G:359:ILE:CD1	2.44	0.48
1:H:257:ILE:O	1:H:261:VAL:HG23	2.14	0.47
1:A:369:ALA:HB1	2:F:500:FMN:HM81	1.96	0.47
1:F:414:GLY:N	1:F:417:SER:OXT	2.46	0.47
1:A:130:ALA:C	1:A:159:LYS:HG2	2.35	0.47
1:D:143:VAL:HG13	1:D:143:VAL:O	2.15	0.47
1:G:131:SER:OG	1:G:132:SER:N	2.47	0.47
1:G:257:ILE:O	1:G:261:VAL:HG23	2.16	0.46
1:G:187:ILE:HD12	1:G:238:VAL:HG23	1.96	0.46
1:G:387:THR:HA	1:H:372:THR:HG21	1.98	0.46
1:H:251:ALA:HB3	1:H:252:PRO:HD3	1.98	0.46
1:A:265:ILE:HG21	1:A:385:VAL:HG23	1.97	0.46
1:A:99:THR:HG22	1:A:257:ILE:HD12	1.98	0.45
1:E:187:ILE:HD12	1:E:238:VAL:CG2	2.47	0.45
1:F:257:ILE:O	1:F:261:VAL:HG23	2.16	0.45
1:G:187:ILE:HD12	1:G:238:VAL:CG2	2.47	0.45
1:A:53:ARG:NH2	1:A:169:ASP:OD2	2.50	0.44
1:B:273:ALA:HB2	1:B:363:VAL:CG1	2.48	0.44
1:D:273:ALA:HB2	1:D:363:VAL:CG1	2.47	0.44
1:A:273:ALA:HB2	1:A:363:VAL:HG13	2.00	0.43
1:H:330:GLY:O	1:H:333:LEU:HD22	2.18	0.43
1:C:49:ARG:HH11	1:C:93:LEU:HD21	1.83	0.43
1:B:103:MET:HE3	1:B:189:ALA:HB1	1.99	0.43
1:D:302:TYR:CE2	1:D:366:VAL:HG21	2.54	0.43
1:F:285:THR:N	1:F:286:PRO:CD	2.82	0.43
1:A:104:ILE:HD11	1:A:117:TYR:CG	2.54	0.43
1:C:273:ALA:HB2	1:C:363:VAL:CG1	2.48	0.43
1:E:285:THR:N	1:E:286:PRO:CD	2.81	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:251:ALA:HB3	1:G:252:PRO:HD3	2.00	0.43
1:F:298:THR:HG23	1:F:366:VAL:HB	2.01	0.43
1:C:103:MET:HA	1:C:106:LEU:HD12	2.01	0.42
1:C:177:VAL:HG23	1:C:188:ILE:HD11	2.01	0.42
1:D:187:ILE:HG21	1:D:238:VAL:HG23	2.02	0.42
1:D:133:GLU:OE2	1:D:143:VAL:HG12	2.19	0.42
1:G:285:THR:N	1:G:286:PRO:CD	2.81	0.42
1:A:273:ALA:HB2	1:A:363:VAL:CG1	2.49	0.42
1:E:273:ALA:HB2	1:E:363:VAL:CG1	2.50	0.42
1:H:285:THR:N	1:H:286:PRO:CD	2.82	0.42
1:F:62:VAL:HG13	1:F:117:TYR:CD1	2.55	0.42
1:H:159:LYS:HB3	1:H:162:CYS:SG	2.59	0.42
1:C:187:ILE:HD12	1:C:238:VAL:CG2	2.50	0.42
1:B:99:THR:HG22	1:B:257:ILE:HD12	2.01	0.41
1:C:101:ALA:HB3	1:C:102:PRO:HD3	2.01	0.41
1:D:145:ALA:HB3	1:D:188:ILE:HD12	2.02	0.41
1:D:237:PHE:CD1	1:D:241:PHE:CZ	3.08	0.41
1:D:354[B]:ASN:ND2	1:D:354[B]:ASN:C	2.73	0.41
1:B:369:ALA:HB1	2:D:500:FMN:HM81	2.02	0.41
1:A:104:ILE:HD11	1:A:117:TYR:CE1	2.56	0.41
1:D:106:LEU:HD22	1:D:246:ARG:O	2.21	0.41
1:B:282:ARG:NH1	3:B:532:HOH:O	2.51	0.40
1:F:282:ARG:HG3	1:F:370:ARG:NH2	2.37	0.40
1:H:265:ILE:HG21	1:H:385:VAL:HG23	2.03	0.40
1:B:285:THR:N	1:B:286:PRO:CD	2.84	0.40
1:G:265:ILE:HG21	1:G:385:VAL:HG23	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	401/417 (96%)	390 (97%)	11 (3%)	0	100	100
1	B	398/417 (95%)	388 (98%)	10 (2%)	0	100	100
1	C	398/417 (95%)	387 (97%)	11 (3%)	0	100	100
1	D	401/417 (96%)	392 (98%)	8 (2%)	1 (0%)	47	58
1	E	399/417 (96%)	385 (96%)	13 (3%)	1 (0%)	41	50
1	F	398/417 (95%)	384 (96%)	14 (4%)	0	100	100
1	G	399/417 (96%)	387 (97%)	12 (3%)	0	100	100
1	H	398/417 (95%)	381 (96%)	17 (4%)	0	100	100
All	All	3192/3336 (96%)	3094 (97%)	96 (3%)	2 (0%)	51	64

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	184	GLN
1	D	143	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	310/323 (96%)	308 (99%)	2 (1%)	86	94
1	B	308/323 (95%)	303 (98%)	5 (2%)	62	78
1	C	308/323 (95%)	305 (99%)	3 (1%)	76	87
1	D	309/323 (96%)	305 (99%)	4 (1%)	69	82
1	E	308/323 (95%)	306 (99%)	2 (1%)	86	94
1	F	308/323 (95%)	302 (98%)	6 (2%)	57	73
1	G	308/323 (95%)	303 (98%)	5 (2%)	62	78
1	H	307/323 (95%)	304 (99%)	3 (1%)	76	87
All	All	2466/2584 (95%)	2436 (99%)	30 (1%)	71	84

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	96	TYR
1	A	363	VAL
1	B	104	ILE
1	B	117	TYR
1	B	160	HIS
1	B	181	SER
1	B	237	PHE
1	C	96	TYR
1	C	237	PHE
1	C	363	VAL
1	D	96	TYR
1	D	187	ILE
1	D	237	PHE
1	D	393	PRO
1	E	96	TYR
1	E	294	GLU
1	F	52	LEU
1	F	96	TYR
1	F	237	PHE
1	F	245	GLU
1	F	333	LEU
1	F	363	VAL
1	G	96	TYR
1	G	180	ASP
1	G	237	PHE
1	G	354	ASN
1	G	363	VAL
1	H	52	LEU
1	H	96	TYR
1	H	363	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	243	GLN
1	A	280	GLN
1	B	183	GLN
1	B	290	GLN
1	C	122	GLN
1	C	135	ASN
1	C	290	GLN
1	C	388	HIS
1	D	291	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	388	HIS
1	E	184	GLN
1	F	358	ASN
1	G	280	GLN
1	G	354	ASN
1	H	178	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	FMN	F	500	-	33,33,33	1.53	5 (15%)	48,50,50	1.36	7 (14%)
2	FMN	D	500	-	33,33,33	1.56	5 (15%)	48,50,50	1.28	7 (14%)
2	FMN	A	500	-	33,33,33	1.51	4 (12%)	48,50,50	1.29	8 (16%)
2	FMN	C	500	-	33,33,33	1.55	5 (15%)	48,50,50	1.29	7 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FMN	F	500	-	-	1/18/18/18	0/3/3/3
2	FMN	D	500	-	-	0/18/18/18	0/3/3/3
2	FMN	A	500	-	-	2/18/18/18	0/3/3/3
2	FMN	C	500	-	-	8/18/18/18	0/3/3/3

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	500	FMN	C9A-C5A	5.62	1.50	1.41
2	D	500	FMN	C9A-C5A	5.61	1.50	1.41
2	F	500	FMN	C9A-C5A	5.52	1.50	1.41
2	C	500	FMN	C9A-C5A	5.49	1.50	1.41
2	C	500	FMN	C8-C7	3.61	1.49	1.40
2	F	500	FMN	C8-C7	3.48	1.49	1.40
2	D	500	FMN	C8-C7	3.47	1.49	1.40
2	A	500	FMN	C8-C7	3.29	1.49	1.40
2	A	500	FMN	C4A-N5	2.60	1.35	1.30
2	C	500	FMN	C4A-N5	2.55	1.35	1.30
2	F	500	FMN	C4-N3	-2.49	1.34	1.38
2	D	500	FMN	C4A-N5	2.44	1.35	1.30
2	F	500	FMN	C4A-N5	2.40	1.35	1.30
2	D	500	FMN	C4-N3	-2.32	1.34	1.38
2	C	500	FMN	C4-N3	-2.31	1.34	1.38
2	D	500	FMN	C10-N10	2.24	1.42	1.37
2	F	500	FMN	C10-N10	2.17	1.42	1.37
2	C	500	FMN	C10-N10	2.14	1.42	1.37
2	A	500	FMN	C4-N3	-2.11	1.34	1.38

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	500	FMN	C4A-C10-N1	-3.08	117.59	124.73
2	F	500	FMN	C4A-C10-N1	-3.01	117.74	124.73
2	C	500	FMN	C4A-C10-N1	-2.90	117.99	124.73
2	C	500	FMN	C4-C4A-N5	2.83	122.26	118.23
2	A	500	FMN	C4A-C10-N1	-2.80	118.24	124.73
2	F	500	FMN	C4-C4A-N5	2.75	122.14	118.23
2	A	500	FMN	C4-C4A-N5	2.72	122.11	118.23
2	D	500	FMN	C10-N1-C2	2.60	122.10	116.90
2	F	500	FMN	C10-N1-C2	2.57	122.04	116.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	500	FMN	C4-C4A-N5	2.54	121.84	118.23
2	C	500	FMN	C10-N1-C2	2.51	121.93	116.90
2	A	500	FMN	C10-N1-C2	2.46	121.83	116.90
2	A	500	FMN	O4-C4-C4A	-2.45	120.10	126.60
2	F	500	FMN	C4A-C4-N3	2.33	119.11	113.19
2	F	500	FMN	C4A-C10-N10	2.33	119.89	116.48
2	A	500	FMN	O2-C2-N1	-2.28	118.05	121.83
2	A	500	FMN	C4A-C10-N10	2.28	119.81	116.48
2	D	500	FMN	C4A-C4-N3	2.28	118.98	113.19
2	D	500	FMN	O4-C4-C4A	-2.25	120.62	126.60
2	C	500	FMN	C4A-C4-N3	2.24	118.88	113.19
2	D	500	FMN	C4A-C10-N10	2.23	119.74	116.48
2	F	500	FMN	O4-C4-C4A	-2.18	120.83	126.60
2	C	500	FMN	C4A-C10-N10	2.18	119.66	116.48
2	C	500	FMN	O4-C4-C4A	-2.16	120.87	126.60
2	A	500	FMN	C4A-C4-N3	2.15	118.65	113.19
2	D	500	FMN	C4-N3-C2	-2.14	121.68	125.64
2	F	500	FMN	C4-N3-C2	-2.12	121.72	125.64
2	C	500	FMN	C4-N3-C2	-2.04	121.87	125.64
2	A	500	FMN	C4-N3-C2	-2.04	121.88	125.64

There are no chirality outliers.

All (11) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	C	500	FMN	N10-C1'-C2'-O2'
2	C	500	FMN	N10-C1'-C2'-C3'
2	C	500	FMN	C1'-C2'-C3'-O3'
2	C	500	FMN	C1'-C2'-C3'-C4'
2	C	500	FMN	O2'-C2'-C3'-O3'
2	C	500	FMN	O2'-C2'-C3'-C4'
2	C	500	FMN	C3'-C4'-C5'-O5'
2	C	500	FMN	O4'-C4'-C5'-O5'
2	A	500	FMN	C3'-C4'-C5'-O5'
2	A	500	FMN	O4'-C4'-C5'-O5'
2	F	500	FMN	N10-C1'-C2'-O2'


There are no ring outliers.


3 monomers are involved in 4 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	F	500	FMN	2	0
2	D	500	FMN	1	0
2	C	500	FMN	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	402/417 (96%)	0.29	4 (0%) 82 86	21, 32, 50, 61	0
1	B	400/417 (95%)	0.38	10 (2%) 57 64	21, 35, 53, 70	0
1	C	400/417 (95%)	0.31	19 (4%) 30 37	20, 34, 63, 81	0
1	D	402/417 (96%)	0.49	29 (7%) 15 20	22, 37, 68, 102	0
1	E	401/417 (96%)	0.38	12 (2%) 50 57	22, 42, 60, 70	0
1	F	400/417 (95%)	0.48	16 (4%) 38 45	24, 42, 58, 80	0
1	G	401/417 (96%)	0.52	20 (4%) 28 35	25, 41, 61, 69	0
1	H	400/417 (95%)	1.33	107 (26%) 0 0	29, 62, 90, 105	0
All	All	3206/3336 (96%)	0.52	217 (6%) 17 22	20, 39, 72, 105	0

All (217) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	H	147	PRO	7.5
1	F	180	ASP	6.1
1	H	180	ASP	6.0
1	H	117	TYR	5.7
1	H	187	ILE	5.7
1	H	133	GLU	5.6
1	H	153	TYR	5.6
1	E	182	PRO	5.4
1	H	141	TRP	5.3
1	H	145	ALA	5.2
1	H	154	VAL	4.9
1	H	144	ARG	4.9
1	G	18	ASN	4.8
1	H	183	GLN	4.6
1	H	155	LEU	4.6
1	H	146	THR	4.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	141	TRP	4.5
1	G	17	ASP	4.5
1	F	182	PRO	4.4
1	H	152	GLY	4.4
1	H	197	ALA	4.4
1	H	140	ASP	4.3
1	H	177	VAL	4.3
1	H	157	GLY	4.3
1	H	178	GLN	4.2
1	H	150	ASP	4.2
1	H	221	HIS	4.1
1	H	175	GLY	4.1
1	D	17	ASP	4.1
1	H	28	ALA	4.1
1	H	71	ALA	4.0
1	B	182	PRO	4.0
1	H	227	PRO	4.0
1	H	174	PHE	4.0
1	H	119	GLN	3.9
1	H	120	ILE	3.9
1	H	19	ASP	3.9
1	H	148	THR	3.9
1	D	18	ASN	3.9
1	H	69	TRP	3.9
1	H	52	LEU	3.9
1	H	165	ALA	3.8
1	D	136	SER	3.8
1	H	31	TRP	3.7
1	H	134	ASN	3.7
1	H	237	PHE	3.7
1	H	194	THR	3.7
1	B	180	ASP	3.7
1	D	180	ASP	3.7
1	H	220	PHE	3.7
1	H	156	ASN	3.6
1	C	180	ASP	3.6
1	G	118	THR	3.6
1	B	18	ASN	3.5
1	D	242	ILE	3.5
1	E	180	ASP	3.5
1	H	173	VAL	3.5
1	H	22	ALA	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	242	ILE	3.5
1	H	25	ARG	3.5
1	H	234	PRO	3.4
1	H	60	LEU	3.4
1	D	134	ASN	3.4
1	H	225	VAL	3.4
1	H	184	GLN	3.4
1	D	354[A]	ASN	3.4
1	C	182	PRO	3.3
1	H	151	GLY	3.3
1	H	54	ALA	3.3
1	H	23	VAL	3.3
1	E	287	ALA	3.3
1	G	182	PRO	3.3
1	H	18	ASN	3.3
1	H	158	THR	3.2
1	C	237	PHE	3.1
1	C	141	TRP	3.1
1	H	137	HIS	3.1
1	D	137	HIS	3.1
1	H	66	TYR	3.1
1	H	219	ASP	3.1
1	H	132	SER	3.1
1	D	139	LEU	3.1
1	E	118	THR	3.1
1	G	287	ALA	3.1
1	C	238	VAL	3.0
1	H	63	PRO	3.0
1	H	30	LYS	3.0
1	H	181	SER	3.0
1	G	148	THR	3.0
1	H	182	PRO	3.0
1	A	137	HIS	3.0
1	E	150	ASP	3.0
1	H	135	ASN	3.0
1	D	237	PHE	3.0
1	F	138	VAL	3.0
1	D	16	ALA	3.0
1	H	149	GLU	3.0
1	D	185	GLY	2.9
1	H	64	ARG	2.9
1	H	126	TRP	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	180	ASP	2.9
1	H	65	GLU	2.9
1	A	242	ILE	2.9
1	D	179	ASP	2.9
1	B	181	SER	2.9
1	H	61	LEU	2.9
1	H	142	LYS	2.9
1	C	183	GLN	2.9
1	D	183	GLN	2.9
1	H	143	VAL	2.8
1	D	182	PRO	2.8
1	H	83	ILE	2.8
1	H	107	ILE	2.8
1	E	181	SER	2.8
1	H	228	ASP	2.8
1	H	231	LEU	2.8
1	G	195	SER	2.8
1	H	203	ASP	2.8
1	H	121	ALA	2.8
1	H	171	LEU	2.8
1	H	161	PHE	2.7
1	D	142	LYS	2.7
1	D	177	VAL	2.7
1	F	226	GLU	2.7
1	C	135	ASN	2.7
1	H	230	VAL	2.7
1	H	122	GLN	2.7
1	H	109	SER	2.6
1	F	242	ILE	2.6
1	H	179	ASP	2.6
1	G	101	ALA	2.6
1	H	242	ILE	2.6
1	D	181	SER	2.6
1	G	62	VAL	2.6
1	H	136	SER	2.6
1	E	17	ASP	2.6
1	B	149	GLU	2.6
1	H	188	ILE	2.6
1	F	109	SER	2.5
1	H	223	VAL	2.5
1	E	149	GLU	2.5
1	C	185	GLY	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	125	TRP	2.5
1	H	41	ALA	2.5
1	G	65	GLU	2.5
1	D	178	GLN	2.5
1	B	357	LEU	2.5
1	G	41	ALA	2.4
1	G	121	ALA	2.4
1	H	24	ALA	2.4
1	D	106	LEU	2.4
1	C	234	PRO	2.4
1	D	244	SER	2.4
1	H	160	HIS	2.4
1	B	327	TRP	2.4
1	G	32	ARG	2.4
1	H	32	ARG	2.4
1	H	327	TRP	2.4
1	D	241	PHE	2.4
1	F	149	GLU	2.4
1	G	181	SER	2.4
1	A	139	LEU	2.3
1	F	197	ALA	2.3
1	B	161	PHE	2.3
1	C	132	SER	2.3
1	H	164	GLY	2.3
1	G	117	TYR	2.3
1	H	176	VAL	2.3
1	C	137	HIS	2.3
1	B	64	ARG	2.3
1	H	127	THR	2.3
1	E	117	TYR	2.3
1	D	332	ALA	2.2
1	F	104	ILE	2.2
1	D	135	ASN	2.2
1	C	181	SER	2.2
1	H	224	LYS	2.2
1	G	21	VAL	2.2
1	F	131	SER	2.2
1	F	179	ASP	2.2
1	C	136	SER	2.2
1	F	154	VAL	2.2
1	H	55	SER	2.2
1	H	114	GLU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	239	LEU	2.2
1	D	238	VAL	2.2
1	F	238	VAL	2.2
1	H	235	ASN	2.2
1	C	178	GLN	2.2
1	E	183	GLN	2.2
1	F	181	SER	2.1
1	G	67	GLY	2.1
1	A	241	PHE	2.1
1	E	332	ALA	2.1
1	H	62	VAL	2.1
1	C	139	LEU	2.1
1	H	115	HIS	2.1
1	C	179	ASP	2.1
1	C	243	GLN	2.1
1	D	184	GLN	2.1
1	G	183	GLN	2.1
1	H	101	ALA	2.1
1	H	70	GLY	2.1
1	H	20	PRO	2.1
1	D	131	SER	2.1
1	H	198	GLY	2.1
1	H	415	PHE	2.1
1	H	50	GLU	2.0
1	B	45	ALA	2.0
1	E	41	ALA	2.0
1	F	185	GLY	2.0
1	F	287	ALA	2.0
1	G	238	VAL	2.0
1	D	144	ARG	2.0
1	H	333	LEU	2.0
1	H	200	THR	2.0
1	H	207	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	FMN	C	500	31/31	0.80	0.27	57,59,60,61	0
2	FMN	F	500	31/31	0.86	0.19	50,51,54,54	0
2	FMN	D	500	31/31	0.90	0.17	48,50,51,51	0
2	FMN	A	500	31/31	0.93	0.15	33,34,36,36	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around FMN F 500:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around FMN D 500:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.