



# wwPDB X-ray Structure Validation Summary Report

Dec 14, 2023 – 06:00 am GMT

PDB ID : 4B8N  
Title : Cytochrome b5 of *Ostreococcus tauri* virus 2  
Authors : Isupov, M.; Reid, E.L.; Weynberg, K.D.; Love, J.; Wilson, W.H.; Kelly, S.L.;  
Lamb, D.C.; Allen, M.J.; Littlechild, J.A.  
Deposited on : 2012-08-28  
Resolution : 1.95 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the  symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references](#) ) were used in the production of this report:

MolProbity : **FAILED**  
Xtrriage (Phenix) : 1.13  
EDS : **FAILED**  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36

## 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.95 Å.

There are no overall percentile quality scores available for this entry.

ENTRY-COMPOSITION INFOmissingINFO

SEQUENCE-PLOTS INFOmissingINFO

## 2 Data and refinement statistics

EDS failed to run properly - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	45.69Å 58.50Å 127.07Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	63.54 – 1.95	Depositor
% Data completeness (in resolution range)	99.5 (63.54-1.95)	Depositor
$R_{merge}$	0.13	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.92 (at 1.95Å)	Xtrriage
Refinement program	REFMAC 5.6.0117	Depositor
R, $R_{free}$	0.188 , 0.254	Depositor
Wilson B-factor (Å <sup>2</sup> )	28.7	Xtrriage
Anisotropy	0.205	Xtrriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	3115	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	34.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.28% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

### 3 Model quality [i](#)

#### 3.1 Standard geometry [i](#)

MolProbity failed to run properly - this section is therefore empty.

#### 3.2 Too-close contacts [i](#)

MolProbity failed to run properly - this section is therefore empty.

#### 3.3 Torsion angles [i](#)

##### 3.3.1 Protein backbone [i](#)

MolProbity failed to run properly - this section is therefore empty.

##### 3.3.2 Protein sidechains [i](#)

MolProbity failed to run properly - this section is therefore empty.

##### 3.3.3 RNA [i](#)

MolProbity failed to run properly - this section is therefore empty.

#### 3.4 Non-standard residues in protein, DNA, RNA chains [i](#)

validation-pack failed to run properly - this section is therefore empty.

#### 3.5 Carbohydrates [i](#)

validation-pack failed to run properly - this section is therefore empty.

#### 3.6 Ligand geometry [i](#)

validation-pack failed to run properly - this section is therefore empty.

#### 3.7 Other polymers [i](#)

validation-pack failed to run properly - this section is therefore empty.

### 3.8 Polymer linkage issues

There are no chain breaks in this entry.

## 4 Fit of model and data

### 4.1 Protein, DNA and RNA chains

EDS failed to run properly - this section is therefore empty.

### 4.2 Non-standard residues in protein, DNA, RNA chains

EDS failed to run properly - this section is therefore empty.

### 4.3 Carbohydrates

EDS failed to run properly - this section is therefore empty.

### 4.4 Ligands

EDS failed to run properly - this section is therefore empty.

### 4.5 Other polymers

EDS failed to run properly - this section is therefore empty.