



Full wwPDB X-ray Structure Validation Report ⓘ

Dec 12, 2023 – 05:10 pm GMT

PDB ID : 4BEM
Title : Crystal structure of the F-type ATP synthase c-ring from *Acetobacterium woodii*.
Authors : Matthies, D.; Meier, T.; Yildiz, O.
Deposited on : 2013-03-11
Resolution : 2.10 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.






The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	82	 2% 94% 5%
1	G	82	 5% 94% 6%
1	H	82	 2% 91% 7%
1	I	82	 91% 9%
2	J	182	 2% 90% 10%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	HTG	B	1084	-	-	-	X
4	HTG	E	1084	-	-	-	X
4	HTG	G	1084	-	-	-	X
4	HTG	G	1086	-	-	-	X
4	HTG	H	1083	-	-	-	X
4	HTG	H	1084	-	-	-	X
4	HTG	I	1086	-	-	-	X
4	HTG	I	1087	-	-	-	X
4	HTG	I	1088	-	-	-	X
4	HTG	J	1187	-	-	-	X
7	P6G	E	1083	-	-	-	X
8	ACT	G	1083	-	-	-	X

2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 7053 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called F1FO ATPASE C2 SUBUNIT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	82	Total 576	C 372	N 94	O 106	S 4	0	0	0
1	B	82	Total 576	C 372	N 94	O 106	S 4	0	0	0
1	C	82	Total 576	C 372	N 94	O 106	S 4	0	0	0
1	D	82	Total 576	C 372	N 94	O 106	S 4	0	0	0
1	E	82	Total 576	C 372	N 94	O 106	S 4	0	0	0
1	F	82	Total 576	C 372	N 94	O 106	S 4	0	0	0
1	G	82	Total 576	C 372	N 94	O 106	S 4	0	0	0
1	H	82	Total 576	C 372	N 94	O 106	S 4	0	0	0
1	I	82	Total 576	C 372	N 94	O 106	S 4	0	0	0

- Molecule 2 is a protein called F1FO ATPASE C1 SUBUNIT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	J	182	Total 1290	C 840	N 206	O 234	S 10	0	0	0

- Molecule 3 is SODIUM ION (three-letter code: NA) (formula: Na).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total 1	Na 1	0	0
3	B	1	Total 1	Na 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	C	1	Total Na 1 1	0	0
3	D	1	Total Na 1 1	0	0
3	E	1	Total Na 1 1	0	0
3	F	1	Total Na 1 1	0	0
3	G	1	Total Na 1 1	0	0
3	H	1	Total Na 1 1	0	0
3	I	1	Total Na 1 1	0	0
3	J	1	Total Na 1 1	0	0

- Molecule 4 is heptyl 1-thio-beta-D-glucopyranoside (three-letter code: HTG) (formula: $C_{13}H_{26}O_5S$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	1	Total C O S 19 13 5 1	0	0
4	E	1	Total C O S 19 13 5 1	0	0
4	E	1	Total C O S 19 13 5 1	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	O	S		
4	F	1	19	13	5	1	0	0
4	G	1	19	13	5	1	0	0
4	G	1	19	13	5	1	0	0
4	G	1	19	13	5	1	0	0
4	H	1	19	13	5	1	0	0
4	H	1	19	13	5	1	0	0
4	I	1	19	13	5	1	0	0
4	I	1	19	13	5	1	0	0
4	I	1	19	13	5	1	0	0
4	I	1	19	13	5	1	0	0
4	J	1	19	13	5	1	0	0
4	J	1	19	13	5	1	0	0
4	J	1	19	13	5	1	0	0
4	J	1	19	13	5	1	0	0
4	J	1	19	13	5	1	0	0
4	J	1	19	13	5	1	0	0

- Molecule 5 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	C	1	Total	Mn	0	0
			1	1		

- Molecule 6 is TRIS(HYDROXYETHYL)AMINOMETHANE (three-letter code: TAM) (formula: C₇H₁₇NO₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	C	1	Total	C	N	O	0	0
			11	7	1	3		

- Molecule 7 is HEXAETHYLENE GLYCOL (three-letter code: P6G) (formula: $C_{12}H_{26}O_7$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	E	1	Total	C	O	0	0
			16	10	6		

- Molecule 8 is ACETATE ION (three-letter code: ACT) (formula: $C_2H_3O_2$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	F	1	Total C O 4 2 2	0	0
8	G	1	Total C O 4 2 2	0	0
8	I	1	Total C O 4 2 2	0	0
8	I	1	Total C O 4 2 2	0	0

- Molecule 9 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	A	20	Total O 20 20	0	0
9	B	12	Total O 12 12	0	0
9	C	10	Total O 10 10	0	0
9	D	12	Total O 12 12	0	0
9	E	14	Total O 14 14	0	0
9	F	12	Total O 12 12	0	0
9	G	16	Total O 16 16	0	0
9	H	20	Total O 20 20	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	I	14	Total	O	0	0
			14	14		
9	J	34	Total	O	0	0
			34	34		



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: F1FO ATPASE C2 SUBUNIT





- Molecule 1: F1FO ATPASE C2 SUBUNIT




- Molecule 1: F1FO ATPASE C2 SUBUNIT





- Molecule 1: F1FO ATPASE C2 SUBUNIT




- Molecule 1: F1FO ATPASE C2 SUBUNIT




- Molecule 1: F1FO ATPASE C2 SUBUNIT





- Molecule 1: F1FO ATPASE C2 SUBUNIT




- Molecule 1: F1FO ATPASE C2 SUBUNIT



- Molecule 1: F1FO ATPASE C2 SUBUNIT



- Molecule 2: F1FO ATPASE C1 SUBUNIT



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	121.17Å 121.17Å 150.57Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.20 – 2.10 47.20 – 2.10	Depositor EDS
% Data completeness (in resolution range)	99.2 (47.20-2.10) 99.3 (47.20-2.10)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.80 (at 2.10Å)	Xtrriage
Refinement program	PHENIX (PHENIX.REFINE)	Depositor
R, R_{free}	0.182 , 0.220 0.187 , 0.220	Depositor DCC
R_{free} test set	3270 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	37.2	Xtrriage
Anisotropy	0.048	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 73.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7053	wwPDB-VP
Average B, all atoms (Å ²)	58.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.97% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MN, P6G, FME, TAM, NA, ACT, HTG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.36	0/574	0.48	0/774
1	B	0.34	0/574	0.45	0/774
1	C	0.34	0/574	0.51	1/774 (0.1%)
1	D	0.31	0/574	0.46	0/774
1	E	0.34	0/574	0.48	0/774
1	F	0.36	0/574	0.48	0/774
1	G	0.38	0/574	0.49	0/774
1	H	0.40	0/574	0.49	0/774
1	I	0.39	0/574	0.46	0/774
2	J	0.38	0/1300	0.46	0/1761
All	All	0.36	0/6466	0.47	1/8727 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	4	LEU	CA-CB-CG	5.46	127.87	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	576	0	592	5	0
1	B	576	0	592	9	0
1	C	576	0	592	6	0
1	D	576	0	592	10	0
1	E	576	0	592	5	0
1	F	576	0	592	4	0
1	G	576	0	592	4	0
1	H	576	0	592	6	0
1	I	576	0	592	4	0
2	J	1290	0	1353	16	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
3	E	1	0	0	0	0
3	F	1	0	0	0	0
3	G	1	0	0	0	0
3	H	1	0	0	0	0
3	I	1	0	0	0	0
3	J	1	0	0	0	0
4	B	19	0	26	0	0
4	E	38	0	52	0	0
4	F	19	0	26	0	0
4	G	57	0	78	2	0
4	H	38	0	52	4	0
4	I	76	0	104	6	0
4	J	114	0	156	5	0
5	C	1	0	0	0	0
6	C	11	0	17	2	0
7	E	16	0	21	4	0
8	F	4	0	3	0	0
8	G	4	0	3	0	0
8	I	8	0	6	0	0
9	A	20	0	0	0	0
9	B	12	0	0	0	1
9	C	10	0	0	1	0
9	D	12	0	0	3	0
9	E	14	0	0	0	0
9	F	12	0	0	0	0
9	G	16	0	0	0	0
9	H	20	0	0	1	0
9	I	14	0	0	0	0
9	J	34	0	0	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	7053	0	7225	60	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (60) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:43:GLN:HB3	7:E:1083:P6G:H141	1.63	0.79
1:B:43:GLN:NE2	1:B:45:GLU:OE2	2.11	0.79
1:A:40:VAL:HG21	2:J:153:VAL:HG21	1.66	0.76
4:H:1084:HTG:S1	4:I:1085:HTG:O2	2.43	0.75
1:D:45:GLU:OE2	9:D:2006:HOH:O	2.13	0.66
2:J:18:PHE:O	9:J:2001:HOH:O	2.14	0.66
1:D:45:GLU:OE1	7:E:1083:P6G:O16	2.13	0.65
4:J:1184:HTG:H4'1	4:J:1186:HTG:H3'1	1.76	0.65
1:B:45:GLU:OE1	1:B:45:GLU:N	2.19	0.62
1:A:42:ARG:NH2	1:B:42:ARG:HA	2.15	0.61
1:D:42:ARG:NH2	7:E:1083:P6G:O10	2.34	0.61
2:J:87:VAL:HG11	4:J:1187:HTG:H5'2	1.83	0.60
1:C:49:ASP:OD1	6:C:1084:TAM:H12	2.02	0.59
1:E:2:GLU:HG3	1:F:1:FME:HA	1.84	0.58
1:C:4:LEU:HD13	1:C:8:LYS:HE3	1.85	0.57
1:B:52:ARG:NH2	1:C:47:GLN:OE1	2.37	0.57
4:I:1085:HTG:H6'2	4:I:1086:HTG:H3'1	1.87	0.57
1:E:2:GLU:HB2	1:F:1:FME:HCN	1.88	0.54
1:G:45:GLU:H	1:G:45:GLU:CD	2.09	0.54
1:H:78:ALA:HB1	4:H:1084:HTG:H5	1.90	0.54
4:H:1084:HTG:H2'2	4:I:1085:HTG:H2'2	1.89	0.53
2:J:73:LEU:HD11	4:J:1183:HTG:H5	1.94	0.50
2:J:63:LYS:HD3	2:J:144:PRO:HG3	1.94	0.50
1:F:2:GLU:HG3	1:F:4:LEU:H	1.78	0.49
1:G:3:GLY:HA3	1:H:5:ASP:OD2	2.12	0.49
1:E:2:GLU:CB	1:F:1:FME:HCN	2.42	0.49
2:J:59:LYS:NZ	9:J:2011:HOH:O	2.46	0.48
2:J:10:PHE:HE2	4:J:1188:HTG:H2'1	1.78	0.48
1:I:78:ALA:HB2	4:I:1086:HTG:H1'2	1.96	0.47
1:C:64:THR:HA	1:C:67:TYR:CD2	2.50	0.47
4:J:1183:HTG:H1	4:J:1183:HTG:H2'2	1.83	0.47
1:A:27:ILE:HG13	2:J:124:GLY:HA2	1.97	0.46
6:C:1084:TAM:HN2	6:C:1084:TAM:H62	1.63	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:I:1088:HTG:H3	2:J:68:VAL:HG11	1.98	0.46
1:B:81:PHE:HB3	1:C:8:LYS:HD3	1.97	0.46
1:D:45:GLU:HG2	9:D:2007:HOH:O	2.16	0.46
2:J:60:ASN:HB3	2:J:63:LYS:HD2	1.98	0.46
1:B:1:FME:HB3	2:J:9:ASP:OD1	2.16	0.46
1:D:4:LEU:HD11	1:D:82:PHE:HB3	1.98	0.45
1:G:31:PHE:CD2	1:H:31:PHE:HA	2.52	0.45
1:A:31:PHE:CD2	1:B:31:PHE:HA	2.52	0.44
1:H:45:GLU:HB3	9:H:2010:HOH:O	2.16	0.44
1:G:10:CYS:SG	1:H:9:ALA:HB1	2.57	0.44
1:D:43:GLN:HA	7:E:1083:P6G:H152	1.99	0.44
2:J:143:ARG:HG2	2:J:143:ARG:HH11	1.82	0.44
2:J:179:ASN:HB3	2:J:182:LEU:HG	2.00	0.44
1:A:3:GLY:HA3	1:B:5:ASP:OD2	2.17	0.44
1:D:45:GLU:H	1:D:45:GLU:CD	2.21	0.44
1:E:1:FME:HB2	1:E:2:GLU:H	1.55	0.44
1:D:31:PHE:CD2	1:E:31:PHE:HA	2.53	0.44
1:B:2:GLU:H	1:B:2:GLU:CD	2.17	0.44
1:D:43:GLN:NE2	9:D:2004:HOH:O	2.36	0.43
1:I:70:ILE:HG23	4:I:1086:HTG:H6'2	2.01	0.43
2:J:5:MET:H	2:J:5:MET:HG3	1.66	0.42
1:C:52:ARG:HB2	9:C:2008:HOH:O	2.18	0.42
4:G:1084:HTG:H4'2	4:G:1084:HTG:H1'2	1.84	0.41
4:G:1084:HTG:H1	4:H:1083:HTG:O4	2.20	0.41
1:I:31:PHE:CD2	2:J:48:PHE:HA	2.56	0.41
1:H:3:GLY:HA3	1:I:5:ASP:OD2	2.22	0.40
2:J:1:FME:HB3	2:J:1:FME:HCN	1.51	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
9:B:2006:HOH:O	9:B:2006:HOH:O[8_555]	2.06	0.14

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	80/82 (98%)	79 (99%)	1 (1%)	0	100	100
1	B	80/82 (98%)	79 (99%)	1 (1%)	0	100	100
1	C	80/82 (98%)	79 (99%)	1 (1%)	0	100	100
1	D	80/82 (98%)	79 (99%)	1 (1%)	0	100	100
1	E	80/82 (98%)	78 (98%)	2 (2%)	0	100	100
1	F	80/82 (98%)	79 (99%)	1 (1%)	0	100	100
1	G	80/82 (98%)	79 (99%)	1 (1%)	0	100	100
1	H	80/82 (98%)	79 (99%)	1 (1%)	0	100	100
1	I	80/82 (98%)	79 (99%)	1 (1%)	0	100	100
2	J	180/182 (99%)	175 (97%)	5 (3%)	0	100	100
All	All	900/920 (98%)	885 (98%)	15 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	52/52 (100%)	52 (100%)	0	100	100
1	B	52/52 (100%)	52 (100%)	0	100	100
1	C	52/52 (100%)	50 (96%)	2 (4%)	33	34
1	D	52/52 (100%)	50 (96%)	2 (4%)	33	34
1	E	52/52 (100%)	51 (98%)	1 (2%)	57	63
1	F	52/52 (100%)	50 (96%)	2 (4%)	33	34
1	G	52/52 (100%)	52 (100%)	0	100	100
1	H	52/52 (100%)	51 (98%)	1 (2%)	57	63

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	I	52/52 (100%)	50 (96%)	2 (4%)	33	34
2	J	128/128 (100%)	127 (99%)	1 (1%)	81	86
All	All	596/596 (100%)	585 (98%)	11 (2%)	59	65

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	4	LEU
1	C	52	ARG
1	D	43	GLN
1	D	75	LEU
1	E	43	GLN
1	F	43	GLN
1	F	75	LEU
1	H	45	GLU
1	I	4	LEU
1	I	42	ARG
2	J	69	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	47	GLN
1	H	47	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

10 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	FME	A	1	1	8,9,10	0.71	0	7,9,11	3.65	2 (28%)
1	FME	D	1	1,5	8,9,10	0.68	0	7,9,11	3.82	3 (42%)
1	FME	G	1	1	8,9,10	0.72	0	7,9,11	3.68	2 (28%)
1	FME	H	1	1	8,9,10	0.76	0	7,9,11	4.33	3 (42%)
1	FME	I	1	1	8,9,10	0.67	0	7,9,11	4.05	3 (42%)
1	FME	C	1	1	8,9,10	0.70	0	7,9,11	3.83	3 (42%)
1	FME	E	1	1	8,9,10	0.68	0	7,9,11	3.71	3 (42%)
2	FME	J	1	2	8,9,10	0.76	0	7,9,11	3.16	2 (28%)
1	FME	B	1	1	8,9,10	0.70	0	7,9,11	3.95	3 (42%)
1	FME	F	1	1	8,9,10	0.71	0	7,9,11	3.43	2 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	FME	A	1	1	-	5/7/9/11	-
1	FME	D	1	1,5	-	2/7/9/11	-
1	FME	G	1	1	-	5/7/9/11	-
1	FME	H	1	1	-	4/7/9/11	-
1	FME	I	1	1	-	2/7/9/11	-
1	FME	C	1	1	-	3/7/9/11	-
1	FME	E	1	1	-	5/7/9/11	-
2	FME	J	1	2	-	4/7/9/11	-
1	FME	B	1	1	-	4/7/9/11	-
1	FME	F	1	1	-	2/7/9/11	-

There are no bond length outliers.

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	H	1	FME	CA-N-CN	-10.67	106.41	122.82
1	I	1	FME	CA-N-CN	-10.02	107.41	122.82
1	B	1	FME	CA-N-CN	-9.59	108.08	122.82
1	D	1	FME	CA-N-CN	-9.39	108.38	122.82
1	C	1	FME	CA-N-CN	-9.28	108.55	122.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	G	1	FME	CA-N-CN	-9.04	108.92	122.82
1	E	1	FME	CA-N-CN	-9.00	108.99	122.82
1	A	1	FME	CA-N-CN	-8.94	109.08	122.82
1	F	1	FME	CA-N-CN	-8.51	109.74	122.82
2	J	1	FME	CA-N-CN	-7.48	111.32	122.82
1	E	1	FME	CE-SD-CG	2.78	109.95	100.40
1	B	1	FME	CE-SD-CG	2.75	109.83	100.40
1	G	1	FME	CE-SD-CG	2.69	109.63	100.40
1	H	1	FME	CE-SD-CG	2.56	109.19	100.40
2	J	1	FME	CE-SD-CG	2.49	108.97	100.40
1	H	1	FME	O-C-CA	-2.49	118.25	124.78
1	C	1	FME	O1-CN-N	-2.44	118.84	125.27
1	A	1	FME	CE-SD-CG	2.38	108.59	100.40
1	D	1	FME	O1-CN-N	-2.32	119.15	125.27
1	C	1	FME	CE-SD-CG	2.29	108.27	100.40
1	D	1	FME	CE-SD-CG	2.24	108.10	100.40
1	B	1	FME	O1-CN-N	-2.23	119.40	125.27
1	E	1	FME	O1-CN-N	-2.16	119.58	125.27
1	I	1	FME	O1-CN-N	-2.07	119.81	125.27
1	I	1	FME	CE-SD-CG	2.07	107.51	100.40
1	F	1	FME	CE-SD-CG	2.01	107.30	100.40

There are no chirality outliers.

All (36) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	1	FME	O1-CN-N-CA
1	A	1	FME	O-C-CA-CB
1	B	1	FME	O1-CN-N-CA
1	B	1	FME	N-CA-CB-CG
1	B	1	FME	C-CA-CB-CG
1	C	1	FME	O1-CN-N-CA
1	C	1	FME	CB-CA-N-CN
1	D	1	FME	O1-CN-N-CA
1	E	1	FME	O1-CN-N-CA
1	E	1	FME	C-CA-CB-CG
1	E	1	FME	O-C-CA-CB
1	E	1	FME	CA-CB-CG-SD
1	F	1	FME	O1-CN-N-CA
1	G	1	FME	O1-CN-N-CA
1	G	1	FME	CB-CA-N-CN
1	H	1	FME	O1-CN-N-CA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
1	I	1	FME	O1-CN-N-CA
2	J	1	FME	O1-CN-N-CA
2	J	1	FME	CB-CA-N-CN
2	J	1	FME	CA-CB-CG-SD
1	A	1	FME	CA-CB-CG-SD
1	E	1	FME	N-CA-CB-CG
1	C	1	FME	CB-CG-SD-CE
1	G	1	FME	CB-CG-SD-CE
1	I	1	FME	CB-CG-SD-CE
2	J	1	FME	C-CA-CB-CG
1	B	1	FME	CB-CG-SD-CE
1	D	1	FME	CB-CG-SD-CE
1	H	1	FME	CA-CB-CG-SD
1	H	1	FME	CB-CG-SD-CE
1	G	1	FME	C-CA-CB-CG
1	F	1	FME	CB-CG-SD-CE
1	A	1	FME	N-CA-CB-CG
1	A	1	FME	C-CA-CB-CG
1	G	1	FME	N-CA-CB-CG
1	H	1	FME	N-CA-CB-CG

There are no ring outliers.

4 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	E	1	FME	1	0
2	J	1	FME	1	0
1	B	1	FME	1	0
1	F	1	FME	3	0

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 36 ligands modelled in this entry, 11 are monoatomic - leaving 25 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	HTG	I	1086	-	19,19,19	1.01	2 (10%)	23,24,24	0.58	0
4	HTG	J	1185	-	19,19,19	1.01	2 (10%)	23,24,24	0.99	2 (8%)
4	HTG	H	1083	-	19,19,19	1.05	2 (10%)	23,24,24	0.67	0
4	HTG	J	1186	-	19,19,19	1.01	2 (10%)	23,24,24	0.68	0
7	P6G	E	1083	-	15,15,18	0.40	0	14,14,17	0.70	0
4	HTG	E	1085	-	19,19,19	1.07	2 (10%)	23,24,24	0.87	1 (4%)
4	HTG	I	1087	-	19,19,19	1.11	2 (10%)	23,24,24	0.70	0
8	ACT	I	1084	-	3,3,3	0.82	0	3,3,3	1.25	0
4	HTG	J	1184	-	19,19,19	1.12	2 (10%)	23,24,24	0.69	0
4	HTG	H	1084	-	19,19,19	1.12	2 (10%)	23,24,24	1.53	3 (13%)
4	HTG	G	1086	-	19,19,19	1.07	2 (10%)	23,24,24	1.51	3 (13%)
8	ACT	I	1083	-	3,3,3	0.78	0	3,3,3	1.28	0
4	HTG	J	1187	-	19,19,19	1.07	2 (10%)	23,24,24	0.52	0
4	HTG	G	1084	-	19,19,19	1.07	2 (10%)	23,24,24	0.58	0
4	HTG	I	1085	-	19,19,19	1.12	2 (10%)	23,24,24	1.12	3 (13%)
4	HTG	E	1084	-	19,19,19	1.09	2 (10%)	23,24,24	1.29	3 (13%)
4	HTG	I	1088	-	19,19,19	1.05	2 (10%)	23,24,24	0.59	0
4	HTG	F	1083	-	19,19,19	1.04	2 (10%)	23,24,24	0.95	0
8	ACT	G	1083	-	3,3,3	0.77	0	3,3,3	1.35	0
4	HTG	J	1188	-	19,19,19	1.04	2 (10%)	23,24,24	0.85	0
4	HTG	G	1085	-	19,19,19	1.07	2 (10%)	23,24,24	1.02	3 (13%)
6	TAM	C	1084	-	7,10,10	0.48	0	9,12,12	0.76	0
8	ACT	F	1084	-	3,3,3	0.76	0	3,3,3	1.28	0
4	HTG	J	1183	-	19,19,19	0.94	2 (10%)	23,24,24	1.44	3 (13%)
4	HTG	B	1084	-	19,19,19	1.06	2 (10%)	23,24,24	0.69	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	HTG	I	1086	-	-	4/10/30/30	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	HTG	J	1185	-	-	4/10/30/30	0/1/1/1
4	HTG	H	1083	-	-	6/10/30/30	0/1/1/1
4	HTG	J	1186	-	-	3/10/30/30	0/1/1/1
7	P6G	E	1083	-	-	7/13/13/16	-
4	HTG	E	1085	-	-	2/10/30/30	0/1/1/1
4	HTG	I	1087	-	-	3/10/30/30	0/1/1/1
4	HTG	J	1184	-	-	3/10/30/30	0/1/1/1
4	HTG	H	1084	-	-	4/10/30/30	0/1/1/1
4	HTG	G	1086	-	-	5/10/30/30	0/1/1/1
4	HTG	J	1187	-	-	1/10/30/30	0/1/1/1
4	HTG	G	1084	-	-	1/10/30/30	0/1/1/1
4	HTG	I	1085	-	-	5/10/30/30	0/1/1/1
4	HTG	E	1084	-	-	5/10/30/30	0/1/1/1
4	HTG	I	1088	-	-	3/10/30/30	0/1/1/1
4	HTG	F	1083	-	-	3/10/30/30	0/1/1/1
4	HTG	J	1188	-	-	7/10/30/30	0/1/1/1
4	HTG	G	1085	-	-	4/10/30/30	0/1/1/1
6	TAM	C	1084	-	-	5/12/12/12	-
4	HTG	J	1183	-	-	6/10/30/30	0/1/1/1
4	HTG	B	1084	-	-	4/10/30/30	0/1/1/1

All (38) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	J	1184	HTG	C1'-S1	-4.22	1.76	1.81
4	I	1085	HTG	C1'-S1	-3.99	1.76	1.81
4	I	1087	HTG	C1'-S1	-3.87	1.76	1.81
4	J	1187	HTG	C1'-S1	-3.81	1.76	1.81
4	G	1084	HTG	C1'-S1	-3.79	1.76	1.81
4	H	1084	HTG	C1'-S1	-3.78	1.76	1.81
4	I	1088	HTG	C1'-S1	-3.76	1.76	1.81
4	E	1084	HTG	C1'-S1	-3.73	1.76	1.81
4	E	1085	HTG	C1'-S1	-3.72	1.76	1.81
4	G	1085	HTG	C1'-S1	-3.68	1.76	1.81
4	I	1086	HTG	C1'-S1	-3.67	1.76	1.81
4	J	1186	HTG	C1'-S1	-3.66	1.76	1.81
4	H	1083	HTG	C1'-S1	-3.65	1.76	1.81
4	J	1188	HTG	C1'-S1	-3.64	1.76	1.81

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	F	1083	HTG	C1'-S1	-3.63	1.76	1.81
4	G	1086	HTG	C1'-S1	-3.60	1.76	1.81
4	B	1084	HTG	C1'-S1	-3.58	1.76	1.81
4	J	1185	HTG	C1'-S1	-3.51	1.76	1.81
4	J	1183	HTG	C1'-S1	-3.20	1.77	1.81
4	H	1084	HTG	C1-S1	-2.74	1.76	1.80
4	B	1084	HTG	C1-S1	-2.59	1.76	1.80
4	I	1087	HTG	C1-S1	-2.58	1.76	1.80
4	E	1084	HTG	C1-S1	-2.54	1.76	1.80
4	G	1085	HTG	C1-S1	-2.52	1.76	1.80
4	H	1083	HTG	C1-S1	-2.48	1.76	1.80
4	G	1084	HTG	C1-S1	-2.48	1.76	1.80
4	E	1085	HTG	C1-S1	-2.44	1.77	1.80
4	I	1085	HTG	C1-S1	-2.41	1.77	1.80
4	J	1187	HTG	C1-S1	-2.39	1.77	1.80
4	F	1083	HTG	C1-S1	-2.36	1.77	1.80
4	J	1188	HTG	C1-S1	-2.32	1.77	1.80
4	I	1088	HTG	C1-S1	-2.24	1.77	1.80
4	J	1185	HTG	C1-S1	-2.21	1.77	1.80
4	J	1186	HTG	C1-S1	-2.15	1.77	1.80
4	J	1183	HTG	C1-S1	-2.10	1.77	1.80
4	J	1184	HTG	C1-S1	-2.09	1.77	1.80
4	I	1086	HTG	C1-S1	-2.04	1.77	1.80
4	G	1086	HTG	C1-S1	-2.04	1.77	1.80

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	G	1086	HTG	O5-C1-C2	5.38	117.09	110.31
4	J	1183	HTG	O5-C1-C2	-4.12	105.13	110.31
4	H	1084	HTG	C1-C2-C3	-4.03	102.63	110.59
4	E	1084	HTG	O5-C1-C2	-3.60	105.79	110.31
4	J	1183	HTG	C3-C4-C5	3.58	116.62	110.24
4	I	1085	HTG	O5-C5-C4	3.14	115.39	109.69
4	H	1084	HTG	C1'-S1-C1	-3.11	94.28	100.09
4	G	1086	HTG	C1-C2-C3	2.97	116.45	110.59
4	E	1084	HTG	O5-C5-C4	2.93	115.01	109.69
4	E	1084	HTG	C3-C4-C5	2.90	115.41	110.24
4	I	1085	HTG	C3-C4-C5	2.66	114.99	110.24
4	J	1183	HTG	C4-C3-C2	2.62	115.40	110.82
4	G	1085	HTG	O5-C1-C2	-2.60	107.04	110.31
4	G	1086	HTG	C1-O5-C5	2.46	117.11	112.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	H	1084	HTG	O5-C1-C2	-2.45	107.24	110.31
4	G	1085	HTG	C1'-S1-C1	-2.25	95.89	100.09
4	E	1085	HTG	O5-C5-C6	2.17	111.84	106.44
4	J	1185	HTG	O5-C1-C2	2.16	113.03	110.31
4	I	1085	HTG	C1-O5-C5	2.16	116.56	112.58
4	J	1185	HTG	C3-C4-C5	-2.12	106.46	110.24
4	G	1085	HTG	C3-C4-C5	2.04	113.88	110.24

There are no chirality outliers.

All (85) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	1084	HTG	O5-C1-S1-C1'
4	E	1084	HTG	O5-C1-S1-C1'
4	E	1085	HTG	O5-C1-S1-C1'
4	G	1085	HTG	C2'-C1'-S1-C1
4	H	1083	HTG	O5-C1-S1-C1'
4	I	1085	HTG	C2'-C1'-S1-C1
4	I	1086	HTG	O5-C1-S1-C1'
4	J	1183	HTG	C2'-C1'-S1-C1
4	J	1186	HTG	C2-C1-S1-C1'
4	J	1188	HTG	C2-C1-S1-C1'
4	J	1188	HTG	O5-C1-S1-C1'
6	C	1084	TAM	C1-C-C3-C6
6	C	1084	TAM	C2-C-C3-C6
6	C	1084	TAM	N-C-C3-C6
6	C	1084	TAM	C-C2-C5-O5
6	C	1084	TAM	C-C3-C6-O6
4	F	1083	HTG	S1-C1'-C2'-C3'
4	G	1085	HTG	O5-C5-C6-O6
4	B	1084	HTG	S1-C1'-C2'-C3'
4	H	1083	HTG	S1-C1'-C2'-C3'
4	G	1085	HTG	C4-C5-C6-O6
4	J	1185	HTG	O5-C5-C6-O6
4	B	1084	HTG	O5-C5-C6-O6
4	J	1188	HTG	C4-C5-C6-O6
7	E	1083	P6G	O10-C11-C12-O13
4	J	1188	HTG	O5-C5-C6-O6
4	B	1084	HTG	C4-C5-C6-O6
4	I	1087	HTG	S1-C1'-C2'-C3'
4	I	1085	HTG	C1'-C2'-C3'-C4'
4	J	1185	HTG	S1-C1'-C2'-C3'

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	G	1086	HTG	C1'-C2'-C3'-C4'
4	J	1183	HTG	C1'-C2'-C3'-C4'
4	H	1083	HTG	O5-C5-C6-O6
4	J	1183	HTG	S1-C1'-C2'-C3'
4	J	1188	HTG	S1-C1'-C2'-C3'
7	E	1083	P6G	C11-C12-O13-C14
4	H	1083	HTG	C1'-C2'-C3'-C4'
4	I	1086	HTG	C1'-C2'-C3'-C4'
4	H	1084	HTG	C2'-C3'-C4'-C5'
4	I	1088	HTG	C3'-C4'-C5'-C6'
4	E	1084	HTG	C1'-C2'-C3'-C4'
4	J	1188	HTG	C1'-C2'-C3'-C4'
4	I	1087	HTG	O5-C5-C6-O6
4	F	1083	HTG	C2'-C3'-C4'-C5'
4	G	1084	HTG	C2'-C3'-C4'-C5'
4	J	1183	HTG	C4-C5-C6-O6
7	E	1083	P6G	O4-C5-C6-O7
4	G	1085	HTG	C1'-C2'-C3'-C4'
4	E	1085	HTG	O5-C5-C6-O6
4	H	1084	HTG	O5-C5-C6-O6
4	J	1184	HTG	S1-C1'-C2'-C3'
4	J	1187	HTG	O5-C5-C6-O6
4	I	1086	HTG	O5-C5-C6-O6
4	F	1083	HTG	C3'-C4'-C5'-C6'
4	I	1088	HTG	O5-C5-C6-O6
4	G	1086	HTG	S1-C1'-C2'-C3'
4	E	1084	HTG	O5-C5-C6-O6
7	E	1083	P6G	O1-C2-C3-O4
4	J	1186	HTG	C4-C5-C6-O6
4	J	1183	HTG	O5-C5-C6-O6
4	J	1184	HTG	C2'-C3'-C4'-C5'
4	G	1086	HTG	C2'-C3'-C4'-C5'
4	I	1085	HTG	O5-C1-S1-C1'
4	I	1088	HTG	C2'-C1'-S1-C1
4	J	1185	HTG	O5-C1-S1-C1'
7	E	1083	P6G	C12-C11-O10-C9
7	E	1083	P6G	C8-C9-O10-C11
4	J	1184	HTG	C1'-C2'-C3'-C4'
4	E	1084	HTG	C2-C1-S1-C1'
4	G	1086	HTG	C2-C1-S1-C1'
4	H	1083	HTG	C2-C1-S1-C1'
4	H	1084	HTG	C2-C1-S1-C1'

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	I	1085	HTG	C2-C1-S1-C1'
4	H	1084	HTG	C1'-C2'-C3'-C4'
4	I	1087	HTG	C1'-C2'-C3'-C4'
4	H	1083	HTG	C4-C5-C6-O6
4	J	1185	HTG	C4-C5-C6-O6
4	I	1086	HTG	C3'-C4'-C5'-C6'
4	I	1085	HTG	S1-C1'-C2'-C3'
4	G	1086	HTG	O5-C1-S1-C1'
4	J	1188	HTG	C2'-C3'-C4'-C5'
7	E	1083	P6G	O7-C8-C9-O10
4	E	1084	HTG	C2'-C3'-C4'-C5'
4	J	1186	HTG	O5-C5-C6-O6
4	J	1183	HTG	C2'-C3'-C4'-C5'


There are no ring outliers.




13 monomers are involved in 20 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	I	1086	HTG	3	0
4	H	1083	HTG	1	0
4	J	1186	HTG	1	0
7	E	1083	P6G	4	0
4	J	1184	HTG	1	0
4	H	1084	HTG	3	0
4	J	1187	HTG	1	0
4	G	1084	HTG	2	0
4	I	1085	HTG	3	0
4	I	1088	HTG	1	0
4	J	1188	HTG	1	0
6	C	1084	TAM	2	0
4	J	1183	HTG	2	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.



The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.






























5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	81/82 (98%)	0.38	8 (9%) 7 9	35, 52, 74, 106	0
1	B	81/82 (98%)	0.24	6 (7%) 14 18	36, 55, 78, 89	1 (1%)
1	C	81/82 (98%)	0.17	6 (7%) 14 18	36, 56, 82, 103	0
1	D	81/82 (98%)	0.16	4 (4%) 29 35	37, 56, 80, 99	0
1	E	81/82 (98%)	0.11	3 (3%) 41 48	36, 52, 80, 124	0
1	F	81/82 (98%)	0.04	2 (2%) 57 62	34, 47, 70, 87	0
1	G	81/82 (98%)	0.07	4 (4%) 29 35	32, 44, 69, 93	1 (1%)
1	H	81/82 (98%)	-0.11	2 (2%) 57 62	30, 42, 62, 79	0
1	I	81/82 (98%)	-0.21	0 100 100	30, 41, 61, 72	0
2	J	181/182 (99%)	-0.05	3 (1%) 70 74	31, 47, 85, 132	0
All	All	910/920 (98%)	0.07	38 (4%) 36 42	30, 49, 80, 132	2 (0%)

All (38) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	2	GLU	6.1
1	B	82	PHE	5.6
1	C	4	LEU	5.0
1	D	82	PHE	5.0
2	J	181	PHE	4.7
1	C	82	PHE	4.4
1	D	81	PHE	4.0
1	C	81	PHE	3.5
1	B	20	ILE	3.3
1	C	20	ILE	3.1
1	A	77	PHE	3.1
1	H	17	ILE	3.0
1	A	81	PHE	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	23	VAL	3.0
1	G	82	PHE	3.0
1	A	20	ILE	2.9
1	A	3	GLY	2.9
1	C	17	ILE	2.9
2	J	102	THR	2.9
1	F	20	ILE	2.8
1	C	23	VAL	2.8
1	D	17	ILE	2.7
2	J	177	TYR	2.7
1	A	4	LEU	2.6
1	B	2	GLU	2.6
1	H	23	VAL	2.5
1	G	23	VAL	2.4
1	E	42	ARG	2.4
1	G	20	ILE	2.4
1	D	42	ARG	2.3
1	A	82	PHE	2.3
1	B	17	ILE	2.2
1	A	23	VAL	2.1
1	B	24	GLY	2.1
1	A	78	ALA	2.1
1	F	3	GLY	2.0
1	E	46	ALA	2.0
1	G	24	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	FME	E	1	10/11	-0.03	0.39	123,135,138,158	0
2	FME	J	1	10/11	0.80	0.15	87,101,110,137	0
1	FME	B	1	10/11	0.81	0.26	72,84,107,164	0
1	FME	A	1	10/11	0.86	0.27	76,107,120,169	0
1	FME	I	1	10/11	0.87	0.17	50,70,78,122	0
1	FME	G	1	10/11	0.89	0.25	80,93,115,120	0
1	FME	F	1	10/11	0.90	0.24	86,91,111,114	0
1	FME	D	1	10/11	0.91	0.16	70,96,107,119	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
1	FME	C	1	10/11	0.91	0.15	73,79,84,84	0
1	FME	H	1	10/11	0.93	0.10	61,68,88,95	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	MN	C	1083	1/1	0.18	0.25	213,213,213,213	0
4	HTG	H	1083	19/19	0.48	0.54	71,135,144,173	0
4	HTG	E	1084	19/19	0.50	0.41	87,144,148,204	0
4	HTG	H	1084	19/19	0.56	0.49	108,133,144,177	0
8	ACT	G	1083	4/4	0.56	0.44	96,100,103,107	0
8	ACT	I	1083	4/4	0.56	0.38	75,85,87,87	0
4	HTG	I	1088	19/19	0.58	0.40	98,116,126,152	0
4	HTG	B	1084	19/19	0.59	0.57	116,159,164,167	0
4	HTG	G	1085	19/19	0.62	0.40	84,132,141,185	0
4	HTG	J	1185	19/19	0.63	0.20	74,131,143,178	0
4	HTG	G	1084	19/19	0.64	0.56	103,140,148,164	0
4	HTG	G	1086	19/19	0.67	0.71	85,128,132,186	0
4	HTG	E	1085	19/19	0.67	0.30	94,124,140,202	0
4	HTG	J	1187	19/19	0.68	0.43	110,121,127,160	0
7	P6G	E	1083	16/19	0.68	0.53	74,105,116,117	0
6	TAM	C	1084	11/11	0.69	0.27	99,103,107,107	0
4	HTG	I	1086	19/19	0.70	0.66	91,131,136,137	0
4	HTG	I	1087	19/19	0.70	0.55	87,130,145,196	0
4	HTG	J	1188	19/19	0.71	0.30	94,124,134,165	0
8	ACT	I	1084	4/4	0.72	0.26	73,78,80,81	0
4	HTG	J	1186	19/19	0.75	0.34	65,134,138,183	0
4	HTG	F	1083	19/19	0.77	0.35	80,114,128,193	0
8	ACT	F	1084	4/4	0.81	0.17	96,98,100,100	0
4	HTG	I	1085	19/19	0.81	0.37	109,136,143,185	0
4	HTG	J	1183	19/19	0.83	0.42	81,123,128,129	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	HTG	J	1184	19/19	0.91	0.21	56,67,82,84	0
3	NA	H	201	1/1	0.94	0.07	38,38,38,38	0
3	NA	F	201	1/1	0.95	0.07	43,43,43,43	0
3	NA	B	201	1/1	0.97	0.05	52,52,52,52	0
3	NA	A	201	1/1	0.97	0.07	45,45,45,45	0
3	NA	G	201	1/1	0.97	0.06	38,38,38,38	0
3	NA	E	201	1/1	0.99	0.03	48,48,48,48	0
3	NA	I	201	1/1	0.99	0.08	39,39,39,39	0
3	NA	C	201	1/1	0.99	0.09	48,48,48,48	0
3	NA	D	201	1/1	0.99	0.05	52,52,52,52	0
3	NA	J	201	1/1	1.00	0.08	38,38,38,38	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around HTG E 1084:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around HTG H 1084:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HTG I 1088:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around HTG B 1084:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HTG G 1085:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around HTG J 1185:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HTG G 1084:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around HTG G 1086:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HTG E 1085:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around HTG J 1187:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around P6G E 1083:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around HTG I 1086:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HTG I 1087:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around HTG J 1188:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HTG J 1186:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around HTG F 1083:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around HTG I 1085:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around HTG J 1183:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.