



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 8, 2023 – 02:17 AM EDT

PDB ID : 4QOM
Title : Bacillus pumilus catalase with pyrogallol bound
Authors : Loewen, P.C.
Deposited on : 2014-06-20
Resolution : 1.65 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1827 (1.66-1.66)
Clashscore	141614	1931 (1.66-1.66)
Ramachandran outliers	138981	1891 (1.66-1.66)
Sidechain outliers	138945	1891 (1.66-1.66)
RSRZ outliers	127900	1791 (1.66-1.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	491	
1	B	491	
1	C	491	
1	D	491	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	PYG	A	504	-	-	X	-
3	PYG	B	504	-	X	-	-
3	PYG	C	504	-	-	X	-
3	PYG	D	504	-	X	-	-

2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 17977 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Catalase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	480	Total 3949	C 2488	N 692	O 755	S 14	0	5	0
1	B	480	Total 3954	C 2493	N 691	O 754	S 16	0	6	0
1	C	480	Total 3962	C 2498	N 695	O 755	S 14	0	6	0
1	D	480	Total 3958	C 2494	N 692	O 758	S 14	0	6	0

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	Fe	N			O
2	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	1
2	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
2	B	1	Total	C	Fe	N	O	0	1
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	1
			43	34	1	4	4		
2	C	1	Total	C	Fe	N	O	0	1
			43	34	1	4	4		
2	C	1	Total	C	Fe	N	O	0	1
			43	34	1	4	4		
2	D	1	Total	C	Fe	N	O	0	1
			43	34	1	4	4		
2	D	1	Total	C	Fe	N	O	0	1
			43	34	1	4	4		

- Molecule 3 is BENZENE-1,2,3-TRIOL (three-letter code: PYG) (formula: C₆H₆O₃).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	C O	0	0
			9	6 3		
3	A	1	Total	C O	0	0
			9	6 3		
3	B	1	Total	C O	0	0
			9	6 3		
3	B	1	Total	C O	0	0
			9	6 3		
3	C	1	Total	C O	0	0
			9	6 3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	C	1	Total C O 9 6 3	0	0
3	D	1	Total C O 9 6 3	0	0
3	D	1	Total C O 9 6 3	0	0

- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	2	Total Cl 2 2	0	0
4	B	1	Total Cl 1 1	0	0
4	C	2	Total Cl 2 2	0	0
4	D	1	Total Cl 1 1	0	0

- Molecule 5 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total Na 1 1	0	0
5	B	1	Total Na 1 1	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	436	Total O 436 436	0	0
6	B	424	Total O 424 424	0	0
6	C	446	Total O 446 446	0	0
6	D	424	Total O 424 424	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Catalase




- Molecule 1: Catalase



- Molecule 1: Catalase



- Molecule 1: Catalase





4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	91.85Å 109.42Å 103.37Å 90.00° 92.21° 90.00°	Depositor
Resolution (Å)	103.29 – 1.65 44.29 – 1.65	Depositor EDS
% Data completeness (in resolution range)	96.8 (103.29-1.65) 96.8 (44.29-1.65)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.18 (at 1.65Å)	Xtrriage
Refinement program	REFMAC 5.8.0069	Depositor
R, R_{free}	0.178 , 0.210 0.188 , 0.218	Depositor DCC
R_{free} test set	11709 reflections (4.94%)	wwPDB-VP
Wilson B-factor (Å ²)	18.4	Xtrriage
Anisotropy	0.727	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 45.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtrriage
Estimated twinning fraction	0.075 for h,-k,-l	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	17977	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.96% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NA, CL, HEM, PYG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.88	2/4068 (0.0%)	0.95	11/5516 (0.2%)
1	B	0.92	0/4075	0.94	11/5524 (0.2%)
1	C	0.95	0/4080	0.99	16/5531 (0.3%)
1	D	0.89	0/4076	0.94	10/5526 (0.2%)
All	All	0.91	2/16299 (0.0%)	0.95	48/22097 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	285	TRP	CE3-CZ3	-6.06	1.28	1.38
1	A	329	GLU	CG-CD	5.52	1.60	1.51

All (48) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	225	ARG	NE-CZ-NH1	-13.32	113.64	120.30
1	C	225	ARG	NE-CZ-NH2	11.76	126.18	120.30
1	A	465	ARG	NE-CZ-NH1	8.47	124.53	120.30
1	D	203	ARG	NE-CZ-NH2	-8.32	116.14	120.30
1	C	465	ARG	NE-CZ-NH1	8.13	124.36	120.30
1	D	413	ARG	NE-CZ-NH1	-8.06	116.27	120.30
1	B	203	ARG	NE-CZ-NH2	-8.00	116.30	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	465	ARG	NE-CZ-NH2	-7.92	116.34	120.30
1	C	413	ARG	NE-CZ-NH1	-7.83	116.39	120.30
1	A	203	ARG	NE-CZ-NH1	7.82	124.21	120.30
1	C	203	ARG	NE-CZ-NH2	-7.38	116.61	120.30
1	A	203	ARG	NE-CZ-NH2	-7.32	116.64	120.30
1	A	470	TYR	CB-CG-CD2	-7.26	116.64	121.00
1	C	465	ARG	NE-CZ-NH2	-7.18	116.71	120.30
1	A	413	ARG	NE-CZ-NH1	-7.06	116.77	120.30
1	C	138	ARG	NE-CZ-NH2	-6.91	116.84	120.30
1	D	138	ARG	NE-CZ-NH2	-6.83	116.89	120.30
1	B	109	ARG	NE-CZ-NH1	6.50	123.55	120.30
1	B	138	ARG	NE-CZ-NH2	-6.34	117.13	120.30
1	C	430	ARG	NE-CZ-NH1	6.13	123.37	120.30
1	A	109	ARG	NE-CZ-NH1	6.08	123.34	120.30
1	D	203	ARG	NE-CZ-NH1	6.06	123.33	120.30
1	D	50	ARG	NE-CZ-NH2	-6.05	117.27	120.30
1	C	138	ARG	NE-CZ-NH1	6.00	123.30	120.30
1	D	195	ARG	NE-CZ-NH2	-5.95	117.32	120.30
1	D	163	ARG	NE-CZ-NH2	5.89	123.25	120.30
1	A	388	ARG	NE-CZ-NH2	-5.88	117.36	120.30
1	C	430	ARG	NE-CZ-NH2	-5.85	117.37	120.30
1	D	430	ARG	NE-CZ-NH1	5.77	123.18	120.30
1	B	138	ARG	NE-CZ-NH1	5.71	123.16	120.30
1	B	440	LEU	CB-CG-CD2	5.70	120.70	111.00
1	C	388	ARG	NE-CZ-NH2	-5.59	117.50	120.30
1	D	163	ARG	NE-CZ-NH1	-5.55	117.52	120.30
1	C	410	ARG	NE-CZ-NH2	5.53	123.06	120.30
1	C	50	ARG	NE-CZ-NH1	5.45	123.03	120.30
1	B	388	ARG	NE-CZ-NH2	-5.45	117.58	120.30
1	B	413	ARG	NE-CZ-NH1	-5.45	117.58	120.30
1	C	470	TYR	CB-CG-CD2	-5.39	117.77	121.00
1	A	329	GLU	OE1-CD-OE2	-5.33	116.90	123.30
1	A	252	GLU	OE1-CD-OE2	-5.32	116.92	123.30
1	B	24	ARG	NE-CZ-NH2	-5.27	117.66	120.30
1	B	54	ARG	NE-CZ-NH2	-5.16	117.72	120.30
1	C	203	ARG	NE-CZ-NH1	5.15	122.88	120.30
1	C	50	ARG	NE-CZ-NH2	-5.12	117.74	120.30
1	B	440	LEU	CA-CB-CG	5.11	127.06	115.30
1	D	138	ARG	NE-CZ-NH1	5.06	122.83	120.30
1	A	352	TYR	CB-CG-CD2	-5.06	117.97	121.00
1	B	430	ARG	NE-CZ-NH1	5.04	122.82	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	D	484	SER	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3949	0	3748	30	1
1	B	3954	0	3761	22	1
1	C	3962	0	3771	22	1
1	D	3958	0	3757	40	2
2	A	86	0	60	13	0
2	B	86	0	60	11	0
2	C	86	0	60	7	0
2	D	86	0	60	10	0
3	A	18	0	9	7	0
3	B	18	0	9	5	0
3	C	18	0	10	5	0
3	D	18	0	9	3	0
4	A	2	0	0	0	0
4	B	1	0	0	0	0
4	C	2	0	0	0	0
4	D	1	0	0	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
6	A	436	0	0	11	0
6	B	424	0	0	5	1
6	C	446	0	0	11	0
6	D	424	0	0	16	0
All	All	17977	0	15314	142	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (142) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:501[A]:HEM:HMB2	2:A:501[A]:HEM:HBB2	1.33	1.08
1:C:436:GLU:OE2	6:C:743:HOH:O	1.72	1.05
1:C:454:LYS:HE3	6:C:1045:HOH:O	1.63	0.97
1:C:28:HIS:CE1	6:C:842:HOH:O	2.17	0.95
1:C:28:HIS:ND1	6:C:842:HOH:O	2.00	0.94
2:A:501[A]:HEM:HBB2	2:A:501[A]:HEM:CMB	1.96	0.90
2:B:502[B]:HEM:CMC	2:B:502[B]:HEM:HBC2	2.02	0.90
1:D:195:ARG:CD	1:D:224:ILE:HD11	2.03	0.89
1:D:195:ARG:HD3	1:D:224:ILE:CD1	2.07	0.84
1:B:449:LYS:NZ	6:B:940:HOH:O	1.94	0.82
2:C:501[A]:HEM:HMC2	2:C:501[A]:HEM:HBC2	1.61	0.80
1:C:219:ARG:HD2	6:C:728:HOH:O	1.83	0.78
2:C:501[A]:HEM:HBC2	2:C:501[A]:HEM:CMC	2.14	0.76
1:D:180:TRP:HZ3	1:D:195:ARG:HH22	1.32	0.76
1:B:372[A]:PHE:CE2	6:D:904:HOH:O	2.38	0.76
1:D:195:ARG:CG	1:D:224:ILE:HD11	2.16	0.75
2:A:501[A]:HEM:CMC	2:A:501[A]:HEM:HBC2	2.17	0.75
2:B:501[A]:HEM:HMB2	2:B:501[A]:HEM:HBB2	1.69	0.75
1:A:83:SER:OG	6:A:958:HOH:O	2.04	0.75
1:D:195:ARG:HD3	1:D:224:ILE:HD11	1.66	0.74
2:B:501[A]:HEM:HBB2	2:B:501[A]:HEM:CMB	2.17	0.72
1:D:454:LYS:HE3	6:D:997:HOH:O	1.89	0.72
1:A:181:LEU:HD21	3:A:503:PYG:C6	2.20	0.71
1:C:219:ARG:CD	6:C:728:HOH:O	2.37	0.71
2:A:502[B]:HEM:HBC2	2:A:502[B]:HEM:CMC	2.21	0.70
2:B:502[B]:HEM:HBC2	2:B:502[B]:HEM:HMC1	1.72	0.70
1:B:181:LEU:HD21	3:B:503:PYG:C6	2.21	0.69
1:A:452:ASN:HD22	1:A:455:THR:H	1.41	0.69
2:B:502[B]:HEM:HMC1	2:B:502[B]:HEM:CBC	2.23	0.69
1:B:100:HIS:HE1	6:C:704:HOH:O	1.76	0.68
2:A:501[A]:HEM:HMB2	2:A:501[A]:HEM:CBB	2.20	0.67
1:B:452:ASN:HD22	1:B:455:THR:H	1.43	0.67
1:D:85:GLU:H	1:D:85:GLU:CD	1.98	0.67
2:A:501[A]:HEM:HBC2	2:A:501[A]:HEM:HMC2	1.77	0.66
1:D:252:GLU:OE1	6:D:675:HOH:O	2.12	0.66
1:A:45:HIS:HE1	1:C:351:ASN:OD1	1.78	0.66
1:D:181:LEU:HD21	3:D:503:PYG:C6	2.25	0.65
2:B:501[A]:HEM:HMC2	2:B:501[A]:HEM:HBC2	1.79	0.64
1:B:372[A]:PHE:CD2	6:D:904:HOH:O	2.49	0.64
2:A:502[B]:HEM:HBC2	2:A:502[B]:HEM:HMC1	1.80	0.64
1:D:195:ARG:HD3	1:D:224:ILE:HD13	1.78	0.64
1:A:219:ARG:HD2	6:A:859:HOH:O	1.99	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:501[A]:HEM:HBC2	2:B:501[A]:HEM:CMC	2.30	0.62
1:D:195:ARG:CD	1:D:224:ILE:CD1	2.71	0.61
1:D:195:ARG:CG	1:D:224:ILE:CD1	2.78	0.61
1:D:219:ARG:CG	6:D:853:HOH:O	2.49	0.60
1:C:111:PRO:HG2	3:C:504:PYG:O1	2.01	0.60
1:D:143:PHE:CZ	3:D:504:PYG:H4	2.37	0.60
1:C:390:ASP:O	6:C:867:HOH:O	2.16	0.59
1:A:219:ARG:HD2	6:A:834:HOH:O	2.02	0.59
1:A:452:ASN:HD21	1:A:454:LYS:HB3	1.68	0.58
1:B:452:ASN:HD21	1:B:454:LYS:HB3	1.67	0.58
1:A:45:HIS:HD2	6:A:686:HOH:O	1.86	0.58
1:C:181:LEU:HD21	3:C:503:PYG:C6	2.34	0.58
2:C:501[A]:HEM:HMC2	2:C:501[A]:HEM:CBC	2.34	0.57
1:D:234:GLU:HG2	6:D:775:HOH:O	2.04	0.57
1:D:483:ARG:O	1:D:484:SER:CB	2.50	0.57
2:D:501[A]:HEM:CMC	2:D:501[A]:HEM:HBC2	2.35	0.57
1:D:234:GLU:CG	6:D:775:HOH:O	2.52	0.56
1:A:334:GLN:HG3	6:D:884:HOH:O	2.05	0.56
2:D:502[B]:HEM:CMC	2:D:502[B]:HEM:HBC2	2.35	0.56
2:B:502[B]:HEM:HBC2	2:B:502[B]:HEM:HMC3	1.86	0.56
1:D:111:PRO:HG2	3:D:504:PYG:O1	2.05	0.55
2:D:501[A]:HEM:CMB	2:D:501[A]:HEM:HBB2	2.37	0.55
1:A:336:ARG:HG3	2:A:502[B]:HEM:HMC3	1.87	0.55
1:C:332:LEU:HD12	2:C:501[A]:HEM:HBB1	1.88	0.55
1:A:100:HIS:HE1	6:D:673:HOH:O	1.88	0.55
1:C:143:PHE:CZ	3:C:504:PYG:H4	2.42	0.55
2:A:501[A]:HEM:HMC2	2:A:501[A]:HEM:CBC	2.36	0.54
1:D:332:LEU:HD12	2:D:501[A]:HEM:HBB1	1.89	0.54
1:B:111:PRO:HG2	3:B:504:PYG:O1	2.08	0.54
2:D:501[A]:HEM:HBB2	2:D:501[A]:HEM:HMB2	1.90	0.54
6:A:803:HOH:O	1:D:100:HIS:HE1	1.92	0.53
1:C:146:MET:HE3	3:C:504:PYG:H5	1.90	0.53
1:A:417:GLU:HG3	1:D:28:HIS:NE2	2.24	0.52
1:A:143:PHE:CZ	3:A:504:PYG:H6	2.43	0.52
1:D:195:ARG:HG3	1:D:224:ILE:CD1	2.40	0.52
1:A:230:GLU:CG	6:A:668:HOH:O	2.58	0.51
3:A:503:PYG:O2	6:A:638:HOH:O	2.19	0.51
2:B:501[A]:HEM:HMB2	2:B:501[A]:HEM:CBB	2.39	0.51
1:A:111:PRO:HG2	3:A:504:PYG:O3	2.11	0.50
1:B:334:GLN:HG3	6:C:705:HOH:O	2.11	0.50
1:B:465:ARG:NE	6:B:929:HOH:O	2.44	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:A:978:HOH:O	1:D:334:GLN:HG3	2.12	0.49
1:B:143:PHE:CZ	3:B:504:PYG:H4	2.47	0.49
1:C:146:MET:CE	3:C:504:PYG:H5	2.43	0.49
1:A:366:ASN:HA	1:C:9[B]:LEU:HD22	1.94	0.49
1:A:219:ARG:CD	6:A:859:HOH:O	2.59	0.48
2:A:502[B]:HEM:CMB	2:A:502[B]:HEM:HBB2	2.43	0.48
1:A:412[A]:VAL:HG12	1:A:413:ARG:N	2.28	0.48
1:B:468:GLU:HG3	6:B:931:HOH:O	2.13	0.48
1:D:29:ARG:NH1	6:D:973:HOH:O	2.47	0.47
1:A:346:HIS:HE1	6:D:904:HOH:O	1.98	0.46
1:D:234:GLU:HG3	1:D:235:ILE:N	2.30	0.46
1:D:6:HIS:HA	6:D:789:HOH:O	2.14	0.46
1:D:195:ARG:HG3	1:D:224:ILE:HG12	1.97	0.46
1:A:146:MET:HE3	3:A:504:PYG:H5	1.96	0.46
1:A:181:LEU:HD21	3:A:503:PYG:C5	2.45	0.46
1:A:230:GLU:HG2	6:A:668:HOH:O	2.14	0.46
1:D:219:ARG:HG2	6:D:853:HOH:O	2.16	0.46
1:C:253:LYS:HE2	1:C:253:LYS:HB3	1.74	0.45
1:D:57:HIS:HA	1:D:97:THR:O	2.16	0.45
1:B:332:LEU:HD12	2:B:501[A]:HEM:HBB1	1.99	0.45
6:B:736:HOH:O	1:C:100:HIS:HE1	1.98	0.45
1:C:219:ARG:HD2	6:C:1000:HOH:O	2.16	0.45
2:A:502[B]:HEM:CMC	2:A:502[B]:HEM:CBC	2.95	0.45
2:D:501[A]:HEM:HBC2	2:D:501[A]:HEM:HMC2	1.99	0.45
1:A:72:SER:HB3	1:A:84:GLU:HA	2.00	0.44
1:A:238:ASN:ND2	6:A:1007:HOH:O	2.26	0.44
1:D:102[B]:LYS:HE3	1:D:102[B]:LYS:HB2	1.62	0.43
1:A:72:SER:OG	1:A:74:GLU:OE1	2.36	0.43
1:B:140:ALA:HA	2:B:501[A]:HEM:HBB1	2.00	0.43
6:C:1045:HOH:O	1:D:388:ARG:HD2	2.19	0.43
1:D:57:HIS:HB2	2:D:501[A]:HEM:HAD2	1.99	0.43
1:B:230:GLU:OE2	1:B:234:GLU:OE2	2.36	0.43
1:C:57:HIS:HA	1:C:97:THR:O	2.18	0.43
1:A:130:ASN:CG	2:A:502[B]:HEM:HMB2	2.40	0.42
1:A:21:GLN:HA	1:D:142:LYS:HD3	2.01	0.42
1:D:109:ARG:NE	6:D:945:HOH:O	2.31	0.42
1:A:146:MET:CE	3:A:504:PYG:H5	2.50	0.42
1:D:483:ARG:O	1:D:484:SER:HB3	2.18	0.42
1:B:181:LEU:HD21	3:B:503:PYG:C5	2.50	0.42
1:B:272:ASP:HB2	6:B:910:HOH:O	2.18	0.42
1:C:340:TYR:HB2	1:C:341:PRO:HD3	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:98:VAL:HG11	3:B:504:PYG:C6	2.49	0.42
2:A:502[B]:HEM:HMC1	2:A:502[B]:HEM:CBC	2.48	0.41
2:C:501[A]:HEM:HBB2	2:C:501[A]:HEM:HMB2	2.02	0.41
2:C:501[A]:HEM:HBB2	2:C:501[A]:HEM:CMB	2.51	0.41
1:D:225:ARG:HD2	6:D:961:HOH:O	2.20	0.41
1:B:237:ALA:HB2	1:C:237:ALA:HB2	2.02	0.41
1:B:219:ARG:NH2	1:B:262:TYR:OH	2.54	0.41
1:C:271:TYR:HD1	1:C:278:PRO:HD2	1.86	0.41
2:C:502[B]:HEM:CMB	2:C:502[B]:HEM:HBB2	2.51	0.41
1:D:85:GLU:HG3	6:D:1024:HOH:O	2.19	0.41
1:A:142:LYS:HD3	1:D:21:GLN:HA	2.02	0.41
2:D:501[A]:HEM:HMC2	2:D:501[A]:HEM:CBC	2.52	0.40
2:D:502[B]:HEM:CMC	2:D:502[B]:HEM:CBC	2.99	0.40
1:D:193:GLU:HA	1:D:223:GLY:O	2.21	0.40
1:B:105:PRO:HA	1:B:240:PHE:O	2.22	0.40
1:B:347:ARG:O	1:D:372[A]:PHE:HE1	2.05	0.40
2:D:502[B]:HEM:HBC2	2:D:502[B]:HEM:HMC1	2.03	0.40
1:A:57:HIS:HA	1:A:97:THR:O	2.21	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:273:GLU:OE1	1:C:417:GLU:OE2[1_455]	1.69	0.51
1:A:417:GLU:OE2	1:D:273:GLU:OE1[1_455]	2.06	0.14
1:D:225:ARG:NH1	6:B:998:HOH:O[2_655]	2.08	0.12

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	483/491 (98%)	471 (98%)	12 (2%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	484/491 (99%)	473 (98%)	11 (2%)	0	100	100
1	C	484/491 (99%)	471 (97%)	13 (3%)	0	100	100
1	D	484/491 (99%)	471 (97%)	12 (2%)	1 (0%)	47	28
All	All	1935/1964 (98%)	1886 (98%)	48 (2%)	1 (0%)	51	31

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	484	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	426/432 (99%)	415 (97%)	11 (3%)	46	21
1	B	427/432 (99%)	415 (97%)	12 (3%)	43	18
1	C	427/432 (99%)	416 (97%)	11 (3%)	46	21
1	D	427/432 (99%)	414 (97%)	13 (3%)	41	15
All	All	1707/1728 (99%)	1660 (97%)	47 (3%)	43	18

All (47) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	110	ASP
1	A	114	PHE
1	A	120	THR
1	A	230	GLU
1	A	241	GLN
1	A	288	GLU
1	A	401	GLU
1	A	420	ASN
1	A	447	ASP
1	A	470	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	474	LEU
1	B	110	ASP
1	B	114	PHE
1	B	219	ARG
1	B	241	GLN
1	B	273	GLU
1	B	401	GLU
1	B	420	ASN
1	B	440	LEU
1	B	447	ASP
1	B	470	TYR
1	B	474	LEU
1	B	485	TYR
1	C	110	ASP
1	C	114	PHE
1	C	120	THR
1	C	230	GLU
1	C	241	GLN
1	C	273	GLU
1	C	401	GLU
1	C	409	ASP
1	C	420	ASN
1	C	447	ASP
1	C	485	TYR
1	D	75	LYS
1	D	110	ASP
1	D	114	PHE
1	D	120	THR
1	D	230	GLU
1	D	234	GLU
1	D	241	GLN
1	D	273	GLU
1	D	401	GLU
1	D	447	ASP
1	D	470	TYR
1	D	474	LEU
1	D	485	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	45	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	100	HIS
1	A	157	ASN
1	A	226	ASN
1	A	346	HIS
1	A	367	ASN
1	A	420	ASN
1	A	452	ASN
1	B	100	HIS
1	B	157	ASN
1	B	226	ASN
1	B	398	HIS
1	B	420	ASN
1	B	452	ASN
1	C	100	HIS
1	C	226	ASN
1	C	238	ASN
1	C	420	ASN
1	D	100	HIS
1	D	157	ASN
1	D	226	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 24 ligands modelled in this entry, 8 are monoatomic - leaving 16 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	HEM	B	501[A]	3,1	41,50,50	1.48	7 (17%)	45,82,82	2.54	15 (33%)
3	PYG	D	503	-	9,9,9	3.29	2 (22%)	12,12,12	1.68	3 (25%)
2	HEM	C	502[B]	1	41,50,50	1.25	6 (14%)	45,82,82	2.04	14 (31%)
2	HEM	A	502[B]	1	41,50,50	1.44	7 (17%)	45,82,82	2.05	15 (33%)
3	PYG	C	504	-	9,9,9	2.72	3 (33%)	12,12,12	2.58	3 (25%)
2	HEM	A	501[A]	1	41,50,50	1.49	10 (24%)	45,82,82	2.49	16 (35%)
2	HEM	D	501[A]	3,1	41,50,50	1.28	3 (7%)	45,82,82	2.46	10 (22%)
2	HEM	C	501[A]	1	41,50,50	1.33	6 (14%)	45,82,82	2.53	19 (42%)
3	PYG	B	504	2	9,9,9	2.63	3 (33%)	12,12,12	3.07	6 (50%)
3	PYG	A	503	-	9,9,9	3.63	2 (22%)	12,12,12	1.62	3 (25%)
3	PYG	C	503	-	9,9,9	2.84	2 (22%)	12,12,12	2.30	4 (33%)
3	PYG	D	504	2	9,9,9	3.12	3 (33%)	12,12,12	2.94	6 (50%)
3	PYG	A	504	-	9,9,9	2.87	3 (33%)	12,12,12	1.92	3 (25%)
3	PYG	B	503	-	9,9,9	3.87	2 (22%)	12,12,12	2.22	3 (25%)
2	HEM	D	502[B]	1	41,50,50	1.42	5 (12%)	45,82,82	2.32	14 (31%)
2	HEM	B	502[B]	1	41,50,50	1.44	6 (14%)	45,82,82	2.15	12 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	B	501[A]	3,1	-	2/12/54/54	-
3	PYG	D	503	-	-	-	0/1/1/1
2	HEM	C	502[B]	1	-	2/12/54/54	-
2	HEM	A	502[B]	1	-	2/12/54/54	-
3	PYG	C	504	-	-	-	0/1/1/1
2	HEM	A	501[A]	1	-	3/12/54/54	-
2	HEM	D	501[A]	3,1	-	3/12/54/54	-
2	HEM	C	501[A]	1	-	4/12/54/54	-
3	PYG	B	504	2	-	-	0/1/1/1
3	PYG	A	503	-	-	-	0/1/1/1
3	PYG	C	503	-	-	-	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PYG	D	504	2	-	-	0/1/1/1
3	PYG	A	504	-	-	-	0/1/1/1
3	PYG	B	503	-	-	-	0/1/1/1
2	HEM	D	502[B]	1	-	2/12/54/54	-
2	HEM	B	502[B]	1	-	2/12/54/54	-

All (70) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	503	PYG	C3-C2	8.84	1.50	1.40
3	B	503	PYG	C3-C2	8.56	1.50	1.40
3	D	503	PYG	C3-C2	7.67	1.49	1.40
3	B	503	PYG	C1-C2	7.41	1.48	1.40
3	C	503	PYG	C3-C2	6.77	1.48	1.40
3	A	503	PYG	C1-C2	6.05	1.47	1.40
3	D	504	PYG	C1-C2	5.82	1.47	1.40
3	D	504	PYG	C3-C2	5.78	1.46	1.40
3	D	503	PYG	C1-C2	5.77	1.46	1.40
3	A	504	PYG	C3-C2	5.73	1.46	1.40
3	A	504	PYG	C1-C2	5.25	1.46	1.40
3	C	504	PYG	O2-C2	-4.99	1.25	1.37
3	C	504	PYG	C1-C2	4.98	1.46	1.40
3	C	503	PYG	C1-C2	4.25	1.45	1.40
3	B	504	PYG	C1-C2	4.25	1.45	1.40
2	A	501[A]	HEM	C1B-NB	-4.16	1.33	1.40
3	B	504	PYG	C3-C2	4.12	1.44	1.40
2	D	501[A]	HEM	C1B-NB	-4.08	1.33	1.40
3	B	504	PYG	O2-C2	-3.96	1.27	1.37
2	A	502[B]	HEM	C1B-NB	-3.85	1.33	1.40
3	D	504	PYG	O2-C2	-3.71	1.28	1.37
2	D	502[B]	HEM	CHB-C1B	3.65	1.44	1.35
2	D	502[B]	HEM	C1B-NB	-3.45	1.34	1.40
2	B	501[A]	HEM	C1B-NB	-3.41	1.34	1.40
2	B	501[A]	HEM	C4B-NB	-3.15	1.32	1.38
2	B	502[B]	HEM	C1B-NB	-3.08	1.35	1.40
2	A	502[B]	HEM	C4D-ND	-3.00	1.35	1.40
2	A	501[A]	HEM	C4D-ND	-2.98	1.35	1.40
2	B	502[B]	HEM	C4B-NB	-2.97	1.32	1.38
2	C	501[A]	HEM	C4A-NA	2.85	1.42	1.36
2	C	502[B]	HEM	C4B-NB	-2.84	1.33	1.38
3	C	504	PYG	C3-C2	2.79	1.43	1.40
2	C	501[A]	HEM	FE-NB	2.77	2.10	1.96

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	502[B]	HEM	C4B-NB	-2.72	1.33	1.38
2	C	502[B]	HEM	C4D-C3D	2.71	1.49	1.45
2	D	502[B]	HEM	C1A-NA	2.70	1.41	1.36
2	D	501[A]	HEM	C4D-C3D	2.70	1.49	1.45
2	B	502[B]	HEM	FE-NB	2.69	2.10	1.96
2	D	501[A]	HEM	CHB-C1B	2.68	1.41	1.35
2	C	501[A]	HEM	CHB-C1B	2.68	1.41	1.35
2	B	502[B]	HEM	CHB-C1B	2.66	1.41	1.35
2	A	501[A]	HEM	CHB-C1B	2.65	1.41	1.35
2	A	502[B]	HEM	FE-NB	2.63	2.09	1.96
2	B	502[B]	HEM	CHA-C4D	2.54	1.41	1.35
2	A	502[B]	HEM	C4D-C3D	2.49	1.49	1.45
2	C	501[A]	HEM	C4D-ND	-2.44	1.36	1.40
2	B	501[A]	HEM	C3D-C2D	-2.41	1.31	1.36
2	C	502[B]	HEM	CHB-C1B	2.41	1.41	1.35
2	C	501[A]	HEM	C1B-NB	-2.40	1.36	1.40
2	A	501[A]	HEM	C4B-NB	-2.38	1.33	1.38
2	A	501[A]	HEM	C1D-ND	-2.34	1.34	1.38
2	D	502[B]	HEM	C1D-ND	-2.33	1.34	1.38
2	A	501[A]	HEM	FE-NB	2.31	2.08	1.96
2	B	501[A]	HEM	C1B-C2B	-2.30	1.40	1.44
3	A	504	PYG	O3-C3	-2.24	1.31	1.36
2	C	502[B]	HEM	CAA-C2A	-2.24	1.48	1.52
2	A	501[A]	HEM	C3C-C2C	-2.22	1.37	1.40
2	A	501[A]	HEM	CHA-C4D	2.22	1.40	1.35
2	C	501[A]	HEM	C3B-C4B	2.22	1.49	1.44
2	B	501[A]	HEM	C4D-ND	-2.20	1.36	1.40
2	B	501[A]	HEM	CHB-C1B	2.19	1.40	1.35
2	B	502[B]	HEM	C4D-C3D	2.19	1.48	1.45
2	A	501[A]	HEM	C3C-CAC	-2.18	1.43	1.47
2	D	502[B]	HEM	FE-NB	2.17	2.07	1.96
2	A	501[A]	HEM	O1A-CGA	2.17	1.29	1.22
2	A	502[B]	HEM	O1D-CGD	2.17	1.29	1.22
2	A	502[B]	HEM	O2D-CGD	-2.16	1.23	1.30
2	C	502[B]	HEM	C4D-ND	-2.15	1.36	1.40
2	B	501[A]	HEM	CHA-C4D	2.09	1.40	1.35
2	C	502[B]	HEM	CHA-C4D	2.05	1.40	1.35

All (146) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	501[A]	HEM	CHC-C4B-NB	7.84	132.95	124.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501[A]	HEM	C1B-NB-C4B	7.83	113.16	105.07
2	A	501[A]	HEM	CHC-C4B-NB	7.42	132.49	124.43
2	A	501[A]	HEM	C1B-NB-C4B	7.21	112.52	105.07
3	D	504	PYG	C4-C3-C2	-7.09	112.79	120.06
3	B	504	PYG	C4-C3-C2	-7.03	112.85	120.06
2	D	501[A]	HEM	CHD-C1D-ND	6.92	131.95	124.43
2	D	501[A]	HEM	C1B-NB-C4B	6.48	111.76	105.07
2	C	501[A]	HEM	CHC-C4B-NB	6.44	131.42	124.43
2	B	502[B]	HEM	C1B-NB-C4B	6.35	111.64	105.07
2	D	502[B]	HEM	C1B-NB-C4B	6.06	111.34	105.07
2	D	502[B]	HEM	CHD-C1D-ND	5.96	130.91	124.43
2	D	501[A]	HEM	CHD-C1D-C2D	-5.85	115.85	124.98
2	B	501[A]	HEM	CHB-C1B-NB	5.78	131.52	124.38
2	B	501[A]	HEM	CHC-C4B-NB	5.78	130.71	124.43
2	B	501[A]	HEM	CHD-C1D-ND	5.74	130.67	124.43
2	B	502[B]	HEM	CHC-C4B-NB	5.61	130.52	124.43
2	A	502[B]	HEM	C1B-NB-C4B	5.47	110.72	105.07
3	C	504	PYG	C4-C3-C2	-5.44	114.48	120.06
2	D	502[B]	HEM	CHD-C1D-C2D	-5.38	116.57	124.98
2	C	502[B]	HEM	CHC-C4B-NB	5.30	130.18	124.43
2	C	502[B]	HEM	C1B-NB-C4B	5.11	110.35	105.07
2	A	501[A]	HEM	CHD-C1D-ND	5.02	129.89	124.43
3	B	503	PYG	C6-C1-C2	-5.02	114.92	120.06
2	A	501[A]	HEM	CHB-C1B-NB	4.92	130.46	124.38
3	C	504	PYG	C3-C2-C1	4.92	122.64	119.51
2	C	501[A]	HEM	C1B-NB-C4B	4.83	110.06	105.07
2	B	501[A]	HEM	CHA-C4D-ND	4.73	130.22	124.38
3	B	504	PYG	C3-C2-C1	4.61	122.44	119.51
3	C	503	PYG	C6-C1-C2	-4.58	115.37	120.06
2	C	501[A]	HEM	CBA-CAA-C2A	-4.42	105.07	112.62
2	A	501[A]	HEM	CHA-C4D-ND	4.37	129.78	124.38
2	D	502[B]	HEM	CHC-C4B-NB	4.32	129.12	124.43
2	C	501[A]	HEM	CHD-C1D-ND	4.32	129.12	124.43
2	A	502[B]	HEM	CHB-C1B-NB	4.28	129.67	124.38
3	D	504	PYG	C3-C2-C1	4.19	122.18	119.51
2	B	501[A]	HEM	CAD-C3D-C4D	4.17	131.95	124.66
2	C	501[A]	HEM	CAD-CBD-CGD	-4.13	104.72	113.60
2	B	502[B]	HEM	CHA-C4D-ND	4.07	129.41	124.38
2	A	502[B]	HEM	CHC-C4B-NB	3.97	128.75	124.43
3	A	504	PYG	C5-C6-C1	3.93	125.01	120.05
2	D	502[B]	HEM	CHB-C1B-NB	3.91	129.22	124.38
2	B	502[B]	HEM	C2C-C3C-C4C	3.89	109.62	106.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	504	PYG	C5-C4-C3	3.89	124.96	120.05
2	D	502[B]	HEM	CMB-C2B-C1B	-3.80	119.25	125.04
3	B	503	PYG	O1-C1-C2	3.77	127.64	117.90
2	D	501[A]	HEM	CBA-CAA-C2A	-3.76	106.21	112.62
3	A	504	PYG	C6-C1-C2	-3.75	116.21	120.06
2	A	502[B]	HEM	CHA-C4D-C3D	-3.71	118.37	125.33
3	D	503	PYG	C6-C1-C2	-3.71	116.26	120.06
2	C	501[A]	HEM	CMB-C2B-C1B	3.69	130.66	125.04
2	C	502[B]	HEM	C2C-C3C-C4C	3.69	109.48	106.90
2	C	501[A]	HEM	CMA-C3A-C4A	-3.63	122.89	128.46
2	D	502[B]	HEM	C4A-C3A-C2A	3.57	109.48	107.00
2	C	501[A]	HEM	C2C-C3C-C4C	3.57	109.39	106.90
2	B	501[A]	HEM	CHD-C1D-C2D	-3.55	119.43	124.98
2	A	502[B]	HEM	CHA-C4D-ND	3.55	128.77	124.38
2	A	502[B]	HEM	C3C-C4C-NC	-3.55	104.25	110.94
2	B	502[B]	HEM	C3C-C4C-NC	-3.53	104.29	110.94
2	C	502[B]	HEM	CAD-CBD-CGD	3.52	121.18	113.60
2	B	502[B]	HEM	CHA-C4D-C3D	-3.51	118.73	125.33
3	C	503	PYG	C3-C2-C1	3.48	121.72	119.51
2	C	501[A]	HEM	CAD-C3D-C4D	3.43	130.66	124.66
3	D	504	PYG	C5-C4-C3	3.39	124.34	120.05
3	B	504	PYG	O3-C3-C4	3.39	128.54	119.33
2	C	501[A]	HEM	C3B-C2B-C1B	3.38	108.99	106.49
2	C	501[A]	HEM	C4B-C3B-C2B	-3.37	104.44	107.11
2	B	501[A]	HEM	CHA-C4D-C3D	-3.34	119.05	125.33
2	C	501[A]	HEM	CMA-C3A-C2A	3.31	131.18	124.94
3	C	504	PYG	O3-C3-C4	3.27	128.21	119.33
2	C	501[A]	HEM	CMB-C2B-C3B	-3.25	120.34	128.30
2	C	502[B]	HEM	CHD-C1D-ND	3.18	127.89	124.43
2	D	501[A]	HEM	CMA-C3A-C4A	-3.16	123.61	128.46
2	C	502[B]	HEM	CMC-C2C-C3C	3.11	130.49	124.68
2	A	501[A]	HEM	CHD-C1D-C2D	-3.09	120.15	124.98
2	A	501[A]	HEM	CBA-CAA-C2A	-3.04	107.43	112.62
2	B	502[B]	HEM	C4A-C3A-C2A	3.02	109.09	107.00
3	C	503	PYG	O1-C1-C2	3.01	125.69	117.90
2	A	502[B]	HEM	CMC-C2C-C3C	3.01	130.31	124.68
2	C	501[A]	HEM	CHA-C4D-ND	2.98	128.06	124.38
2	C	501[A]	HEM	O1D-CGD-CBD	-2.97	113.55	123.08
3	D	503	PYG	O1-C1-C2	2.97	125.57	117.90
2	D	501[A]	HEM	CAD-CBD-CGD	-2.92	107.31	113.60
3	B	503	PYG	C5-C6-C1	2.92	123.74	120.05
3	D	504	PYG	O3-C3-C4	2.91	127.25	119.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501[A]	HEM	CAD-C3D-C2D	-2.88	122.52	127.88
2	B	501[A]	HEM	CAD-CBD-CGD	-2.87	107.43	113.60
2	C	502[B]	HEM	CBD-CAD-C3D	-2.81	104.81	112.63
2	A	502[B]	HEM	CAD-CBD-CGD	2.81	119.64	113.60
2	C	501[A]	HEM	CHC-C4B-C3B	-2.80	120.29	124.57
3	C	503	PYG	C6-C5-C4	2.79	124.20	120.25
2	A	501[A]	HEM	CBB-CAB-C3B	-2.77	113.84	127.62
2	C	502[B]	HEM	CHD-C1D-C2D	-2.76	120.67	124.98
3	A	503	PYG	C3-C2-C1	-2.75	117.76	119.51
3	D	504	PYG	C5-C6-C1	-2.75	116.57	120.05
2	B	501[A]	HEM	O2A-CGA-CBA	2.73	122.80	114.03
2	D	502[B]	HEM	CAA-CBA-CGA	-2.73	106.12	113.76
2	A	501[A]	HEM	C2C-C3C-C4C	2.72	108.80	106.90
2	A	501[A]	HEM	CHA-C4D-C3D	-2.72	120.22	125.33
2	B	502[B]	HEM	C2D-C1D-ND	2.71	113.13	109.88
2	C	501[A]	HEM	O2D-CGD-CBD	2.69	122.66	114.03
2	D	502[B]	HEM	CBD-CAD-C3D	-2.68	105.17	112.63
2	A	502[B]	HEM	CHD-C1D-ND	2.66	127.33	124.43
2	A	501[A]	HEM	C3C-C4C-NC	-2.66	105.92	110.94
2	C	501[A]	HEM	CHD-C1D-C2D	-2.63	120.86	124.98
2	B	502[B]	HEM	CMA-C3A-C4A	-2.62	124.44	128.46
2	B	502[B]	HEM	CBD-CAD-C3D	-2.61	105.37	112.63
2	A	501[A]	HEM	C4D-ND-C1D	2.61	107.77	105.07
2	C	502[B]	HEM	CHB-C1B-NB	2.60	127.59	124.38
3	A	503	PYG	O3-C3-C2	2.58	124.56	117.90
2	C	502[B]	HEM	O2D-CGD-CBD	2.56	122.27	114.03
3	A	503	PYG	O1-C1-C2	2.56	124.50	117.90
2	A	502[B]	HEM	C4A-C3A-C2A	2.51	108.74	107.00
2	A	501[A]	HEM	CMA-C3A-C4A	-2.47	124.66	128.46
2	A	502[B]	HEM	CHD-C1D-C2D	-2.47	121.12	124.98
2	A	502[B]	HEM	C3D-C4D-ND	2.42	112.86	110.17
2	D	502[B]	HEM	C2B-C1B-NB	-2.39	107.00	109.84
3	B	504	PYG	O1-C1-C6	2.35	125.73	119.33
2	D	502[B]	HEM	O2D-CGD-CBD	2.35	121.59	114.03
2	A	502[B]	HEM	CBB-CAB-C3B	-2.34	115.96	127.62
2	D	501[A]	HEM	O2A-CGA-CBA	2.31	121.44	114.03
3	A	504	PYG	C3-C2-C1	-2.30	118.05	119.51
2	C	502[B]	HEM	CMA-C3A-C2A	-2.30	120.61	124.94
2	A	501[A]	HEM	O1D-CGD-CBD	-2.28	115.76	123.08
2	C	501[A]	HEM	CAD-C3D-C2D	-2.28	123.64	127.88
2	C	502[B]	HEM	C4A-C3A-C2A	2.27	108.58	107.00
2	B	501[A]	HEM	O2A-CGA-O1A	-2.26	117.68	123.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	502[B]	HEM	O2A-CGA-CBA	2.25	121.25	114.03
2	D	502[B]	HEM	C2D-C1D-ND	2.19	112.51	109.88
2	A	501[A]	HEM	C4B-CHC-C1C	-2.18	119.67	122.56
2	D	502[B]	HEM	CMA-C3A-C4A	-2.17	125.12	128.46
2	B	502[B]	HEM	C2B-C1B-NB	-2.17	107.27	109.84
2	A	502[B]	HEM	O2D-CGD-O1D	-2.14	117.95	123.30
2	A	502[B]	HEM	C2C-C3C-C4C	2.12	108.38	106.90
2	B	502[B]	HEM	CHB-C1B-NB	2.11	126.99	124.38
2	D	502[B]	HEM	C3C-C4C-NC	-2.08	107.01	110.94
2	B	501[A]	HEM	C2B-C1B-NB	-2.06	107.40	109.84
3	B	504	PYG	C5-C6-C1	-2.06	117.45	120.05
2	B	501[A]	HEM	CHB-C1B-C2B	-2.05	121.05	126.72
3	D	503	PYG	C5-C6-C1	2.05	122.64	120.05
2	C	502[B]	HEM	C3C-C4C-NC	-2.05	107.08	110.94
3	D	504	PYG	C6-C5-C4	2.03	123.13	120.25
2	D	501[A]	HEM	CHB-C1B-NB	2.03	126.89	124.38
2	B	501[A]	HEM	C3C-C4C-NC	-2.03	107.12	110.94
2	D	501[A]	HEM	CMA-C3A-C2A	2.02	128.75	124.94
2	A	501[A]	HEM	CAD-CBD-CGD	-2.01	109.28	113.60

There are no chirality outliers.

All (20) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	502[B]	HEM	CAA-CBA-CGA-O2A
2	D	502[B]	HEM	CAA-CBA-CGA-O2A
2	B	502[B]	HEM	CAA-CBA-CGA-O1A
2	B	502[B]	HEM	CAA-CBA-CGA-O2A
2	B	501[A]	HEM	CAD-CBD-CGD-O1D
2	A	502[B]	HEM	CAA-CBA-CGA-O1A
2	A	501[A]	HEM	CAD-CBD-CGD-O1D
2	D	502[B]	HEM	CAA-CBA-CGA-O1A
2	C	502[B]	HEM	CAA-CBA-CGA-O1A
2	A	501[A]	HEM	CAD-CBD-CGD-O2D
2	A	502[B]	HEM	CAA-CBA-CGA-O2A
2	B	501[A]	HEM	CAD-CBD-CGD-O2D
2	C	501[A]	HEM	CAD-CBD-CGD-O2D
2	D	501[A]	HEM	CAD-CBD-CGD-O2D
2	C	501[A]	HEM	CAD-CBD-CGD-O1D
2	D	501[A]	HEM	CAD-CBD-CGD-O1D
2	C	501[A]	HEM	CAA-CBA-CGA-O1A
2	C	501[A]	HEM	CAA-CBA-CGA-O2A

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	D	501[A]	HEM	CAA-CBA-CGA-O2A
2	A	501[A]	HEM	CAA-CBA-CGA-O2A


There are no ring outliers.


16 monomers are involved in 61 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	501[A]	HEM	7	0
3	D	503	PYG	1	0
2	C	502[B]	HEM	1	0
2	A	502[B]	HEM	7	0
3	C	504	PYG	4	0
2	A	501[A]	HEM	6	0
2	D	501[A]	HEM	7	0
2	C	501[A]	HEM	6	0
3	B	504	PYG	3	0
3	A	503	PYG	3	0
3	C	503	PYG	1	0
3	D	504	PYG	2	0
3	A	504	PYG	4	0
3	B	503	PYG	2	0
2	D	502[B]	HEM	3	0
2	B	502[B]	HEM	4	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




















5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	480/491 (97%)	0.23	16 (3%) 46 47	13, 23, 39, 64	0
1	B	480/491 (97%)	0.09	9 (1%) 66 69	11, 20, 36, 60	0
1	C	480/491 (97%)	0.15	18 (3%) 40 40	12, 18, 34, 70	0
1	D	480/491 (97%)	0.26	19 (3%) 38 38	13, 21, 36, 80	0
All	All	1920/1964 (97%)	0.18	62 (3%) 47 48	11, 21, 36, 80	0

All (62) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	485	TYR	9.6
1	C	485	TYR	8.1
1	D	484	SER	7.6
1	A	485	TYR	7.0
1	C	484	SER	5.4
1	D	483	ARG	5.3
1	B	485	TYR	5.2
1	B	6	HIS	4.9
1	C	6	HIS	4.8
1	D	6	HIS	4.3
1	A	6	HIS	4.3
1	A	484	SER	4.1
1	C	482	ILE	3.9
1	B	372[A]	PHE	3.5
1	D	372[A]	PHE	3.4
1	D	461	CYS	3.3
1	A	98	VAL	3.3
1	C	483	ARG	3.2
1	D	480	VAL	3.2
1	C	56	VAL	3.1
1	C	372[A]	PHE	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	482	ILE	3.1
1	B	464	TYR	3.0
1	C	391	ASP	3.0
1	C	240	PHE	3.0
1	A	468	GLU	2.9
1	A	288	GLU	2.9
1	A	372[A]	PHE	2.8
1	A	464	TYR	2.8
1	A	480	VAL	2.8
1	D	481	ASP	2.7
1	C	398	HIS	2.7
1	A	389	TYR	2.7
1	D	479	GLY	2.7
1	B	98	VAL	2.6
1	C	457	LEU	2.6
1	A	253	LYS	2.5
1	D	464	TYR	2.5
1	A	240	PHE	2.5
1	D	457	LEU	2.5
1	D	390	ASP	2.4
1	A	479	GLY	2.4
1	D	85	GLU	2.4
1	A	474	LEU	2.4
1	B	468	GLU	2.4
1	C	480	VAL	2.3
1	D	391	ASP	2.3
1	C	461	CYS	2.3
1	D	55	VAL	2.3
1	C	390	ASP	2.2
1	C	98	VAL	2.1
1	B	390	ASP	2.1
1	C	58	ALA	2.1
1	D	398	HIS	2.1
1	C	399	TYR	2.1
1	C	464	TYR	2.1
1	D	389	TYR	2.1
1	A	128	VAL	2.1
1	A	390	ASP	2.1
1	B	453	GLU	2.1
1	B	58	ALA	2.1
1	D	463	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	PYG	A	503	9/9	0.76	0.16	40,42,45,48	0
3	PYG	D	503	9/9	0.81	0.16	33,35,39,41	0
3	PYG	C	503	9/9	0.84	0.17	31,33,36,39	0
3	PYG	B	504	9/9	0.86	0.18	27,31,35,35	0
3	PYG	B	503	9/9	0.88	0.14	34,39,44,50	0
3	PYG	A	504	9/9	0.88	0.17	27,34,35,36	0
3	PYG	D	504	9/9	0.88	0.16	21,32,37,38	0
3	PYG	C	504	9/9	0.90	0.14	20,28,31,32	0
2	HEM	B	501[A]	43/43	0.95	0.12	14,17,19,23	43
2	HEM	B	502[B]	43/43	0.96	0.11	10,12,14,14	43
2	HEM	C	501[A]	43/43	0.96	0.13	11,13,14,17	43
2	HEM	C	502[B]	43/43	0.96	0.14	10,12,13,13	43
2	HEM	D	501[A]	43/43	0.96	0.12	14,16,19,23	43
2	HEM	A	502[B]	43/43	0.96	0.16	15,16,18,20	43
2	HEM	A	501[A]	43/43	0.96	0.16	13,15,17,18	43
5	NA	B	506	1/1	0.96	0.05	23,23,23,23	0
4	CL	C	505	1/1	0.97	0.11	23,23,23,23	0
2	HEM	D	502[B]	43/43	0.97	0.12	11,12,13,13	43
5	NA	A	507	1/1	0.98	0.05	14,14,14,14	0
4	CL	A	505	1/1	0.99	0.13	23,23,23,23	0
4	CL	D	505	1/1	0.99	0.05	18,18,18,18	0
4	CL	A	506	1/1	0.99	0.04	19,19,19,19	0
4	CL	B	505	1/1	0.99	0.06	19,19,19,19	0
4	CL	C	506	1/1	1.00	0.04	19,19,19,19	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different

orientation to approximate a three-dimensional view.




Electron density around HEM B 501 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM B 502 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM C 501 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM C 502 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM D 501 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM A 502 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM A 501 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM D 502 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.