



Full wwPDB X-ray Structure Validation Report ⓘ

May 16, 2020 – 01:31 pm BST

PDB ID : 4RDR
Title : Structure of the bacterial Zn-transporter ZnuD from *Neisseria meningitidis*
(locked conformation bound to zinc and cadmium ions)
Authors : Calmettes, C.; Moraes, T.F.
Deposited on : 2014-09-19
Resolution : 2.47 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.47 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5857 (2.50-2.46)
Clashscore	141614	6594 (2.50-2.46)
Ramachandran outliers	138981	6469 (2.50-2.46)
Sidechain outliers	138945	6471 (2.50-2.46)
RSRZ outliers	127900	5738 (2.50-2.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	748	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	SO4	A	810	-	-	X	-
5	SO4	A	812	-	-	X	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	SO4	A	819	-	-	-	X
5	SO4	A	820	-	-	X	-
5	SO4	A	827	-	-	-	X
5	SO4	A	828	-	-	-	X
7	EDO	A	836	-	-	-	X
7	EDO	A	838	-	-	X	-

2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 5985 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ZnuD.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	S	Se			
1	A	706	5633	3528	1039	1057	2	7	0	1	0

There are 14 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-13	MSE	-	EXPRESSION TAG	UNP Q9JZN9
A	-12	ALA	-	EXPRESSION TAG	UNP Q9JZN9
A	-11	HIS	-	EXPRESSION TAG	UNP Q9JZN9
A	-10	HIS	-	EXPRESSION TAG	UNP Q9JZN9
A	-9	HIS	-	EXPRESSION TAG	UNP Q9JZN9
A	-8	HIS	-	EXPRESSION TAG	UNP Q9JZN9
A	-7	HIS	-	EXPRESSION TAG	UNP Q9JZN9
A	-6	HIS	-	EXPRESSION TAG	UNP Q9JZN9
A	-5	LEU	-	EXPRESSION TAG	UNP Q9JZN9
A	-4	VAL	-	EXPRESSION TAG	UNP Q9JZN9
A	-3	PRO	-	EXPRESSION TAG	UNP Q9JZN9
A	-2	ARG	-	EXPRESSION TAG	UNP Q9JZN9
A	-1	GLY	-	EXPRESSION TAG	UNP Q9JZN9
A	0	SER	-	EXPRESSION TAG	UNP Q9JZN9


- Molecule 2 is CADMIUM ION (three-letter code: CD) (formula: Cd).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Cd	0	0
			2	2		

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Zn	0	0
			1	1		

- Molecule 4 is (HYDROXYETHYLOXY)TRI(ETHYLOXY)OCTANE (three-letter code: C8E) (formula: $C_{16}H_{34}O_5$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			21	16	5		
4	A	1	Total	C	O	0	0
			21	16	5		
4	A	1	Total	C	O	0	0
			21	16	5		
4	A	1	Total	C	O	0	0
			21	16	5		

- Molecule 5 is SULFATE ION (three-letter code: SO4) (formula: O_4S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	S		
5	A	1	5	4	1	0	0
5	A	1	5	4	1	0	0
5	A	1	5	4	1	0	0
5	A	1	5	4	1	0	0
5	A	1	5	4	1	0	0
5	A	1	5	4	1	0	0
5	A	1	5	4	1	0	0
5	A	1	5	4	1	0	0
5	A	1	5	4	1	0	0
5	A	1	5	4	1	0	0
5	A	1	5	4	1	0	0
5	A	1	5	4	1	0	0
5	A	1	5	4	1	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	O	S	0	0
			5	4	1		
5	A	1	Total	O	S	0	0
			5	4	1		
5	A	1	Total	O	S	0	0
			5	4	1		
5	A	1	Total	O	S	0	0
			5	4	1		
5	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 6 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 7 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total C O 4 2 2	0	0
7	A	1	Total C O 4 2 2	0	0
7	A	1	Total C O 4 2 2	0	0
7	A	1	Total C O 4 2 2	0	0
7	A	1	Total C O 4 2 2	0	0


- Molecule 8 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	95	Total O 95 95	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: ZnuD



4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	101.07Å 155.82Å 159.61Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	39.98 – 2.47 39.98 – 2.47	Depositor EDS
% Data completeness (in resolution range)	99.8 (39.98-2.47) 92.9 (39.98-2.47)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.28 (at 2.48Å)	Xtrriage
Refinement program	PHENIX 1.8.2_1309	Depositor
R, R_{free}	0.218 , 0.248 0.218 , 0.249	Depositor DCC
R_{free} test set	2005 reflections (4.42%)	wwPDB-VP
Wilson B-factor (Å ²)	50.4	Xtrriage
Anisotropy	0.454	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 65.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.022 for -h,-l,-k	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	5985	wwPDB-VP
Average B, all atoms (Å ²)	91.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.73% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, ZN, EDO, CD, C8E, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.33	0/5767	0.58	2/7793 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	439	LEU	CA-CB-CG	6.94	131.25	115.30
1	A	306	LEU	CA-CB-CG	5.92	128.91	115.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	437	LYS	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5633	0	5433	174	0
2	A	2	0	0	0	0
3	A	1	0	0	0	0
4	A	105	0	170	11	0
5	A	105	0	0	10	0
6	A	24	0	32	1	0
7	A	20	0	30	10	0
8	A	95	0	0	17	0
All	All	5985	0	5665	177	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (177) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:516:ARG:HH21	7:A:838:EDO:H11	0.97	1.07
1:A:516:ARG:NH2	7:A:838:EDO:H11	1.71	1.06
1:A:516:ARG:HH21	7:A:838:EDO:C1	1.70	1.04
1:A:263:TYR:HB3	1:A:440:ILE:HD11	1.53	0.89
1:A:143:MSE:HE3	1:A:144:PRO:HD2	1.59	0.82
1:A:664:GLN:NE2	5:A:814:SO4:O2	2.22	0.73
1:A:362:ARG:NH2	5:A:820:SO4:O3	2.21	0.73
1:A:243:HIS:CE1	1:A:298:HIS:O	2.42	0.72
1:A:234:ASP:HB2	1:A:306:LEU:HG	1.72	0.72
1:A:414:ASN:ND2	8:A:935:HOH:O	2.23	0.71
1:A:590:THR:HG22	1:A:592:ARG:H	1.56	0.71
1:A:241:HIS:ND1	8:A:994:HOH:O	2.24	0.71
1:A:687:ARG:NH2	1:A:694:GLU:OE1	2.23	0.71
1:A:603:ARG:NH2	5:A:810:SO4:O4	2.24	0.70
1:A:457:ARG:NH1	5:A:812:SO4:S	2.63	0.70
1:A:162:GLU:OE2	1:A:186:ARG:NH2	2.25	0.70
1:A:518:ASN:ND2	7:A:838:EDO:O2	2.24	0.70
1:A:530:ARG:HG3	1:A:531:TRP:CD1	2.27	0.70
1:A:645:LYS:NZ	8:A:968:HOH:O	2.24	0.69
1:A:315:ALA:HB3	1:A:329:VAL:HG22	1.74	0.69
1:A:457:ARG:NH1	5:A:812:SO4:O1	2.26	0.69
1:A:84:LEU:HD22	1:A:131:LEU:HD11	1.75	0.68
1:A:160:ASN:HB3	1:A:162:GLU:H	1.58	0.68
1:A:45:LYS:O	1:A:155:ARG:NH2	2.26	0.67
1:A:592:ARG:NH1	8:A:971:HOH:O	2.26	0.67
1:A:516:ARG:O	1:A:543:GLY:HA3	1.97	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:320:PRO:HB2	1:A:321:PHE:HD1	1.61	0.65
1:A:457:ARG:NH1	5:A:812:SO4:O2	2.22	0.65
1:A:116:ARG:NH2	8:A:905:HOH:O	2.25	0.64
1:A:185:TYR:HD1	1:A:210:GLN:HB3	1.61	0.63
1:A:516:ARG:HH21	7:A:838:EDO:C2	2.11	0.63
1:A:262:ARG:NH1	1:A:443:GLU:OE2	2.33	0.62
1:A:43:ARG:NH2	1:A:109:SER:O	2.32	0.62
1:A:415:TRP:HD1	1:A:418:PHE:HD2	1.47	0.61
1:A:463:PHE:HB2	4:A:808:C8E:H11	1.82	0.61
1:A:555:ARG:NH2	1:A:613:PRO:O	2.33	0.61
1:A:613:PRO:HB2	1:A:622:ARG:HD3	1.81	0.61
1:A:518:ASN:HD22	4:A:808:C8E:H201	1.65	0.61
1:A:686:TYR:HB3	1:A:697[B]:TRP:HB2	1.83	0.60
1:A:459:THR:HB	6:A:830:GOL:H2	1.83	0.60
1:A:233:ARG:HD3	4:A:804:C8E:H202	1.82	0.60
1:A:471:PHE:O	1:A:475:HIS:HB3	2.02	0.60
1:A:389:SER:N	1:A:390:GLU:HA	2.17	0.59
1:A:279:ASP:OD1	1:A:622:ARG:NH2	2.27	0.59
1:A:685:ASN:OD1	1:A:685:ASN:N	2.35	0.59
1:A:634:ARG:HB2	1:A:713:SER:HA	1.85	0.58
1:A:424:VAL:HG12	1:A:463:PHE:HD1	1.68	0.58
1:A:136:ASP:OD1	1:A:314:ARG:NH1	2.34	0.58
1:A:105:ASP:OD2	7:A:836:EDO:O1	2.22	0.57
1:A:603:ARG:HH12	1:A:631:ASN:ND2	2.01	0.57
1:A:232:ARG:NH1	1:A:234:ASP:OD2	2.37	0.57
1:A:690:THR:OG1	1:A:691:ARG:N	2.39	0.56
1:A:221:GLU:HB3	1:A:222:LYS:HA	1.87	0.56
1:A:330:HIS:HB3	1:A:358:ARG:HG3	1.87	0.56
1:A:139:ILE:HG23	1:A:217:SER:HB3	1.89	0.55
1:A:660:ARG:NH1	8:A:972:HOH:O	2.38	0.55
1:A:48:ASN:ND2	8:A:907:HOH:O	2.37	0.55
1:A:686:TYR:HB3	1:A:697[A]:TRP:HB2	1.88	0.55
1:A:98:PRO:HG3	1:A:715:PHE:CD1	2.41	0.55
1:A:547:TYR:OH	1:A:549:GLN:NE2	2.40	0.55
1:A:530:ARG:HG3	1:A:531:TRP:HD1	1.70	0.55
1:A:163:LYS:HD2	4:A:807:C8E:H112	1.89	0.54
1:A:530:ARG:NH1	8:A:977:HOH:O	2.40	0.54
1:A:659:TYR:HB2	1:A:679:MSE:HB3	1.89	0.54
1:A:160:ASN:HB3	1:A:162:GLU:N	2.22	0.54
1:A:418:PHE:CE1	4:A:806:C8E:H72	2.43	0.53
1:A:74:ARG:HB3	1:A:538:TYR:CZ	2.43	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:418:PHE:HE1	4:A:806:C8E:H31	1.73	0.53
1:A:378:LEU:HB3	1:A:404:HIS:HB2	1.89	0.53
1:A:509:ASN:HB3	1:A:512:LEU:HG	1.89	0.53
1:A:677:HIS:CE1	1:A:709:VAL:HG13	2.43	0.53
1:A:157:SER:HB2	1:A:162:GLU:HB3	1.89	0.53
1:A:469:TRP:CE3	4:A:806:C8E:H52	2.44	0.53
1:A:505:PHE:HB3	1:A:568:LEU:HD13	1.92	0.52
1:A:155:ARG:NH1	8:A:939:HOH:O	2.43	0.52
1:A:141:GLU:HG2	1:A:224:PHE:CE1	2.44	0.52
1:A:136:ASP:CG	1:A:314:ARG:HH22	2.14	0.51
1:A:367:GLY:H	1:A:369:LEU:HD23	1.75	0.51
1:A:703:ASN:ND2	1:A:723:GLY:O	2.44	0.51
1:A:446:TYR:HB3	1:A:447:ASN:OD1	2.11	0.50
1:A:549:GLN:HE22	1:A:627:GLN:HE22	1.59	0.50
1:A:55:GLY:HA2	1:A:639:ARG:HH12	1.75	0.50
1:A:74:ARG:HD2	1:A:538:TYR:CE1	2.46	0.50
1:A:43:ARG:HB3	7:A:834:EDO:H12	1.92	0.50
1:A:84:LEU:HD21	1:A:123:TYR:CD1	2.47	0.49
1:A:505:PHE:HB2	1:A:566:MSE:HE3	1.93	0.49
1:A:697[B]:TRP:CD1	1:A:730:VAL:HG13	2.48	0.49
1:A:67:GLY:HA3	1:A:236:TYR:CD2	2.48	0.48
1:A:436:ASP:OD2	1:A:439:LEU:HB3	2.14	0.48
1:A:39:GLY:O	1:A:43:ARG:HG2	2.13	0.48
1:A:55:GLY:HA2	1:A:639:ARG:NH1	2.29	0.48
1:A:60:HIS:ND1	5:A:827:SO4:O4	2.40	0.48
1:A:505:PHE:HB2	1:A:566:MSE:CE	2.43	0.48
1:A:426:VAL:HG22	1:A:461:ARG:HG2	1.95	0.48
1:A:21:ARG:NH2	5:A:820:SO4:O2	2.38	0.47
1:A:616:GLU:HB2	1:A:622:ARG:NH2	2.28	0.47
1:A:316:GLU:HA	1:A:327:LEU:O	2.14	0.47
1:A:687:ARG:HD3	1:A:696:ASN:OD1	2.15	0.47
1:A:99:ASP:HB3	1:A:100:HIS:CD2	2.49	0.47
1:A:603:ARG:NH2	5:A:810:SO4:S	2.87	0.47
1:A:498:LYS:HG3	1:A:566:MSE:HE1	1.96	0.46
1:A:549:GLN:NE2	1:A:627:GLN:HE22	2.14	0.46
1:A:477:LEU:HD12	1:A:524:LEU:HD13	1.97	0.46
1:A:698:TYR:OH	7:A:834:EDO:O2	2.32	0.46
1:A:539:ARG:HD2	1:A:541:ARG:CZ	2.45	0.46
1:A:148:VAL:HG12	1:A:171:ILE:HG12	1.98	0.45
1:A:60:HIS:CE1	1:A:639:ARG:HE	2.35	0.45
1:A:559:SER:OG	8:A:906:HOH:O	2.20	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:261:LYS:HB3	1:A:263:TYR:CZ	2.52	0.45
1:A:472:THR:O	1:A:475:HIS:HB2	2.16	0.45
1:A:473:PRO:HA	1:A:475:HIS:N	2.32	0.45
1:A:643:HIS:ND1	1:A:657:ASP:OD1	2.37	0.45
1:A:92:ASP:HB3	1:A:103:MSE:HG2	1.99	0.45
1:A:528:GLY:O	1:A:530:ARG:N	2.45	0.44
1:A:526:TYR:OH	8:A:977:HOH:O	2.20	0.44
1:A:470:TYR:CE2	1:A:476:LYS:HE2	2.52	0.44
1:A:243:HIS:HE1	1:A:298:HIS:O	1.94	0.44
1:A:649:THR:C	1:A:651:ARG:H	2.21	0.44
1:A:549:GLN:CD	1:A:612:LEU:HD11	2.37	0.44
1:A:466:SER:HB2	1:A:480:THR:HG23	1.99	0.44
1:A:461:ARG:NE	8:A:942:HOH:O	2.48	0.44
1:A:232:ARG:HD3	1:A:234:ASP:OD1	2.17	0.44
1:A:700:LYS:HB3	1:A:727:THR:HB	2.00	0.44
1:A:448:HIS:HA	1:A:449:PRO:HD3	1.88	0.43
1:A:424:VAL:HG12	1:A:463:PHE:CD1	2.52	0.43
1:A:197:ARG:C	1:A:199:LEU:H	2.21	0.43
1:A:396:MSE:HA	1:A:497:GLY:HA3	2.01	0.43
1:A:436:ASP:C	1:A:438:ALA:HB3	2.39	0.43
1:A:473:PRO:HA	1:A:475:HIS:H	1.83	0.43
1:A:674:THR:HG22	1:A:675:PRO:O	2.18	0.43
1:A:697[B]:TRP:HD1	1:A:730:VAL:HG13	1.83	0.43
4:A:806:C8E:H102	4:A:806:C8E:H71	1.75	0.43
1:A:92:ASP:HB2	8:A:958:HOH:O	2.19	0.43
1:A:516:ARG:HH21	7:A:838:EDO:H22	1.83	0.43
1:A:565:GLU:OE1	8:A:908:HOH:O	2.21	0.43
1:A:283:LEU:HD21	1:A:566:MSE:HE2	2.00	0.43
1:A:551:LEU:O	1:A:555:ARG:HD2	2.19	0.43
1:A:47:VAL:HG21	1:A:186:ARG:HD3	2.01	0.42
1:A:346:VAL:HG11	1:A:349:PHE:CE1	2.54	0.42
1:A:415:TRP:CD1	1:A:418:PHE:HD2	2.33	0.42
1:A:74:ARG:NH2	1:A:582:GLU:OE2	2.40	0.42
1:A:377:TYR:OH	1:A:379:GLN:NE2	2.51	0.42
1:A:390:GLU:HG3	1:A:392:VAL:N	2.34	0.42
1:A:603:ARG:HH12	1:A:631:ASN:HD21	1.67	0.42
1:A:686:TYR:CE1	1:A:688:ARG:HB2	2.53	0.42
1:A:190:ASP:O	1:A:201:ARG:HD3	2.20	0.42
1:A:530:ARG:CZ	8:A:977:HOH:O	2.67	0.42
1:A:437:LYS:HA	1:A:440:ILE:HG22	2.01	0.42
1:A:649:THR:O	1:A:651:ARG:N	2.50	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:301:ARG:HA	1:A:302:PRO:HD3	1.82	0.42
1:A:28:HIS:CE1	1:A:30:SER:HB2	2.55	0.42
1:A:430:LYS:HE2	5:A:812:SO4:O2	2.20	0.42
4:A:808:C8E:H142	4:A:808:C8E:H111	1.84	0.42
1:A:538:TYR:OH	8:A:918:HOH:O	2.21	0.42
1:A:40:ASP:N	1:A:40:ASP:OD1	2.53	0.42
1:A:437:LYS:O	1:A:440:ILE:HG22	2.19	0.41
4:A:808:C8E:H81	4:A:808:C8E:H52	1.62	0.41
1:A:143:MSE:HG2	1:A:219:VAL:HG21	2.02	0.41
1:A:606:LEU:HD23	1:A:632:ALA:HA	2.03	0.41
1:A:499:HIS:CE1	1:A:501:ALA:HB3	2.56	0.41
1:A:545:TYR:N	1:A:574:SER:O	2.52	0.41
1:A:60:HIS:CE1	1:A:639:ARG:HH21	2.39	0.41
1:A:191:TYR:OH	7:A:835:EDO:O2	2.34	0.41
1:A:324:PHE:HA	1:A:363:HIS:HA	2.03	0.41
1:A:506:GLU:OE2	1:A:571:TYR:OH	2.31	0.41
1:A:429:GLN:HB2	1:A:487:LEU:HD13	2.02	0.41
1:A:541:ARG:HD2	1:A:577:ASP:OD1	2.21	0.41
1:A:502:THR:O	1:A:504:THR:HG23	2.21	0.41
1:A:687:ARG:CZ	1:A:696:ASN:HD21	2.33	0.41
1:A:160:ASN:H	1:A:161:LEU:HA	1.87	0.40
1:A:231:ASP:OD2	8:A:945:HOH:O	2.21	0.40
1:A:162:GLU:OE2	1:A:186:ARG:HD2	2.21	0.40
1:A:197:ARG:HD3	1:A:197:ARG:HA	1.90	0.40
1:A:143:MSE:HA	1:A:144:PRO:HD3	1.98	0.40
1:A:655:ASN:HD21	1:A:700:LYS:NZ	2.20	0.40
1:A:481:ALA:HA	1:A:519:ASN:O	2.22	0.40
1:A:518:ASN:HD22	4:A:808:C8E:C20	2.33	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	703/748 (94%)	655 (93%)	47 (7%)	1 (0%)	51 71

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	392	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	589/617 (96%)	552 (94%)	37 (6%)	18 32

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	26	LEU
1	A	40	ASP
1	A	43	ARG
1	A	74	ARG
1	A	84	LEU
1	A	143	MSE
1	A	169	ILE
1	A	177	PHE
1	A	184	LEU
1	A	186	ARG
1	A	218	TRP
1	A	230	SER
1	A	232	ARG
1	A	243	HIS
1	A	306	LEU
1	A	311	TYR
1	A	321	PHE
1	A	361	LEU
1	A	363	HIS
1	A	412	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	414	ASN
1	A	437	LYS
1	A	439	LEU
1	A	442	ARG
1	A	444	ASN
1	A	511	HIS
1	A	522	LEU
1	A	541	ARG
1	A	572	ASN
1	A	582	GLU
1	A	600	ASP
1	A	605	ARG
1	A	648	LEU
1	A	669	ARG
1	A	685	ASN
1	A	686	TYR
1	A	717	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	28	HIS
1	A	210	GLN
1	A	241	HIS
1	A	243	HIS
1	A	308	ASN
1	A	334	ASN
1	A	379	GLN
1	A	400	ASN
1	A	404	HIS
1	A	412	GLN
1	A	429	GLN
1	A	456	HIS
1	A	483	HIS
1	A	518	ASN
1	A	549	GLN
1	A	631	ASN
1	A	655	ASN
1	A	677	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 38 ligands modelled in this entry, 3 are monoatomic - leaving 35 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	SO4	A	814	-	4,4,4	0.28	0	6,6,6	0.24	0
5	SO4	A	813	-	4,4,4	0.26	0	6,6,6	0.17	0
5	SO4	A	817	-	4,4,4	0.23	0	6,6,6	0.23	0
5	SO4	A	819	-	4,4,4	0.25	0	6,6,6	0.25	0
6	GOL	A	830	-	5,5,5	0.43	0	5,5,5	0.33	0
7	EDO	A	834	-	3,3,3	0.36	0	2,2,2	0.36	0
5	SO4	A	818	-	4,4,4	0.25	0	6,6,6	0.19	0
4	C8E	A	805	-	20,20,20	0.77	0	19,19,19	0.90	0
7	EDO	A	836	-	3,3,3	0.32	0	2,2,2	0.50	0
4	C8E	A	808	-	20,20,20	0.75	0	19,19,19	0.85	0
5	SO4	A	825	-	4,4,4	0.18	0	6,6,6	0.12	0
5	SO4	A	816	-	4,4,4	0.20	0	6,6,6	0.12	0
6	GOL	A	833	-	5,5,5	0.48	0	5,5,5	0.32	0
5	SO4	A	809	-	4,4,4	0.37	0	6,6,6	0.16	0
5	SO4	A	824	-	4,4,4	0.21	0	6,6,6	0.17	0
5	SO4	A	820	-	4,4,4	0.21	0	6,6,6	0.21	0
5	SO4	A	827	-	4,4,4	0.23	0	6,6,6	0.14	0
5	SO4	A	821	-	4,4,4	0.19	0	6,6,6	0.17	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	SO4	A	826	-	4,4,4	0.19	0	6,6,6	0.13	0
4	C8E	A	804	-	20,20,20	0.91	0	19,19,19	0.87	0
5	SO4	A	822	-	4,4,4	0.18	0	6,6,6	0.14	0
4	C8E	A	806	-	20,20,20	0.82	0	19,19,19	0.81	0
7	EDO	A	837	-	3,3,3	0.38	0	2,2,2	0.28	0
5	SO4	A	829	-	4,4,4	0.24	0	6,6,6	0.12	0
5	SO4	A	810	-	4,4,4	0.32	0	6,6,6	0.14	0
7	EDO	A	838	-	3,3,3	0.37	0	2,2,2	0.29	0
6	GOL	A	831	-	5,5,5	0.54	0	5,5,5	0.49	0
7	EDO	A	835	-	3,3,3	0.32	0	2,2,2	0.54	0
5	SO4	A	823	-	4,4,4	0.20	0	6,6,6	0.16	0
5	SO4	A	828	-	4,4,4	0.17	0	6,6,6	0.10	0
4	C8E	A	807	-	20,20,20	0.65	0	19,19,19	0.79	0
5	SO4	A	811	-	4,4,4	0.24	0	6,6,6	0.13	0
5	SO4	A	815	-	4,4,4	0.23	0	6,6,6	0.29	0
5	SO4	A	812	-	4,4,4	0.27	0	6,6,6	0.10	0
6	GOL	A	832	-	5,5,5	0.14	0	5,5,5	0.31	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	C8E	A	808	-	-	10/18/18/18	-
7	EDO	A	838	-	-	1/1/1/1	-
6	GOL	A	831	-	-	2/4/4/4	-
7	EDO	A	836	-	-	0/1/1/1	-
4	C8E	A	804	-	-	11/18/18/18	-
7	EDO	A	835	-	-	1/1/1/1	-
4	C8E	A	806	-	-	11/18/18/18	-
6	GOL	A	830	-	-	0/4/4/4	-
6	GOL	A	833	-	-	2/4/4/4	-
7	EDO	A	834	-	-	0/1/1/1	-
7	EDO	A	837	-	-	1/1/1/1	-
4	C8E	A	805	-	-	13/18/18/18	-
6	GOL	A	832	-	-	0/4/4/4	-
4	C8E	A	807	-	-	14/18/18/18	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (66) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	831	GOL	O1-C1-C2-C3
4	A	807	C8E	C10-C11-O12-C13
4	A	805	C8E	O15-C16-C17-O18
4	A	807	C8E	O18-C19-C20-O21
4	A	805	C8E	C6-C7-C8-O9
4	A	805	C8E	C17-C16-O15-C14
4	A	808	C8E	C14-C13-O12-C11
4	A	806	C8E	C6-C7-C8-O9
4	A	806	C8E	C16-C17-O18-C19
4	A	807	C8E	O12-C13-C14-O15
4	A	804	C8E	C6-C7-C8-O9
4	A	805	C8E	O18-C19-C20-O21
4	A	804	C8E	C3-C4-C5-C6
4	A	806	C8E	C3-C4-C5-C6
4	A	807	C8E	C6-C7-C8-O9
4	A	807	C8E	O9-C10-C11-O12
4	A	804	C8E	C4-C5-C6-C7
4	A	804	C8E	C16-C17-O18-C19
4	A	805	C8E	O12-C13-C14-O15
4	A	808	C8E	C6-C7-C8-O9
4	A	806	C8E	O9-C10-C11-O12
4	A	807	C8E	C3-C4-C5-C6
4	A	808	C8E	C3-C4-C5-C6
4	A	805	C8E	C5-C6-C7-C8
4	A	807	C8E	C5-C6-C7-C8
4	A	808	C8E	O15-C16-C17-O18
4	A	806	C8E	C4-C5-C6-C7
4	A	805	C8E	C2-C3-C4-C5
4	A	807	C8E	C13-C14-O15-C16
4	A	806	C8E	O18-C19-C20-O21
4	A	806	C8E	C2-C3-C4-C5
4	A	807	C8E	C1-C2-C3-C4
4	A	807	C8E	O15-C16-C17-O18
4	A	804	C8E	O15-C16-C17-O18
6	A	831	GOL	O1-C1-C2-O2
4	A	805	C8E	C1-C2-C3-C4
7	A	838	EDO	O1-C1-C2-O2
4	A	806	C8E	C7-C8-O9-C10
6	A	833	GOL	O1-C1-C2-O2
4	A	808	C8E	C2-C3-C4-C5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
7	A	837	EDO	O1-C1-C2-O2
4	A	807	C8E	C16-C17-O18-C19
4	A	808	C8E	C17-C16-O15-C14
4	A	805	C8E	C14-C13-O12-C11
4	A	805	C8E	C13-C14-O15-C16
4	A	808	C8E	C10-C11-O12-C13
4	A	807	C8E	C7-C8-O9-C10
4	A	805	C8E	C11-C10-O9-C8
4	A	804	C8E	C10-C11-O12-C13
4	A	804	C8E	C1-C2-C3-C4
4	A	804	C8E	C11-C10-O9-C8
4	A	805	C8E	C20-C19-O18-C17
4	A	808	C8E	O18-C19-C20-O21
4	A	804	C8E	O18-C19-C20-O21
4	A	804	C8E	C20-C19-O18-C17
7	A	835	EDO	O1-C1-C2-O2
6	A	833	GOL	O1-C1-C2-C3
4	A	807	C8E	C20-C19-O18-C17
4	A	807	C8E	C2-C3-C4-C5
4	A	804	C8E	C7-C8-O9-C10
4	A	806	C8E	O12-C13-C14-O15
4	A	808	C8E	O12-C13-C14-O15
4	A	808	C8E	C7-C8-O9-C10
4	A	805	C8E	O9-C10-C11-O12
4	A	806	C8E	C5-C6-C7-C8
4	A	806	C8E	O15-C16-C17-O18

There are no ring outliers.

14 monomers are involved in 32 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	814	SO4	1	0
6	A	830	GOL	1	0
7	A	834	EDO	2	0
7	A	836	EDO	1	0
4	A	808	C8E	5	0
5	A	820	SO4	2	0
5	A	827	SO4	1	0
4	A	804	C8E	1	0
4	A	806	C8E	4	0
5	A	810	SO4	2	0
7	A	838	EDO	6	0


Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	A	835	EDO	1	0
4	A	807	C8E	1	0
5	A	812	SO4	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	699/748 (93%)	0.35	43 (6%) 20 21	55, 84, 136, 189	0

All (43) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	392	VAL	6.7
1	A	389	SER	5.3
1	A	18	SER	5.2
1	A	447	ASN	5.0
1	A	19	ARG	4.8
1	A	391	ALA	4.7
1	A	200	LYS	4.5
1	A	366	ILE	4.4
1	A	390	GLU	4.3
1	A	317	TRP	3.3
1	A	619	TYR	3.3
1	A	692	TYR	3.3
1	A	369	LEU	3.2
1	A	299	SER	3.2
1	A	449	PRO	3.1
1	A	371	GLY	3.1
1	A	196	TYR	2.9
1	A	527	GLU	2.8
1	A	256	LYS	2.8
1	A	259	ILE	2.8
1	A	415	TRP	2.7
1	A	472	THR	2.5
1	A	247	ASP	2.5
1	A	266	LEU	2.4
1	A	474	GLN	2.4
1	A	83	VAL	2.4
1	A	531	TRP	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	529	ASP	2.3
1	A	440	ILE	2.3
1	A	448	HIS	2.2
1	A	298	HIS	2.2
1	A	697[A]	TRP	2.1
1	A	198	ASN	2.1
1	A	649	THR	2.1
1	A	59	ILE	2.1
1	A	81	ILE	2.1
1	A	359	ILE	2.1
1	A	393	LYS	2.1
1	A	650	ASP	2.1
1	A	250	ALA	2.1
1	A	686	TYR	2.0
1	A	373	TRP	2.0
1	A	688	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	SO4	A	828	5/5	0.17	0.78	148,151,153,156	5
6	GOL	A	832	6/6	0.34	0.31	99,111,119,123	0
6	GOL	A	830	6/6	0.43	0.27	117,124,127,130	0
6	GOL	A	833	6/6	0.43	0.34	107,117,122,128	0
4	C8E	A	807	21/21	0.53	0.34	127,140,146,147	0
7	EDO	A	838	4/4	0.62	0.40	109,109,111,113	0
5	SO4	A	822	5/5	0.62	0.29	141,143,148,149	5

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	SO4	A	825	5/5	0.68	0.32	137,139,141,145	5
5	SO4	A	821	5/5	0.69	0.37	148,152,153,158	5
4	C8E	A	805	21/21	0.70	0.38	90,103,114,119	0
5	SO4	A	819	5/5	0.71	0.59	75,82,87,89	5
5	SO4	A	827	5/5	0.71	0.56	145,146,148,150	5
7	EDO	A	836	4/4	0.72	0.86	127,128,132,132	0
5	SO4	A	814	5/5	0.73	0.34	74,85,101,104	5
4	C8E	A	806	21/21	0.77	0.38	73,98,116,122	0
5	SO4	A	824	5/5	0.77	0.28	133,134,136,136	5
6	GOL	A	831	6/6	0.77	0.23	106,112,119,122	0
7	EDO	A	835	4/4	0.78	0.35	101,109,114,118	0
5	SO4	A	818	5/5	0.79	0.31	98,116,119,125	5
5	SO4	A	816	5/5	0.80	0.35	117,118,118,118	5
4	C8E	A	808	21/21	0.80	0.27	97,111,141,143	0
5	SO4	A	823	5/5	0.80	0.31	158,160,160,161	5
5	SO4	A	826	5/5	0.81	0.26	129,130,134,138	5
5	SO4	A	813	5/5	0.84	0.23	82,97,107,109	5
5	SO4	A	815	5/5	0.84	0.27	95,102,108,116	5
5	SO4	A	820	5/5	0.84	0.41	132,132,133,134	5
5	SO4	A	817	5/5	0.85	0.16	115,118,123,127	5
7	EDO	A	837	4/4	0.85	0.27	103,105,109,112	0
5	SO4	A	829	5/5	0.86	0.64	137,137,139,140	5
7	EDO	A	834	4/4	0.87	0.25	101,106,107,115	0
4	C8E	A	804	21/21	0.89	0.23	68,92,109,119	0
5	SO4	A	812	5/5	0.90	0.10	99,100,102,103	5
5	SO4	A	811	5/5	0.90	0.13	92,96,99,99	5
5	SO4	A	810	5/5	0.91	0.11	78,79,84,97	5
2	CD	A	802	1/1	0.93	0.07	113,113,113,113	0
5	SO4	A	809	5/5	0.97	0.10	79,85,91,92	5
2	CD	A	801	1/1	0.97	0.14	92,92,92,92	0
3	ZN	A	803	1/1	0.99	0.18	58,58,58,58	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around C8E A 807:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around C8E A 805:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around C8E A 806:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around C8E A 808:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.