



Full wwPDB X-ray Structure Validation Report ⓘ

Dec 17, 2023 – 03:08 am GMT

PDB ID : 4UDJ
Title : Crystal structure of b-1,4-mannopyranosyl-chitobiose phosphorylase at 1.60 Angstrom in complex with beta-D-mannopyranose and inorganic phosphate
Authors : Ladeveze, S.; Cioci, G.; Potocki-Veronese, G.; Tranier, S.; Mourey, L.
Deposited on : 2014-12-10
Resolution : 1.94 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.94 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4310 (1.96-1.92)
Clashscore	141614	1023 (1.94-1.94)
Ramachandran outliers	138981	1007 (1.94-1.94)
Sidechain outliers	138945	1007 (1.94-1.94)
RSRZ outliers	127900	4250 (1.96-1.92)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	347	 82% 10% 8%
1	B	347	 84% 8% 7% . 1%
1	C	347	 82% 9% 8%
1	D	347	 84% 8% 8% . 1%
1	E	347	 83% 9% 7% . 1%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	347	 <p>%</p> <p>81% 10% 8%</p>

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 17342 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called UHGB_MP.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	320	Total 2669	C 1722	N 450	O 480	S 17	0	13	0
1	B	321	Total 2652	C 1714	N 444	O 477	S 17	0	10	0
1	C	320	Total 2627	C 1698	N 437	O 475	S 17	0	9	0
1	D	320	Total 2666	C 1719	N 449	O 481	S 17	0	12	0
1	E	321	Total 2664	C 1719	N 448	O 480	S 17	0	11	0
1	F	320	Total 2647	C 1709	N 443	O 478	S 17	0	10	0

There are 120 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	expression tag	UNP D9ZDQ9
A	-18	GLY	-	expression tag	UNP D9ZDQ9
A	-17	SER	-	expression tag	UNP D9ZDQ9
A	-16	SER	-	expression tag	UNP D9ZDQ9
A	-15	HIS	-	expression tag	UNP D9ZDQ9
A	-14	HIS	-	expression tag	UNP D9ZDQ9
A	-13	HIS	-	expression tag	UNP D9ZDQ9
A	-12	HIS	-	expression tag	UNP D9ZDQ9
A	-11	HIS	-	expression tag	UNP D9ZDQ9
A	-10	HIS	-	expression tag	UNP D9ZDQ9
A	-9	SER	-	expression tag	UNP D9ZDQ9
A	-8	SER	-	expression tag	UNP D9ZDQ9
A	-7	GLY	-	expression tag	UNP D9ZDQ9
A	-6	LEU	-	expression tag	UNP D9ZDQ9
A	-5	VAL	-	expression tag	UNP D9ZDQ9
A	-4	PRO	-	expression tag	UNP D9ZDQ9
A	-3	ARG	-	expression tag	UNP D9ZDQ9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	expression tag	UNP D9ZDQ9
A	-1	SER	-	expression tag	UNP D9ZDQ9
A	0	HIS	-	expression tag	UNP D9ZDQ9
B	-19	MET	-	expression tag	UNP D9ZDQ9
B	-18	GLY	-	expression tag	UNP D9ZDQ9
B	-17	SER	-	expression tag	UNP D9ZDQ9
B	-16	SER	-	expression tag	UNP D9ZDQ9
B	-15	HIS	-	expression tag	UNP D9ZDQ9
B	-14	HIS	-	expression tag	UNP D9ZDQ9
B	-13	HIS	-	expression tag	UNP D9ZDQ9
B	-12	HIS	-	expression tag	UNP D9ZDQ9
B	-11	HIS	-	expression tag	UNP D9ZDQ9
B	-10	HIS	-	expression tag	UNP D9ZDQ9
B	-9	SER	-	expression tag	UNP D9ZDQ9
B	-8	SER	-	expression tag	UNP D9ZDQ9
B	-7	GLY	-	expression tag	UNP D9ZDQ9
B	-6	LEU	-	expression tag	UNP D9ZDQ9
B	-5	VAL	-	expression tag	UNP D9ZDQ9
B	-4	PRO	-	expression tag	UNP D9ZDQ9
B	-3	ARG	-	expression tag	UNP D9ZDQ9
B	-2	GLY	-	expression tag	UNP D9ZDQ9
B	-1	SER	-	expression tag	UNP D9ZDQ9
B	0	HIS	-	expression tag	UNP D9ZDQ9
C	-19	MET	-	expression tag	UNP D9ZDQ9
C	-18	GLY	-	expression tag	UNP D9ZDQ9
C	-17	SER	-	expression tag	UNP D9ZDQ9
C	-16	SER	-	expression tag	UNP D9ZDQ9
C	-15	HIS	-	expression tag	UNP D9ZDQ9
C	-14	HIS	-	expression tag	UNP D9ZDQ9
C	-13	HIS	-	expression tag	UNP D9ZDQ9
C	-12	HIS	-	expression tag	UNP D9ZDQ9
C	-11	HIS	-	expression tag	UNP D9ZDQ9
C	-10	HIS	-	expression tag	UNP D9ZDQ9
C	-9	SER	-	expression tag	UNP D9ZDQ9
C	-8	SER	-	expression tag	UNP D9ZDQ9
C	-7	GLY	-	expression tag	UNP D9ZDQ9
C	-6	LEU	-	expression tag	UNP D9ZDQ9
C	-5	VAL	-	expression tag	UNP D9ZDQ9
C	-4	PRO	-	expression tag	UNP D9ZDQ9
C	-3	ARG	-	expression tag	UNP D9ZDQ9
C	-2	GLY	-	expression tag	UNP D9ZDQ9
C	-1	SER	-	expression tag	UNP D9ZDQ9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	0	HIS	-	expression tag	UNP D9ZDQ9
D	-19	MET	-	expression tag	UNP D9ZDQ9
D	-18	GLY	-	expression tag	UNP D9ZDQ9
D	-17	SER	-	expression tag	UNP D9ZDQ9
D	-16	SER	-	expression tag	UNP D9ZDQ9
D	-15	HIS	-	expression tag	UNP D9ZDQ9
D	-14	HIS	-	expression tag	UNP D9ZDQ9
D	-13	HIS	-	expression tag	UNP D9ZDQ9
D	-12	HIS	-	expression tag	UNP D9ZDQ9
D	-11	HIS	-	expression tag	UNP D9ZDQ9
D	-10	HIS	-	expression tag	UNP D9ZDQ9
D	-9	SER	-	expression tag	UNP D9ZDQ9
D	-8	SER	-	expression tag	UNP D9ZDQ9
D	-7	GLY	-	expression tag	UNP D9ZDQ9
D	-6	LEU	-	expression tag	UNP D9ZDQ9
D	-5	VAL	-	expression tag	UNP D9ZDQ9
D	-4	PRO	-	expression tag	UNP D9ZDQ9
D	-3	ARG	-	expression tag	UNP D9ZDQ9
D	-2	GLY	-	expression tag	UNP D9ZDQ9
D	-1	SER	-	expression tag	UNP D9ZDQ9
D	0	HIS	-	expression tag	UNP D9ZDQ9
E	-19	MET	-	expression tag	UNP D9ZDQ9
E	-18	GLY	-	expression tag	UNP D9ZDQ9
E	-17	SER	-	expression tag	UNP D9ZDQ9
E	-16	SER	-	expression tag	UNP D9ZDQ9
E	-15	HIS	-	expression tag	UNP D9ZDQ9
E	-14	HIS	-	expression tag	UNP D9ZDQ9
E	-13	HIS	-	expression tag	UNP D9ZDQ9
E	-12	HIS	-	expression tag	UNP D9ZDQ9
E	-11	HIS	-	expression tag	UNP D9ZDQ9
E	-10	HIS	-	expression tag	UNP D9ZDQ9
E	-9	SER	-	expression tag	UNP D9ZDQ9
E	-8	SER	-	expression tag	UNP D9ZDQ9
E	-7	GLY	-	expression tag	UNP D9ZDQ9
E	-6	LEU	-	expression tag	UNP D9ZDQ9
E	-5	VAL	-	expression tag	UNP D9ZDQ9
E	-4	PRO	-	expression tag	UNP D9ZDQ9
E	-3	ARG	-	expression tag	UNP D9ZDQ9
E	-2	GLY	-	expression tag	UNP D9ZDQ9
E	-1	SER	-	expression tag	UNP D9ZDQ9
E	0	HIS	-	expression tag	UNP D9ZDQ9
F	-19	MET	-	expression tag	UNP D9ZDQ9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	-18	GLY	-	expression tag	UNP D9ZDQ9
F	-17	SER	-	expression tag	UNP D9ZDQ9
F	-16	SER	-	expression tag	UNP D9ZDQ9
F	-15	HIS	-	expression tag	UNP D9ZDQ9
F	-14	HIS	-	expression tag	UNP D9ZDQ9
F	-13	HIS	-	expression tag	UNP D9ZDQ9
F	-12	HIS	-	expression tag	UNP D9ZDQ9
F	-11	HIS	-	expression tag	UNP D9ZDQ9
F	-10	HIS	-	expression tag	UNP D9ZDQ9
F	-9	SER	-	expression tag	UNP D9ZDQ9
F	-8	SER	-	expression tag	UNP D9ZDQ9
F	-7	GLY	-	expression tag	UNP D9ZDQ9
F	-6	LEU	-	expression tag	UNP D9ZDQ9
F	-5	VAL	-	expression tag	UNP D9ZDQ9
F	-4	PRO	-	expression tag	UNP D9ZDQ9
F	-3	ARG	-	expression tag	UNP D9ZDQ9
F	-2	GLY	-	expression tag	UNP D9ZDQ9
F	-1	SER	-	expression tag	UNP D9ZDQ9
F	0	HIS	-	expression tag	UNP D9ZDQ9

- Molecule 2 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	P	0	0
			5	4	1		
2	B	1	Total	O	P	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	C	1	Total	O	P	0	0
			5	4	1		
2	D	1	Total	O	P	0	0
			5	4	1		
2	E	1	Total	O	P	0	0
			5	4	1		
2	F	1	Total	O	P	0	0
			5	4	1		

- Molecule 3 is beta-D-mannopyranose (three-letter code: BMA) (formula: C₆H₁₂O₆).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			12	6	6		
3	B	1	Total	C	O	0	0
			12	6	6		
3	C	1	Total	C	O	0	0
			12	6	6		
3	D	1	Total	C	O	0	0
			12	6	6		
3	E	1	Total	C	O	0	0
			12	6	6		
3	F	1	Total	C	O	0	0
			12	6	6		

- Molecule 4 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	3	Total K 3 3	0	0
4	B	1	Total K 1 1	0	0
4	C	1	Total K 1 1	0	0
4	D	1	Total K 1 1	0	0
4	E	1	Total K 1 1	0	0
4	F	1	Total K 1 1	0	0

- Molecule 5 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0
5	C	1	Total C O 4 2 2	0	0
5	D	1	Total C O 4 2 2	0	0
5	D	1	Total C O 4 2 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	D	1	Total C O 4 2 2	0	0
5	E	1	Total C O 4 2 2	0	0
5	E	1	Total C O 4 2 2	0	0
5	F	1	Total C O 4 2 2	0	0
5	F	1	Total C O 4 2 2	0	0

- Molecule 6 is TRIETHYLENE GLYCOL (three-letter code: PGE) (formula: C₆H₁₄O₄).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C O 10 6 4	0	0
6	A	1	Total C O 10 6 4	0	0
6	A	1	Total C O 10 6 4	0	0
6	B	1	Total C O 10 6 4	0	0
6	B	1	Total C O 10 6 4	0	0
6	B	1	Total C O 10 6 4	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	C	1	Total C O 10 6 4	0	0
6	D	1	Total C O 10 6 4	0	0
6	F	1	Total C O 10 6 4	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	205	Total O 205 205	0	0
7	B	222	Total O 222 222	0	0
7	C	225	Total O 225 225	0	0
7	D	172	Total O 172 172	0	0
7	E	207	Total O 207 207	0	0
7	F	142	Total O 142 142	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: UHGB_MP




- Molecule 1: UHGB_MP



- Molecule 1: UHGB_MP





- Molecule 1: UHGB_MP







- Molecule 1: UHGB_MP



- Molecule 1: UHGB_MP



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	83.88Å 140.84Å 168.75Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	108.13 – 1.94 75.11 – 1.94	Depositor EDS
% Data completeness (in resolution range)	99.7 (108.13-1.94) 99.7 (75.11-1.94)	Depositor EDS
R_{merge}	0.16	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.80 (at 1.94Å)	Xtrriage
Refinement program	REFMAC 5.8.0073	Depositor
R, R_{free}	0.150 , 0.193 0.163 , 0.200	Depositor DCC
R_{free} test set	7430 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	17.2	Xtrriage
Anisotropy	0.183	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 43.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	17342	wwPDB-VP
Average B, all atoms (Å ²)	19.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.89% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, BMA, PO4, K, PGE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.02	1/2765 (0.0%)	0.97	6/3768 (0.2%)
1	B	1.01	3/2745 (0.1%)	0.97	6/3742 (0.2%)
1	C	0.99	0/2726	0.95	7/3716 (0.2%)
1	D	0.95	2/2757 (0.1%)	0.93	3/3758 (0.1%)
1	E	0.93	0/2757	0.91	2/3758 (0.1%)
1	F	0.93	0/2740	0.94	7/3735 (0.2%)
All	All	0.97	6/16490 (0.0%)	0.94	31/22477 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	3
1	F	0	1
All	All	0	4

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	87	LEU	C-N	-6.99	1.18	1.34
1	A	204	GLU	CD-OE2	-6.72	1.18	1.25
1	D	45[A]	SER	CB-OG	-5.22	1.35	1.42
1	D	45[B]	SER	CB-OG	-5.22	1.35	1.42
1	B	104[A]	ASP	CB-CG	5.10	1.62	1.51
1	B	104[B]	ASP	CB-CG	5.10	1.62	1.51

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	65	ARG	NE-CZ-NH1	7.15	123.87	120.30
1	E	106	ARG	NE-CZ-NH1	7.09	123.84	120.30
1	B	327	ILE	CB-CA-C	-7.07	97.45	111.60
1	D	157	ARG	NE-CZ-NH1	7.07	123.83	120.30
1	A	65	ARG	NE-CZ-NH1	6.77	123.69	120.30
1	C	106	ARG	NE-CZ-NH1	6.45	123.53	120.30
1	F	193	ARG	CG-CD-NE	-6.42	98.33	111.80
1	A	104[A]	ASP	CB-CG-OD2	-6.32	112.61	118.30
1	A	104[B]	ASP	CB-CG-OD2	-6.32	112.61	118.30
1	A	65	ARG	NE-CZ-NH2	-6.25	117.18	120.30
1	B	59	ARG	NE-CZ-NH2	-6.11	117.25	120.30
1	C	150	ARG	NE-CZ-NH2	-6.09	117.25	120.30
1	C	34	ASP	CB-CG-OD1	6.06	123.75	118.30
1	B	162	ARG	NE-CZ-NH2	-5.97	117.31	120.30
1	D	193[A]	ARG	NE-CZ-NH2	-5.94	117.33	120.30
1	D	193[B]	ARG	NE-CZ-NH2	-5.94	117.33	120.30
1	A	14	ARG	C-N-CD	5.83	140.64	128.40
1	C	104[A]	ASP	CB-CG-OD2	-5.77	113.11	118.30
1	C	104[B]	ASP	CB-CG-OD2	-5.77	113.11	118.30
1	E	66	ARG	NE-CZ-NH2	-5.74	117.43	120.30
1	A	150	ARG	NE-CZ-NH1	5.67	123.13	120.30
1	F	45[A]	SER	N-CA-C	5.61	126.14	111.00
1	F	45[B]	SER	N-CA-C	5.61	126.14	111.00
1	F	43[A]	PHE	N-CA-C	5.54	125.95	111.00
1	F	43[B]	PHE	N-CA-C	5.54	125.95	111.00
1	C	112	ASP	CB-CG-OD2	5.35	123.12	118.30
1	B	65	ARG	NE-CZ-NH2	-5.19	117.71	120.30
1	B	179	ASP	CB-CG-OD2	-5.17	113.65	118.30
1	F	65	ARG	NE-CZ-NH2	-5.09	117.76	120.30
1	B	198	MET	CG-SD-CE	-5.08	92.08	100.20
1	C	20	ASP	CB-CG-OD1	5.03	122.83	118.30

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	D	193[A]	ARG	Mainchain
1	D	193[B]	ARG	Mainchain
1	D	46[A]	ALA	Mainchain
1	F	46[B]	ALA	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2669	0	2529	22	0
1	B	2652	0	2515	14	0
1	C	2627	0	2485	28	0
1	D	2666	0	2522	18	0
1	E	2664	0	2524	21	0
1	F	2647	0	2504	28	0
2	A	5	0	0	1	0
2	B	5	0	0	1	0
2	C	5	0	0	1	0
2	D	5	0	0	1	0
2	E	5	0	0	1	0
2	F	5	0	0	1	0
3	A	12	0	12	1	0
3	B	12	0	12	1	0
3	C	12	0	11	1	0
3	D	12	0	12	1	0
3	E	12	0	12	1	0
3	F	12	0	12	2	0
4	A	3	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
4	E	1	0	0	0	0
4	F	1	0	0	0	0
5	A	8	0	12	1	0
5	B	4	0	6	0	0
5	C	4	0	6	1	0
5	D	12	0	18	0	0
5	E	8	0	12	0	0
5	F	8	0	12	0	0
6	A	30	0	42	2	0
6	B	30	0	42	1	0
6	C	10	0	14	0	0
6	D	10	0	14	0	0
6	F	10	0	14	0	0
7	A	205	0	0	1	0
7	B	222	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	C	225	0	0	3	0
7	D	172	0	0	0	0
7	E	207	0	0	1	0
7	F	142	0	0	3	0
All	All	17342	0	15342	132	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (132) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:328:PO4:O4	3:C:329:BMA:H1	1.64	0.96
2:E:328:PO4:O4	3:E:329:BMA:H1	1.69	0.90
2:F:328:PO4:O1	3:F:329:BMA:H1	1.78	0.82
2:B:328:PO4:O3	3:B:329:BMA:H1	1.80	0.81
2:D:328:PO4:O1	3:D:329:BMA:H1	1.80	0.81
2:A:328:PO4:O2	3:A:329:BMA:H1	1.81	0.80
1:F:269:ARG:HD3	7:F:609:HOH:O	1.95	0.67
1:C:45[A]:SER:O	1:C:285[A]:CYS:HB2	1.97	0.64
1:F:222:THR:HG21	1:F:318:ILE:HD11	1.81	0.63
1:A:319:GLU:OE1	1:A:323[B]:ARG:NH1	2.32	0.63
1:D:87:LEU:HD23	1:D:88:LYS:N	2.17	0.60
1:F:104[B]:ASP:OD1	1:F:106:ARG:NH1	2.25	0.60
1:A:275:MET:HE1	1:C:275:MET:CE	2.32	0.60
1:E:319[A]:GLU:HG2	7:E:601:HOH:O	2.01	0.60
1:D:106:ARG:NH1	1:D:285[B]:CYS:SG	2.75	0.59
1:F:8:ILE:HG23	1:F:8:ILE:O	2.01	0.59
1:F:129:VAL:HG11	1:F:188:MET:CE	2.33	0.58
1:B:71:VAL:HG23	1:B:87:LEU:HD12	1.83	0.58
1:E:85:GLU:HG3	1:E:86:PRO:HD2	1.86	0.57
1:F:104[B]:ASP:CG	1:F:106:ARG:HH12	2.08	0.57
1:A:148:PHE:CE1	1:A:172[A]:ASN:HB2	2.40	0.56
1:B:234:LEU:C	1:B:234:LEU:HD23	2.26	0.55
1:A:27:ALA:HB1	6:A:608:PGE:H3	1.89	0.55
1:C:127[B]:ILE:HD13	1:C:152:GLY:HA3	1.89	0.54
1:C:269:ARG:HD3	7:C:639:HOH:O	2.06	0.54
1:F:269:ARG:NH1	7:F:609:HOH:O	2.23	0.54
1:A:160[A]:ASN:HB2	7:A:634:HOH:O	2.07	0.54
1:F:59:ARG:HD2	1:F:103:TYR:HB2	1.91	0.52
1:E:104[B]:ASP:CG	1:E:106:ARG:HH12	2.11	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:103:TYR:O	1:F:104[B]:ASP:HB3	2.10	0.52
1:C:104[A]:ASP:N	1:C:105:PRO:CD	2.71	0.52
1:F:129:VAL:HG11	1:F:188:MET:HE1	1.90	0.52
1:A:9:ILE:HB	1:A:10:PRO:HD2	1.92	0.52
1:C:323:ARG:NH2	7:C:634:HOH:O	2.28	0.51
1:A:87[B]:LEU:HD11	1:A:138:PHE:CD1	2.46	0.51
1:F:257:VAL:HG12	1:F:327:ILE:HD11	1.94	0.50
1:D:14[B]:ARG:HH11	1:D:14[B]:ARG:HG3	1.77	0.50
1:D:225:GLY:HA2	1:D:251:LEU:HG	1.94	0.49
1:F:225:GLY:HA2	1:F:251:LEU:HD13	1.95	0.49
1:A:34:ASP:O	5:A:348:EDO:H22	2.12	0.49
1:E:45[A]:SER:O	1:E:285[A]:CYS:SG	2.71	0.49
1:D:217:PRO:HD2	1:D:229:ILE:HB	1.94	0.48
1:C:269:ARG:NH1	7:C:639:HOH:O	2.33	0.48
1:D:162:ARG:NH2	1:D:193[B]:ARG:NH1	2.61	0.48
1:D:257:VAL:HG12	1:D:327:ILE:HD11	1.95	0.48
1:B:45[A]:SER:O	1:B:285[A]:CYS:SG	2.71	0.48
1:E:77:ALA:HB1	1:E:299:TYR:OH	2.14	0.48
1:A:275:MET:CE	1:C:275:MET:HE2	2.44	0.47
1:B:146:ILE:CG2	1:D:169:PRO:HG3	2.45	0.47
1:F:77:ALA:HB1	1:F:299:TYR:OH	2.14	0.47
1:A:87[A]:LEU:HD23	1:A:88:LYS:N	2.29	0.47
1:D:76:ASP:O	1:D:77:ALA:HB3	2.14	0.47
1:B:116[B]:VAL:O	1:B:116[B]:VAL:HG13	2.14	0.47
1:A:222:THR:HB	1:A:223:PRO:HD2	1.95	0.47
1:F:45[B]:SER:HB2	1:F:58:PHE:CE2	2.50	0.47
1:F:104[B]:ASP:CG	1:F:106:ARG:NH1	2.68	0.47
1:A:106:ARG:HG3	1:A:153:VAL:HG22	1.98	0.46
1:C:43[A]:PHE:CD2	1:C:304:ASP:HA	2.51	0.46
1:B:104[A]:ASP:N	1:B:105:PRO:CD	2.79	0.46
1:D:162:ARG:NH2	1:D:193[B]:ARG:HH12	2.13	0.46
1:C:104[A]:ASP:N	1:C:105:PRO:HD3	2.31	0.46
1:C:177:PHE:C	1:C:177:PHE:CD1	2.89	0.46
1:C:104[B]:ASP:CG	1:C:106:ARG:HH12	2.20	0.46
1:A:275:MET:HE2	1:C:275:MET:HE2	1.98	0.45
1:E:314:ILE:HB	1:E:315:PRO:HD3	1.98	0.45
1:C:103:TYR:O	1:C:104[B]:ASP:HB3	2.17	0.45
1:C:99:TRP:CG	5:C:594:EDO:H12	2.51	0.45
1:E:257:VAL:HG12	1:E:327:ILE:HD11	1.99	0.45
1:A:187:ASP:O	1:A:188:MET:HB2	2.17	0.45
1:D:103:TYR:O	1:D:104[B]:ASP:HB3	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:85:GLU:HG3	1:E:86:PRO:CD	2.47	0.45
1:D:108:CYS:HB3	1:D:218:ILE:HG13	1.98	0.45
1:C:106:ARG:HG3	1:C:153:VAL:HG22	1.99	0.45
1:C:127[B]:ILE:HD13	1:C:152:GLY:CA	2.47	0.45
1:F:199:SER:HB3	1:F:200:PRO:HD2	1.98	0.45
1:F:103:TYR:O	1:F:104[B]:ASP:CB	2.65	0.45
1:B:217:PRO:HD3	1:B:284:PRO:HB2	1.98	0.44
1:B:200:PRO:HG3	1:B:212:LYS:HA	1.98	0.44
1:C:103:TYR:O	1:C:104[B]:ASP:CB	2.62	0.44
1:E:45[A]:SER:O	1:E:285[A]:CYS:HB2	2.17	0.44
1:A:87[A]:LEU:HD23	1:A:87[A]:LEU:C	2.38	0.44
1:A:30:ILE:HA	6:A:608:PGE:H4	1.98	0.44
1:C:217:PRO:HD2	1:C:229[A]:ILE:HB	1.99	0.44
1:E:87:LEU:HD11	1:E:138:PHE:CD1	2.53	0.44
1:D:125:PRO:HD2	1:D:148:PHE:HD1	1.83	0.44
1:F:234[B]:LEU:HD12	1:F:235:HIS:N	2.32	0.44
1:A:275:MET:CE	1:C:275:MET:CE	2.96	0.44
1:A:185:SER:HB2	1:A:191:TRP:CD2	2.53	0.43
1:B:187:ASP:O	1:B:188:MET:HB2	2.18	0.43
1:C:226:TRP:HB2	1:C:249:LEU:HB2	2.00	0.43
1:D:14[B]:ARG:O	1:D:14[B]:ARG:HG2	2.16	0.43
1:D:43[B]:PHE:CD2	1:D:304:ASP:HA	2.54	0.43
1:E:103:TYR:O	1:E:104[B]:ASP:CB	2.64	0.43
1:B:35:LEU:HD23	1:B:82:ILE:HD12	2.00	0.43
1:F:290:ASP:OD2	1:F:293:THR:OG1	2.30	0.43
1:D:257:VAL:HG12	1:D:327:ILE:CD1	2.49	0.43
3:F:329:BMA:O1	7:F:622:HOH:O	2.21	0.43
1:B:106:ARG:NH1	1:B:285[B]:CYS:SG	2.92	0.43
1:E:89:PHE:HB3	1:E:140:GLN:HB2	2.01	0.43
1:F:87:LEU:HD23	1:F:88:LYS:N	2.33	0.42
1:A:217:PRO:HD2	1:A:229[B]:ILE:HB	2.01	0.42
1:C:43[B]:PHE:CD2	1:C:304:ASP:HA	2.55	0.42
1:E:216:GLY:HA3	1:E:217:PRO:HD3	1.84	0.42
1:E:44[B]:ASN:HB2	1:E:59:ARG:HB3	2.00	0.42
1:E:76:ASP:O	1:E:77:ALA:HB3	2.20	0.42
1:C:185:SER:HB2	1:C:191:TRP:CD2	2.55	0.42
1:B:225:GLY:HA2	1:B:251:LEU:HG	2.01	0.42
1:B:263:PRO:HD3	1:B:324:THR:HB	2.02	0.42
1:E:162:ARG:NH2	1:E:193[B]:ARG:CZ	2.83	0.41
1:B:104[A]:ASP:N	1:B:105:PRO:HD3	2.36	0.41
1:C:250:ASP:HA	1:C:258:LYS:HD2	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:B:599:PGE:H42	6:B:599:PGE:H6	1.69	0.41
1:F:46[B]:ALA:CB	1:F:107:VAL:HG23	2.51	0.41
1:A:104[A]:ASP:N	1:A:105:PRO:CD	2.84	0.41
1:C:77:ALA:HB1	1:C:299:TYR:OH	2.21	0.41
1:A:197:VAL:HG22	1:A:255:TRP:HA	2.03	0.41
1:E:102:GLY:HA2	1:E:119:CYS:O	2.21	0.41
1:F:146:ILE:HG21	1:F:146:ILE:HD13	1.75	0.41
1:F:225:GLY:CA	1:F:251:LEU:HD13	2.50	0.41
1:C:257:VAL:HG12	1:C:327:ILE:HD11	2.02	0.41
1:E:185:SER:HB2	1:E:191:TRP:CD2	2.56	0.41
1:E:222:THR:HG21	1:E:318:ILE:HD11	2.03	0.41
1:F:8:ILE:O	1:F:8:ILE:HG13	2.20	0.41
1:F:43[A]:PHE:O	1:F:301:GLY:CA	2.69	0.41
1:C:148:PHE:HE2	1:F:177:PHE:CE1	2.38	0.41
1:D:187:ASP:O	1:D:188:MET:HB2	2.21	0.41
1:C:169:PRO:HG3	1:F:146:ILE:HG22	2.04	0.40
1:F:105:PRO:O	1:F:106:ARG:HD2	2.21	0.40
1:D:162:ARG:CZ	1:D:193[B]:ARG:NH1	2.85	0.40
1:E:162:ARG:NH2	1:E:193[B]:ARG:NH1	2.69	0.40
1:A:103:TYR:O	1:A:104[B]:ASP:HB3	2.21	0.40
1:E:43[B]:PHE:CD2	1:E:304:ASP:HA	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	331/347 (95%)	311 (94%)	20 (6%)	0	100	100
1	B	329/347 (95%)	309 (94%)	20 (6%)	0	100	100
1	C	327/347 (94%)	308 (94%)	19 (6%)	0	100	100
1	D	330/347 (95%)	311 (94%)	19 (6%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	E	330/347 (95%)	313 (95%)	15 (4%)	2 (1%)	25 13
1	F	328/347 (94%)	311 (95%)	13 (4%)	4 (1%)	13 4
All	All	1975/2082 (95%)	1863 (94%)	106 (5%)	6 (0%)	47 32

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	F	44[A]	ASN
1	F	44[B]	ASN
1	F	104[A]	ASP
1	F	104[B]	ASP
1	E	104[A]	ASP
1	E	104[B]	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	286/298 (96%)	285 (100%)	1 (0%)	92 93
1	B	284/298 (95%)	280 (99%)	4 (1%)	67 58
1	C	281/298 (94%)	281 (100%)	0	100 100
1	D	285/298 (96%)	284 (100%)	1 (0%)	91 91
1	E	285/298 (96%)	285 (100%)	0	100 100
1	F	283/298 (95%)	280 (99%)	3 (1%)	73 67
All	All	1704/1788 (95%)	1695 (100%)	9 (0%)	88 88

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	203	PHE
1	B	14	ARG
1	B	168	ARG
1	B	319	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	327	ILE
1	D	92	ASP
1	F	8	ILE
1	F	9	ILE
1	F	168	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 40 ligands modelled in this entry, 8 are monoatomic - leaving 32 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	EDO	D	588	-	3,3,3	0.41	0	2,2,2	0.51	0
5	EDO	D	583	-	3,3,3	0.39	0	2,2,2	0.56	0
5	EDO	D	584	-	3,3,3	0.45	0	2,2,2	0.23	0
3	BMA	F	329	-	12,12,12	0.83	0	17,17,17	1.90	5 (29%)
5	EDO	F	579	-	3,3,3	0.50	0	2,2,2	0.26	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	EDO	F	569	-	3,3,3	0.47	0	2,2,2	0.20	0
6	PGE	F	580	-	9,9,9	0.49	0	8,8,8	0.55	0
3	BMA	E	329	-	12,12,12	1.04	1 (8%)	17,17,17	2.08	8 (47%)
5	EDO	A	569	-	3,3,3	0.58	0	2,2,2	0.21	0
5	EDO	E	580	-	3,3,3	0.31	0	2,2,2	0.83	0
5	EDO	E	579	-	3,3,3	0.45	0	2,2,2	0.38	0
5	EDO	C	594	-	3,3,3	0.60	0	2,2,2	0.61	0
6	PGE	C	592	-	9,9,9	0.48	0	8,8,8	0.69	0
2	PO4	F	328	-	4,4,4	1.23	0	6,6,6	0.85	0
3	BMA	D	329	-	12,12,12	1.08	1 (8%)	17,17,17	2.02	5 (29%)
6	PGE	B	599	-	9,9,9	0.45	0	8,8,8	0.59	0
3	BMA	C	329	-	12,12,12	1.36	1 (8%)	17,17,17	2.23	6 (35%)
6	PGE	D	587	-	9,9,9	0.45	0	8,8,8	0.29	0
6	PGE	B	596	-	9,9,9	0.53	0	8,8,8	0.49	0
6	PGE	B	600	-	9,9,9	0.51	0	8,8,8	0.60	0
2	PO4	D	328	-	4,4,4	1.22	0	6,6,6	1.13	0
5	EDO	A	348	-	3,3,3	0.59	0	2,2,2	0.14	0
2	PO4	A	328	-	4,4,4	1.02	0	6,6,6	0.79	0
6	PGE	A	604	-	9,9,9	0.47	0	8,8,8	0.64	0
6	PGE	A	608	-	9,9,9	0.92	0	8,8,8	0.64	0
2	PO4	E	328	-	4,4,4	1.10	0	6,6,6	1.27	1 (16%)
3	BMA	B	329	-	12,12,12	1.01	0	17,17,17	2.38	8 (47%)
2	PO4	C	328	-	4,4,4	1.48	1 (25%)	6,6,6	0.29	0
5	EDO	B	598	-	3,3,3	0.25	0	2,2,2	0.55	0
3	BMA	A	329	-	12,12,12	0.96	1 (8%)	17,17,17	2.25	9 (52%)
6	PGE	A	602	-	9,9,9	0.54	0	8,8,8	0.80	0
2	PO4	B	328	-	4,4,4	1.05	0	6,6,6	0.78	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	EDO	D	588	-	-	1/1/1/1	-
5	EDO	D	583	-	-	1/1/1/1	-
5	EDO	D	584	-	-	1/1/1/1	-
3	BMA	F	329	-	-	2/2/22/22	0/1/1/1
5	EDO	F	579	-	-	0/1/1/1	-
5	EDO	F	569	-	-	1/1/1/1	-
6	PGE	F	580	-	-	4/7/7/7	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	BMA	E	329	-	-	0/2/22/22	0/1/1/1
5	EDO	A	569	-	-	1/1/1/1	-
5	EDO	E	580	-	-	0/1/1/1	-
5	EDO	E	579	-	-	1/1/1/1	-
5	EDO	C	594	-	-	0/1/1/1	-
6	PGE	C	592	-	-	4/7/7/7	-
3	BMA	D	329	-	-	0/2/22/22	0/1/1/1
6	PGE	B	599	-	-	5/7/7/7	-
3	BMA	C	329	-	-	0/2/22/22	0/1/1/1
6	PGE	D	587	-	-	4/7/7/7	-
6	PGE	B	596	-	-	6/7/7/7	-
6	PGE	B	600	-	-	5/7/7/7	-
5	EDO	A	348	-	-	0/1/1/1	-
6	PGE	A	604	-	-	3/7/7/7	-
6	PGE	A	608	-	-	3/7/7/7	-
3	BMA	B	329	-	-	0/2/22/22	0/1/1/1
5	EDO	B	598	-	-	1/1/1/1	-
3	BMA	A	329	-	-	2/2/22/22	0/1/1/1
6	PGE	A	602	-	-	3/7/7/7	-

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	329	BMA	C1-C2	2.80	1.59	1.52
2	C	328	PO4	P-O2	-2.67	1.46	1.54
3	D	329	BMA	C1-C2	2.48	1.58	1.52
3	A	329	BMA	C1-C2	2.23	1.57	1.52
3	E	329	BMA	C3-C2	2.10	1.57	1.52

All (42) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	329	BMA	O2-C2-C1	5.24	121.31	109.16
3	C	329	BMA	O5-C1-C2	5.12	119.41	110.28
3	B	329	BMA	O2-C2-C1	4.99	120.74	109.16
3	C	329	BMA	O2-C2-C1	4.75	120.19	109.16
3	D	329	BMA	O2-C2-C1	4.44	119.45	109.16
3	B	329	BMA	C4-C3-C2	3.92	117.66	110.82
3	D	329	BMA	O5-C1-C2	3.62	116.75	110.28
3	F	329	BMA	C4-C3-C2	3.46	116.86	110.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	329	BMA	O5-C1-C2	3.40	116.35	110.28
3	E	329	BMA	O2-C2-C1	3.36	116.94	109.16
3	E	329	BMA	C1-O5-C5	3.27	119.84	113.66
3	F	329	BMA	O2-C2-C1	3.25	116.69	109.16
3	B	329	BMA	C1-O5-C5	3.20	119.70	113.66
3	C	329	BMA	C4-C3-C2	3.08	116.21	110.82
3	A	329	BMA	C1-O5-C5	3.07	119.45	113.66
3	E	329	BMA	C4-C3-C2	3.06	116.17	110.82
3	D	329	BMA	C4-C3-C2	3.02	116.10	110.82
3	B	329	BMA	O5-C1-C2	2.89	115.43	110.28
3	E	329	BMA	O1-C1-C2	2.87	117.11	109.03
3	B	329	BMA	O5-C5-C6	2.85	113.53	106.44
3	B	329	BMA	O5-C5-C4	-2.82	104.58	109.69
3	F	329	BMA	C1-O5-C5	2.68	118.72	113.66
3	B	329	BMA	O1-C1-C2	2.58	116.29	109.03
3	A	329	BMA	O5-C1-C2	2.57	114.87	110.28
3	C	329	BMA	O2-C2-C3	2.56	116.28	110.35
3	E	329	BMA	O2-C2-C3	2.51	116.15	110.35
3	D	329	BMA	O2-C2-C3	2.51	116.15	110.35
3	E	329	BMA	O5-C5-C4	-2.44	105.26	109.69
3	A	329	BMA	O5-C5-C4	-2.44	105.26	109.69
3	A	329	BMA	C3-C4-C5	2.41	114.53	110.24
3	C	329	BMA	O1-C1-O5	-2.37	103.28	110.38
3	A	329	BMA	O5-C5-C6	2.35	112.28	106.44
2	E	328	PO4	O4-P-O3	2.34	115.48	107.97
3	E	329	BMA	O5-C1-C2	2.34	114.46	110.28
3	D	329	BMA	O5-C5-C4	-2.33	105.47	109.69
3	C	329	BMA	O1-C1-C2	2.32	115.57	109.03
3	A	329	BMA	C4-C3-C2	2.31	114.86	110.82
3	A	329	BMA	O1-C1-C2	2.22	115.27	109.03
3	E	329	BMA	O5-C5-C6	2.13	111.74	106.44
3	F	329	BMA	O2-C2-C3	2.08	115.16	110.35
3	B	329	BMA	O3-C3-C4	-2.07	105.56	110.35
3	A	329	BMA	O2-C2-C3	2.01	114.99	110.35

There are no chirality outliers.

All (48) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	B	599	PGE	C6-C5-O3-C4
6	A	604	PGE	O2-C3-C4-O3
6	F	580	PGE	O2-C3-C4-O3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	B	596	PGE	O2-C3-C4-O3
6	B	599	PGE	O2-C3-C4-O3
6	A	602	PGE	O2-C3-C4-O3
6	D	587	PGE	O2-C3-C4-O3
6	B	599	PGE	O1-C1-C2-O2
6	C	592	PGE	O3-C5-C6-O4
6	A	608	PGE	O1-C1-C2-O2
6	B	596	PGE	O3-C5-C6-O4
6	B	600	PGE	O1-C1-C2-O2
6	C	592	PGE	O1-C1-C2-O2
6	D	587	PGE	O3-C5-C6-O4
6	B	600	PGE	O2-C3-C4-O3
3	F	329	BMA	O5-C5-C6-O6
6	A	602	PGE	O3-C5-C6-O4
6	A	608	PGE	O2-C3-C4-O3
3	F	329	BMA	C4-C5-C6-O6
6	A	604	PGE	O3-C5-C6-O4
5	D	584	EDO	O1-C1-C2-O2
5	D	588	EDO	O1-C1-C2-O2
3	A	329	BMA	O5-C5-C6-O6
6	B	599	PGE	O3-C5-C6-O4
6	F	580	PGE	O1-C1-C2-O2
6	D	587	PGE	O1-C1-C2-O2
5	E	579	EDO	O1-C1-C2-O2
5	D	583	EDO	O1-C1-C2-O2
5	F	569	EDO	O1-C1-C2-O2
6	F	580	PGE	C1-C2-O2-C3
6	D	587	PGE	C6-C5-O3-C4
6	B	600	PGE	C3-C4-O3-C5
6	B	600	PGE	C4-C3-O2-C2
3	A	329	BMA	C4-C5-C6-O6
6	F	580	PGE	C6-C5-O3-C4
6	C	592	PGE	C4-C3-O2-C2
6	B	596	PGE	C6-C5-O3-C4
6	A	602	PGE	C3-C4-O3-C5
6	B	596	PGE	C1-C2-O2-C3
6	B	596	PGE	C3-C4-O3-C5
6	A	604	PGE	C6-C5-O3-C4
6	C	592	PGE	O2-C3-C4-O3
6	B	599	PGE	C1-C2-O2-C3
6	B	596	PGE	O1-C1-C2-O2
5	A	569	EDO	O1-C1-C2-O2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	A	608	PGE	O3-C5-C6-O4
6	B	600	PGE	O3-C5-C6-O4
5	B	598	EDO	O1-C1-C2-O2

There are no ring outliers.

16 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	F	329	BMA	2	0
3	E	329	BMA	1	0
5	C	594	EDO	1	0
2	F	328	PO4	1	0
3	D	329	BMA	1	0
6	B	599	PGE	1	0
3	C	329	BMA	1	0
2	D	328	PO4	1	0
5	A	348	EDO	1	0
2	A	328	PO4	1	0
6	A	608	PGE	2	0
2	E	328	PO4	1	0
3	B	329	BMA	1	0
2	C	328	PO4	1	0
3	A	329	BMA	1	0
2	B	328	PO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	B	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	B	87:LEU	C	88:LYS	N	1.18

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	320/347 (92%)	-0.55	1 (0%) 94 96	9, 14, 27, 46	0
1	B	321/347 (92%)	-0.56	3 (0%) 84 87	10, 15, 29, 45	0
1	C	320/347 (92%)	-0.57	0 100 100	9, 14, 30, 48	0
1	D	320/347 (92%)	-0.52	2 (0%) 89 92	12, 20, 34, 48	0
1	E	321/347 (92%)	-0.49	3 (0%) 84 87	12, 19, 33, 44	0
1	F	320/347 (92%)	-0.40	3 (0%) 84 87	13, 22, 40, 56	0
All	All	1922/2082 (92%)	-0.52	12 (0%) 89 92	9, 17, 33, 56	0

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	16	ALA	3.4
1	E	17	GLY	3.3
1	D	16	ALA	3.1
1	F	8	ILE	2.8
1	B	7	VAL	2.7
1	B	16	ALA	2.4
1	E	16	ALA	2.3
1	B	17	GLY	2.3
1	F	17	GLY	2.2
1	D	17	GLY	2.1
1	E	52	ASP	2.1
1	A	8	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	EDO	A	348	4/4	0.52	0.31	53,56,56,59	0
6	PGE	B	596	10/10	0.66	0.26	55,61,70,72	0
5	EDO	E	579	4/4	0.70	0.16	45,47,48,49	0
5	EDO	E	580	4/4	0.72	0.18	39,41,47,48	0
5	EDO	D	584	4/4	0.76	0.20	50,52,55,59	0
6	PGE	F	580	10/10	0.77	0.30	47,57,60,61	0
6	PGE	A	608	10/10	0.80	0.32	36,47,54,54	0
6	PGE	D	587	10/10	0.83	0.14	44,45,53,54	0
5	EDO	B	598	4/4	0.84	0.21	40,44,45,46	0
6	PGE	B	599	10/10	0.84	0.16	46,50,60,66	0
5	EDO	C	594	4/4	0.86	0.14	39,42,43,45	0
5	EDO	F	569	4/4	0.87	0.11	41,44,44,46	0
6	PGE	B	600	10/10	0.87	0.30	49,56,64,65	0
4	K	A	333	1/1	0.87	0.32	61,61,61,61	0
4	K	F	333	1/1	0.87	0.33	64,64,64,64	0
5	EDO	D	588	4/4	0.88	0.17	50,51,52,53	0
5	EDO	F	579	4/4	0.88	0.32	46,48,51,55	0
3	BMA	B	329	12/12	0.89	0.17	22,30,33,36	0
4	K	C	333	1/1	0.89	0.32	60,60,60,60	0
3	BMA	D	329	12/12	0.89	0.18	24,28,30,33	0
6	PGE	A	604	10/10	0.90	0.14	39,43,61,68	0
6	PGE	C	592	10/10	0.90	0.15	32,38,43,44	0
6	PGE	A	602	10/10	0.91	0.16	34,42,60,65	0
3	BMA	F	329	12/12	0.91	0.15	24,30,32,34	0
5	EDO	A	569	4/4	0.91	0.11	42,43,44,47	0
3	BMA	A	329	12/12	0.92	0.20	19,23,25,29	0
4	K	B	333	1/1	0.93	0.20	61,61,61,61	0
3	BMA	E	329	12/12	0.93	0.18	21,24,26,27	0
5	EDO	D	583	4/4	0.94	0.09	32,35,37,42	0
3	BMA	C	329	12/12	0.95	0.14	20,21,23,23	0
4	K	D	333	1/1	0.95	0.23	56,56,56,56	0
4	K	E	333	1/1	0.95	0.20	57,57,57,57	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	PO4	A	328	5/5	0.99	0.07	10,10,11,12	0
2	PO4	B	328	5/5	0.99	0.07	12,12,14,14	0
2	PO4	C	328	5/5	0.99	0.07	11,12,12,13	0
4	K	A	606	1/1	0.99	0.13	36,36,36,36	0
4	K	A	607	1/1	0.99	0.19	44,44,44,44	0
2	PO4	F	328	5/5	0.99	0.06	13,15,16,16	0
2	PO4	E	328	5/5	1.00	0.05	13,13,15,15	0
2	PO4	D	328	5/5	1.00	0.05	14,14,15,16	0

6.5 Other polymers [i](#)

There are no such residues in this entry.