



wwPDB EM Validation Summary Report ⓘ

Jan 30, 2023 – 06:58 PM EST

PDB ID : 4V6Q
EMDB ID : EMD-5363
Title : Structural characterization of mRNA-tRNA translocation intermediates (class 5 of the six classes)
Authors : Agirrezabala, X.; Liao, H.; Schreiner, E.; Fu, J.; Ortiz-Meoz, R.F.; Schulten, K.; Green, R.; Frank, J.
Deposited on : 2011-12-08
Resolution : 11.50 Å (reported)
Based on initial model : 2I2U

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.32.1

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 11.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.


























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AA	1542	32% 54% 14%
2	AB	76	38% 39% 22%
3	AC	47	9% 19% 49% 32%
4	AD	77	38% 51% 12%
5	AE	240	5% 78% 19% .
6	AF	232	74% 25% .
7	AG	205	76% 22% .
8	AH	166	78% 20% ..

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	AI	135	 70% 29%
10	AJ	178	 76% 19%
11	AK	129	 82% 15%
12	AL	129	 71% 23% 5%
13	AM	103	 73% 24%
14	AN	128	 80% 19%
15	AO	123	 72% 24% 5%
16	AP	117	 87% 11%
17	AQ	100	 71% 24%
18	AR	88	 78% 18%
19	AS	82	 74% 23%
20	AT	83	 80% 20%
21	AU	74	 72% 23%
22	AV	91	 76% 22%
23	AW	86	 88% 10%
24	AX	70	 74% 21%
25	BA	120	 37% 52% 11%
26	BB	2904	 33% 54% 12%
27	BC	234	 85% 13%
28	BD	272	 72% 25%
29	BE	209	 72% 25%
30	BF	201	 76% 21%
31	BG	178	 69% 25% 5%
32	BH	176	79% 18%
33	BI	149	12% 78% 21%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	BJ	164	9% 82% 16% .
35	BK	141	. 88% 12%
36	BL	142	73% 23% .
37	BM	123	76% 18% 6% .
38	BN	144	76% 20% . .
39	BO	136	76% 20% .
40	BP	127	76% 20% .
41	BQ	117	82% 14% .
42	BR	114	73% 25% . .
43	BS	117	75% 21% .
44	BT	103	73% 21% 6%
45	BU	110	77% 18% 5%
46	BV	100	74% 22% .
47	BW	103	83% 16% .
48	BX	94	80% 17% .
49	BY	84	77% 18% 5%
50	BZ	77	71% 23% 5%
51	B0	63	78% 17% 5%
52	B1	58	81% 14% 5%
53	B2	70	74% 23% .
54	B3	56	80% 18% .
55	B4	54	80% 17% .
56	B5	46	72% 22% 7%
57	B6	64	80% 17% .
58	B7	38	76% 18% 5%

2 Entry composition

There are 60 unique types of molecules in this entry. The entry contains 152351 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
1	AA	1542	33089	14767	6064	10717	1541	0	0

- Molecule 2 is a RNA chain called A site tRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	N	O	P	S		
2	AB	76	1627	731	287	532	75	2	0	0

- Molecule 3 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
3	AC	47	993	445	167	335	46	0	0

- Molecule 4 is a RNA chain called P site tRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	N	O	P	S		
4	AD	77	1641	734	297	533	76	1	0	0

- Molecule 5 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	AE	240	1872	1180	332	352	8	0	0

- Molecule 6 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	AF	232	1822	1149	346	323	4	0	0

- Molecule 7 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	AG	205	1643	1026	315	298	4	0	0

- Molecule 8 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	AH	166	1225	761	232	226	6	0	0

- Molecule 9 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	AI	135	1101	677	198	219	7	0	0

- Molecule 10 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	AJ	178	1400	874	269	253	4	0	0

- Molecule 11 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	AK	129	979	616	173	184	6	0	0

- Molecule 12 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	AL	129	1036	642	208	183	3	0	0

- Molecule 13 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	AM	103	825	514	158	151	2	0	0

- Molecule 14 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	AN	128	965	595	196	171	3	0	0

- Molecule 15 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	AO	123	955	590	196	165	4	0	0

- Molecule 16 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	AP	117	910	564	183	160	3	0	0

- Molecule 17 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	AQ	100	805	499	164	139	3	0	0

- Molecule 18 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
18	AR	88	716	440	146	129	1	0	0

- Molecule 19 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	AS	82	649	406	128	114	1	0	0

- Molecule 20 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	AT	83	672	425	124	120	3	0	0

- Molecule 21 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
21	AU	74	626	395	123	107	1	0	0

- Molecule 22 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	AV	91	727	464	139	122	2	0	0

- Molecule 23 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	AW	86	670	414	138	115	3	0	0

- Molecule 24 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
24	AX	70	590	366	125	98	1	0	0

- Molecule 25 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
25	BA	120	2566	1144	468	835	119	0	0

- Molecule 26 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
26	BB	2904	62351	27824	11469	20155	2903	0	0

- Molecule 27 is a protein called 50S ribosomal protein L1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
27	BC	234	1733	1081	315	330	7	0	0

- Molecule 28 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	BD	272	Total	C	N	O	S	0	0
			2092	1294	425	366	7		

- Molecule 29 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	BE	209	Total	C	N	O	S	0	0
			1565	979	288	294	4		

- Molecule 30 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	BF	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 31 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	BG	178	Total	C	N	O	S	0	0
			1420	905	251	258	6		

- Molecule 32 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	BH	176	Total	C	N	O	S	0	0
			1323	832	243	246	2		

- Molecule 33 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	BI	149	Total	C	N	O	S	0	0
			1111	699	197	214	1		

- Molecule 34 is a protein called 50S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	BJ	164	Total	C	N	O	S	0	0
			1233	776	220	231	6		

- Molecule 35 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
35	BK	141	1032	651	179	196	6	0	0

- Molecule 36 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
36	BL	142	1129	714	212	199	4	0	0

- Molecule 37 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
37	BM	123	947	593	181	167	6	0	0

- Molecule 38 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
38	BN	144	1053	654	207	190	2	0	0

- Molecule 39 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
39	BO	136	1074	686	205	177	6	0	0

- Molecule 40 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
40	BP	127	1008	621	204	178	5	0	0

- Molecule 41 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
41	BQ	117	900	557	179	163	1	0	0

- Molecule 42 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
42	BR	114	917	574	179	163	1	0	0

- Molecule 43 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
43	BS	117	947	604	192	151		0	0

- Molecule 44 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
44	BT	103	816	516	153	145	2	0	0

- Molecule 45 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
45	BU	110	857	532	166	156	3	0	0

- Molecule 46 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
46	BV	100	787	496	146	143	2	0	0

- Molecule 47 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
47	BW	103	789	498	148	143		0	0

- Molecule 48 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
48	BX	94	753	479	137	134	3	0	0

- Molecule 49 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	BY	84	Total	C	N	O	S	0	0
			634	391	129	113	1		

- Molecule 50 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	BZ	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 51 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	B0	63	Total	C	N	O	S	0	0
			509	313	99	95	2		

- Molecule 52 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	B1	58	Total	C	N	O	S	0	0
			449	281	87	79	2		

- Molecule 53 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	B2	70	Total	C	N	O	S	0	0
			549	339	104	100	6		

- Molecule 54 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	B3	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 55 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
55	B4	54	Total	C	N	O	0	0
			441	284	81	76		

- Molecule 56 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
56	B5	46	377	228	90	57	2	0	0


- Molecule 57 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
57	B6	64	504	323	105	74	2	0	0

- Molecule 58 is a protein called 50S ribosomal protein L36.


Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
58	B7	38	302	185	65	48	4	0	0

- Molecule 59 is TRYPTOPHAN (three-letter code: TRP) (formula: $C_{11}H_{12}N_2O_2$).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
59	AB	1	14	11	2	1	0

- Molecule 60 is N-FORMYLMETHIONINE (three-letter code: FME) (formula: $C_6H_{11}NO_3S$).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	S	
60	BB	1	10	6	1	2	1	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 16S ribosomal RNA




A781	A782	A783	A784	A785	A786	A787	A788	A789	A790	A791	A792	A793	A794	A795	A796	A797	A798	A799	A800
A801	A802	A803	A804	A805	A806	A807	A808	A809	A810	A811	A812	A813	A814	A815	A816	A817	A818	A819	A820
A821	A822	A823	A824	A825	A826	A827	A828	A829	A830	A831	A832	A833	A834	A835	A836	A837	A838	A839	A840
A841	A842	A843	A844	A845	A846	A847	A848	A849	A850	A851	A852	A853	A854	A855	A856	A857	A858	A859	A860
A861	A862	A863	A864	A865	A866	A867	A868	A869	A870	A871	A872	A873	A874	A875	A876	A877	A878	A879	A880
A881	A882	A883	A884	A885	A886	A887	A888	A889	A890	A891	A892	A893	A894	A895	A896	A897	A898	A899	A900
A901	A902	A903	A904	A905	A906	A907	A908	A909	A910	A911	A912	A913	A914	A915	A916	A917	A918	A919	A920
A921	A922	A923	A924	A925	A926	A927	A928	A929	A930	A931	A932	A933	A934	A935	A936	A937	A938	A939	A940
A941	A942	A943	A944	A945	A946	A947	A948	A949	A950	A951	A952	A953	A954	A955	A956	A957	A958	A959	A960
A961	A962	A963	A964	A965	A966	A967	A968	A969	A970	A971	A972	A973	A974	A975	A976	A977	A978	A979	A980
A981	A982	A983	A984	A985	A986	A987	A988	A989	A990	A991	A992	A993	A994	A995	A996	A997	A998	A999	A1000
A1001	A1002	A1003	A1004	A1005	A1006	A1007	A1008	A1009	A1010	A1011	A1012	A1013	A1014	A1015	A1016	A1017	A1018	A1019	A1020
A1021	A1022	A1023	A1024	A1025	A1026	A1027	A1028	A1029	A1030	A1031	A1032	A1033	A1034	A1035	A1036	A1037	A1038	A1039	A1040
A1041	A1042	A1043	A1044	A1045	A1046	A1047	A1048	A1049	A1050	A1051	A1052	A1053	A1054	A1055	A1056	A1057	A1058	A1059	A1060
A1061	A1062	A1063	A1064	A1065	A1066	A1067	A1068	A1069	A1070	A1071	A1072	A1073	A1074	A1075	A1076	A1077	A1078	A1079	A1080
A1081	A1082	A1083	A1084	A1085	A1086	A1087	A1088	A1089	A1090	A1091	A1092	A1093	A1094	A1095	A1096	A1097	A1098	A1099	A1100
A1101	A1102	A1103	A1104	A1105	A1106	A1107	A1108	A1109	A1110	A1111	A1112	A1113	A1114	A1115	A1116	A1117	A1118	A1119	A1120
A1121	A1122	A1123	A1124	A1125	A1126	A1127	A1128	A1129	A1130	A1131	A1132	A1133	A1134	A1135	A1136	A1137	A1138	A1139	A1140
A1141	A1142	A1143	A1144	A1145	A1146	A1147	A1148	A1149	A1150	A1151	A1152	A1153	A1154	A1155	A1156	A1157	A1158	A1159	A1160
A1161	A1162	A1163	A1164	A1165	A1166	A1167	A1168	A1169	A1170	A1171	A1172	A1173	A1174	A1175	A1176	A1177	A1178	A1179	A1180
A1181	A1182	A1183	A1184	A1185	A1186	A1187	A1188	A1189	A1190	A1191	A1192	A1193	A1194	A1195	A1196	A1197	A1198	A1199	A1200
A1201	A1202	A1203	A1204	A1205	A1206	A1207	A1208	A1209	A1210	A1211	A1212	A1213	A1214	A1215	A1216	A1217	A1218	A1219	A1220
A1221	A1222	A1223	A1224	A1225	A1226	A1227	A1228	A1229	A1230	A1231	A1232	A1233	A1234	A1235	A1236	A1237	A1238	A1239	A1240
A1241	A1242	A1243	A1244	A1245	A1246	A1247	A1248	A1249	A1250	A1251	A1252	A1253	A1254	A1255	A1256	A1257	A1258	A1259	A1260
A1261	A1262	A1263	A1264	A1265	A1266	A1267	A1268	A1269	A1270	A1271	A1272	A1273	A1274	A1275	A1276	A1277	A1278	A1279	A1280
A1281	A1282	A1283	A1284	A1285	A1286	A1287	A1288	A1289	A1290	A1291	A1292	A1293	A1294	A1295	A1296	A1297	A1298	A1299	A1300
A1301	A1302	A1303	A1304	A1305	A1306	A1307	A1308	A1309	A1310	A1311	A1312	A1313	A1314	A1315	A1316	A1317	A1318	A1319	A1320
A1321	A1322	A1323	A1324	A1325	A1326	A1327	A1328	A1329	A1330	A1331	A1332	A1333	A1334	A1335	A1336	A1337	A1338	A1339	A1340
A1341	A1342	A1343	A1344	A1345	A1346	A1347	A1348	A1349	A1350	A1351	A1352	A1353	A1354	A1355	A1356	A1357	A1358	A1359	A1360
A1361	A1362	A1363	A1364	A1365	A1366	A1367	A1368	A1369	A1370	A1371	A1372	A1373	A1374	A1375	A1376	A1377	A1378	A1379	A1380
A1381	A1382	A1383	A1384	A1385	A1386	A1387	A1388	A1389	A1390	A1391	A1392	A1393	A1394	A1395	A1396	A1397	A1398	A1399	A1400
A1401	A1402	A1403	A1404	A1405	A1406	A1407	A1408	A1409	A1410	A1411	A1412	A1413	A1414	A1415	A1416	A1417	A1418	A1419	A1420
A1421	A1422	A1423	A1424	A1425	A1426	A1427	A1428	A1429	A1430	A1431	A1432	A1433	A1434	A1435	A1436	A1437	A1438	A1439	A1440
A1441	A1442	A1443	A1444	A1445	A1446	A1447	A1448	A1449	A1450	A1451	A1452	A1453	A1454	A1455	A1456	A1457	A1458	A1459	A1460
A1461	A1462	A1463	A1464	A1465	A1466	A1467	A1468	A1469	A1470	A1471	A1472	A1473	A1474	A1475	A1476	A1477	A1478	A1479	A1480
A1481	A1482	A1483	A1484	A1485	A1486	A1487	A1488	A1489	A1490	A1491	A1492	A1493	A1494	A1495	A1496	A1497	A1498	A1499	A1500
A1501	A1502	A1503	A1504	A1505	A1506	A1507	A1508	A1509	A1510	A1511	A1512	A1513	A1514	A1515	A1516	A1517	A1518	A1519	A1520
A1521	A1522	A1523	A1524	A1525	A1526	A1527	A1528	A1529	A1530	A1531	A1532	A1533	A1534	A1535	A1536	A1537	A1538	A1539	A1540
A1541	A1542	A1543	A1544	A1545	A1546	A1547	A1548	A1549	A1550	A1551	A1552	A1553	A1554	A1555	A1556	A1557	A1558	A1559	A1560

• Molecule 2: A site tRNA




A1	A2	A3	A4	A5	A6	A7	A8	A9	A10	A11	A12	A13	A14	A15	A16	A17	A18	A19	A20
A21	A22	A23	A24	A25	A26	A27	A28	A29	A30	A31	A32	A33	A34	A35	A36	A37	A38	A39	A40
A41	A42	A43	A44	A45	A46	A47	A48	A49	A50	A51	A52	A53	A54	A55	A56	A57	A58	A59	A60
A61	A62	A63	A64	A65	A66	A67	A68	A69	A70	A71	A72	A73	A74	A75	A76	A77	A78	A79	A80

• Molecule 3: mRNA








- Molecule 4: P site tRNA





- Molecule 5: 30S ribosomal protein S2




- Molecule 6: 30S ribosomal protein S3




- Molecule 7: 30S ribosomal protein S4




- Molecule 8: 30S ribosomal protein S5









- Molecule 9: 30S ribosomal protein S6




- Molecule 10: 30S ribosomal protein S7




- Molecule 11: 30S ribosomal protein S8




- Molecule 12: 30S ribosomal protein S9




- Molecule 13: 30S ribosomal protein S10



- Molecule 14: 30S ribosomal protein S11

Chain AN:  80% 19%





- Molecule 15: 30S ribosomal protein S12

Chain AO:  72% 24% 5%



- Molecule 16: 30S ribosomal protein S13

Chain AP:  87% 11%





- Molecule 17: 30S ribosomal protein S14

Chain AQ:  71% 24%



- Molecule 18: 30S ribosomal protein S15

Chain AR:  78% 18%




- Molecule 19: 30S ribosomal protein S16

Chain AS:  74% 23%



- Molecule 20: 30S ribosomal protein S17



Chain AT:  80% 20%



• Molecule 21: 30S ribosomal protein S18




• Molecule 22: 30S ribosomal protein S19



• Molecule 23: 30S ribosomal protein S20



• Molecule 24: 30S ribosomal protein S21



• Molecule 25: 5S ribosomal RNA



• Molecule 26: 23S ribosomal RNA





U1141	U1081	A1021	C901	G841	A781	A721	A661	C601	A541	G481	C421	G361	G301	A241	A181	G121
A1142	U1082	G1022	C902	U842	A782	A722	A662	A602	C542	A482	A422	G362	C302	G242	A182	G122
A1143	U1083	U1023	C903	G843	A783	C723	A663	A603	C543	A483	A423	G363	G303	U243	A183	G123
A1144	U1084	A1024	G904	A844	G784	U724	A664	G604	C544	A484	G424	G364	U304	C244	C184	G124
C1145	A1085	G1025	A905	A845	G785	G725	A665	G605	U545	C485	G425	U305	C305	U245	G185	A125
C1146	A1086	U1026	A906	U846	G786	G726	A666	G606	U546	C486	C246	C306	U306	C246	G186	A126
A1147	G1087	A1027	G907	U847	C787	A727	A667	U607	A547	C487	U427	G367	G307	G247	G187	A127
U1148	A1088	A1028	C908	C848	A788	G728	A668	A608	C548	A488	A428	G368	G308	G248	G188	C128
U1149	A1089	A1029	A909	A849	A789	G729	A669	A609	C549	G489	A429	U369	A309	C249	G189	C129
C1150	A1090	A1030	A910	U850	U790	A730	A670	C610	C550	A490	A430	G250	A190	G250	A190	C130
A1151	G1091	G1031	A911	C851	C791	C731	C671	C611	C551	C491	U431	G251	A311	G251	A191	C131
C1152	C1092	A1032	C912	U852	A792	C732	C672	G612	U552	A492	A432	G252	G312	G252	G192	G132
C1153	G1093	A1033	A913	C853	A793	G733	C673	A613	G553	G493	C433	G253	G313	C253	U193	G133
G1154	U1094	G1034	G914	C854	A794	A734	G674	A614	U554	G494	U434	C254	C314	C254	G194	G134
A1155	A1095	U1035	C915	G855	C795	A735	A675	U615	G555	G495	C435	G255	G315	A255	A195	U135
A1156	A1096	A1036	A916	G856	G796	C736	A676	A616	A556	G496	C436	G256	A316	G256	A196	G136
G1157	U1097	G1037	A917	G857	G797	C737	A677	G617	C557	A497	U437	G257	G317	C257	A197	U137
C1158	A1098	U1038	A918	G858	G798	G738	C678	C618	U558	G498	C438	G258	G318	G258	C198	U138
U1159	G1099	A1039	U919	G859	G799	A739	C679	G619	G559	U499	A439	G259	G319	G259	U199	U139
G1160	C1100	A1040	A920	U860	A800	C740	C680	G620	C560	G500	C440	G260	A320	G260	U200	C140
C1161	U1101	U1041	C921	A861	G801	U741	C681	A621	G561	U501	C441	G261	U321	G261	C201	G141
G1162	C1102	G1042	C922	A862	A802	A742	C682	G622	U562	A502	G442	A262	A322	G262	U202	C142
G1163	A1103	A1043	G923	A863	U803	A743	C683	C623	A563	A503	A443	G263	C323	G263	A203	C143
C1164	G1104	C1044	G924	A864	A804	U744	C684	C624	C564	A504	C444	G264	A324	C264	A204	C144
A1165	U1105	U1045	A925	G865	G805	G745	A685	G625	G565	A505	C445	G265	G325	A265	G205	C145
G1166	G1106	A1046	G926	A866	C806	U746	U686	A626	U566	G506	G446	G266	G326	G266	U206	A146
C1167	U1107	G1047	A927	C867	U807	U747	C687	A627	U567	A507	A447	G267	G327	C267	A207	C147
G1168	U1108	A1048	A928	U868	G808	G748	U688	G628	U568	A508	U448	G268	U328	U268	U208	C148
C1169	G1109	U1049	U929	G869	G809	A749	A689	G629	U569	C509	A449	G269	G329	C269	C209	A149
C1170	U1110	A1050	G930	U870	U810	A750	C690	G630	C570	C510	C450	A270	A330	A270	C210	U150
G1171	A1111	G1051	U931	U871	G811	A751	C691	A631	U571	U511	U451	G271	C331	G271	C211	C151
C1172	G1112	C1052	C932	U872	G812	A752	C692	A632	A572	G512	G452	A272	A332	A272	G212	A152
U1173	U1113	C1053	A933	C873	U813	A753	C693	A633	U573	A513	A453	G273	G333	G273	A213	U153
A1174	C1114	A1054	U934	G874	C814	U754	U694	C634	A574	A514	A454	C274	C334	C274	G214	U154
A1175	G1115	G1055	C935	G875	C815	U755	A695	G635	U575	A515	A455	G275	C335	G275	G215	A155
U1176	C1116	U1056	A936	C876	C816	A756	G696	G636	U576	C516	C456	U276	C336	U276	A216	A156
G1177	G1117	A1057	C937	A877	C817	G757	G697	A637	G577	C517	A457	G277	C337	G277	A217	C157
C1178	U1118	U1058	G938	A878	G818	C758	C698	G638	G578	G518	G458	A278	G338	A278	U158	C158
G1179	U1119	G1059	U939	G879	A819	G759	A699	U639	G579	U519	U459	G279	U339	A279	A219	G159
U1180	C1120	U1060	G940	G880	A820	U760	G700	C640	U580	G520	A460	U280	A340	U280	G220	A160
C1181	G1121	A1061	A941	G881	A821	A761	G701	U641	C581	U521	C461	C281	C341	C281	A221	A161
G1182	U1122	G1062	G942	G882	G822	U762	U702	U642	A582	A522	G462	A282	A342	A282	A222	U162
U1183	C1123	G1063	A943	G883	G823	G763	U703	A643	G583	C523	G463	G283	C343	G283	A223	C163
G1184	G1124	C1064	C944	U884	U824	A764	G704	A644	C584	G524	U464	U284	A344	U284	U224	C164
G1185	G1125	U1065	A945	C885	A825	C765	A705	C645	G585	U525	A465	G285	A345	G285	C225	A165
G1186	A1126	U1066	C946	A886	U826	U766	A706	U646	A586	A526	A466	U286	A346	U286	A226	U166
G1187	U1127	A1067	A947	U887	U827	U767	G707	G647	C587	C527	G467	G287	A347	G287	A227	A167
U1188	G1128	G1068	C948	G888	U828	G768	U708	U648	U588	A528	C468	U288	A348	U288	C228	G168
A1189	A1129	A1069	G949	C889	A829	U769	U709	G649	U589	A529	G469	G289	U349	G289	C229	G169
G1190	U1130	U1070	G950	U890	G830	G770	U710	C650	A590	G530	A470	U290	G350	U290	G230	U170
G1191	G1131	G1071	C951	G891	G831	G771	G711	G651	U591	C531	A471	G291	C351	G291	A231	U171
G1192	U1132	C1072	G952	U892	U832	C772	G712	U652	A592	A532	A472	U292	C352	U292	G232	A172
G1193	A1133	A1073	G953	C893	A833	U773	G713	U653	U593	C533	G473	U293	C353	U293	A233	A173
A1194	C1134	G1074	A954	U894	G834	G774	U714	A654	U594	A534	C474	A294	C354	A294	U234	U174
G1195	G1135	C1075	U955	U895	A835	G775	A715	A655	C595	C475	G475	U295	U355	G295	U235	G175
C1196	G1136	U1076	G956	A896	G836	G776	A716	G656	U596	A536	G476	U296	G356	U296	C236	A176
G1197	G1137	A1077	C957	C897	C837	G777	C717	U657	G597	G537	A477	G297	C357	G297	G237	G177
U1198	G1138	U1078	U958	U898	C838	G778	A718	U658	U598	A538	A478	G298	U358	G298	C238	G178
U1199	G1139	C1079	A959	A899	U839	U779	A719	G659	A599	A539	A479	U299	G359	U299	C239	C179
C1200	C1140	A1080	A960	A900	C840	G780	U720	C660	G600	C540	A480	A240	U360	A240	C240	G180

C2161	A2101	U2041	A1981	G1921	G1861	U1621	C1561	A1501	G1441	G1381	A1321	C1261	U1201
G2162	G2102	A2042	U1982	G1922	G1862	G1622	U1562	A1502	U1442	G1382	A1322	A1262	G1202
A2163	C2103	C2043	G1983	U1923	U1863	G1623	U1563	A1503	U1443	A1383	C1323	U1263	A1203
C2164	C2104	C2044	G1984	U1924	U1864	U1624	C1564	A1504	U1444	A1384	C1324	A1264	A1204
C2165	U2105	C2045	G1985	U1925	U1865	G1625	C1565	A1505	U1445	A1385	U1325	A1265	G1205
U2166	U2106	G2046	G1986	U1926	U1866	A1626	A1566	U1506	U1446	A1386	U1326	G1266	A1206
U2167	G2107	C2047	A1987	A1927	G1867	G1627	G1567	C1507	U1447	A1387	A1327	U1267	C1207
G2168	A2108	G2048	G1988	A1928	U1868	G1628	G1568	A1508	U1448	A1388	A1328	A1268	C1208
A2169	U2109	G2049	G1989	G1929	U1869	U1629	U1569	U1509	U1449	G1389	U1329	A1269	U1209
A2170	C2050	A2050	G1990	A1930	A1870	A1630	A1570	A1510	A1450	A1390	C1330	G1270	G1210
A2171	U2111	A2051	U1991	U1931	A1871	G1631	A1571	G1511	C1451	A1391	G1331	G1271	A1211
U2172	G2112	G2052	G1992	A1932	A1872	A1632	A1572	C1512	G1452	A1392	G1332	A1272	A1212
A2173	U2113	U2053	U1993	G1933	G1873	G1633	A1573	U1513	A1453	A1393	A1333	U1273	G1213
C2174	A2114	A2054	C1994	C1934	C1874	A1634	C1574	G1514	C1454	U1394	G1334	A1274	A1214
C2175	G2115	C2055	U1995	G1935	A1875	A1635	A1575	A1515	G1455	A1395	C1335	A1275	G1215
A2176	G2116	G2056	G1996	A1936	G1876	U1636	U1576	U1516	U1456	A1396	A1336	A1276	G1216
C2177	A2117	G2057	U1997	A1937	A1877	G1637	A1577	G1517	U1457	A1397	G1337	G1277	U1217
C2178	U2118	A2058	G1998	A1938	A1878	A1638	U1578	C1518	U1458	A1398	G1338	C1278	G1218
C2179	A2119	A2059	G1999	U1939	A1879	U1639	U1579	U1519	U1459	A1399	G1339	G1279	U1219
U2180	G2120	A2060	C2000	U1940	U1880	A1640	A1580	U1520	U1460	U1400	U1340	G1280	U1220
U2181	G2121	G2061	C2001	C1941	C1881	A1641	A1581	G1521	C1461	G1401	G1341	G1281	C1221
U2182	U2122	A2062	A2002	A1942	U1882	A1642	C1582	C1522	C1462	A1402	A1342	U1282	U1222
A2183	G2123	C2063	G2003	U1943	U1883	G1643	A1583	U1523	C1463	A1403	G1343	G1283	G1223
A2184	G2124	C2064	G2004	U1944	G1884	G1644	U1584	U1524	G1464	A1404	U1344	A1284	U1224
U2185	G2125	C2065	A2005	G1945	A1885	G1645	U1585	A1525	G1465	A1405	C1345	A1285	G1225
G2186	A2126	C2066	C2006	U1946	U1886	G1646	A1586	C1526	U1466	U1406	G1346	A1286	A1226
U2187	G2127	G2067	U2007	G1947	C1887	U1647	G1587	U1527	U1467	G1407	A1347	A1287	G1227
U2188	G2128	U2068	C2008	U1948	U1888	U1648	U1588	A1528	U1468	A1408	G1348	G1288	G1228
U2189	C2069	G2069	A2009	G1949	A1889	U1649	U1589	G1529	A1469	A1409	C1349	A1289	U1229
G2190	U2130	A2070	G2010	U1950	A1890	G1700	U1590	G1530	A1470	A1410	C1350	C1290	A1230
A2191	U2131	C2071	U2011	U1951	G1891	G1651	A1591	C1531	G1471	U1411	C1351	G1291	U1231
U2192	U2132	C2072	G2012	A1952	C1892	U1712	C1592	A1532	C1472	U1412	U1352	G1292	G1232
U2193	C2073	C2073	A2013	A1953	C1893	G1653	U1593	C1533	G1473	A1413	C1353	C1293	U1233
U2194	A2074	U2074	A2014	U1954	U1894	A1654	U1594	U1534	U1474	A1414	A1354	U1294	U1234
U2195	A2135	U2075	A2015	U1955	G1895	A1655	U1595	A1535	G1475	A1415	G1355	C1295	G1235
C2196	G2136	U2076	U2016	U1956	G1896	G1656	A1596	C1536	U1476	A1416	G1356	G1296	G1236
U2197	U2137	A2077	U2017	G1957	G1897	U1717	U1597	G1537	A1477	G1417	G1357	G1297	A1237
G2198	G2138	C2078	G2018	C1958	U1898	G1658	A1598	U1538	G1478	A1418	G1358	G1298	G1238
A2199	U2139	U2079	A2019	G1959	A1899	G1659	U1599	U1539	U1479	A1419	A1359	G1299	U1239
C2200	G2140	A2080	A2020	A1960	A1900	G1660	G1600	G1540	C1480	A1420	G1360	G1300	U1240
G2201	G2141	U2081	C2021	C1961	A1901	G1661	G1601	C1541	U1481	A1421	G1361	A1301	A1241
U2202	A2142	A2082	U2022	C1962	C1902	U1662	U1602	U1542	G1482	G1422	C1362	A1302	U1242
G2203	G2143	G2083	C2023	U1963	G1903	G1663	A1603	G1543	G1483	A1423	C1363	G1303	C1243
G2204	G2144	C2084	C2024	G1964	G1904	A1664	C1604	A1544	U1484	G1424	G1364	A1304	A1244
A2205	C2145	U2085	C2025	C1965	C1905	A1665	C1605	A1545	U1485	G1425	A1365	C1305	G1245
C2206	G2146	U2086	U2026	A1966	G1906	G1666	C1606	G1546	U1486	G1426	A1366	C1306	A1246
C2207	A2147	G2087	G2027	C1967	C1907	G1667	C1607	C1547	U1487	A1427	A1367	A1307	A1247
C2208	U2148	A2088	U2028	G1968	C1908	A1668	A1608	A1548	C1488	G1428	G1368	A1308	G1248
G2209	U2149	C2089	G2029	A1969	A1909	A1669	A1609	A1549	C1489	G1429	G1369	G1309	U1249
U2210	C2150	A2090	A2030	A1970	G1910	C1670	A1610	C1550	A1490	A1430	C1370	G1310	G1250
A2211	U2151	C2091	G2031	U1971	G1911	U1671	C1611	A1551	G1491	A1431	G1371	G1311	G1251
A2212	G2152	U2092	A2032	U1972	A1912	A1672	C1612	A1552	G1492	G1432	U1372	U1312	G1252
U2213	C2153	G2093	A2033	G1973	A1913	G1673	G1613	A1553	C1493	A1433	C1373	C1313	A1253
C2214	A2154	A2094	U2034	C1974	A1914	A1674	A1614	U1554	A1494	A1434	G1374	C1314	A1254
C2215	U2155	A2095	G2035	G1975	A1915	C1675	C1615	G1555	A1495	A1435	U1375	U1315	U1255
G2216	G2156	C2096	C2036	U1976	A1916	A1676	A1616	U1556	A1496	A1436	G1376	U1316	G1256
G2217	G2157	A2097	A2037	A1977	G1917	A1677	C1617	C1557	U1497	A1437	G1377	G1317	C1257
G2218	A2158	U2098	G2038	A1978	A1918	A1678	A1618	C1558	C1498	A1438	A1378	U1318	U1258
U2219	G2159	U2099	U2039	U1979	A1919	A1679	G1619	U1559	C1499	A1439	A1379	G1319	G1259
U2220	G2160	G2100	G2040	G1980	C1920	U1740	U1680	G1560	G1500	U1440	G1380	C1320	A1260


G2221	A2281	G2341	U2401	A2461	C2521	G2581	G2641	U2701	A2761	A2821	U2881
C2222	G2282	C2342	U2402	C2462	U2522	G2582	G2642	G2702	C2762	G2822	A2882
G2223	A2283	G2343	C2403	G2463	G2523	G2583	G2643	C2703	G2763	A2823	A2883
A2224	G2284	U2344	U2404	G2464	G2524	U2584	G2644	C2704	A2764	C2824	G2884
A2225	G2285	G2345	G2405	C2465	G2525	U2585	G2645	A2705	A2765	G2825	G2885
C2226	G2286	A2346	A2406	C2466	G2526	U2586	G2646	A2706	A2766	A2826	A2886
A2227	G2287	C2347	A2407	C2467	C2527	U2587	U2647	U2707	C2767	C2827	A2887
G2228	A2288	U2348	U2408	A2468	U2528	G2588	G2648	G2708	U2768	G2828	C2888
U2229	G2289	G2349	G2409	A2469	G2529	A2589	G2649	G2709	U2769	A2829	C2889
G2230	G2290	C2350	G2410	G2470	A2530	A2590	U2650	C2710	G2770	C2830	G2890
U2231	U2291	G2351	A2411	A2471	G2531	C2591	C2651	C2711	C2771	G2831	U2891
C2232	U2292	A2352	A2412	G2472	G2532	U2592	G2652	C2712	C2772	U2832	G2892
U2233	G2293	G2353	G2413	C2473	U2533	U2593	U2653	U2713	C2773	U2833	A2893
G2234	G2294	C2354	G2414	U2474	A2534	C2594	A2654	G2714	C2774	G2834	G2894
U2235	G2295	G2355	G2415	G2475	G2535	G2595	G2655	C2715	G2775	A2835	C2895
U2236	U2296	A2356	A2416	A2476	G2536	U2596	G2656	C2716	A2776	U2836	G2896
G2237	A2297	G2357	C2417	C2477	U2537	G2597	G2657	C2717	G2777	U2837	U2897
A2238	A2298	U2358	A2418	A2478	C2538	A2598	G2658	G2718	A2778	G2838	U2898
G2239	U2299	C2359	U2419	U2479	G2539	G2599	G2659	G2719	U2779	G2839	A2899
U2240	C2300	G2360	C2420	C2480	C2540	A2600	A2660	U2720	G2780	C2840	A2900
A2241	C2301	G2361	G2421	G2481	A2541	C2601	G2661	A2721	A2781	C2841	C2901
G2242	U2302	C2362	A2422	C2482	A2542	A2602	A2662	G2722	G2782	G2842	C2902
U2243	G2303	G2363	U2423	C2483	G2543	G2603	G2663	C2723	U2783	G2843	U2903
U2244	G2304	C2364	A2424	G2484	G2544	U2604	G2664	U2724	U2784	G2844	U2904
U2245	U2305	G2365	U2425	G2485	G2545	U2605	A2665	A2725	G2785	U2845	D56
G2246	C2306	A2366	A2426	C2486	U2546	C2606	C2666	A2726	U2786	G2846	Q57
A2247	G2307	G2367	U2427	G2487	A2547	G2607	G2667	C2727	C2787	U2847	R60
U2248	A2308	C2368	G2428	C2488	U2548	G2608	G2668	U2728	C2788	G2848	R71
U2249	U2309	A2369	A2429	U2489	G2549	U2609	G2669	G2729	C2789	U2849	R72
G2250	C2310	G2370	G2430	U2490	G2550	C2610	A2670	C2730	U2790	A2850	R73
A2251	A2311	G2371	U2431	U2491	U2551	G2611	G2671	G2731	G2791	G2851	R74
G2252	U2312	U2372	A2432	U2492	U2552	C2612	U2672	G2732	A2792	C2852	R75
U2253	C2313	G2373	A2433	U2493	G2553	U2613	G2673	A2733	C2793	C2853	F78
A2254	A2314	C2374	A2434	G2494	G2554	A2614	G2674	G2734	C2794	C2854	E93
G2255	G2315	G2375	U2435	C2495	U2555	U2615	A2675	A2735	C2795	C2855	P118
U2256	G2316	A2376	G2436	C2496	C2556	G2616	G2676	A2736	U2796	A2856	M121
C2257	A2317	U2377	U2437	U2497	G2557	U2617	G2677	G2737	U2797	G2857	L127
U2258	G2318	A2378	U2438	C2498	C2558	G2618	G2678	A2738	U2798	C2858	R134
U2259	G2319	G2379	A2439	C2499	C2559	C2619	A2679	U2739	A2799	G2859	Y145
C2260	U2320	C2380	C2440	U2500	A2560	C2620	U2680	U2740	A2800	A2860	T146
U2261	U2321	A2381	U2441	C2501	U2561	G2621	C2681	A2741	G2801	U2861	P147
U2262	A2322	G2382	C2442	G2502	U2562	U2622	A2682	G2742	G2802	C2862	G159
C2263	G2323	C2383	C2443	G2503	U2563	G2623	C2683	U2743	G2803	C2863	R162
U2264	U2324	U2384	U2444	U2504	A2564	G2624	U2684	G2744	U2804	G2864	T163
U2265	G2325	C2385	G2445	G2505	A2565	G2625	G2685	C2745	C2805	U2865	R164
A2266	C2326	A2386	G2446	U2506	A2566	C2626	G2686	U2746	C2806	U2866	D181
A2267	A2327	U2387	U2447	C2507	G2567	G2627	U2687	G2747	U2807	G2867	Q203
G2268	U2328	A2388	A2448	G2508	U2568	C2628	G2688	A2748	G2808	A2868	
U2269	U2329	U2389	U2449	G2509	G2569	U2629	U2689	U2749	A2809	G2869	
A2270	G2330	U2390	A2450	C2510	G2570	G2630	U2690	A2750	A2810	C2870	
G2271	C2331	G2391	A2451	U2511	A2571	G2631	C2691	G2751	G2811	U2871	
U2272	U2332	A2392	A2452	C2512	A2572	A2632	G2692	C2752	G2812	A2872	
A2273	A2333	U2393	A2453	A2513	G2573	G2633	G2693	A2753	A2813	A2873	
A2274	U2334	C2394	U2454	U2514	G2574	A2634	G2694	U2754	A2814	C2874	
C2275	A2335	G2395	U2455	C2515	G2575	U2635	G2695	C2755	U2815	C2875	
G2276	A2336	G2396	U2456	A2516	G2576	C2636	C2696	U2756	U2816	G2876	
U2277	G2337	G2397	U2457	C2517	A2577	U2637	G2697	A2757	U2817	G2877	
A2278	C2338	U2398	U2458	A2518	G2578	A2638	U2698	A2758	U2818	U2878	
G2279	U2339	G2399	A2459	C2519	A2579	G2639	G2699	C2759	G2819	A2879	
U2280	A2340	G2400	U2460	C2520	U2580	G2640	A2700	C2760	A2820	C2880	

• Molecule 27: 50S ribosomal protein L1




• Molecule 28: 50S ribosomal protein L2






- Molecule 29: 50S ribosomal protein L3

Chain BE: 72% 25%



- Molecule 30: 50S ribosomal protein L4

Chain BF: 76% 21%




- Molecule 31: 50S ribosomal protein L5

Chain BG: 69% 25% 5%





- Molecule 32: 50S ribosomal protein L6



Chain BH: 79% 18%




- Molecule 33: 50S ribosomal protein L9





- Molecule 34: 50S ribosomal protein L10




- Molecule 35: 50S ribosomal protein L11




- Molecule 36: 50S ribosomal protein L13



- Molecule 37: 50S ribosomal protein L14




- Molecule 38: 50S ribosomal protein L15






E144


- Molecule 39: 50S ribosomal protein L16



- Molecule 40: 50S ribosomal protein L17



- Molecule 41: 50S ribosomal protein L18



- Molecule 42: 50S ribosomal protein L19




- Molecule 43: 50S ribosomal protein L20



- Molecule 44: 50S ribosomal protein L21




- Molecule 45: 50S ribosomal protein L22

Chain BU:  77% 18% 5%




- Molecule 46: 50S ribosomal protein L23

Chain BV:  74% 22% 4%




- Molecule 47: 50S ribosomal protein L24

Chain BW:  83% 16% 1%




- Molecule 48: 50S ribosomal protein L25

Chain BX:  80% 17% 3%



- Molecule 49: 50S ribosomal protein L27

Chain BY:  77% 18% 5%




- Molecule 50: 50S ribosomal protein L28

Chain BZ:  71% 23% 6%




- Molecule 51: 50S ribosomal protein L29

Chain B0:  78% 17% 5%




- Molecule 52: 50S ribosomal protein L30

Chain B1:  81% 14% 5%





- Molecule 53: 50S ribosomal protein L31

Chain B2:  74% 23% .




- Molecule 54: 50S ribosomal protein L32

Chain B3:  80% 18% .




- Molecule 55: 50S ribosomal protein L33

Chain B4:  80% 17% .




- Molecule 56: 50S ribosomal protein L34

Chain B5:  72% 22% 7%




- Molecule 57: 50S ribosomal protein L35

Chain B6:  80% 17% .



- Molecule 58: 50S ribosomal protein L36

Chain B7:  76% 18% 5%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	40000	Depositor
Resolution determination method	FSC 0.5 CUT-OFF	Depositor
CTF correction method	Volumes were CTF-corrected in defocus groups	Depositor
Microscope	FEI TECNAI F30	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	25	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	4000	Depositor
Magnification	58269	Depositor
Image detector	TVIPS TEMCAM-F415 (4k x 4k)	Depositor
Maximum map value	1.481	Depositor
Minimum map value	-0.504	Depositor
Average map value	0.029	Depositor
Map value standard deviation	0.201	Depositor
Recommended contour level	0.1	Depositor
Map size (\AA)	375.0, 375.0, 375.0	wwPDB
Map dimensions	250, 250, 250	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.5, 1.5, 1.5	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: 4SU, MA6, MIA, UR3, 5MC, 5MU, 4OC, 1MG, 3TD, CH, 2MG, 7MG, OMU, 6MZ, 2MA, H2U, FME, OMC, PSU, OMG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	AA	3.07	3887/36769 (10.6%)	3.55	8401/57354 (14.6%)
2	AB	3.08	186/1600 (11.6%)	3.55	373/2492 (15.0%)
3	AC	3.05	112/1108 (10.1%)	3.41	210/1724 (12.2%)
4	AD	2.99	170/1721 (9.9%)	3.48	380/2683 (14.2%)
5	AE	1.48	5/1904 (0.3%)	1.91	50/2565 (1.9%)
6	AF	1.48	11/1852 (0.6%)	2.01	58/2490 (2.3%)
7	AG	1.54	5/1665 (0.3%)	2.05	55/2227 (2.5%)
8	AH	1.53	5/1239 (0.4%)	1.91	30/1664 (1.8%)
9	AI	1.54	5/1121 (0.4%)	2.02	30/1509 (2.0%)
10	AJ	1.54	9/1422 (0.6%)	1.97	38/1908 (2.0%)
11	AK	1.50	3/989 (0.3%)	1.90	19/1326 (1.4%)
12	AL	1.58	6/1048 (0.6%)	2.12	34/1394 (2.4%)
13	AM	1.49	3/835 (0.4%)	2.05	23/1127 (2.0%)
14	AN	1.52	4/982 (0.4%)	1.95	24/1323 (1.8%)
15	AO	1.56	7/969 (0.7%)	2.02	29/1300 (2.2%)
16	AP	1.50	1/919 (0.1%)	1.82	17/1226 (1.4%)
17	AQ	1.53	3/817 (0.4%)	1.97	28/1088 (2.6%)
18	AR	1.49	0/724	1.90	16/966 (1.7%)
19	AS	1.57	5/659 (0.8%)	1.97	17/884 (1.9%)
20	AT	1.52	3/681 (0.4%)	1.93	13/913 (1.4%)
21	AU	1.49	2/637 (0.3%)	2.13	17/851 (2.0%)
22	AV	1.46	2/744 (0.3%)	2.10	18/995 (1.8%)
23	AW	1.47	1/676 (0.1%)	1.92	14/895 (1.6%)
24	AX	1.61	3/598 (0.5%)	2.14	16/792 (2.0%)
25	BA	3.11	315/2869 (11.0%)	3.52	638/4474 (14.3%)
26	BB	3.08	7296/69257 (10.5%)	3.51	15472/108040 (14.3%)
27	BC	1.41	4/1748 (0.2%)	1.90	27/2355 (1.1%)
28	BD	1.59	15/2131 (0.7%)	2.01	74/2863 (2.6%)
29	BE	1.50	7/1586 (0.4%)	1.92	42/2134 (2.0%)
30	BF	1.47	2/1571 (0.1%)	2.10	41/2113 (1.9%)
31	BG	1.54	6/1444 (0.4%)	2.14	52/1937 (2.7%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
32	BH	1.49	5/1343 (0.4%)	1.94	26/1816 (1.4%)
33	BI	1.46	2/1122 (0.2%)	1.88	25/1515 (1.7%)
34	BJ	1.52	5/1247 (0.4%)	1.92	29/1679 (1.7%)
35	BK	1.50	2/1046 (0.2%)	1.73	13/1410 (0.9%)
36	BL	1.52	7/1152 (0.6%)	2.06	33/1551 (2.1%)
37	BM	1.43	3/956 (0.3%)	1.98	28/1279 (2.2%)
38	BN	1.60	7/1062 (0.7%)	1.94	30/1413 (2.1%)
39	BO	1.54	7/1093 (0.6%)	2.13	38/1460 (2.6%)
40	BP	1.50	3/1021 (0.3%)	2.07	33/1364 (2.4%)
41	BQ	1.52	4/910 (0.4%)	1.97	21/1219 (1.7%)
42	BR	1.55	5/929 (0.5%)	2.02	27/1242 (2.2%)
43	BS	1.52	4/960 (0.4%)	2.00	27/1278 (2.1%)
44	BT	1.50	4/829 (0.5%)	1.93	22/1107 (2.0%)
45	BU	1.44	2/864 (0.2%)	1.98	24/1156 (2.1%)
46	BV	1.49	0/794	1.92	23/1060 (2.2%)
47	BW	1.45	2/797 (0.3%)	1.79	10/1062 (0.9%)
48	BX	1.47	5/766 (0.7%)	1.99	18/1025 (1.8%)
49	BY	1.47	1/642 (0.2%)	2.11	19/848 (2.2%)
50	BZ	1.47	2/635 (0.3%)	2.07	22/848 (2.6%)
51	B0	1.50	1/510 (0.2%)	2.11	15/677 (2.2%)
52	B1	1.54	6/453 (1.3%)	1.89	7/605 (1.2%)
53	B2	1.45	1/559 (0.2%)	2.22	15/745 (2.0%)
54	B3	1.51	3/450 (0.7%)	1.94	7/599 (1.2%)
55	B4	1.48	2/448 (0.4%)	2.10	7/594 (1.2%)
56	B5	1.48	0/380	2.06	15/498 (3.0%)
57	B6	1.56	7/513 (1.4%)	1.97	12/676 (1.8%)
58	B7	1.49	1/303 (0.3%)	1.91	6/397 (1.5%)
All	All	2.69	12174/164069 (7.4%)	3.17	26808/244735 (11.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	AA	0	907
2	AB	0	36
3	AC	0	31
4	AD	0	44
5	AE	0	5
6	AF	0	2
7	AG	0	7

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
8	AH	0	6
9	AI	0	5
10	AJ	0	5
11	AK	0	2
12	AL	0	6
13	AM	0	1
14	AN	0	1
15	AO	0	7
16	AP	0	1
17	AQ	0	3
18	AR	0	5
19	AS	0	2
21	AU	0	5
22	AV	0	3
23	AW	0	1
24	AX	0	3
25	BA	0	66
26	BB	0	1683
27	BC	0	3
28	BD	0	10
29	BE	0	5
30	BF	0	3
31	BG	0	9
32	BH	0	4
33	BI	0	2
34	BJ	0	5
35	BK	0	1
36	BL	0	9
37	BM	0	7
38	BN	0	5
39	BO	0	2
40	BP	0	3
41	BQ	0	4
42	BR	0	2
43	BS	0	2
44	BT	0	2
45	BU	0	4
46	BV	0	2
47	BW	0	2
48	BX	0	1
49	BY	0	7
50	BZ	0	2

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
52	B1	0	1
53	B2	0	4
54	B3	0	2
55	B4	0	2
56	B5	0	1
57	B6	0	1
58	B7	0	1
All	All	0	2945

The worst 5 of 12174 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2297	A	N3-C4	17.57	1.45	1.34
26	BB	764	A	N3-C4	15.94	1.44	1.34
26	BB	453	A	N3-C4	15.86	1.44	1.34
1	AA	914	A	N3-C4	15.76	1.44	1.34
26	BB	1972	G	C8-N7	15.68	1.40	1.30

The worst 5 of 26808 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	28	A	O4'-C1'-N9	21.28	125.23	108.20
53	B2	63	ARG	NE-CZ-NH1	21.04	130.82	120.30
26	BB	2041	U	O4'-C1'-N1	20.83	124.87	108.20
1	AA	1323	G	N9-C4-C5	20.57	113.63	105.40
1	AA	1142	G	C8-N9-C4	-20.50	98.20	106.40

There are no chirality outliers.

5 of 2945 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	AA	11	G	Sidechain
1	AA	2	A	Sidechain
1	AA	4	U	Sidechain
1	AA	8	A	Sidechain
1	AA	9	G	Sidechain

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AA	33089	0	16596	0	0
2	AB	1627	0	840	0	0
3	AC	993	0	501	0	0
4	AD	1641	0	839	0	0
5	AE	1872	0	1885	0	0
6	AF	1822	0	1913	0	0
7	AG	1643	0	1710	0	0
8	AH	1225	0	1273	0	0
9	AI	1101	0	1050	0	0
10	AJ	1400	0	1449	0	0
11	AK	979	0	1034	0	0
12	AL	1036	0	1084	0	0
13	AM	825	0	865	0	0
14	AN	965	0	997	0	0
15	AO	955	0	1019	0	0
16	AP	910	0	981	0	0
17	AQ	805	0	847	0	0
18	AR	716	0	742	0	0
19	AS	649	0	666	0	0
20	AT	672	0	716	0	0
21	AU	626	0	651	0	0
22	AV	727	0	769	0	0
23	AW	670	0	722	0	0
24	AX	590	0	631	0	0
25	BA	2566	0	1295	0	0
26	BB	62351	0	31202	0	0
27	BC	1733	0	1824	0	0
28	BD	2092	0	2170	0	0
29	BE	1565	0	1616	0	0
30	BF	1552	0	1619	0	0
31	BG	1420	0	1460	0	0
32	BH	1323	0	1374	0	0
33	BI	1111	0	1148	0	0
34	BJ	1233	0	1283	0	0
35	BK	1032	0	1088	0	0
36	BL	1129	0	1162	0	0
37	BM	947	0	1023	0	0
38	BN	1053	0	1129	0	0
39	BO	1074	0	1157	0	0
40	BP	1008	0	1045	0	0
41	BQ	900	0	935	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
42	BR	917	0	965	0	0
43	BS	947	0	1022	0	0
44	BT	816	0	839	0	0
45	BU	857	0	922	0	0
46	BV	787	0	846	0	0
47	BW	789	0	847	0	0
48	BX	753	0	780	0	0
49	BY	634	0	656	0	0
50	BZ	625	0	655	0	0
51	B0	509	0	543	0	0
52	B1	449	0	491	0	0
53	B2	549	0	552	0	0
54	B3	444	0	461	0	0
55	B4	441	0	485	0	0
56	B5	377	0	418	0	0
57	B6	504	0	574	0	0
58	B7	302	0	343	0	0
59	AB	14	0	9	0	0
60	BB	10	0	10	0	0
All	All	152351	0	103728	0	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). Clashscore could not be calculated for this entry.

There are no clashes within the asymmetric unit.

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
5	AE	238/240 (99%)	217 (91%)	14 (6%)	7 (3%)	4	29
6	AF	230/232 (99%)	217 (94%)	8 (4%)	5 (2%)	6	35

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
7	AG	203/205 (99%)	187 (92%)	13 (6%)	3 (2%)	10	46
8	AH	164/166 (99%)	148 (90%)	14 (8%)	2 (1%)	13	50
9	AI	133/135 (98%)	122 (92%)	10 (8%)	1 (1%)	19	60
10	AJ	176/178 (99%)	165 (94%)	9 (5%)	2 (1%)	14	52
11	AK	127/129 (98%)	119 (94%)	7 (6%)	1 (1%)	19	60
12	AL	127/129 (98%)	112 (88%)	12 (9%)	3 (2%)	6	33
13	AM	101/103 (98%)	90 (89%)	6 (6%)	5 (5%)	2	20
14	AN	126/128 (98%)	111 (88%)	14 (11%)	1 (1%)	19	60
15	AO	121/123 (98%)	106 (88%)	14 (12%)	1 (1%)	19	60
16	AP	115/117 (98%)	109 (95%)	5 (4%)	1 (1%)	17	57
17	AQ	98/100 (98%)	84 (86%)	7 (7%)	7 (7%)	1	14
18	AR	86/88 (98%)	81 (94%)	4 (5%)	1 (1%)	13	50
19	AS	80/82 (98%)	77 (96%)	3 (4%)	0	100	100
20	AT	81/83 (98%)	72 (89%)	8 (10%)	1 (1%)	13	50
21	AU	72/74 (97%)	61 (85%)	7 (10%)	4 (6%)	2	19
22	AV	89/91 (98%)	82 (92%)	6 (7%)	1 (1%)	14	52
23	AW	84/86 (98%)	78 (93%)	6 (7%)	0	100	100
24	AX	68/70 (97%)	61 (90%)	4 (6%)	3 (4%)	2	22
27	BC	232/234 (99%)	216 (93%)	11 (5%)	5 (2%)	6	35
28	BD	270/272 (99%)	235 (87%)	25 (9%)	10 (4%)	3	24
29	BE	207/209 (99%)	174 (84%)	26 (13%)	7 (3%)	3	26
30	BF	199/201 (99%)	174 (87%)	15 (8%)	10 (5%)	2	20
31	BG	176/178 (99%)	151 (86%)	16 (9%)	9 (5%)	2	19
32	BH	174/176 (99%)	157 (90%)	12 (7%)	5 (3%)	4	29
33	BI	147/149 (99%)	130 (88%)	12 (8%)	5 (3%)	3	26
34	BJ	162/164 (99%)	157 (97%)	4 (2%)	1 (1%)	25	66
35	BK	139/141 (99%)	134 (96%)	5 (4%)	0	100	100
36	BL	140/142 (99%)	120 (86%)	16 (11%)	4 (3%)	4	29
37	BM	121/123 (98%)	109 (90%)	8 (7%)	4 (3%)	4	26
38	BN	142/144 (99%)	124 (87%)	14 (10%)	4 (3%)	5	30
39	BO	134/136 (98%)	123 (92%)	10 (8%)	1 (1%)	22	63

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
40	BP	125/127 (98%)	116 (93%)	8 (6%)	1 (1%)	19	60
41	BQ	115/117 (98%)	110 (96%)	5 (4%)	0	100	100
42	BR	112/114 (98%)	98 (88%)	11 (10%)	3 (3%)	5	31
43	BS	115/117 (98%)	108 (94%)	4 (4%)	3 (3%)	5	31
44	BT	101/103 (98%)	90 (89%)	7 (7%)	4 (4%)	3	23
45	BU	108/110 (98%)	98 (91%)	6 (6%)	4 (4%)	3	24
46	BV	98/100 (98%)	76 (78%)	19 (19%)	3 (3%)	4	27
47	BW	101/103 (98%)	88 (87%)	10 (10%)	3 (3%)	4	28
48	BX	92/94 (98%)	87 (95%)	4 (4%)	1 (1%)	14	52
49	BY	82/84 (98%)	64 (78%)	16 (20%)	2 (2%)	6	33
50	BZ	75/77 (97%)	68 (91%)	4 (5%)	3 (4%)	3	23
51	B0	61/63 (97%)	57 (93%)	3 (5%)	1 (2%)	9	44
52	B1	56/58 (97%)	53 (95%)	3 (5%)	0	100	100
53	B2	68/70 (97%)	65 (96%)	2 (3%)	1 (2%)	10	46
54	B3	54/56 (96%)	48 (89%)	4 (7%)	2 (4%)	3	24
55	B4	52/54 (96%)	49 (94%)	1 (2%)	2 (4%)	3	24
56	B5	44/46 (96%)	40 (91%)	2 (4%)	2 (4%)	2	22
57	B6	62/64 (97%)	58 (94%)	3 (5%)	1 (2%)	9	44
58	B7	36/38 (95%)	30 (83%)	3 (8%)	3 (8%)	1	12
All	All	6319/6423 (98%)	5706 (90%)	460 (7%)	153 (2%)	9	33

5 of 153 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
6	AF	163	ARG
8	AH	77	ASN
13	AM	57	VAL
14	AN	52	ARG
17	AQ	2	LYS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
5	AE	198/198 (100%)	189 (96%)	9 (4%)	27	52
6	AF	189/189 (100%)	178 (94%)	11 (6%)	20	45
7	AG	172/172 (100%)	166 (96%)	6 (4%)	36	59
8	AH	125/125 (100%)	116 (93%)	9 (7%)	14	39
9	AI	116/116 (100%)	111 (96%)	5 (4%)	29	53
10	AJ	146/146 (100%)	133 (91%)	13 (9%)	9	30
11	AK	104/104 (100%)	97 (93%)	7 (7%)	16	41
12	AL	106/106 (100%)	99 (93%)	7 (7%)	16	41
13	AM	90/90 (100%)	86 (96%)	4 (4%)	28	53
14	AN	98/98 (100%)	95 (97%)	3 (3%)	40	62
15	AO	103/103 (100%)	98 (95%)	5 (5%)	25	50
16	AP	95/95 (100%)	94 (99%)	1 (1%)	73	84
17	AQ	83/83 (100%)	80 (96%)	3 (4%)	35	59
18	AR	76/76 (100%)	72 (95%)	4 (5%)	22	47
19	AS	65/65 (100%)	61 (94%)	4 (6%)	18	43
20	AT	77/77 (100%)	74 (96%)	3 (4%)	32	56
21	AU	64/64 (100%)	61 (95%)	3 (5%)	26	51
22	AV	78/78 (100%)	74 (95%)	4 (5%)	24	48
23	AW	65/65 (100%)	64 (98%)	1 (2%)	65	80
24	AX	60/60 (100%)	57 (95%)	3 (5%)	24	49
27	BC	181/181 (100%)	171 (94%)	10 (6%)	21	47
28	BD	217/217 (100%)	207 (95%)	10 (5%)	27	52
29	BE	164/164 (100%)	150 (92%)	14 (8%)	10	33
30	BF	165/165 (100%)	157 (95%)	8 (5%)	25	51
31	BG	149/149 (100%)	137 (92%)	12 (8%)	11	35
32	BH	137/137 (100%)	124 (90%)	13 (10%)	8	27
33	BI	114/114 (100%)	110 (96%)	4 (4%)	36	59
34	BJ	122/122 (100%)	118 (97%)	4 (3%)	38	61
35	BK	109/109 (100%)	107 (98%)	2 (2%)	59	77
36	BL	116/116 (100%)	109 (94%)	7 (6%)	19	44

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
37	BM	104/104 (100%)	100 (96%)	4 (4%)	33	57
38	BN	103/103 (100%)	100 (97%)	3 (3%)	42	64
39	BO	109/109 (100%)	103 (94%)	6 (6%)	21	47
40	BP	103/103 (100%)	99 (96%)	4 (4%)	32	56
41	BQ	87/87 (100%)	82 (94%)	5 (6%)	20	45
42	BR	99/99 (100%)	94 (95%)	5 (5%)	24	48
43	BS	89/89 (100%)	84 (94%)	5 (6%)	21	46
44	BT	84/84 (100%)	77 (92%)	7 (8%)	11	34
45	BU	93/93 (100%)	89 (96%)	4 (4%)	29	53
46	BV	84/84 (100%)	77 (92%)	7 (8%)	11	34
47	BW	84/84 (100%)	80 (95%)	4 (5%)	25	51
48	BX	78/78 (100%)	73 (94%)	5 (6%)	17	42
49	BY	62/62 (100%)	58 (94%)	4 (6%)	17	42
50	BZ	67/67 (100%)	63 (94%)	4 (6%)	19	44
51	B0	55/55 (100%)	50 (91%)	5 (9%)	9	29
52	B1	48/48 (100%)	46 (96%)	2 (4%)	30	54
53	B2	62/62 (100%)	59 (95%)	3 (5%)	25	51
54	B3	47/47 (100%)	47 (100%)	0	100	100
55	B4	48/48 (100%)	45 (94%)	3 (6%)	18	43
56	B5	38/38 (100%)	35 (92%)	3 (8%)	12	35
57	B6	51/51 (100%)	50 (98%)	1 (2%)	55	74
58	B7	34/34 (100%)	34 (100%)	0	100	100
All	All	5213/5213 (100%)	4940 (95%)	273 (5%)	27	48

5 of 273 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
45	BU	95	ARG
46	BV	100	GLU
51	B0	59	GLU
22	AV	1	PRO
21	AU	4	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	AA	1538/1542 (99%)	309 (20%)	98 (6%)
2	AB	74/76 (97%)	28 (37%)	8 (10%)
25	BA	119/120 (99%)	16 (13%)	11 (9%)
26	BB	2898/2904 (99%)	534 (18%)	181 (6%)
3	AC	46/47 (97%)	21 (45%)	7 (15%)
4	AD	76/77 (98%)	13 (17%)	3 (3%)
All	All	4751/4766 (99%)	921 (19%)	308 (6%)

5 of 921 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	AA	2	A
1	AA	3	A
1	AA	5	U
1	AA	7	A
1	AA	8	A

5 of 308 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
26	BB	1715	G
26	BB	2585	U
26	BB	1828	G
26	BB	2236	U
26	BB	2791	G

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

49 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
26	5MU	BB	1939	26	19,22,23	1.33	2 (10%)	28,32,35	1.87	8 (28%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	OMC	AD	33	4	19,22,23	1.02	2 (10%)	26,31,34	1.72	4 (15%)
26	5MC	BB	1962	26	18,22,23	1.75	4 (22%)	26,32,35	1.60	3 (11%)
26	PSU	BB	2580	26	18,21,22	1.90	5 (27%)	22,30,33	1.83	5 (22%)
1	MA6	AA	1518	1	19,26,27	1.69	5 (26%)	18,38,41	1.38	4 (22%)
4	4SU	AD	8	4	18,21,22	2.18	4 (22%)	26,30,33	2.45	10 (38%)
1	MA6	AA	1519	1	19,26,27	2.02	6 (31%)	18,38,41	2.60	5 (27%)
26	PSU	BB	2457	26	18,21,22	1.64	4 (22%)	22,30,33	1.26	2 (9%)
26	PSU	BB	1911	26	18,21,22	1.76	4 (22%)	22,30,33	1.52	5 (22%)
2	7MG	AB	46	2	22,26,27	4.30	5 (22%)	29,39,42	1.72	3 (10%)
2	MIA	AB	37	2	24,31,32	3.06	4 (16%)	26,44,47	2.19	9 (34%)
26	CH	BB	2575	26	16,21,22	1.57	1 (6%)	20,30,33	1.41	3 (15%)
4	H2U	AD	21	4	18,21,22	1.37	2 (11%)	21,30,33	2.24	5 (23%)
4	PSU	AD	56	4	18,21,22	1.94	4 (22%)	22,30,33	1.26	1 (4%)
26	OMU	BB	2552	26	19,22,23	0.97	2 (10%)	26,31,34	1.56	5 (19%)
26	7MG	BB	2069	26	22,26,27	4.31	6 (27%)	29,39,42	1.93	6 (20%)
26	6MZ	BB	1618	26	18,25,26	1.94	4 (22%)	16,36,39	2.14	4 (25%)
26	PSU	BB	2504	26	18,21,22	1.80	3 (16%)	22,30,33	2.21	5 (22%)
4	5MU	AD	55	4	19,22,23	1.54	5 (26%)	28,32,35	1.48	5 (17%)
1	PSU	AA	516	1	18,21,22	1.61	4 (22%)	22,30,33	1.90	5 (22%)
1	2MG	AA	1207	1	18,26,27	1.95	6 (33%)	16,38,41	1.13	1 (6%)
2	4SU	AB	8	2	18,21,22	2.03	5 (27%)	26,30,33	1.58	6 (23%)
1	2MG	AA	1516	1	18,26,27	1.80	4 (22%)	16,38,41	1.43	2 (12%)
1	2MG	AA	966	1	18,26,27	1.83	4 (22%)	16,38,41	1.81	3 (18%)
2	H2U	AB	17	2	18,21,22	1.65	4 (22%)	21,30,33	1.59	6 (28%)
26	1MG	BB	745	26	18,26,27	1.69	6 (33%)	19,39,42	2.35	9 (47%)
26	2MG	BB	2445	26	18,26,27	1.81	3 (16%)	16,38,41	2.29	6 (37%)
26	PSU	BB	1917	26	18,21,22	1.83	4 (22%)	22,30,33	1.30	2 (9%)
2	H2U	AB	20	2	18,21,22	1.42	4 (22%)	21,30,33	1.87	5 (23%)
26	OMC	BB	2498	26	19,22,23	1.15	4 (21%)	26,31,34	1.83	7 (26%)
26	PSU	BB	2605	26	18,21,22	1.79	4 (22%)	22,30,33	2.12	5 (22%)
26	H2U	BB	2449	26	18,21,22	1.48	4 (22%)	21,30,33	1.11	3 (14%)
26	6MZ	BB	2030	26	18,25,26	1.33	2 (11%)	16,36,39	2.52	6 (37%)
26	PSU	BB	955	26	18,21,22	2.04	3 (16%)	22,30,33	2.17	5 (22%)
26	OMG	BB	2251	26	18,26,27	1.35	2 (11%)	19,38,41	1.83	6 (31%)
1	UR3	AA	1498	1	19,22,23	1.41	3 (15%)	26,32,35	2.06	12 (46%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
26	5MU	BB	747	26	19,22,23	1.64	3 (15%)	28,32,35	2.09	10 (35%)
1	7MG	AA	527	1	22,26,27	3.40	4 (18%)	29,39,42	1.46	1 (3%)
26	3TD	BB	1915	26	18,22,23	1.94	4 (22%)	22,32,35	1.71	5 (22%)
26	2MA	BB	2503	26	17,25,26	1.74	4 (23%)	17,37,40	1.81	5 (29%)
26	2MG	BB	1835	26	18,26,27	1.76	3 (16%)	16,38,41	1.56	2 (12%)
2	H2U	AB	16	2	18,21,22	1.99	4 (22%)	21,30,33	1.58	4 (19%)
2	PSU	AB	55	2	18,21,22	1.94	5 (27%)	22,30,33	1.65	6 (27%)
1	5MC	AA	1407	1	18,22,23	1.41	3 (16%)	26,32,35	1.29	4 (15%)
1	5MC	AA	967	1	18,22,23	1.43	2 (11%)	26,32,35	2.06	8 (30%)
2	OMC	AB	32	2	19,22,23	1.11	3 (15%)	26,31,34	1.74	7 (26%)
2	5MU	AB	54	2	19,22,23	1.54	4 (21%)	28,32,35	2.60	8 (28%)
26	PSU	BB	746	26	18,21,22	1.76	4 (22%)	22,30,33	1.83	7 (31%)
1	4OC	AA	1402	1	20,23,24	1.35	3 (15%)	26,32,35	1.46	5 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
26	5MU	BB	1939	26	-	0/7/25/26	0/2/2/2
4	OMC	AD	33	4	-	0/9/27/28	0/2/2/2
26	5MC	BB	1962	26	-	0/7/25/26	0/2/2/2
26	PSU	BB	2580	26	-	0/7/25/26	0/2/2/2
1	MA6	AA	1518	1	-	0/7/29/30	0/3/3/3
4	4SU	AD	8	4	-	0/7/25/26	0/2/2/2
1	MA6	AA	1519	1	-	0/7/29/30	0/3/3/3
26	PSU	BB	2457	26	-	0/7/25/26	0/2/2/2
26	PSU	BB	1911	26	-	0/7/25/26	0/2/2/2
2	7MG	AB	46	2	-	0/7/37/38	0/3/3/3
2	MIA	AB	37	2	-	1/11/33/34	0/3/3/3
26	CH	BB	2575	26	-	0/5/25/26	0/2/2/2
4	H2U	AD	21	4	-	0/7/38/39	0/2/2/2
4	PSU	AD	56	4	-	0/7/25/26	0/2/2/2
26	OMU	BB	2552	26	-	0/9/27/28	0/2/2/2
26	7MG	BB	2069	26	-	1/7/37/38	0/3/3/3
26	6MZ	BB	1618	26	-	0/5/27/28	0/3/3/3
26	PSU	BB	2504	26	-	0/7/25/26	0/2/2/2
4	5MU	AD	55	4	-	0/7/25/26	0/2/2/2
1	PSU	AA	516	1	-	1/7/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	2MG	AA	1207	1	-	0/5/27/28	0/3/3/3
2	4SU	AB	8	2	-	5/7/25/26	0/2/2/2
1	2MG	AA	1516	1	-	1/5/27/28	0/3/3/3
1	2MG	AA	966	1	-	0/5/27/28	0/3/3/3
2	H2U	AB	17	2	-	2/7/38/39	0/2/2/2
26	1MG	BB	745	26	-	0/3/25/26	0/3/3/3
26	2MG	BB	2445	26	-	0/5/27/28	0/3/3/3
26	PSU	BB	1917	26	-	1/7/25/26	0/2/2/2
2	H2U	AB	20	2	-	0/7/38/39	0/2/2/2
26	OMC	BB	2498	26	-	1/9/27/28	0/2/2/2
26	PSU	BB	2605	26	-	1/7/25/26	0/2/2/2
26	H2U	BB	2449	26	-	0/7/38/39	0/2/2/2
26	6MZ	BB	2030	26	-	1/5/27/28	0/3/3/3
26	PSU	BB	955	26	-	0/7/25/26	0/2/2/2
26	OMG	BB	2251	26	-	0/5/27/28	0/3/3/3
1	UR3	AA	1498	1	-	1/7/25/26	0/2/2/2
26	5MU	BB	747	26	-	0/7/25/26	0/2/2/2
1	7MG	AA	527	1	-	1/7/37/38	0/3/3/3
26	3TD	BB	1915	26	-	0/7/25/26	0/2/2/2
26	2MA	BB	2503	26	-	0/3/25/26	0/3/3/3
26	2MG	BB	1835	26	-	0/5/27/28	0/3/3/3
2	H2U	AB	16	2	-	0/7/38/39	0/2/2/2
2	PSU	AB	55	2	-	0/7/25/26	0/2/2/2
1	5MC	AA	1407	1	-	0/7/25/26	0/2/2/2
1	5MC	AA	967	1	-	0/7/25/26	0/2/2/2
2	OMC	AB	32	2	-	1/9/27/28	0/2/2/2
2	5MU	AB	54	2	-	0/7/25/26	0/2/2/2
26	PSU	BB	746	26	-	3/7/25/26	0/2/2/2
1	4OC	AA	1402	1	-	0/9/29/30	0/2/2/2

The worst 5 of 184 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2069	7MG	C8-N9	-18.96	1.35	1.46
2	AB	46	7MG	C8-N9	-18.04	1.35	1.46
1	AA	527	7MG	C8-N9	-14.09	1.38	1.46
2	AB	37	MIA	C2-S10	13.92	1.87	1.75
4	AD	8	4SU	C5-C4	-6.50	1.34	1.42

The worst 5 of 253 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1519	MA6	N1-C6-N6	7.78	125.25	117.06
2	AB	46	7MG	N9-C8-N7	6.87	113.21	103.38
26	BB	2069	7MG	N9-C8-N7	6.82	113.13	103.38
26	BB	1618	6MZ	C9-N6-C6	6.37	128.36	122.87
4	AD	21	H2U	O4'-C1'-N1	6.33	117.92	109.30

There are no chirality outliers.

5 of 21 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	AA	1516	2MG	N3-C2-N2-CM2
2	AB	8	4SU	C2'-C1'-N1-C2
2	AB	32	OMC	C1'-C2'-O2'-CM2
26	BB	746	PSU	C2'-C1'-C5-C4
2	AB	8	4SU	C2'-C1'-N1-C6

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
59	TRP	AB	101	60,2	14,15,16	2.01	4 (28%)	13,20,22	1.64	3 (23%)
60	FME	BB	3001	59	8,9,10	0.98	0	7,9,11	0.94	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
59	TRP	AB	101	60,2	-	0/5/6/8	0/2/2/2
60	FME	BB	3001	59	-	1/7/9/11	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
59	AB	101	TRP	OXT-C	-4.64	1.22	1.42
59	AB	101	TRP	CZ3-CE3	3.48	1.44	1.36
59	AB	101	TRP	C-CA	3.04	1.57	1.52
59	AB	101	TRP	CZ2-CE2	-2.19	1.38	1.41

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
59	AB	101	TRP	OXT-C-CA	2.45	121.20	111.52
59	AB	101	TRP	CZ2-CE2-CD2	2.43	125.20	120.76
59	AB	101	TRP	CH2-CZ2-CE2	-2.25	116.84	120.08

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
60	BB	3001	FME	O1-CN-N-CA

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
26	BB	2
1	AA	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	BB	1872:A	O3'	1873:G	P	1.76
1	AA	1017:U	O3'	1018:G	P	1.75
1	BB	600:G	O3'	601:C	P	1.75


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-5363. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 125



Y Index: 125




Z Index: 125


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 129



Y Index: 131




Z Index: 115


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.1. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 4835 nm^3 ; this corresponds to an approximate mass of 4367 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.087\AA^{-1}


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-5363 and PDB model 4V6Q. Per-residue inclusion information can be found in section 3 on page 15.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.1 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.1).

9.4 Atom inclusion [i](#)



At the recommended contour level, 99% of all backbone atoms, 99% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

















































The table lists the average atom inclusion at the recommended contour level (0.1) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.9950	0.0740
AA	0.9997	0.0910
AB	0.9860	0.0530
AC	0.8953	0.0140
AD	0.9939	0.0980
AE	0.9468	0.0370
AF	0.9994	0.0630
AG	0.9994	0.0450
AH	0.9925	0.0430
AI	0.9813	0.0410
AJ	0.9912	0.0540
AK	0.9979	0.0400
AL	0.9809	0.0480
AM	1.0000	0.0220
AN	0.9925	0.0420
AO	0.9891	0.0400
AP	0.9749	0.0410
AQ	1.0000	0.0400
AR	1.0000	0.0540
AS	0.9984	0.0100
AT	1.0000	0.0570
AU	1.0000	0.0290
AV	0.9789	0.0360
AW	1.0000	0.0460
AX	1.0000	0.0290
B0	1.0000	0.0320
B1	1.0000	0.0430
B2	0.9814	0.0180
B3	1.0000	0.0280
B4	0.9977	0.0540
B5	1.0000	0.0030
B6	1.0000	0.0370
B7	1.0000	0.0320
BA	1.0000	0.1010
BB	0.9997	0.0910



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
BC	 0.9906	 0.0420
BD	 1.0000	 0.0180
BE	 0.9993	 0.0240
BF	 0.9993	 0.0650
BG	 0.9906	 0.0460
BH	 1.0000	 0.0250
BI	 0.8513	 0.0260
BJ	 0.8997	 0.0450
BK	 0.9726	 0.0380
BL	 1.0000	 0.0330
BM	 0.9957	 0.0600
BN	 0.9990	 0.0160
BO	 1.0000	 0.0440
BP	 1.0000	 0.0250
BQ	 0.9954	 0.0580
BR	 0.9977	 0.0280
BS	 0.9978	 0.0250
BT	 0.9950	 0.0480
BU	 0.9976	 0.0270
BV	 0.9987	 0.0330
BW	 1.0000	 0.0690
BX	 1.0000	 0.0740
BY	 0.9984	 0.0240
BZ	 1.0000	 0.0350