



# wwPDB EM Validation Summary Report ⓘ

Nov 19, 2022 – 05:20 PM EST

PDB ID : 4V73  
EMDB ID : EMD-2473  
Title : E. coli 70S-fMetVal-tRNAVal-tRNAfMet complex in hybrid pre-translocation state (pre5a)  
Authors : Blau, C.; Bock, L.V.; Schroder, G.F.; Davydov, I.; Fischer, N.; Stark, H.; Rodnina, M.V.; Vaiana, A.C.; Grubmuller, H.  
Deposited on : 2013-10-14  
Resolution : 15.00 Å (reported)  
Based on initial models : 2WRI, 2HGP, 2K4C, 3I1O

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.31.3

# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 15.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AB	220	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;">42%</div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red, orange, yellow, green); position: relative;"> <span style="position: absolute; top: -5px; left: 42%; width: 50%;"></span> <span style="position: absolute; top: -5px; left: 93%; width: 5%;"></span> <span style="position: absolute; top: -5px; left: 97%; width: 2%;"></span> </div> <div style="text-align: right;">93%</div> </div>
2	AC	208	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;">41%</div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red, orange, yellow, green); position: relative;"> <span style="position: absolute; top: -5px; left: 41%; width: 50%;"></span> <span style="position: absolute; top: -5px; left: 90%; width: 5%;"></span> <span style="position: absolute; top: -5px; left: 95%; width: 2%;"></span> </div> <div style="text-align: right;">90%</div> </div>
3	AD	206	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;">43%</div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red, orange, yellow, green); position: relative;"> <span style="position: absolute; top: -5px; left: 43%; width: 50%;"></span> <span style="position: absolute; top: -5px; left: 89%; width: 5%;"></span> <span style="position: absolute; top: -5px; left: 95%; width: 2%;"></span> </div> <div style="text-align: right;">89%</div> </div>
4	AE	152	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;">29%</div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red, orange, yellow, green); position: relative;"> <span style="position: absolute; top: -5px; left: 29%; width: 50%;"></span> <span style="position: absolute; top: -5px; left: 92%; width: 5%;"></span> <span style="position: absolute; top: -5px; left: 97%; width: 2%;"></span> </div> <div style="text-align: right;">92%</div> </div>
5	AF	101	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;">32%</div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red, orange, yellow, green); position: relative;"> <span style="position: absolute; top: -5px; left: 32%; width: 50%;"></span> <span style="position: absolute; top: -5px; left: 84%; width: 5%;"></span> <span style="position: absolute; top: -5px; left: 91%; width: 2%;"></span> </div> <div style="text-align: right;">84%</div> </div>
6	AG	152	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;">27%</div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red, orange, yellow, green); position: relative;"> <span style="position: absolute; top: -5px; left: 27%; width: 50%;"></span> <span style="position: absolute; top: -5px; left: 90%; width: 5%;"></span> <span style="position: absolute; top: -5px; left: 95%; width: 2%;"></span> </div> <div style="text-align: right;">90%</div> </div>
7	AH	130	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;">37%</div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red, orange, yellow, green); position: relative;"> <span style="position: absolute; top: -5px; left: 37%; width: 50%;"></span> <span style="position: absolute; top: -5px; left: 92%; width: 5%;"></span> <span style="position: absolute; top: -5px; left: 97%; width: 2%;"></span> </div> <div style="text-align: right;">92%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	AI	128	23% 86% 13%
9	AJ	100	32% 86% 13%
10	AK	118	40% 92% 8%
11	AL	124	38% 82% 16%
12	AM	115	30% 85% 14%
13	AN	101	30% 84% 13%
14	AO	89	35% 83% 16%
15	AP	81	43% 86% 14%
16	AQ	82	39% 91% 6%
17	AR	57	33% 86% 14%
18	AS	81	12% 88% 12%
19	AT	86	19% 97% .
20	AU	53	53% 72% 26%
21	AA	1533	8% 27% 48% 22%
22	A1	76	12% 25% 50% 24%
23	A2	15	47% 27% 27% 47%
24	A3	77	21% 27% 55% 14%
25	BC	273	48% 87% 12%
26	BD	209	48% 90% 10%
27	BE	201	35% 94% 5%
28	BF	179	26% 90% 9%
29	BG	177	37% 91% 8%
30	BH	149	77% 93% 6%
31	BI	142	99% 94% 5%
32	BJ	142	39% 92% 8%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
33	BK	123	46% 89% 11%
34	BL	144	44% 85% 14%
35	BM	136	49% 90% 8%
36	BN	121	39% 83% 17%
37	BO	117	21% 91% 9%
38	BP	115	48% 83% 15%
39	BQ	118	38% 86% 12%
40	BR	103	36% 89% 11%
41	BS	110	54% 90% 9%
42	BT	94	28% 88% 11%
43	BU	104	36% 88% 11%
44	BV	94	32% 91% 9%
45	BW	80	34% 82% 18%
46	BX	79	41% 85% 13%
47	BY	63	32% 89% 10%
48	BZ	59	47% 88% 8%
49	B0	57	33% 86% 12%
50	B1	52	35% 88% 12%
51	B2	46	46% 78% 22%
52	B3	65	69% 88% 11%
53	B4	38	18% 87% 13%
54	BA	2903	11% 22% 51% 23%
55	BB	118	19% 25% 53% 21%
56	B5	234	38% 91% 5% 5%

## 2 Entry composition

There are 58 unique types of molecules in this entry. The entry contains 147653 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	AB	220	1708	1083	306	312	7	0	1

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AB	7	ACE	-	acetylation	UNP P0A7V0
AB	226	NH2	-	amidation	UNP P0A7V0

- Molecule 2 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	AC	207	1625	1028	306	288	3	0	1

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AC	207	NH2	-	amidation	UNP P0A7V3

- Molecule 3 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	AD	205	1643	1026	315	298	4	0	0

- Molecule 4 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	AE	152	1109	689	212	202	6	0	1

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AE	8	ACE	-	acetylation	UNP P0A7W1
AE	159	NH2	-	amidation	UNP P0A7W1

- Molecule 5 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	AF	101	818	515	149	148	6	0	1

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AF	101	NH2	-	amidation	UNP P02358

- Molecule 6 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	AG	152	1178	732	227	215	4	0	1

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AG	1	ACE	-	acetylation	UNP P02359
AG	152	NH2	-	amidation	UNP P02359

- Molecule 7 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	AH	129	979	616	173	184	6	0	0

- Molecule 8 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	AI	128	1025	636	206	180	3	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AI	2	ACE	-	acetylation	UNP P0A7X3

- Molecule 9 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	AJ	100	790	495	151	143	1	0	1

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AJ	4	ACE	-	acetylation	UNP P0A7R5
AJ	103	NH2	-	amidation	UNP P0A7R5

- Molecule 10 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	AK	118	880	542	174	161	3	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AK	11	ACE	-	acetylation	UNP P0A7R9

- Molecule 11 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	AL	123	955	590	196	165	4	0	0

- Molecule 12 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	AM	114	877	541	178	155	3	0	1

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AM	114	NH2	-	amidation	UNP P0A7S9

- Molecule 13 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	AN	100	805	499	164	139	3	0	0

- Molecule 14 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	AO	88	714	439	144	130	1	0	0

- Molecule 15 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	AP	81	639	400	127	111	1	0	1

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AP	81	NH2	-	amidation	UNP P0A7T3

- Molecule 16 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	AQ	82	652	413	122	114	3	0	1

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AQ	2	ACE	-	acetylation	UNP P0AG63
AQ	83	NH2	-	amidation	UNP P0AG63

- Molecule 17 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
17	AR	57	459	290	87	82	0	1

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AR	18	ACE	-	acetylation	UNP P0A7T7

*Continued on next page...*



*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
AR	74	NH2	-	amidation	UNP P0A7T7

- Molecule 18 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
18	AS	81	641	410	121	108	2	0	1

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AS	1	ACE	-	acetylation	UNP P0A7U3
AS	81	NH2	-	amidation	UNP P0A7U3

- Molecule 19 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	AT	86	668	413	137	115	3	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AT	1	ACE	-	acetylation	UNP P0A7U7

- Molecule 20 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	AU	53	429	267	87	74	1	0	1

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AU	2	ACE	-	acetylation	UNP P68679
AU	54	NH2	-	amidation	UNP P68679

- Molecule 21 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
21	AA	1530	32828	14642	6024	10633	1529	0	0

- Molecule 22 is a RNA chain called fMet-Val-tRNA-Val.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	N	O	P			S
22	A1	76	1627	728	292	531	75	1	0	0

- Molecule 23 is a RNA chain called 5'-R(\*AP\*CP\*UP\*AP\*UP\*GP\*GP\*UP\*UP\*UP\*UP\*UP\*AP\*UP\*U)-3'.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
23	A2	15	309	140	46	109	14	0	0

- Molecule 24 is a RNA chain called tRNA-fMet.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	N	O	P			S
24	A3	77	1642	734	297	534	76	1	0	0

- Molecule 25 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
25	BC	272	2083	1288	424	364	7	0	1

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BC	272	NH2	-	amidation	UNP P60422

- Molecule 26 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
26	BD	209	1565	979	288	294	4	0	0

- Molecule 27 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	BE	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 28 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	BF	178	Total	C	N	O	S	0	0
			1420	905	251	258	6		

- Molecule 29 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	BG	176	Total	C	N	O	S	0	0
			1323	832	243	246	2		

- Molecule 30 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	BH	149	Total	C	N	O	S	0	0
			1111	699	197	214	1		

- Molecule 31 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	BI	141	Total	C	N	O	S	0	0
			1032	651	179	196	6		

- Molecule 32 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	BJ	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 33 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	BK	123	Total	C	N	O	S	0	1
			939	587	181	165	6		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BK	123	NH2	-	amidation	UNP P0ADY3

- Molecule 34 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
34	BL	143	1045	649	206	189	1	0	0

- Molecule 35 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
35	BM	136	1074	686	205	177	6	0	0

- Molecule 36 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
36	BN	121	961	593	197	166	5	0	1

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BN	121	NH2	-	amidation	UNP P0AG44

- Molecule 37 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
37	BO	116	892	552	178	162	0	0

- Molecule 38 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
38	BP	114	917	574	179	163	1	0	0

- Molecule 39 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
39	BQ	117	947	604	192	151	0	0

- Molecule 40 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
40	BR	103	816	516	153	145	2	0	0

- Molecule 41 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
41	BS	110	857	532	166	156	3	0	0

- Molecule 42 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
42	BT	94	739	466	140	131	2	0	1

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BT	94	NH2	-	amidation	UNP P0ADZ0

- Molecule 43 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
43	BU	103	780	492	147	141	0	1

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BU	103	NH2	-	amidation	UNP P60624

- Molecule 44 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
44	BV	94	753	479	137	134	3	0	0

- Molecule 45 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
45	BW	80	599	369	120	109	1	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BW	5	ACE	-	acetylation	UNP P0A7L8

- Molecule 46 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
46	BX	77	625	388	129	106	2	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BX	-1	ACE	-	acetylation	UNP P0A7M2

- Molecule 47 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
47	BY	63	509	313	99	95	2	0	0

- Molecule 48 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
48	BZ	58	449	281	87	79	2	0	0

- Molecule 49 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
49	B0	56	444	269	94	80	1	0	0

- Molecule 50 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
50	B1	52	413	265	76	72	0	1

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B1	2	ACE	-	acetylation	UNP P0A7N9
B1	53	NH2	-	amidation	UNP P0A7N9

- Molecule 51 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	B2	46	Total	C	N	O	S	0	0
			377	228	90	57	2		

- Molecule 52 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	B3	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 53 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	B4	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 54 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	BA	2903	Total	C	N	O	P	0	0
			62317	27801	11467	20147	2902		


- Molecule 55 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	BB	117	Total	C	N	O	P	0	0
			2504	1116	459	813	116		

- Molecule 56 is a protein called 50S ribosomal protein L1.


Mol	Chain	Residues	Atoms					AltConf	Trace
56	B5	223	Total	C	N	O	S	0	0
			1658	1038	302	312	6		

- Molecule 57 is VALINE (three-letter code: VAL) (formula: C<sub>5</sub>H<sub>11</sub>NO<sub>2</sub>).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
57	A1	1	7	5	1	1	0

- Molecule 58 is N-FORMYLMETHIONINE (three-letter code: FME) (formula: C<sub>6</sub>H<sub>11</sub>NO<sub>3</sub>S).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	S	
58	BA	1	10	6	1	2	1	0




### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 30S ribosomal protein S2




- Molecule 2: 30S ribosomal protein S3




- Molecule 3: 30S ribosomal protein S4








• Molecule 4: 30S ribosomal protein S5




• Molecule 5: 30S ribosomal protein S6




• Molecule 6: 30S ribosomal protein S7




• Molecule 7: 30S ribosomal protein S8




• Molecule 8: 30S ribosomal protein S9




• Molecule 9: 30S ribosomal protein S10




• Molecule 10: 30S ribosomal protein S11




• Molecule 11: 30S ribosomal protein S12




• Molecule 12: 30S ribosomal protein S13




- Molecule 13: 30S ribosomal protein S14




- Molecule 14: 30S ribosomal protein S15




- Molecule 15: 30S ribosomal protein S16




- Molecule 16: 30S ribosomal protein S17



- Molecule 17: 30S ribosomal protein S18




- Molecule 18: 30S ribosomal protein S19





- Molecule 19: 30S ribosomal protein S20








• Molecule 20: 30S ribosomal protein S21



• Molecule 21: 16S ribosomal RNA










• Molecule 22: fMet-Val-tRNA-Val




• Molecule 23: 5'-R(\*AP\*CP\*UP\*AP\*UP\*GP\*GP\*UP\*UP\*UP\*UP\*UP\*AP\*UP\*U)-3'




• Molecule 24: tRNA-fMet





• Molecule 25: 50S ribosomal protein L2








• Molecule 26: 50S ribosomal protein L3




• Molecule 27: 50S ribosomal protein L4




• Molecule 28: 50S ribosomal protein L5





• Molecule 29: 50S ribosomal protein L6










• Molecule 30: 50S ribosomal protein L9




• Molecule 31: 50S ribosomal protein L11




• Molecule 32: 50S ribosomal protein L13




• Molecule 33: 50S ribosomal protein L14




• Molecule 34: 50S ribosomal protein L15



• Molecule 35: 50S ribosomal protein L16




• Molecule 36: 50S ribosomal protein L17






• Molecule 37: 50S ribosomal protein L18










- Molecule 38: 50S ribosomal protein L19






- Molecule 39: 50S ribosomal protein L20




- Molecule 40: 50S ribosomal protein L21




- Molecule 41: 50S ribosomal protein L22




- Molecule 42: 50S ribosomal protein L23




- Molecule 43: 50S ribosomal protein L24




- Molecule 44: 50S ribosomal protein L25




- Molecule 45: 50S ribosomal protein L27





- Molecule 46: 50S ribosomal protein L28




- Molecule 47: 50S ribosomal protein L29





- Molecule 48: 50S ribosomal protein L30





- Molecule 49: 50S ribosomal protein L32





- Molecule 50: 50S ribosomal protein L33




- Molecule 51: 50S ribosomal protein L34




- Molecule 52: 50S ribosomal protein L35




- Molecule 53: 50S ribosomal protein L36



- Molecule 54: 23S ribosomal RNA









U2546	C2483	U2423	G2355	U2292	A2227	A2163	U2099	G2038	A1978	U1915	U1852	C1853	C1790
U2547	C2486	C2424	U2356	G2293	G2228	C2164	G2100	U2039	U1979	A1916	A1853	A1854	A1791
U2548	C2487	A2425	G2357	C2294	U2229	C2165	A2101	G2040	G1980	U1917	C1792	C1793	C1792
G2549	C2488	A2426	A2358	C2295	G2230	C2166	G2102	U2041	A1981	A1918	U1855	U1856	A1794
C2550	U2489	C2427	C2359	U2231	U2232	U2167	C2103	A2042	U1982	A1919	C1857	C1795	C1795
C2551	G2480	A2428	C2362	A2297	C2233	G2168	C2104	C2044	G1983	U1920	U1858	U1796	U1796
U2552	U2491	G2429	G2363	U2298	U2236	A2169	U2105	C2045	G1984	U1923	U1859	G1797	G1797
U2553	U2492	A2430	C2364	U2299	G2237	A2170	U2106	G2046	C1985	C1924	U1860	U1798	U1798
U2554	U2493	A2432	U2365	G2301	G2238	A2171	G2107	C2047	C1986	C1925	U1864	U1799	U1799
U2555	G2494	A2433	U2366	G2304	G2239	U2172	A2108	C2050	A1987	U1926	U1865	C1800	C1800
G2556	C2495	A2434	G2367	U2305	G2238	A2173	G2109	A2051	A1987	U1927	U1866	A1801	A1801
C2496	C2496	A2435	U2368	U2306	U2240	A2174	U2110	A2052	A1988	A1928	U1866	A1802	A1802
A2497	A2497	G2436	A2369	C2307	A2241	C2175	G2111	G2053	G1989	G1929	G1867	A1803	A1803
C2498	C2498	G2437	C2370	G2308	A2242	C2176	G2112	G2054	C1990	U1930	C1868	C1804	C1804
C2499	U2500	U2438	U2371	U2309	U2243	C2177	U2113	A2054	U1991	U1931	C1869	A1805	A1805
U2500	U2500	A2439	A2372	U2310	U2244	C2178	A2114	G2056	U1992	A1932	C1870	C1806	C1806
G2501	C2501	C2440	U2373	U2311	U2245	U2180	G2115	G2057	C1994	C1934	A1871	A1808	A1808
C2502	U2502	U2441	G2374	A2312	G2246	U2181	G2116	A2058	U1995	G1935	A1872	A1809	A1809
A2503	U2503	U2442	U2375	U2313	A2247	U2182	A2117	A2059	C1996	A1937	G1873	A1810	A1810
G2504	U2504	C2443	G2376	C2314	U2248	A2183	U2118	G2061	C1997	A1938	G1874	G1811	G1811
G2505	G2505	G2443	U2380	A2314	C2248	A2184	A2119	A2062	A1998	U1939	G1875	U1812	U1812
U2506	U2506	G2444	G2382	G2315	U2249	A2185	U2122	C2063	C2000	U1940	A1877	G1813	G1813
C2507	C2507	G2445	U2383	G2316	G2250	U2186	U2122	C2064	C2001	C1941	G1878	G1814	G1814
G2508	U2508	G2446	U2384	A2317	C2254	U2187	A2126	C2065	G2002	C1942	C1879	A1815	A1815
U2509	U2509	G2447	G2385	G2318	U2257	U2187	C2129	C2066	G2004	U1943	U1880	G1816	G1816
C2510	C2510	A2448	U2386	U2319	U2258	A2188	U2130	U2068	A2009	U1944	U1882	C1881	C1881
U2511	U2511	U2449	G2387	G2320	C2258	U2189	U2131	G2069	G2010	G1945	U1883	U1820	U1820
C2512	U2512	A2450	U2388	A2322	U2259	U2192	U2132	C2070	G2011	U1946	U1884	U1821	U1821
C2513	C2513	A2451	G2389	C2323	C2260	G2193	U2133	A2070	G2012	C1947	A1885	A1822	A1822
U2514	U2514	G2452	U2390	U2324	U2261	U2194	U2134	A2071	G2013	G1950	G1886	G1823	G1823
A2515	A2515	A2453	G2391	C2325	U2262	U2195	A2135	A2072	G2014	U1951	C1887	G1824	G1824
A2516	A2516	G2454	U2392	C2326	U2263	U2196	A2136	C2073	G2015	A1952	C1888	U1825	U1825
C2517	C2517	C2455	U2393	C2327	C2264	U2197	G2137	U2075	G2016	U1953	A1889	G1826	G1826
A2518	A2518	G2456	U2394	A2328	U2265	U2197	U2137	U2076	A2013	G1954	G1891	U1827	U1827
U2519	U2519	U2457	C2395	U2329	A2266	A2198	G2138	A2077	A2014	U1954	C1887	U1828	U1828
C2520	C2520	G2458	U2396	G2330	A2267	A2199	U2139	C2078	A2015	U1955	C1887	A1829	A1829
G2521	G2521	A2459	U2397	C2331	A2268	C2200	U2140	U2079	G2016	U1956	C1889	G1830	G1830
U2522	U2522	U2460	U2398	C2332	G2269	G2201	G2141	A2080	G2017	C1957	C1890	G1831	G1831
G2523	G2523	C2461	U2402	A2333	A2270	U2202	C2142	U2081	A2018	U1958	C1891	C1832	C1832
G2524	G2524	C2462	C2403	U2334	G2271	U2203	C2143	A2082	A2019	A1960	C1892	C1833	C1833
G2525	G2525	G2463	U2404	U2335	A2272	G2204	C2144	G2083	C2021	C1961	A1899	U1834	U1834
G2526	G2526	C2464	G2405	A2336	A2273	A2205	G2145	G2084	U2022	U1963	A1900	G1835	G1835
C2527	C2527	C2465	A2406	G2337	C2275	C2206	C2146	C2084	G2023	G1964	A1901	C1836	C1836
U2528	U2528	G2466	A2407	C2338	G2276	C2207	C2147	U2085	C2024	C1965	C1903	C1837	C1837
G2529	G2529	C2467	U2411	C2339	G2277	C2208	C2148	U2086	G2025	A1966	G1904	C1838	C1838
A2530	A2530	A2468	A2412	C2340	A2278	A2211	A2147	G2087	U2026	U1967	C1905	G1842	G1842
U2531	U2531	U2469	U2413	G2341	G2279	A2212	G2148	A2088	C2025	A1966	G1905	C1843	C1843
G2532	G2532	A2470	G2413	C2342	G2280	C2213	U2149	C2089	U2026	G1968	C1906	C1844	C1844
C2533	C2533	A2471	G2414	A2346	A2281	C2214	C2150	C2090	G2028	U1969	G1907	G1845	G1845
A2534	A2534	G2472	G2415	A2347	G2282	C2215	C2151	A2091	G2029	A1970	C1908	G1846	G1846
G2535	G2535	U2473	C2416	U2348	C2283	C2216	U2151	U2092	A2030	U1971	C1909	A1847	A1847
U2536	U2536	C2474	C2417	U2349	U2284	G2217	G2152	G2093	A2031	U1972	C1910	A1848	A1848
C2537	C2537	C2475	A2418	G2349	C2285	G2218	C2153	A2094	G2032	G1973	G1911	A1849	A1849
G2538	G2538	U2419	U2419	C2350	G2286	G2219	U2154	A2095	A2034	C1974	U1912	G1850	G1850
C2539	C2539	U2476	U2419	G2351	A2287	U2219	U2155	C2096	U2034	A1977	A1913	A1913	A1913
A2540	A2540	U2477	G2421	G2352	A2288	U2220	G2156	A2097	G2035	A1977	C1914	G1850	G1850
U2541	U2541	U2478	G2422	G2353	A2288	C2221	A2157	U2098	G2036	A1977	A1914	A1914	A1914
A2542	A2542	U2479	C2422	G2354	U2291	C2222	G2162	A2098	A2037	A1977	A1914	A1914	A1914
G2543	G2543	G2480	A2482	C2354	U2291	C2222	G2162	A2098	A2037	A1977	A1914	A1914	A1914







• Molecule 55: 5S ribosomal RNA



• Molecule 56: 50S ribosomal protein L1



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	4705	Depositor
Resolution determination method	FSC 0.5 CUT-OFF	Depositor
CTF correction method	Not provided	
Microscope	FEI/PHILIPS CM200FEG	Depositor
Voltage (kV)	160	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	20	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	161000	Depositor
Image detector	GENERIC TVIPS (4k x 4k)	Depositor
Maximum map value	176.039	Depositor
Minimum map value	-108.322	Depositor
Average map value	-0.887	Depositor
Map value standard deviation	18.782	Depositor
Recommended contour level	25.0	Depositor
Map size ( $\text{\AA}$ )	358.4, 358.4, 358.4	wwPDB
Map dimensions	128, 128, 128	wwPDB
Map angles ( $^\circ$ )	90.0, 90.0, 90.0	wwPDB
Pixel spacing ( $\text{\AA}$ )	2.8, 2.8, 2.8	Depositor

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: OMC, H2U, NH2, CM0, PSU, 6MZ, ACE, 4SU, 5MU, FME, 7MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	AB	0.72	0/1736	1.05	13/2340 (0.6%)
2	AC	0.74	0/1651	1.07	13/2225 (0.6%)
3	AD	0.77	0/1665	1.13	16/2227 (0.7%)
4	AE	0.71	0/1119	1.06	7/1506 (0.5%)
5	AF	0.74	0/835	1.14	8/1128 (0.7%)
6	AG	0.76	0/1188	1.24	14/1593 (0.9%)
7	AH	0.72	0/989	1.07	6/1326 (0.5%)
8	AI	0.81	0/1035	1.27	14/1377 (1.0%)
9	AJ	0.72	0/797	1.12	9/1079 (0.8%)
10	AK	0.76	0/894	1.14	8/1207 (0.7%)
11	AL	0.77	0/969	1.28	13/1300 (1.0%)
12	AM	0.75	0/884	1.29	16/1181 (1.4%)
13	AN	0.76	0/817	1.24	12/1088 (1.1%)
14	AO	0.75	0/722	1.17	10/964 (1.0%)
15	AP	0.79	0/648	1.28	12/870 (1.4%)
16	AQ	0.70	0/658	1.15	6/883 (0.7%)
17	AR	0.82	0/463	1.19	6/623 (1.0%)
18	AS	0.76	0/653	1.18	9/879 (1.0%)
19	AT	0.68	0/672	0.97	3/890 (0.3%)
20	AU	0.86	0/431	1.43	7/572 (1.2%)
21	AA	1.52	1/36759 (0.0%)	2.22	1955/57346 (3.4%)
22	A1	1.55	0/1668	2.27	88/2595 (3.4%)
23	A2	1.50	0/343	2.33	19/531 (3.6%)
24	A3	1.55	0/1722	2.18	90/2685 (3.4%)
25	BC	0.75	0/2121	1.29	30/2852 (1.1%)
26	BD	0.68	0/1586	1.13	9/2134 (0.4%)
27	BE	0.68	0/1571	1.15	10/2113 (0.5%)
28	BF	0.75	0/1444	1.21	16/1937 (0.8%)
29	BG	0.69	0/1343	1.10	9/1816 (0.5%)
30	BH	0.66	0/1122	1.10	7/1515 (0.5%)
31	BI	0.68	0/1046	1.08	5/1410 (0.4%)
32	BJ	0.74	0/1152	1.17	12/1551 (0.8%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
33	BK	0.71	0/947	1.23	11/1268 (0.9%)
34	BL	0.74	0/1054	1.33	11/1403 (0.8%)
35	BM	0.75	0/1093	1.28	12/1460 (0.8%)
36	BN	0.76	0/973	1.31	13/1301 (1.0%)
37	BO	0.73	0/902	1.24	10/1209 (0.8%)
38	BP	0.76	0/929	1.33	13/1242 (1.0%)
39	BQ	0.80	0/960	1.31	12/1278 (0.9%)
40	BR	0.73	0/829	1.10	5/1107 (0.5%)
41	BS	0.65	0/864	1.15	6/1156 (0.5%)
42	BT	0.67	0/744	1.19	6/994 (0.6%)
43	BU	0.69	0/787	1.12	6/1051 (0.6%)
44	BV	0.73	0/766	1.16	6/1025 (0.6%)
45	BW	0.77	0/604	1.27	8/799 (1.0%)
46	BX	0.76	0/635	1.22	6/848 (0.7%)
47	BY	0.67	0/510	1.17	6/677 (0.9%)
48	BZ	0.69	0/453	1.20	3/605 (0.5%)
49	B0	0.75	0/450	1.24	5/599 (0.8%)
50	B1	0.73	0/417	1.16	3/556 (0.5%)
51	B2	0.80	0/380	1.50	10/498 (2.0%)
52	B3	0.75	0/513	1.23	6/676 (0.9%)
53	B4	0.69	0/303	1.32	5/397 (1.3%)
54	BA	1.40	0/69796	2.21	4028/108888 (3.7%)
55	BB	1.41	0/2800	2.20	152/4367 (3.5%)
56	B5	0.66	0/1673	1.07	10/2255 (0.4%)
All	All	1.28	1/160085 (0.0%)	1.99	6805/239402 (2.8%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
10	AK	0	1
21	AA	0	358
22	A1	0	15
23	A2	0	5
24	A3	0	9
26	BD	0	1
41	BS	0	1
50	B1	0	1
54	BA	0	709
55	BB	0	21
All	All	0	1121

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
21	AA	348	G	C4'-O4'	-5.47	1.38	1.45

The worst 5 of 6805 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
22	A1	76	A	N1-C6-N6	-15.19	109.49	118.60
54	BA	1714	U	O4'-C1'-N1	14.33	119.66	108.20
54	BA	546	U	O4'-C1'-N1	13.75	119.20	108.20
54	BA	218	A	N1-C6-N6	-12.03	111.39	118.60
21	AA	152	A	N1-C6-N6	-11.78	111.53	118.60

There are no chirality outliers.

5 of 1121 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
21	AA	10	A	Sidechain
21	AA	5	U	Sidechain
21	AA	6	G	Sidechain
21	AA	8	A	Sidechain
10	AK	115	ILE	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AB	1708	0	1736	0	0
2	AC	1625	0	1699	0	0
3	AD	1643	0	1710	0	0
4	AE	1109	0	1152	0	0
5	AF	818	0	808	3	0
6	AG	1178	0	1234	0	0
7	AH	979	0	1034	0	0
8	AI	1025	0	1074	0	0
9	AJ	790	0	832	0	0
10	AK	880	0	891	0	0
11	AL	955	0	1019	1	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
12	AM	877	0	937	0	0
13	AN	805	0	844	0	0
14	AO	714	0	737	0	0
15	AP	639	0	656	0	0
16	AQ	652	0	695	0	0
17	AR	459	0	482	0	0
18	AS	641	0	669	0	0
19	AT	668	0	718	0	0
20	AU	429	0	453	0	0
21	AA	32828	0	16522	2	0
22	A1	1627	0	832	1	0
23	A2	309	0	158	0	0
24	A3	1642	0	843	1	0
25	BC	2083	0	2157	1	0
26	BD	1565	0	1616	0	0
27	BE	1552	0	1619	0	0
28	BF	1420	0	1460	0	0
29	BG	1323	0	1374	0	0
30	BH	1111	0	1148	1	0
31	BI	1032	0	1088	0	0
32	BJ	1129	0	1162	0	0
33	BK	939	0	1012	0	0
34	BL	1045	0	1117	1	0
35	BM	1074	0	1157	1	0
36	BN	961	0	1000	0	0
37	BO	892	0	923	0	0
38	BP	917	0	965	0	0
39	BQ	947	0	1022	0	0
40	BR	816	0	839	0	0
41	BS	857	0	922	0	0
42	BT	739	0	807	0	0
43	BU	780	0	834	0	0
44	BV	753	0	780	0	0
45	BW	599	0	614	0	0
46	BX	625	0	655	0	0
47	BY	509	0	543	0	0
48	BZ	449	0	491	0	0
49	B0	444	0	461	0	0
50	B1	413	0	444	0	0
51	B2	377	0	418	0	0
52	B3	504	0	574	0	0
53	B4	302	0	343	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
54	BA	62317	0	31345	6	0
55	BB	2504	0	1271	0	0
56	B5	1658	0	1751	0	0
57	A1	7	0	8	0	0
58	BA	10	0	10	0	0
All	All	147653	0	99665	15	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 0.

The worst 5 of 15 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
30:BH:143:ILE:H	30:BH:143:ILE:HD13	1.72	0.54
24:A3:72:C:C5	24:A3:73:A:C8	2.98	0.51
5:AF:94:HIS:CG	5:AF:95:ALA:H	2.33	0.47
35:BM:80:VAL:H	35:BM:81:ARG:HA	1.81	0.46
22:A1:76:A:H62	54:BA:2600:A:H3'	1.82	0.44

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	AB	218/220 (99%)	202 (93%)	13 (6%)	3 (1%)	11	46
2	AC	205/208 (99%)	189 (92%)	13 (6%)	3 (2%)	10	46
3	AD	203/206 (98%)	192 (95%)	6 (3%)	5 (2%)	5	32
4	AE	150/152 (99%)	136 (91%)	10 (7%)	4 (3%)	5	31
5	AF	99/101 (98%)	85 (86%)	8 (8%)	6 (6%)	1	17

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
6	AG	150/152 (99%)	139 (93%)	9 (6%)	2 (1%)	12	48
7	AH	127/130 (98%)	120 (94%)	7 (6%)	0	100	100
8	AI	126/128 (98%)	112 (89%)	10 (8%)	4 (3%)	4	26
9	AJ	98/100 (98%)	90 (92%)	4 (4%)	4 (4%)	3	23
10	AK	116/118 (98%)	104 (90%)	12 (10%)	0	100	100
11	AL	121/124 (98%)	109 (90%)	7 (6%)	5 (4%)	3	23
12	AM	112/115 (97%)	93 (83%)	17 (15%)	2 (2%)	8	40
13	AN	98/101 (97%)	85 (87%)	9 (9%)	4 (4%)	3	23
14	AO	86/89 (97%)	80 (93%)	4 (5%)	2 (2%)	6	34
15	AP	79/81 (98%)	67 (85%)	10 (13%)	2 (2%)	5	32
16	AQ	80/82 (98%)	74 (92%)	5 (6%)	1 (1%)	12	48
17	AR	55/57 (96%)	53 (96%)	1 (2%)	1 (2%)	8	40
18	AS	79/81 (98%)	74 (94%)	4 (5%)	1 (1%)	12	48
19	AT	84/86 (98%)	80 (95%)	4 (5%)	0	100	100
20	AU	51/53 (96%)	34 (67%)	9 (18%)	8 (16%)	0	3
25	BC	270/273 (99%)	245 (91%)	21 (8%)	4 (2%)	10	46
26	BD	207/209 (99%)	182 (88%)	17 (8%)	8 (4%)	3	23
27	BE	199/201 (99%)	183 (92%)	11 (6%)	5 (2%)	5	32
28	BF	176/179 (98%)	156 (89%)	17 (10%)	3 (2%)	9	42
29	BG	174/177 (98%)	156 (90%)	14 (8%)	4 (2%)	6	34
30	BH	147/149 (99%)	135 (92%)	11 (8%)	1 (1%)	22	63
31	BI	139/142 (98%)	125 (90%)	11 (8%)	3 (2%)	6	35
32	BJ	140/142 (99%)	130 (93%)	10 (7%)	0	100	100
33	BK	121/123 (98%)	109 (90%)	9 (7%)	3 (2%)	5	32
34	BL	141/144 (98%)	124 (88%)	10 (7%)	7 (5%)	2	20
35	BM	134/136 (98%)	117 (87%)	15 (11%)	2 (2%)	10	46
36	BN	119/121 (98%)	101 (85%)	13 (11%)	5 (4%)	3	22
37	BO	114/117 (97%)	111 (97%)	3 (3%)	0	100	100
38	BP	112/115 (97%)	98 (88%)	9 (8%)	5 (4%)	2	22
39	BQ	115/118 (98%)	103 (90%)	8 (7%)	4 (4%)	3	25
40	BR	101/103 (98%)	95 (94%)	3 (3%)	3 (3%)	4	28

*Continued on next page...*



Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
41	BS	108/110 (98%)	95 (88%)	11 (10%)	2 (2%)	8	38
42	BT	92/94 (98%)	73 (79%)	12 (13%)	7 (8%)	1	13
43	BU	101/104 (97%)	85 (84%)	11 (11%)	5 (5%)	2	20
44	BV	92/94 (98%)	89 (97%)	2 (2%)	1 (1%)	14	52
45	BW	78/80 (98%)	58 (74%)	17 (22%)	3 (4%)	3	24
46	BX	75/79 (95%)	60 (80%)	11 (15%)	4 (5%)	2	19
47	BY	61/63 (97%)	57 (93%)	2 (3%)	2 (3%)	4	26
48	BZ	56/59 (95%)	49 (88%)	6 (11%)	1 (2%)	8	40
49	B0	54/57 (95%)	50 (93%)	3 (6%)	1 (2%)	8	38
50	B1	50/52 (96%)	43 (86%)	5 (10%)	2 (4%)	3	23
51	B2	44/46 (96%)	41 (93%)	2 (4%)	1 (2%)	6	34
52	B3	62/65 (95%)	58 (94%)	3 (5%)	1 (2%)	9	44
53	B4	36/38 (95%)	34 (94%)	2 (6%)	0	100	100
56	B5	221/234 (94%)	210 (95%)	11 (5%)	0	100	100
All	All	5876/6008 (98%)	5290 (90%)	442 (8%)	144 (2%)	9	32

5 of 144 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
5	AF	86	ARG
8	AI	124	PRO
12	AM	42	VAL
13	AN	56	SER
17	AR	20	ILE

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	AB	180/180 (100%)	177 (98%)	3 (2%)	60	78
2	AC	170/171 (99%)	166 (98%)	4 (2%)	49	69

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	AD	172/173 (99%)	171 (99%)	1 (1%)	86	92
4	AE	113/113 (100%)	112 (99%)	1 (1%)	78	87
5	AF	87/87 (100%)	86 (99%)	1 (1%)	73	84
6	AG	123/123 (100%)	121 (98%)	2 (2%)	62	79
7	AH	104/105 (99%)	100 (96%)	4 (4%)	33	57
8	AI	105/105 (100%)	103 (98%)	2 (2%)	57	75
9	AJ	86/86 (100%)	84 (98%)	2 (2%)	50	70
10	AK	90/90 (100%)	89 (99%)	1 (1%)	73	84
11	AL	103/104 (99%)	101 (98%)	2 (2%)	57	75
12	AM	91/92 (99%)	90 (99%)	1 (1%)	73	84
13	AN	83/84 (99%)	81 (98%)	2 (2%)	49	69
14	AO	76/77 (99%)	74 (97%)	2 (3%)	46	66
15	AP	65/65 (100%)	65 (100%)	0	100	100
16	AQ	74/74 (100%)	72 (97%)	2 (3%)	44	65
17	AR	48/48 (100%)	47 (98%)	1 (2%)	53	72
18	AS	70/70 (100%)	69 (99%)	1 (1%)	67	80
19	AT	65/65 (100%)	65 (100%)	0	100	100
20	AU	44/44 (100%)	42 (96%)	2 (4%)	27	52
25	BC	216/217 (100%)	211 (98%)	5 (2%)	50	70
26	BD	164/164 (100%)	162 (99%)	2 (1%)	71	83
27	BE	165/165 (100%)	164 (99%)	1 (1%)	86	92
28	BF	149/150 (99%)	148 (99%)	1 (1%)	84	90
29	BG	137/138 (99%)	133 (97%)	4 (3%)	42	64
30	BH	114/114 (100%)	111 (97%)	3 (3%)	46	66
31	BI	109/110 (99%)	109 (100%)	0	100	100
32	BJ	116/116 (100%)	114 (98%)	2 (2%)	60	78
33	BK	103/103 (100%)	102 (99%)	1 (1%)	76	86
34	BL	102/103 (99%)	101 (99%)	1 (1%)	76	86
35	BM	109/109 (100%)	106 (97%)	3 (3%)	43	65
36	BN	100/100 (100%)	97 (97%)	3 (3%)	41	63
37	BO	86/87 (99%)	85 (99%)	1 (1%)	71	83

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
38	BP	99/100 (99%)	98 (99%)	1 (1%)	76	86
39	BQ	89/90 (99%)	87 (98%)	2 (2%)	52	71
40	BR	84/84 (100%)	81 (96%)	3 (4%)	35	59
41	BS	93/93 (100%)	90 (97%)	3 (3%)	39	61
42	BT	80/80 (100%)	80 (100%)	0	100	100
43	BU	83/84 (99%)	83 (100%)	0	100	100
44	BV	78/78 (100%)	77 (99%)	1 (1%)	69	81
45	BW	59/59 (100%)	56 (95%)	3 (5%)	24	48
46	BX	67/68 (98%)	67 (100%)	0	100	100
47	BY	55/55 (100%)	55 (100%)	0	100	100
48	BZ	48/49 (98%)	45 (94%)	3 (6%)	18	43
49	B0	47/48 (98%)	46 (98%)	1 (2%)	53	72
50	B1	45/45 (100%)	44 (98%)	1 (2%)	52	71
51	B2	38/38 (100%)	37 (97%)	1 (3%)	46	66
52	B3	51/52 (98%)	50 (98%)	1 (2%)	55	74
53	B4	34/34 (100%)	34 (100%)	0	100	100
56	B5	173/181 (96%)	171 (99%)	2 (1%)	71	83
All	All	4842/4870 (99%)	4759 (98%)	83 (2%)	62	78

5 of 83 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
36	BN	1	MET
45	BW	36	ILE
36	BN	70	THR
40	BR	39	LEU
48	BZ	39	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
19	AT	69	ASN
34	BL	35	HIS
36	BN	107	ASN

### 5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
21	AA	1530/1533 (99%)	255 (16%)	88 (5%)
22	A1	73/76 (96%)	12 (16%)	7 (9%)
23	A2	14/15 (93%)	4 (28%)	1 (7%)
24	A3	76/77 (98%)	11 (14%)	4 (5%)
54	BA	2902/2903 (99%)	485 (16%)	125 (4%)
55	BB	116/118 (98%)	14 (12%)	5 (4%)
All	All	4711/4722 (99%)	781 (16%)	230 (4%)

5 of 781 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
21	AA	8	A
21	AA	9	G
21	AA	13	U
21	AA	14	U
21	AA	16	A

5 of 230 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
54	BA	503	A
54	BA	2732	G
54	BA	1128	G
54	BA	2680	U
54	BA	2288	A

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

11 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
22	CM0	A1	34	22	22,26,27	1.32	2 (9%)	28,37,40	1.38	1 (3%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
22	4SU	A1	7	22	18,21,22	1.33	1 (5%)	26,30,33	0.97	2 (7%)
22	5MU	A1	54	22	19,22,23	0.75	0	28,32,35	1.31	4 (14%)
24	PSU	A3	56	24	18,21,22	0.82	0	22,30,33	1.33	2 (9%)
24	5MU	A3	55	24	19,22,23	0.73	0	28,32,35	1.31	4 (14%)
24	4SU	A3	8	24	18,21,22	1.45	1 (5%)	26,30,33	0.82	1 (3%)
24	H2U	A3	21	24	18,21,22	1.38	2 (11%)	21,30,33	1.31	3 (14%)
22	6MZ	A1	37	22	18,25,26	0.87	0	16,36,39	1.55	2 (12%)
22	PSU	A1	55	22	18,21,22	0.84	0	22,30,33	1.33	3 (13%)
24	OMC	A3	33	24	19,22,23	0.74	0	26,31,34	0.98	1 (3%)
22	7MG	A1	46	22	22,26,27	4.75	2 (9%)	29,39,42	1.33	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
22	CM0	A1	34	22	-	2/12/30/31	0/2/2/2
22	4SU	A1	7	22	-	0/7/25/26	0/2/2/2
22	5MU	A1	54	22	-	0/7/25/26	0/2/2/2
24	PSU	A3	56	24	-	2/7/25/26	0/2/2/2
24	5MU	A3	55	24	-	0/7/25/26	0/2/2/2
24	4SU	A3	8	24	-	0/7/25/26	0/2/2/2
24	H2U	A3	21	24	-	0/7/38/39	0/2/2/2
22	6MZ	A1	37	22	-	0/5/27/28	0/3/3/3
22	PSU	A1	55	22	-	4/7/25/26	0/2/2/2
24	OMC	A3	33	24	-	0/9/27/28	0/2/2/2
22	7MG	A1	46	22	-	1/7/37/38	0/3/3/3

The worst 5 of 8 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
22	A1	46	7MG	C8-N9	-22.01	1.33	1.46
24	A3	8	4SU	C5-C4	-5.00	1.36	1.42
22	A1	7	4SU	C5-C4	-4.72	1.36	1.42
22	A1	34	CM0	O5-C5	-4.45	1.26	1.36
24	A3	21	H2U	C2-N3	-3.49	1.31	1.38

The worst 5 of 24 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
22	A1	46	7MG	N9-C8-N7	5.66	111.47	103.38
22	A1	34	CM0	C7-O5-C5	5.29	124.50	117.58
22	A1	37	6MZ	C9-N6-C6	4.38	126.65	122.87
22	A1	55	PSU	C6-C5-C4	3.93	120.95	118.20
24	A3	55	5MU	C5M-C5-C6	-3.49	118.18	122.85

There are no chirality outliers.

5 of 9 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
22	A1	46	7MG	C4'-C5'-O5'-P
22	A1	55	PSU	C2'-C1'-C5-C4
22	A1	55	PSU	C2'-C1'-C5-C6
22	A1	55	PSU	O4'-C1'-C5-C6
24	A3	56	PSU	O4'-C1'-C5-C4

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
58	FME	BA	3001	57	8,9,10	0.83	0	7,9,11	2.31	3 (42%)
57	VAL	A1	101	22,58	4,6,7	0.83	0	6,7,9	0.97	1 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
58	FME	BA	3001	57	-	0/7/9/11	-
57	VAL	A1	101	22,58	-	3/5/6/8	-

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
58	BA	3001	FME	C-CA-N	4.15	117.22	109.73
58	BA	3001	FME	CA-N-CN	3.74	128.57	122.82
57	A1	101	VAL	O-C-CA	-2.33	118.68	124.78
58	BA	3001	FME	O-C-CA	-2.29	118.78	124.78

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
57	A1	101	VAL	O-C-CA-CB
57	A1	101	VAL	C-CA-CB-CG1
57	A1	101	VAL	C-CA-CB-CG2

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-2473. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

### 6.2 Central slices [i](#)


#### 6.2.1 Primary map



X Index: 64



Y Index: 64




Z Index: 64




The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 66



Y Index: 69




Z Index: 62


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal surface views [i](#)


### 6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 25.0. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


## 6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 2557  $\text{nm}^3$ ; this corresponds to an approximate mass of 2310 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [i](#)



\*Reported resolution corresponds to spatial frequency of 0.067 Å<sup>-1</sup>


## 8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-2473 and PDB model 4V73. Per-residue inclusion information can be found in section 3 on page 17.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 25.0 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.


## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (25.0).









































































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 63% of all backbone atoms, 72% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary













































The table lists the average atom inclusion at the recommended contour level (25.0) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7241	 0.0610
A1	 0.7607	 0.0870
A2	 0.5113	 0.0570
A3	 0.7083	 0.0630
AA	 0.8176	 0.0730
AB	 0.5310	 0.0480
AC	 0.5630	 0.0370
AD	 0.5453	 0.0320
AE	 0.6823	 0.0660
AF	 0.6600	 0.0440
AG	 0.6553	 0.0420
AH	 0.5823	 0.0360
AI	 0.7217	 0.0440
AJ	 0.6623	 0.0350
AK	 0.5626	 0.0450
AL	 0.5776	 0.0480
AM	 0.6533	 0.0560
AN	 0.6305	 0.0480
AO	 0.6217	 0.0160
AP	 0.5608	 -0.0080
AQ	 0.5701	 0.0270
AR	 0.6219	 0.0070
AS	 0.8542	 0.0480
AT	 0.7546	 0.0110
AU	 0.4572	 -0.0040
B0	 0.6262	 0.0390
B1	 0.6634	 0.0590
B2	 0.4958	 0.0090
B3	 0.2872	 -0.0110
B4	 0.7568	 0.0450
B5	 0.5738	 0.0150
BA	 0.7881	 0.0770
BB	 0.7356	 0.0390
BC	 0.4834	 0.0130
BD	 0.5039	 0.0230



*Continued on next page...*

*Continued from previous page...*

Chain	Atom inclusion	Q-score
BE	 0.6316	 0.0390
BF	 0.6978	 0.0490
BG	 0.6022	 0.0550
BH	 0.2372	 0.0420
BI	 0.0068	 0.0200
BJ	 0.5773	 0.0280
BK	 0.4748	 0.0430
BL	 0.5157	 0.0010
BM	 0.4837	 0.0400
BN	 0.6078	 0.0190
BO	 0.7659	 0.0120
BP	 0.4854	 0.0390
BQ	 0.6046	 0.0190
BR	 0.6161	 0.0240
BS	 0.4438	 0.0110
BT	 0.6722	 0.0310
BU	 0.6172	 0.0390
BV	 0.6396	 0.0330
BW	 0.5670	 0.0130
BX	 0.5391	 0.0090
BY	 0.6781	 0.0540
BZ	 0.4622	 0.0210