

# wwPDB X-ray Structure Validation Summary Report (i)

#### Jan 4, 2024 – 04:58 pm GMT

PDB ID : 5AKD

Title: MutS in complex with the N-terminal domain of MutL - crystal form 3

Authors : Groothuizen, F.S.; Winkler, I.; Cristovao, M.; Fish, A.; Winterwerp, H.H.K.;

Reumer, A.; Marx, A.D.; Hermans, N.; Nicholls, R.A.; Murshudov, G.N.;

Lebbink, J.H.G.; Friedhoff, P.; Sixma, T.K.

Deposited on : 2015-03-03

Resolution : 7.60 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity : 4.02b-467

Mogul : 1.8.4, CSD as 541be (2020)

Xtriage (Phenix) : 1.13

EDS : 2.36

buster-report : 1.1.7 (2018)

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

Refmac : 5.8.0158

CCP4 : 7.0.044 (Gargrove)

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.36

## 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X- $RAY\ DIFFRACTION$ 

The reported resolution of this entry is 7.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive	Similar resolution		
Metric	$(\# \mathrm{Entries})$	$(\#  ext{Entries},  ext{ resolution range}( ext{Å}))$		
$R_{free}$	130704	1004 (10.00-3.90)		
Clashscore	141614	1069 (10.00-3.90)		
Ramachandran outliers	138981	1002 (10.00-3.90)		
Sidechain outliers	138945	1002 (10.00-3.86)		
RSRZ outliers	127900	1004 (9.50-3.80)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain			
			39%			
1	A	800	72%	10%		17%
			36%			
1	В	800	73%	9%	•	17%
			43%			
1	$\mathbf{E}$	800	72%	10%	•	17%
			34%			
1	F	800	73%	10%		17%



Continued from previous page...

Mol	Chain	Length	Quality of chai	Quality of chain					
1	I	800	41%		70/	170/			
1	1	800	75%		7% •	17%			
1	J	800	74%		9%	17%			
9	С	260	37%						
2	C	369	64%	12%	•	23%			
2	D	369	64%	12%	•	23%			
0	C	0.00	42%						
2	G	369	64% 43%	12%	•	23%			
2	Н	369	62%	13%	•	23%			
	T.7	2.60	35%		_				
2	K	369	63%	12%	••	23%			
2	L	369	62%	14%	·	23%			

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	ANP	Ε	1801	-	-	-	X
3	ANP	I	1801	-	-	-	X
3	ANP	J	1801	-	-	-	X



# 2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 45054 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called DNA MISMATCH REPAIR PROTEIN MUTS.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	663	Total	С	N	О	S	0	0	0
1	A	003	5226	3284	938	984	20	U	0	
1	В	663	Total	С	N	О	S	0	0	0
1	Ъ	005	5226	3284	938	984	20	U	0	
1	Е	663	Total	С	N	О	S	0	0	0
1	12	005	5226	3284	938	984	20		0	
1	F	663	Total	С	N	О	S	0	0	0
1	Г	005	5226	3284	938	984	20	U	0	
1	Т	663	Total	С	N	О	S	0	0	0
1	1	005	5226	3284	938	984	20	U	0	
1	J	663	Total	С	N	О	S	0	0	0
1	1	003	5226	3284	938	984	20	U		

There are 42 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	93	ALA	CYS	engineered mutation	UNP P23909
A	235	SER	CYS	engineered mutation	UNP P23909
A	239	ALA	CYS	engineered mutation	UNP P23909
A	246	CYS	ASP	engineered mutation	UNP P23909
A	297	SER	CYS	engineered mutation	UNP P23909
A	569	SER	CYS	engineered mutation	UNP P23909
A	711	VAL	CYS	engineered mutation	UNP P23909
В	93	ALA	CYS	engineered mutation	UNP P23909
В	235	SER	CYS	engineered mutation	UNP P23909
В	239	ALA	CYS	engineered mutation	UNP P23909
В	246	CYS	ASP	engineered mutation	UNP P23909
В	297	SER	CYS	engineered mutation	UNP P23909
В	569	SER	CYS	engineered mutation	UNP P23909
В	711	VAL	CYS	engineered mutation	UNP P23909
Е	93	ALA	CYS	engineered mutation	UNP P23909
Е	235	SER	CYS	engineered mutation	UNP P23909
Е	239	ALA	CYS	engineered mutation	UNP P23909



 $Continued\ from\ previous\ page...$ 

Chain	Residue	Modelled	Actual	Comment	Reference
Е	246	CYS	ASP	engineered mutation	UNP P23909
Е	297	SER	CYS	engineered mutation	UNP P23909
Е	569	SER	CYS	engineered mutation	UNP P23909
Е	711	VAL	CYS	engineered mutation	UNP P23909
F	93	ALA	CYS	engineered mutation	UNP P23909
F	235	SER	CYS	engineered mutation	UNP P23909
F	239	ALA	CYS	engineered mutation	UNP P23909
F	246	CYS	ASP	engineered mutation	UNP P23909
F	297	SER	CYS	engineered mutation	UNP P23909
F	569	SER	CYS	engineered mutation	UNP P23909
F	711	VAL	CYS	engineered mutation	UNP P23909
I	93	ALA	CYS	engineered mutation	UNP P23909
I	235	SER	CYS	engineered mutation	UNP P23909
I	239	ALA	CYS	engineered mutation	UNP P23909
I	246	CYS	ASP	engineered mutation	UNP P23909
I	297	SER	CYS	engineered mutation	UNP P23909
I	569	SER	CYS	engineered mutation	UNP P23909
I	711	VAL	CYS	engineered mutation	UNP P23909
J	93	ALA	CYS	engineered mutation	UNP P23909
J	235	SER	CYS	engineered mutation	UNP P23909
J	239	ALA	CYS	engineered mutation	UNP P23909
J	246	CYS	ASP	engineered mutation	UNP P23909
J	297	SER	CYS	engineered mutation	UNP P23909
J	569	SER	CYS	engineered mutation	UNP P23909
J	711	VAL	CYS	engineered mutation	UNP P23909

• Molecule 2 is a protein called DNA MISMATCH REPAIR PROTEIN MUTL.

Mol	Chain	Residues		Ato	oms			ZeroOcc	AltConf	Trace
2	С	285	Total	С	N	О	S	0	0	0
2		200	2252	1423	409	418	2	0	U	0
2	D	285	Total	С	N	О	S	0	0	0
2	ע	200	2252	1423	409	418	2	0		0
2	G	285	Total	С	N	О	S	0	0	0
2	G	200	2252	1423	409	418	2			
2	Н	285	Total	С	N	О	S	0	0	0
2	11	200	2252	1423	409	418	2		0	
2	K	285	Total	С	N	О	S	0	0	0
	11	200	2252	1423	409	418	2	0	U	U
2	T	285	Total	С	N	О	S	0	0	0
	ш	200	2252	1423	409	418	2	U	U	U

There are 150 discrepancies between the modelled and reference sequences:



Chain	Residue	Modelled	Actual	Comment	Reference
С	-19	MET	-	expression tag	UNP P23367
С	-18	GLY	-	expression tag	UNP P23367
С	-17	SER	-	expression tag	UNP P23367
С	-16	SER	-	expression tag	UNP P23367
С	-15	HIS	-	expression tag	UNP P23367
С	-14	HIS	-	expression tag	UNP P23367
С	-13	HIS	-	expression tag	UNP P23367
С	-12	HIS	-	expression tag	UNP P23367
С	-11	HIS	-	expression tag	UNP P23367
С	-10	HIS	-	expression tag	UNP P23367
С	-9	SER	-	expression tag	UNP P23367
С	-8	SER	-	expression tag	UNP P23367
С	-7	GLY	-	expression tag	UNP P23367
С	-6	LEU	-	expression tag	UNP P23367
С	-5	VAL	-	expression tag	UNP P23367
С	-4	PRO	-	expression tag	UNP P23367
С	-3	ARG	-	expression tag	UNP P23367
С	-2	GLY	-	expression tag	UNP P23367
С	-1	SER	-	expression tag	UNP P23367
С	0	HIS	_	expression tag	UNP P23367
С	61	SER	CYS	engineered mutation	UNP P23367
С	131	CYS	ASN	engineered mutation	UNP P23367
С	216	LEU	CYS	engineered mutation	UNP P23367
С	256	PHE	CYS	engineered mutation	UNP P23367
С	276	TYR	CYS	engineered mutation	UNP P23367
D	-19	MET	-	expression tag	UNP P23367
D	-18	GLY	-	expression tag	UNP P23367
D	-17	SER	-	expression tag	UNP P23367
D	-16	SER	-	expression tag	UNP P23367
D	-15	HIS	-	expression tag	UNP P23367
D	-14	HIS	-	expression tag	UNP P23367
D	-13	HIS	-	expression tag	UNP P23367
D	-12	HIS	-	expression tag	UNP P23367
D	-11	HIS	-	expression tag	UNP P23367
D	-10	HIS	-	expression tag	UNP P23367
D	-9	SER	-	expression tag	UNP P23367
D	-8	SER	-	expression tag	UNP P23367
D	-7	GLY	-	expression tag	UNP P23367
D	-6	LEU	-	expression tag	UNP P23367
D	-5	VAL	-	expression tag	UNP P23367
D	-4	PRO	-	expression tag	UNP P23367
D	-3	ARG	-	expression tag	UNP P23367
D	-2	GLY	-	expression tag	UNP P23367



 $Continued\ from\ previous\ page...$ 

Chain	Residue	Modelled	Actual	Comment	Reference
D	-1	SER	-	expression tag	UNP P23367
D	0	HIS	-	expression tag	UNP P23367
D	61	SER	CYS	engineered mutation	UNP P23367
D	131	CYS	ASN	engineered mutation	UNP P23367
D	216	LEU	CYS	engineered mutation	UNP P23367
D	256	PHE	CYS	engineered mutation	UNP P23367
D	276	TYR	CYS	engineered mutation	UNP P23367
G	-19	MET	-	expression tag	UNP P23367
G	-18	GLY	-	expression tag	UNP P23367
G	-17	SER	-	expression tag	UNP P23367
G	-16	SER	-	expression tag	UNP P23367
G	-15	HIS	-	expression tag	UNP P23367
G	-14	HIS	-	expression tag	UNP P23367
G	-13	HIS	-	expression tag	UNP P23367
G	-12	HIS	-	expression tag	UNP P23367
G	-11	HIS	-	expression tag	UNP P23367
G	-10	HIS	-	expression tag	UNP P23367
G	-9	SER	-	expression tag	UNP P23367
G	-8	SER	-	expression tag	UNP P23367
G	-7	GLY	-	expression tag	UNP P23367
G	-6	LEU	-	expression tag	UNP P23367
G	-5	VAL	-	expression tag	UNP P23367
G	-4	PRO	-	expression tag	UNP P23367
G	-3	ARG	-	expression tag	UNP P23367
G	-2	GLY	-	expression tag	UNP P23367
G	-1	SER	ı	expression tag	UNP P23367
G	0	HIS	-	expression tag	UNP P23367
G	61	SER	CYS	engineered mutation	UNP P23367
G	131	CYS	ASN	engineered mutation	UNP P23367
G	216	LEU	CYS	engineered mutation	UNP P23367
G	256	PHE	CYS	engineered mutation	UNP P23367
G	276	TYR	CYS	engineered mutation	UNP P23367
Н	-19	MET	-	expression tag	UNP P23367
Н	-18	GLY	_	expression tag	UNP P23367
Н	-17	SER	-	expression tag	UNP P23367
Н	-16	SER	-	expression tag	UNP P23367
Н	-15	HIS	-	expression tag	UNP P23367
Н	-14	HIS	-	expression tag	UNP P23367
Н	-13	HIS	_	expression tag	UNP P23367
Н	-12	HIS	-	expression tag	UNP P23367
Н	-11	HIS	-	expression tag	UNP P23367
Н	-10	HIS	-	expression tag	UNP P23367



 $Continued\ from\ previous\ page...$ 


Chain	Residue	Modelled	Actual	Comment	Reference
Н	-9	SER	-	expression tag	UNP P23367
Н	-8	SER	-	expression tag	UNP P23367
Н	-7	GLY	-	expression tag	UNP P23367
Н	-6	LEU	-	expression tag	UNP P23367
Н	-5	VAL	-	expression tag	UNP P23367
Н	-4	PRO	-	expression tag	UNP P23367
Н	-3	ARG	-	expression tag	UNP P23367
Н	-2	GLY	-	expression tag	UNP P23367
Н	-1	SER	-	expression tag	UNP P23367
Н	0	HIS	-	expression tag	UNP P23367
Н	61	SER	CYS	engineered mutation	UNP P23367
Н	131	CYS	ASN	engineered mutation	UNP P23367
Н	216	LEU	CYS	engineered mutation	UNP P23367
Н	256	PHE	CYS	engineered mutation	UNP P23367
Н	276	TYR	CYS	engineered mutation	UNP P23367
K	-19	MET	-	expression tag	UNP P23367
K	-18	GLY	-	expression tag	UNP P23367
K	-17	SER	-	expression tag	UNP P23367
K	-16	SER	-	expression tag	UNP P23367
K	-15	HIS	-	expression tag	UNP P23367
K	-14	HIS	-	expression tag	UNP P23367
K	-13	HIS	-	expression tag	UNP P23367
K	-12	HIS	-	expression tag	UNP P23367
K	-11	HIS	-	expression tag	UNP P23367
K	-10	HIS	_	expression tag	UNP P23367
K	-9	SER	-	expression tag	UNP P23367
K	-8	SER	-	expression tag	UNP P23367
K	-7	GLY	-	expression tag	UNP P23367
K	-6	LEU	-	expression tag	UNP P23367
K	-5	VAL	-	expression tag	UNP P23367
K	-4	PRO	-	expression tag	UNP P23367
K	-3	ARG	-	expression tag	UNP P23367
K	-2	GLY	-	expression tag	UNP P23367
K	-1	SER	-	expression tag	UNP P23367
K	0	HIS	-	expression tag	UNP P23367
K	61	SER	CYS	engineered mutation	UNP P23367
K	131	CYS	ASN	engineered mutation	UNP P23367
K	216	LEU	CYS	engineered mutation	UNP P23367
K	256	PHE	CYS	engineered mutation	UNP P23367
K	276	TYR	CYS	engineered mutation	UNP P23367
L	-19	MET	-	expression tag	UNP P23367
L	-18	GLY	-	expression tag	UNP P23367



 $Continued\ from\ previous\ page...$ 

Chain	Residue	Modelled	Actual	Comment	Reference
L	-17	SER	-	expression tag	UNP P23367
L	-16	SER	-	expression tag	UNP P23367
L	-15	HIS	-	expression tag	UNP P23367
L	-14	HIS	-	expression tag	UNP P23367
L	-13	HIS	-	expression tag	UNP P23367
L	-12	HIS	-	expression tag	UNP P23367
L	-11	HIS	-	expression tag	UNP P23367
L	-10	HIS	-	expression tag	UNP P23367
L	-9	SER	-	expression tag	UNP P23367
L	-8	SER	-	expression tag	UNP P23367
L	-7	GLY	-	expression tag	UNP P23367
L	-6	LEU	-	expression tag	UNP P23367
L	-5	VAL	-	expression tag	UNP P23367
L	-4	PRO	-	expression tag	UNP P23367
L	-3	ARG	-	expression tag	UNP P23367
L	-2	GLY	-	expression tag	UNP P23367
L	-1	SER	-	expression tag	UNP P23367
L	0	HIS	-	expression tag	UNP P23367
L	61	SER	CYS	engineered mutation	UNP P23367
L	131	CYS	ASN	engineered mutation	UNP P23367
L	216	LEU	CYS	engineered mutation	UNP P23367
L	256	PHE	CYS	engineered mutation	UNP P23367
L	276	TYR	CYS	engineered mutation	UNP P23367

• Molecule 3 is PHOSPHOAMINOPHOSPHONIC ACID-ADENYLATE ESTER (three-letter code: ANP) (formula:  $C_{10}H_{17}N_6O_{12}P_3$ ).






Mol	Chain	Residues		Ato	oms			ZeroOcc	AltConf
3	A	1	Total	С	N	О	Р	0	0
3	A	1	31	10	6	12	3	U	0
3	В	1	Total	С	N	О	Р	0	0
3	Б	1	31	10	6	12	3	U	0
3	E	1	Total	С	N	О	Р	0	0
3	<u> 1</u> 2	1	31	10	6	12	3	U	0
3	F	1	Total	С	N	О	Р	0	0
3	I'	1	31	10	6	12	3	0	0
3	Ţ	1	Total	С	N	О	Р	0	0
3	1	1	31	10	6	12	3	0	0
3	т	1	Total	С	N	О	Р	0	0
3	J	1	31	10	6	12	3	U	




# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: DNA MISMATCH REPAIR PROTEIN MUTS















































# 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	193.02Å 109.76Å 275.84Å	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $90.00^{\circ}$ $90.00^{\circ}$	Depositor
Resolution (Å)	275.84 - 7.60	Depositor
resolution (A)	49.30 - 7.60	EDS
% Data completeness	80.1 (275.84-7.60)	Depositor
(in resolution range)	80.5 (49.30-7.60)	EDS
$R_{merge}$	0.17	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) > 1$	1.14 (at 7.37Å)	Xtriage
Refinement program	REFMAC 5.8.0107	Depositor
$R, R_{free}$	0.264 , $0.306$	Depositor
it, it free	0.260 , $0.301$	DCC
$R_{free}$ test set	585 reflections $(4.98%)$	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	441.7	Xtriage
Anisotropy	0.279	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$ , $B_{sol}(Å^2)$	$0.38\;,500.0$	EDS
L-test for twinning <sup>2</sup>	$< L >=0.37, < L^2>=0.19$	Xtriage
Estimated twinning fraction	0.090 for h,-k,-l	Xtriage
$F_o, F_c$ correlation	0.79	EDS
Total number of atoms	45054	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	231.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 8.81% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of <|L|>,  $<L^2>$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality (i)

### 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: ANP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Mol Chain		ond lengths	В	ond angles
IVIOI	Chain	RMSZ	$MSZ \mid \# Z  > 5$		# Z >5
1	A	0.66	1/5311~(0.0%)	0.80	9/7186 (0.1%)
1	В	0.66	0/5311	0.80	10/7186 (0.1%)
1	Е	0.65	3/5311 (0.1%)	0.84	16/7186 (0.2%)
1	F	0.64	0/5311	0.77	13/7186 (0.2%)
1	I	0.62	0/5311	0.74	2/7186 (0.0%)
1	J	0.70	3/5311 (0.1%)	0.86	11/7186 (0.2%)
2	С	0.72	$1/2288 \; (0.0\%)$	0.79	2/3096 (0.1%)
2	D	0.82	$2/2288 \; (0.1\%)$	0.85	6/3096 (0.2%)
2	G	0.71	0/2288	0.81	4/3096 (0.1%)
2	Н	0.71	$1/2288 \; (0.0\%)$	0.84	8/3096 (0.3%)
2	K	0.90	3/2288 (0.1%)	1.03	8/3096 (0.3%)
2	L	0.71	0/2288	0.82	5/3096 (0.2%)
All	All	0.69	$14/45594 \ (0.0\%)$	0.82	94/61692 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a maintain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	В	0	2
2	K	0	1
All	All	0	3

The worst 5 of 14 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	$\mathbf{Z}$	$\operatorname{Observed}(\mathring{A})$	$\operatorname{Ideal}(\operatorname{\AA})$
2	K	157	ARG	CD-NE	17.42	1.76	1.46
2	K	157	ARG	NE-CZ	17.13	1.55	1.33
1	J	787	LYS	CE-NZ	15.77	1.88	1.49
1	J	249	ARG	NE-CZ	13.73	1.50	1.33



Continued from previous page...

Mol	Chain	$\operatorname{Res}$	Type	Atoms	$\mathbf{Z}$	Observed(A)	$\operatorname{Ideal}( ext{\AA})$
2	D	228	GLU	CD-OE1	11.54	1.38	1.25

The worst 5 of 94 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	$\mathbf{Z}$	$\mathbf{Observed}(^o)$	$\operatorname{Ideal}(^{o})$
2	K	157	ARG	NE-CZ-NH1	31.56	136.08	120.30
1	J	249	ARG	NE-CZ-NH1	29.02	134.81	120.30
1	J	249	ARG	NE-CZ-NH2	-20.07	110.27	120.30
1	Е	156	ARG	NE-CZ-NH2	16.87	128.74	120.30
1	Е	420	ARG	NE-CZ-NH1	13.33	126.97	120.30

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	В	129	GLN	Peptide
1	В	268	ILE	Peptide
2	K	157	ARG	Sidechain

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5226	0	5283	64	0
1	В	5226	0	5283	74	1
1	Ε	5226	0	5283	86	0
1	F	5226	0	5283	61	1
1	I	5226	0	5283	46	1
1	J	5226	0	5283	42	0
2	С	2252	0	2272	29	0
2	D	2252	0	2272	37	0
2	G	2252	0	2272	38	0
2	Н	2252	0	2272	41	0
2	K	2252	0	2272	29	1
2	L	2252	0	2272	39	0
3	A	31	0	13	5	0
3	В	31	0	13	4	0



I 'omtamalod	trom	mmonia	maaa
Continued	11 0116	DICUIUUS	Daue
	.,	10	1

Mol	Chain	Non-H	H(model)	$\mathbf{H}(\mathbf{added})$	Clashes	Symm-Clashes
3	Е	31	0	13	2	0
3	F	31	0	13	3	0
3	I	31	0	13	6	0
3	J	31	0	13	2	0
All	All	45054	0	45408	488	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 488 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	$\begin{array}{c} {\rm Interatomic} \\ {\rm distance} \ ({\rm \AA}) \end{array}$	Clash overlap (Å)
2:C:28:LYS:CE	2:C:28:LYS:NZ	1.71	1.50
2:K:157:ARG:CD	2:K:157:ARG:NE	1.76	1.46
1:J:787:LYS:NZ	1:J:787:LYS:CE	1.88	1.35
1:E:269:MET:SD	1:E:653:ILE:HB	1.69	1.31
2:D:105:VAL:O	2:D:150:LEU:CD1	1.90	1.20

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	$\begin{array}{c} {\rm Interatomic} \\ {\rm distance} \ ({\rm \AA}) \end{array}$	Clash overlap (Å)
1:B:737:GLU:OE2	1:F:491:ARG:NH1[2_544]	1.87	0.33
1:I:488:ASN:ND2	2:K:117:GLN:OE1[1_545]	1.91	0.29

### 5.3 Torsion angles (i)

### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percen	tiles
1	A	659/800~(82%)	636 (96%)	23 (4%)	0	100	100
1	В	659/800 (82%)	638 (97%)	21 (3%)	0	100	100



Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Per	centiles
1	E	659/800~(82%)	632 (96%)	24 (4%)	3 (0%)	29	69
1	F	659/800 (82%)	634 (96%)	23 (4%)	2 (0%)	4	1 77
1	I	659/800 (82%)	635 (96%)	22 (3%)	2 (0%)	4	1 77
1	J	659/800 (82%)	639 (97%)	18 (3%)	2 (0%)	4	1 77
2	С	277/369 (75%)	258 (93%)	15 (5%)	4 (1%)	1	46
2	D	277/369 (75%)	260 (94%)	13 (5%)	4 (1%)	1	46
2	G	277/369 (75%)	261 (94%)	13 (5%)	3 (1%)	14	52
2	Н	277/369 (75%)	260 (94%)	13 (5%)	4 (1%)	1	46
2	K	277/369 (75%)	262 (95%)	11 (4%)	4 (1%)	1	46
2	L	277/369 (75%)	261 (94%)	12 (4%)	4 (1%)	1	1 46
All	All	5616/7014 (80%)	5376 (96%)	208 (4%)	32 (1%)	2	5 66

5 of 32 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	С	163	THR
2	D	151	PHE
1	F	267	ILE
2	G	163	THR
2	Н	163	THR

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	550/662~(83%)	539 (98%)	11 (2%)	55 74
1	В	550/662 (83%)	541 (98%)	9 (2%)	62 79
1	E	550/662~(83%)	539 (98%)	11 (2%)	55 74
1	F	550/662~(83%)	541 (98%)	9 (2%)	62 79
1	I	550/662~(83%)	538 (98%)	12 (2%)	52 71
1	J	550/662 (83%)	541 (98%)	9 (2%)	62 79



Continued	trom	mromonie	maaa
-	110111	DICULUUS	pauc

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
2	$\mathbf{C}$	$235/308 \ (76\%)$	228 (97%)	7 (3%)	41	63
2	D	$235/308 \ (76\%)$	225 (96%)	10 (4%)	29	53
2	G	$235/308 \ (76\%)$	227 (97%)	8 (3%)	37	60
2	Н	$235/308 \ (76\%)$	223 (95%)	12 (5%)	24	48
2	K	235/308~(76%)	227 (97%)	8 (3%)	37	60
2	L	$235/308 \ (76\%)$	224 (95%)	11 (5%)	26	51
All	All	4710/5820 (81%)	4593 (98%)	117 (2%)	47	68

5 of 117 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	G	28	LYS
2	L	158	ARG
2	Н	158	ARG
2	L	152	TYR
2	K	72	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 22 such sidechains are listed below:

Mol	Chain	Res	Type
1	F	616	ASN
2	Н	331	GLN
2	Н	319	HIS
1	I	264	GLN
1	В	585	HIS

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.



### 5.6 Ligand geometry (i)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	В	ond leng	$_{ m gths}$	В	ond ang	gles
IVIOI	Type	Chain	nes	LIIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z  > 2
3	ANP	E	1801	-	29,33,33	1.96	10 (34%)	31,52,52	2.09	8 (25%)
3	ANP	F	1801	-	29,33,33	1.75	9 (31%)	31,52,52	2.06	10 (32%)
3	ANP	I	1801	-	29,33,33	1.85	8 (27%)	31,52,52	1.83	7 (22%)
3	ANP	J	1801	-	29,33,33	1.88	9 (31%)	31,52,52	1.87	7 (22%)
3	ANP	A	1801	_	29,33,33	1.99	7 (24%)	31,52,52	2.03	8 (25%)
3	ANP	В	1801	-	29,33,33	1.80	7 (24%)	31,52,52	2.10	9 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ANP	E	1801	-	-	7/14/38/38	0/3/3/3
3	ANP	F	1801	-	-	5/14/38/38	0/3/3/3
3	ANP	I	1801	-	-	3/14/38/38	0/3/3/3
3	ANP	J	1801	-	-	2/14/38/38	0/3/3/3
3	ANP	A	1801	-	-	5/14/38/38	0/3/3/3
3	ANP	В	1801	-	-	8/14/38/38	0/3/3/3

The worst 5 of 50 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$Ideal(\AA)$
3	J	1801	ANP	PG-N3B	4.96	1.76	1.63
3	A	1801	ANP	PG-N3B	4.86	1.76	1.63
3	A	1801	ANP	PB-N3B	4.74	1.75	1.63
3	J	1801	ANP	PB-N3B	4.42	1.74	1.63
3	I	1801	ANP	PB-N3B	4.28	1.74	1.63



	The worst	5	of	49	bond	angle	outliers	are	listed	below:
--	-----------	---	----	----	------	-------	----------	-----	--------	--------

Mol	Chain	Res	Type	Atoms	$\mathbf{Z}$	$Observed(^o)$	$\operatorname{Ideal}({}^{o})$
3	В	1801	ANP	O1G-PG-N3B	-6.82	101.73	111.77
3	F	1801	ANP	O1G-PG-N3B	-6.64	101.99	111.77
3	J	1801	ANP	O1G-PG-N3B	-5.55	103.59	111.77
3	Е	1801	ANP	O1G-PG-N3B	-5.23	104.07	111.77
3	Е	1801	ANP	C3'-C2'-C1'	5.03	108.55	100.98

There are no chirality outliers.

5 of 30 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1801	ANP	PA-O3A-PB-O1B
3	A	1801	ANP	PA-O3A-PB-O2B
3	A	1801	ANP	C5'-O5'-PA-O1A
3	A	1801	ANP	C5'-O5'-PA-O2A
3	A	1801	ANP	C5'-O5'-PA-O3A


There are no ring outliers.

6 monomers are involved in 22 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	Е	1801	ANP	2	0
3	F	1801	ANP	3	0
3	I	1801	ANP	6	0
3	J	1801	ANP	2	0
3	A	1801	ANP	5	0
3	В	1801	ANP	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





























# 5.7 Other polymers (i)

There are no such residues in this entry.

### 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



## 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ>2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<rsrz></rsrz>	$\# \mathrm{RSRZ} > 2$	2	$\mathrm{OWAB}(\mathrm{\AA}^2)$	Q<0.9
1	A	663/800 (82%)	2.23	315 (47%) 0	1	120, 187, 361, 469	0
1	В	663/800 (82%)	2.06	289 (43%) 0	1	125, 203, 272, 321	0
1	E	663/800 (82%)	2.67	343 (51%) 0	1	170, 262, 510, 665	0
1	F	663/800 (82%)	2.01	276 (41%) 0	1	127, 197, 351, 463	0
1	I	663/800 (82%)	2.38	325 (49%) 0	1	174, 224, 402, 487	0
1	J	663/800 (82%)	2.73	363 (54%) 0	1	172, 231, 378, 460	0
2	С	285/369 (77%)	2.04	136 (47%) 0	1	178, 213, 254, 293	0
2	D	285/369 (77%)	2.37	144 (50%) 0	1	170, 201, 273, 306	0
2	G	285/369 (77%)	2.38	155 (54%) 0	1	204, 224, 251, 265	0
2	Н	285/369 (77%)	2.60	159 (55%) 0	1	154, 218, 301, 389	0
2	K	285/369 (77%)	2.12	130 (45%) 0	1	185, 220, 264, 283	0
2	L	285/369 (77%)	2.31	139 (48%) 0	1	210, 231, 253, 269	0
All	All	5688/7014 (81%)	2.33	2774 (48%) 0	1	120, 220, 361, 665	0

The worst 5 of 2774 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	J	749	ALA	21.6
1	Ε	757	ALA	19.1
1	J	147	THR	16.8
1	Е	134	ALA	14.9
1	A	135	ALA	14.7

### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



### 6.3 Carbohydrates (i)


There are no monosaccharides in this entry.

### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\operatorname{B-factors}( \mathrm{\AA}^2 )$	Q<0.9
3	ANP	J	1801	31/31	0.64	0.49	193,199,212,213	0
3	ANP	I	1801	31/31	0.70	0.41	177,180,186,187	0
3	ANP	Е	1801	31/31	0.70	0.51	204,216,227,232	0
3	ANP	В	1801	31/31	0.72	0.31	165,174,179,181	0
3	ANP	A	1801	31/31	0.81	0.51	156,164,170,171	0
3	ANP	F	1801	31/31	0.85	0.30	154,162,169,174	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







## Electron density around ANP I 1801:

 $2 {\rm mF}_o\text{-}{\rm DF}_c$  (at 0.7 rmsd) in gray  ${\rm mF}_o\text{-}{\rm DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)









#### Electron density around ANP E 1801:


 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 0.7 rmsd) in gray  $\mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)














#### Electron density around ANP A 1801:

 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 0.7 rmsd) in gray  $mF_o$ -DF<sub>c</sub> (at 3 rmsd) in purple (negative) and green (positive)









### 6.5 Other polymers (i)

There are no such residues in this entry.

