



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 8, 2020 – 09:33 PM BST

PDB ID : 5AWC  
Title : Crystal structure of human TLR8 in complex with MB-564  
Authors : Tanji, H.; Ohto, U.; Shimizu, T.  
Deposited on : 2015-07-03  
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.13.1  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.13.1


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	811	<div style="display: flex; align-items: center;"> <div style="width: 5%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 79%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 12%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 8%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 10%; height: 10px; background-color: grey;"></div> </div> <p style="font-size: small; margin-top: 5px;">%      79%      12%      •      8%</p>
1	B	811	<div style="display: flex; align-items: center;"> <div style="width: 5%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 78%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 12%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 9%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 10%; height: 10px; background-color: grey;"></div> </div> <p style="font-size: small; margin-top: 5px;">%      78%      12%      9%</p>
1	C	811	<div style="display: flex; align-items: center;"> <div style="width: 5%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 77%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 12%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 10%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 10%; height: 10px; background-color: grey;"></div> </div> <p style="font-size: small; margin-top: 5px;">5%      77%      12%      10%</p>
1	D	811	<div style="display: flex; align-items: center;"> <div style="width: 10%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 66%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 20%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 11%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 10%; height: 10px; background-color: grey;"></div> </div> <p style="font-size: small; margin-top: 5px;">10%      66%      20%      • •      11%</p>
2	E	3	<div style="display: flex; align-items: center;"> <div style="width: 33%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 67%; height: 10px; background-color: orange;"></div> </div> <p style="font-size: small; margin-top: 5px;">33%      67%</p>
2	G	3	<div style="display: flex; align-items: center;"> <div style="width: 100%; height: 10px; background-color: yellow;"></div> </div> <p style="font-size: small; margin-top: 5px;">100%</p>

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
2	H	3	 33% 67%
2	J	3	 100%
2	K	3	 100%
2	M	3	 100%
2	N	3	 67% 33%
2	P	3	 100%
3	F	2	 100%
3	I	2	 100%
3	L	2	 100%
3	O	2	 50% 50%

## 2 Entry composition i

There are 6 unique types of molecules in this entry. The entry contains 24478 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Toll-like receptor 8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	749	Total 6035	C 3862	N 1023	O 1131	S 19	0	0	0
1	B	742	Total 5979	C 3828	N 1015	O 1117	S 19	0	0	0
1	C	727	Total 5871	C 3760	N 998	O 1094	S 19	0	0	0
1	D	724	Total 5836	C 3735	N 990	O 1092	S 19	0	0	0

There are 40 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	23	ARG	-	expression tag	UNP Q9NR97
A	24	SER	-	expression tag	UNP Q9NR97
A	25	PRO	-	expression tag	UNP Q9NR97
A	26	TRP	-	expression tag	UNP Q9NR97
A	828	GLU	-	expression tag	UNP Q9NR97
A	829	PHE	-	expression tag	UNP Q9NR97
A	830	LEU	-	expression tag	UNP Q9NR97
A	831	VAL	-	expression tag	UNP Q9NR97
A	832	PRO	-	expression tag	UNP Q9NR97
A	833	ARG	-	expression tag	UNP Q9NR97
B	23	ARG	-	expression tag	UNP Q9NR97
B	24	SER	-	expression tag	UNP Q9NR97
B	25	PRO	-	expression tag	UNP Q9NR97
B	26	TRP	-	expression tag	UNP Q9NR97
B	828	GLU	-	expression tag	UNP Q9NR97
B	829	PHE	-	expression tag	UNP Q9NR97
B	830	LEU	-	expression tag	UNP Q9NR97
B	831	VAL	-	expression tag	UNP Q9NR97
B	832	PRO	-	expression tag	UNP Q9NR97
B	833	ARG	-	expression tag	UNP Q9NR97
C	23	ARG	-	expression tag	UNP Q9NR97

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	24	SER	-	expression tag	UNP Q9NR97
C	25	PRO	-	expression tag	UNP Q9NR97
C	26	TRP	-	expression tag	UNP Q9NR97
C	828	GLU	-	expression tag	UNP Q9NR97
C	829	PHE	-	expression tag	UNP Q9NR97
C	830	LEU	-	expression tag	UNP Q9NR97
C	831	VAL	-	expression tag	UNP Q9NR97
C	832	PRO	-	expression tag	UNP Q9NR97
C	833	ARG	-	expression tag	UNP Q9NR97
D	23	ARG	-	expression tag	UNP Q9NR97
D	24	SER	-	expression tag	UNP Q9NR97
D	25	PRO	-	expression tag	UNP Q9NR97
D	26	TRP	-	expression tag	UNP Q9NR97
D	828	GLU	-	expression tag	UNP Q9NR97
D	829	PHE	-	expression tag	UNP Q9NR97
D	830	LEU	-	expression tag	UNP Q9NR97
D	831	VAL	-	expression tag	UNP Q9NR97
D	832	PRO	-	expression tag	UNP Q9NR97
D	833	ARG	-	expression tag	UNP Q9NR97

- Molecule 2 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	E	3	Total	C	N	O	0	0	0
			39	22	2	15			
2	G	3	Total	C	N	O	0	0	0
			39	22	2	15			
2	H	3	Total	C	N	O	0	0	0
			39	22	2	15			
2	J	3	Total	C	N	O	0	0	0
			39	22	2	15			
2	K	3	Total	C	N	O	0	0	0
			39	22	2	15			
2	M	3	Total	C	N	O	0	0	0
			39	22	2	15			
2	N	3	Total	C	N	O	0	0	0
			39	22	2	15			

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	P	3	39	22	2	15	0	0	0

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
3	F	2	28	16	2	10	0	0	0
3	I	2	28	16	2	10	0	0	0
3	L	2	28	16	2	10	0	0	0
3	O	2	28	16	2	10	0	0	0

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C<sub>8</sub>H<sub>15</sub>NO<sub>6</sub>).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
4	A	1	14	8	1	5	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
4	A	1	Total 14	C 8	N 1	O 5	0	0
4	A	1	Total 14	C 8	N 1	O 5	0	0
4	B	1	Total 14	C 8	N 1	O 5	0	0
4	B	1	Total 14	C 8	N 1	O 5	0	0
4	C	1	Total 14	C 8	N 1	O 5	0	0
4	C	1	Total 14	C 8	N 1	O 5	0	0
4	D	1	Total 14	C 8	N 1	O 5	0	0
4	D	1	Total 14	C 8	N 1	O 5	0	0

- Molecule 5 is 5-(4-azanylbutyl)-3-pentyl-quinolin-2-amine (three-letter code: M4D) (formula: C<sub>18</sub>H<sub>27</sub>N<sub>3</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	N		
5	A	1	Total 21	C 18	N 3	0	0
5	B	1	Total 21	C 18	N 3	0	0
5	C	1	Total 21	C 18	N 3	0	0

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	N		
5	D	1	21	18	3	0	0

- Molecule 6 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	38	Total	O	0	0
			38	38		
6	B	42	Total	O	0	0
			42	42		
6	C	21	Total	O	0	0
			21	21		
6	D	22	Total	O	0	0
			22	22		




### 3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Toll-like receptor 8





- Molecule 1: Toll-like receptor 8







• Molecule 1: Toll-like receptor 8



• Molecule 1: Toll-like receptor 8





- Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E: 33% 67%



- Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G: 100%



- Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H: 33% 67%



- Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J: 100%




- Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K: 100%



- Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:  100%

MAC1  
MAC2  
BOL3

- Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N:  67% 33%

MAC1  
MAC2  
BOL3

- Molecule 2: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P:  100%


MAC1  
MAC2  
BOL3

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  100%


MAC1  
MAC2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  100%

MAC1  
MAC2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L:  100%

MAC1  
MAC2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain O:  50% 50%

MAC1  
MAC2

## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	86.40Å 140.18Å 169.60Å 90.00° 90.47° 90.00°	Depositor
Resolution (Å)	47.48 – 2.50 47.48 – 2.50	Depositor EDS
% Data completeness (in resolution range)	94.7 (47.48-2.50) 94.7 (47.48-2.50)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.64 (at 2.51Å)	Xtrriage
Refinement program	REFMAC 5.8.0073	Depositor
R, $R_{free}$	0.209 , 0.269 0.212 , 0.267	Depositor DCC
$R_{free}$ test set	6666 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	52.7	Xtrriage
Anisotropy	0.064	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 35.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.29$	Xtrriage
Estimated twinning fraction	0.034 for h,-k,-l	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	24478	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	60.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.09% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, NAG, M4D

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.62	1/6159 (0.0%)	0.77	5/8351 (0.1%)
1	B	0.57	0/6102	0.74	0/8272
1	C	0.53	0/5992	0.71	2/8122 (0.0%)
1	D	0.56	0/5956	0.73	4/8076 (0.0%)
All	All	0.57	1/24209 (0.0%)	0.74	11/32821 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1
1	C	0	1
1	D	0	4
All	All	0	6

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	269	PRO	N-CD	5.08	1.54	1.47

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	D	217	PRO	C-N-CD	6.40	141.84	128.40
1	A	270	CYS	CA-CB-SG	6.22	125.20	114.00
1	D	216	VAL	C-N-CD	6.14	141.29	128.40
1	C	338	ARG	NE-CZ-NH1	-5.99	117.30	120.30
1	A	225	ARG	NE-CZ-NH1	5.89	123.25	120.30

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	804	ALA	N-CA-C	-5.87	95.14	111.00
1	A	429	ARG	NE-CZ-NH1	5.78	123.19	120.30
1	A	268	VAL	C-N-CD	5.36	139.65	128.40
1	A	569	ARG	NE-CZ-NH2	5.24	122.92	120.30
1	D	218	PRO	CA-N-CD	-5.19	104.24	111.50
1	C	259	ARG	NE-CZ-NH1	5.04	122.82	120.30

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	779	ASP	Peptide
1	C	242	PHE	Peptide
1	D	161	ILE	Peptide
1	D	201	THR	Peptide
1	D	803	CYS	Peptide
1	D	804	ALA	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6035	0	6028	62	1
1	B	5979	0	5969	57	1
1	C	5871	0	5857	37	0
1	D	5836	0	5817	148	0
2	E	39	0	34	2	0
2	G	39	0	34	0	0
2	H	39	0	34	0	0
2	J	39	0	34	0	0
2	K	39	0	34	0	0
2	M	39	0	34	0	0
2	N	39	0	34	1	0
2	P	39	0	34	0	0
3	F	28	0	25	0	0
3	I	28	0	25	0	0
3	L	28	0	25	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	O	28	0	25	0	0
4	A	42	0	39	0	0
4	B	28	0	26	0	0
4	C	28	0	26	0	0
4	D	28	0	26	0	0
5	A	21	0	0	1	0
5	B	21	0	0	1	0
5	C	21	0	0	1	0
5	D	21	0	0	0	0
6	A	38	0	0	2	0
6	B	42	0	0	0	0
6	C	21	0	0	0	0
6	D	22	0	0	0	0
All	All	24478	0	24160	302	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (302) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:197:PHE:O	1:D:200:LEU:CD2	1.64	1.43
1:D:197:PHE:O	1:D:200:LEU:HD22	1.15	1.15
1:D:181:CYS:SG	1:D:187:CYS:CB	2.36	1.14
1:D:162:THR:HG1	1:D:164:GLU:HG2	1.01	1.09
1:D:177:LEU:O	1:D:208:LEU:HA	1.52	1.09
1:D:200:LEU:H	1:D:200:LEU:HD22	1.17	1.07
1:D:209:SER:OG	1:D:230:SER:N	1.89	1.04
1:D:162:THR:OG1	1:D:165:GLY:N	1.90	1.03
1:D:162:THR:CB	1:D:165:GLY:H	1.70	1.02
1:A:257:CYS:CB	1:A:270:CYS:SG	2.48	1.00
1:D:162:THR:OG1	1:D:164:GLU:HG2	1.64	0.98
1:D:162:THR:HG21	1:D:165:GLY:CA	1.93	0.97
1:D:257:CYS:O	1:D:298:SER:OG	1.85	0.94
1:B:734:GLU:OE2	1:B:736:SER:OG	1.85	0.94
1:D:137:LEU:O	1:D:157:ASN:O	1.89	0.91
1:A:735:VAL:HB	1:A:736:SER:HA	1.52	0.90
1:A:735:VAL:HG13	1:A:738:LEU:CB	2.04	0.86
1:A:735:VAL:CB	1:A:736:SER:HA	2.05	0.86
1:B:731:PHE:O	1:B:735:VAL:CG2	2.24	0.84
1:D:197:PHE:O	1:D:200:LEU:HD23	1.75	0.84

Continued on next page...



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:735:VAL:HG12	1:A:736:SER:C	1.99	0.82
1:D:197:PHE:HA	1:D:200:LEU:HD21	1.60	0.82
1:D:182:TYR:O	1:D:185:LYS:HB3	1.80	0.81
1:D:162:THR:HG1	1:D:164:GLU:CG	1.90	0.80
1:D:152:SER:OG	1:D:176:TYR:HB2	1.82	0.79
1:A:708:SER:OG	1:A:734:GLU:OE1	1.99	0.79
1:B:731:PHE:O	1:B:735:VAL:HG22	1.83	0.79
1:D:199:THR:OG1	1:D:200:LEU:HD13	1.82	0.78
1:D:162:THR:HG21	1:D:165:GLY:N	2.00	0.77
1:D:201:THR:OG1	1:D:202:ASN:N	2.14	0.76
1:D:162:THR:OG1	1:D:164:GLU:CG	2.33	0.74
1:D:207:SER:HB2	1:D:228:PHE:HB2	1.70	0.73
1:A:735:VAL:HG12	1:A:736:SER:CA	2.18	0.73
1:D:162:THR:CG2	1:D:165:GLY:N	2.51	0.73
1:D:193:GLU:OE2	1:D:193:GLU:HA	1.85	0.73
1:B:732:LEU:HD12	1:B:756:LEU:HD23	1.69	0.73
1:D:197:PHE:C	1:D:200:LEU:CD2	2.56	0.73
1:D:162:THR:CB	1:D:165:GLY:N	2.49	0.73
1:A:735:VAL:CG1	1:A:738:LEU:H	2.03	0.72
1:D:200:LEU:H	1:D:200:LEU:CD2	1.96	0.70
1:B:779:ASP:N	1:B:781:GLY:H	1.89	0.70
1:D:216:VAL:HG11	1:D:241:ASP:HB3	1.73	0.70
1:B:731:PHE:O	1:B:735:VAL:HG21	1.91	0.69
1:B:734:GLU:O	1:B:735:VAL:HG22	1.92	0.68
1:D:209:SER:HG	1:D:230:SER:H	1.38	0.68
1:A:735:VAL:HG13	1:A:738:LEU:HB3	1.74	0.67
1:B:779:ASP:CA	1:B:781:GLY:H	2.08	0.67
1:D:749:LYS:HA	1:D:773:PRO:O	1.94	0.67
1:D:364:SER:HA	1:D:393:LEU:HD21	1.77	0.66
1:D:162:THR:OG1	1:D:164:GLU:N	2.28	0.66
1:A:735:VAL:HG12	1:A:738:LEU:H	1.61	0.66
1:A:338:ARG:NH2	1:A:340:GLU:OE2	2.29	0.65
1:C:532:VAL:HB	1:C:553:LEU:HD22	1.78	0.65
1:D:181:CYS:SG	1:D:187:CYS:HB2	2.35	0.65
1:B:235:LYS:HD3	1:B:270:CYS:SG	2.37	0.64
1:D:197:PHE:CA	1:D:200:LEU:HD21	2.28	0.64
1:D:192:ILE:HD12	1:D:192:ILE:O	1.99	0.63
1:D:162:THR:OG1	1:D:164:GLU:CA	2.47	0.63
1:D:212:SER:O	1:D:213:LEU:HD23	1.99	0.63
1:C:77:HIS:CD2	1:C:115:ASN:HB3	2.34	0.62
1:D:200:LEU:N	1:D:200:LEU:HD22	2.01	0.62

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:158:ILE:CG2	1:D:160:ASN:HB2	2.29	0.62
1:A:735:VAL:CG1	1:A:738:LEU:N	2.63	0.62
1:D:259:ARG:NH1	1:D:321:ASN:O	2.33	0.62
1:A:576:HIS:HB3	1:A:578:GLU:OE1	1.99	0.61
1:D:79:THR:HA	1:D:120:ALA:HB1	1.82	0.61
1:D:162:THR:HG21	1:D:165:GLY:HA3	1.78	0.61
1:D:606:GLU:HG2	1:D:637:GLY:HA3	1.83	0.61
1:B:779:ASP:HA	1:B:781:GLY:N	2.16	0.60
1:A:516:SER:OG	1:B:516:SER:OG	2.02	0.60
1:C:764:LEU:O	1:C:793:VAL:HG22	2.01	0.60
1:A:735:VAL:HG13	1:A:738:LEU:HB2	1.83	0.60
1:B:52:ARG:HG2	1:B:799:VAL:HG21	1.84	0.60
1:D:775:GLU:O	1:D:780:ILE:HG21	2.02	0.59
1:A:735:VAL:HG12	1:A:737:SER:N	2.17	0.59
1:D:368:SER:HA	1:D:395:ASN:HD22	1.68	0.59
1:D:361:ARG:O	1:D:363:PHE:O	2.20	0.59
1:A:467:PHE:HB3	2:E:1:NAG:H81	1.85	0.58
1:D:283:PHE:O	1:D:285:ASN:N	2.36	0.58
1:A:211:ASN:O	1:A:232:THR:HA	2.03	0.58
1:D:161:ILE:HG22	1:D:193:GLU:HB2	1.86	0.58
1:A:338:ARG:HD3	6:A:1132:HOH:O	2.03	0.57
1:D:158:ILE:HG22	1:D:160:ASN:HB2	1.86	0.57
1:D:51:ASN:ND2	1:D:51:ASN:O	2.35	0.57
1:A:283:PHE:HA	1:A:286:LEU:HD22	1.85	0.57
1:A:706:SER:HB3	1:A:709:ASP:OD2	2.05	0.57
1:D:208:LEU:O	1:D:211:ASN:ND2	2.35	0.57
1:C:47:ALA:HB3	1:C:68:LEU:HD12	1.87	0.57
1:D:161:ILE:CG2	1:D:193:GLU:H	2.17	0.57
1:D:176:TYR:CE2	1:D:205:LEU:HD21	2.40	0.57
1:D:162:THR:HG21	1:D:165:GLY:C	2.25	0.56
1:D:357:ILE:HG13	1:D:377:TYR:CZ	2.40	0.56
1:A:496:ILE:N	1:A:519:GLN:OE1	2.36	0.56
1:B:732:LEU:O	1:B:735:VAL:HG23	2.04	0.56
1:A:317:ASP:OD1	1:A:319:GLU:OE1	2.24	0.56
1:A:735:VAL:CG1	1:A:736:SER:HA	2.34	0.56
1:D:161:ILE:HG21	1:D:193:GLU:H	1.71	0.56
1:D:573:VAL:O	1:D:575:HIS:CE1	2.58	0.55
1:D:77:HIS:HB3	1:D:115:ASN:HB3	1.89	0.55
1:D:162:THR:HG21	1:D:166:ILE:N	2.22	0.55
1:C:764:LEU:HD23	1:C:793:VAL:HG13	1.89	0.55
1:D:34:TYR:O	1:D:60:THR:O	2.25	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:735:VAL:HG13	1:D:736:SER:N	2.22	0.55
1:B:732:LEU:HB2	1:B:755:ALA:O	2.07	0.54
1:C:670:HIS:HA	1:C:694:ASP:HB3	1.88	0.54
1:A:257:CYS:CA	1:A:270:CYS:SG	2.95	0.54
1:A:735:VAL:CG1	1:A:736:SER:CA	2.85	0.54
1:C:278:ILE:HB	1:C:306:TRP:CZ2	2.43	0.54
1:D:202:ASN:N	1:D:223:SER:OG	2.41	0.53
1:D:195:GLY:HA3	1:D:219:LYS:HG3	1.89	0.53
1:C:516:SER:OG	1:D:516:SER:OG	2.12	0.53
1:B:296:SER:HA	1:B:320:PHE:O	2.10	0.52
1:C:557:GLU:OE1	1:C:587:LYS:HE2	2.10	0.52
1:D:249:THR:O	1:D:290:ARG:N	2.28	0.52
1:B:160:ASN:N	1:B:160:ASN:HD22	2.06	0.52
1:B:310:MET:O	1:B:310:MET:HG2	2.10	0.52
1:A:764:LEU:O	1:A:793:VAL:HG22	2.09	0.52
1:B:705:ASP:OD1	1:B:706:SER:OG	2.28	0.52
1:C:317:ASP:OD1	1:C:319:GLU:OE1	2.28	0.52
1:D:163:LYS:HG3	1:D:196:VAL:HG23	1.92	0.52
1:D:741:LEU:HD21	1:D:743:LEU:HD11	1.92	0.51
1:D:259:ARG:NH2	1:D:348:TYR:O	2.30	0.51
1:A:735:VAL:CB	1:A:736:SER:CA	2.84	0.51
1:B:779:ASP:H	1:B:781:GLY:H	1.55	0.51
1:D:466:ASN:OD1	1:D:467:PHE:N	2.43	0.51
1:C:717:LEU:HD21	1:C:719:LEU:HD11	1.92	0.51
1:D:195:GLY:HA2	1:D:219:LYS:HB2	1.93	0.51
1:D:720:SER:HB3	1:D:744:SER:OG	2.11	0.51
1:A:545:ASP:CG	1:A:545:ASP:O	2.47	0.51
1:B:779:ASP:HA	1:B:781:GLY:H	1.74	0.51
1:C:620:LEU:HD11	1:C:646:LEU:HD22	1.92	0.51
1:C:619:ARG:NH2	1:C:621:ASP:OD2	2.39	0.50
1:D:200:LEU:O	1:D:202:ASN:HB2	2.11	0.50
1:B:592:SER:HA	1:B:616:SER:O	2.11	0.50
1:A:735:VAL:HG13	1:A:738:LEU:H	1.77	0.50
1:D:36:CYS:HA	1:D:48:GLU:O	2.12	0.50
1:C:628:ASP:OD2	1:C:630:ARG:NH2	2.45	0.49
1:D:275:SER:HA	1:D:298:SER:HB2	1.94	0.49
1:C:388:GLN:N	1:C:389:PRO:CD	2.75	0.49
1:D:156:ASN:O	1:D:180:ASN:OD1	2.30	0.49
1:D:235:LYS:HD2	1:D:270:CYS:SG	2.52	0.49
1:D:216:VAL:HB	1:D:241:ASP:OD1	2.13	0.49
1:A:52:ARG:HB3	1:A:54:LEU:HG	1.95	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:660:LEU:HD21	1:A:683:LEU:HD22	1.94	0.49
1:C:781:GLY:HA2	1:C:784:ARG:HB2	1.95	0.48
1:D:34:TYR:CD1	1:D:35:PRO:HA	2.48	0.48
1:B:756:LEU:HD13	1:B:786:TRP:HB2	1.95	0.48
1:B:804:ALA:HA	1:B:810:ARG:NH1	2.27	0.48
1:D:212:SER:C	1:D:213:LEU:HD23	2.33	0.48
1:D:201:THR:HA	1:D:221:PRO:HB3	1.94	0.48
1:C:250:LEU:HD23	1:C:250:LEU:C	2.34	0.48
1:C:234:ILE:O	1:C:256:ASN:HB3	2.14	0.48
1:A:735:VAL:HG13	1:A:738:LEU:N	2.28	0.48
1:D:784:ARG:NH1	1:D:815:VAL:O	2.46	0.48
1:D:182:TYR:N	1:D:182:TYR:CD1	2.81	0.47
1:D:79:THR:HA	1:D:120:ALA:CB	2.42	0.47
1:C:742:ASP:HA	1:C:768:GLU:HB2	1.96	0.47
1:D:357:ILE:HG13	1:D:377:TYR:CE1	2.49	0.47
1:B:211:ASN:O	1:B:232:THR:HA	2.14	0.47
1:D:568:PHE:HA	1:D:575:HIS:CD2	2.49	0.47
1:D:185:LYS:O	1:D:187:CYS:SG	2.73	0.47
1:B:616:SER:HA	1:B:647:SER:O	2.14	0.46
1:D:192:ILE:HD12	1:D:192:ILE:C	2.36	0.46
1:D:201:THR:O	1:D:203:LEU:HB2	2.16	0.46
1:D:777:THR:OG1	1:D:778:CYS:HA	2.15	0.46
1:A:744:SER:O	1:A:745:SER:C	2.53	0.46
1:C:205:LEU:C	1:C:205:LEU:HD23	2.36	0.46
1:D:696:ARG:HG2	1:D:720:SER:OG	2.15	0.46
1:B:720:SER:HA	1:B:744:SER:O	2.16	0.46
1:D:289:LEU:HD23	1:D:310:MET:SD	2.55	0.46
1:A:536:ASP:OD1	1:A:538:THR:HG23	2.16	0.46
1:B:287:THR:HA	1:B:309:ASN:O	2.15	0.46
1:D:177:LEU:HB2	1:D:208:LEU:HD23	1.98	0.46
1:B:487:ASP:OD1	1:B:489:SER:OG	2.32	0.46
1:B:779:ASP:CA	1:B:781:GLY:N	2.73	0.46
1:D:728:PRO:O	1:D:731:PHE:HB2	2.15	0.46
1:C:692:LEU:HD23	1:C:693:LEU:N	2.31	0.45
1:D:762:THR:OG1	1:D:763:LYS:N	2.49	0.45
1:A:275:SER:OG	1:A:276:ILE:O	2.33	0.45
1:B:223:SER:O	1:B:225:ARG:NH1	2.50	0.45
1:D:363:PHE:O	1:D:364:SER:CB	2.64	0.45
1:B:388:GLN:N	1:B:389:PRO:CD	2.80	0.45
1:A:786:TRP:NE1	1:A:790:HIS:CE1	2.85	0.45
1:B:732:LEU:HD12	1:B:756:LEU:CD2	2.42	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:302:ILE:N	1:D:326:GLU:OE2	2.42	0.45
1:B:732:LEU:O	1:B:762:THR:HG22	2.17	0.45
1:D:135:ASN:HB2	1:D:137:LEU:HG	1.98	0.45
1:D:202:ASN:HA	1:D:202:ASN:HD22	1.60	0.45
1:D:183:PHE:CZ	1:D:265:PHE:HB2	2.51	0.45
1:D:67:GLU:HG2	1:D:91:LYS:HB2	1.99	0.45
1:C:565:SER:O	1:C:566:HIS:C	2.55	0.45
1:D:215:HIS:CD2	1:D:215:HIS:N	2.83	0.44
1:B:370:ARG:HA	1:B:395:ASN:O	2.18	0.44
1:A:84:GLN:HG2	1:A:85:GLY:H	1.83	0.44
1:C:311:PRO:O	1:C:338:ARG:HD2	2.17	0.44
1:C:586:LEU:O	1:C:610:LEU:HA	2.18	0.44
1:D:197:PHE:CA	1:D:200:LEU:CD2	2.92	0.44
1:B:278:ILE:HB	1:B:306:TRP:CZ2	2.52	0.44
1:D:162:THR:CG2	1:D:165:GLY:CA	2.79	0.44
1:A:257:CYS:HA	1:A:270:CYS:SG	2.58	0.44
1:B:183:PHE:HB3	1:B:266:PRO:HG2	2.00	0.44
1:D:205:LEU:HA	1:D:226:LYS:O	2.17	0.44
1:D:645:ASP:HA	1:D:670:HIS:HB2	2.00	0.44
1:B:600:THR:O	1:B:602:LYS:N	2.47	0.44
1:A:584:THR:O	1:A:609:SER:HB3	2.18	0.43
1:D:97:ASN:HA	1:D:98:PRO:HA	1.85	0.43
1:A:166:ILE:CG2	1:A:200:LEU:HD11	2.48	0.43
1:A:805:SER:HB2	1:A:806:PRO:HA	2.00	0.43
1:C:384:GLU:HA	1:C:413:LEU:HB3	2.01	0.43
1:D:705:ASP:N	1:D:705:ASP:OD1	2.51	0.43
1:D:749:LYS:H	1:D:749:LYS:HD2	1.83	0.43
1:B:235:LYS:CD	1:B:270:CYS:SG	3.05	0.43
1:B:31:SER:HA	1:B:791:LEU:HD13	2.01	0.43
1:D:203:LEU:O	1:D:224:LEU:HA	2.18	0.43
1:D:57:VAL:HG23	1:D:78:ILE:HD12	2.00	0.43
1:D:90:THR:HG22	1:D:126:ASN:O	2.18	0.43
1:B:548:SER:O	1:B:549:ALA:C	2.56	0.43
1:C:620:LEU:HA	1:C:623:LEU:HD12	1.99	0.43
1:B:552:GLU:N	1:B:552:GLU:OE1	2.42	0.43
1:B:685:GLN:HG3	1:B:710:PHE:HA	1.99	0.43
1:C:303:ASN:HB3	1:C:306:TRP:CE2	2.53	0.43
1:C:543:ASP:OD2	5:C:1011:M4D:N	2.51	0.43
1:D:774:PHE:O	1:D:804:ALA:C	2.57	0.43
1:A:375:ARG:HA	1:A:402:GLY:O	2.19	0.43
1:B:732:LEU:HA	1:B:735:VAL:HG21	2.01	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:495:PHE:CE2	1:D:497:GLY:HA2	2.53	0.43
1:D:412:LYS:HA	1:D:503:ASN:O	2.19	0.43
1:A:336:LEU:N	1:A:337:PRO:CD	2.82	0.43
1:B:299:LEU:HD13	1:B:302:ILE:CD1	2.49	0.43
1:D:162:THR:OG1	1:D:164:GLU:C	2.54	0.43
1:C:512:LEU:HB2	1:C:537:LEU:HD23	2.01	0.43
1:D:156:ASN:O	1:D:180:ASN:HA	2.19	0.43
1:D:177:LEU:O	1:D:208:LEU:CA	2.44	0.43
1:B:205:LEU:C	1:B:205:LEU:HD23	2.38	0.42
1:A:523:GLY:O	1:A:552:GLU:HB3	2.19	0.42
1:C:705:ASP:HA	1:C:728:PRO:HB3	2.00	0.42
1:C:805:SER:HB2	1:C:806:PRO:HA	2.01	0.42
1:D:249:THR:C	1:D:289:LEU:HD12	2.39	0.42
1:D:806:PRO:HG2	1:D:809:GLN:H	1.84	0.42
1:C:663:PRO:O	1:C:666:LEU:HG	2.20	0.42
1:D:71:SER:OG	1:D:93:ASN:OD1	2.33	0.42
1:A:616:SER:HA	1:A:647:SER:O	2.19	0.42
1:A:695:LEU:HD12	1:A:719:LEU:HD21	2.01	0.42
1:D:160:ASN:C	1:D:161:ILE:HD13	2.39	0.42
1:D:770:HIS:CD2	1:D:797:ARG:HH11	2.37	0.42
1:D:742:ASP:HA	1:D:768:GLU:HB2	2.01	0.42
1:A:333:LEU:HD22	1:A:366:LEU:HD11	2.02	0.42
1:B:59:GLN:HG3	1:B:60:THR:HG23	2.01	0.42
1:D:326:GLU:O	1:D:329:SER:N	2.52	0.42
1:D:185:LYS:CG	1:D:187:CYS:SG	3.07	0.42
1:A:485:ALA:HA	1:A:509:CYS:O	2.20	0.42
1:D:353:TYR:CZ	1:D:380:GLN:HG2	2.55	0.42
1:B:238:SER:N	1:B:241:ASP:OD2	2.47	0.42
1:D:36:CYS:N	1:D:49:CYS:SG	2.92	0.42
1:B:119:GLY:O	1:B:120:ALA:C	2.58	0.42
1:D:160:ASN:O	1:D:161:ILE:HD13	2.20	0.42
1:D:245:LEU:O	1:D:247:ASN:N	2.53	0.42
1:A:543:ASP:OD2	5:A:1012:M4D:N	2.53	0.41
1:B:431:SER:HB2	1:B:432:PRO:CD	2.50	0.41
1:A:378:VAL:HG11	5:B:901:M4D:C14	2.50	0.41
1:A:372:LEU:HD21	1:A:374:LEU:HD11	2.02	0.41
1:A:708:SER:CB	1:A:734:GLU:OE1	2.67	0.41
1:D:211:ASN:O	1:D:232:THR:HA	2.20	0.41
1:A:160:ASN:ND2	6:A:1108:HOH:O	2.53	0.41
1:B:471:THR:HG22	1:B:471:THR:O	2.20	0.41
1:C:32:ARG:NH2	1:C:790:HIS:O	2.54	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:216:VAL:HG21	1:D:241:ASP:CG	2.40	0.41
1:A:402:GLY:HA2	1:A:426:SER:O	2.20	0.41
1:A:735:VAL:HG13	1:A:738:LEU:CA	2.49	0.41
1:D:189:LYS:O	1:D:190:THR:O	2.39	0.41
1:D:706:SER:HB3	1:D:709:ASP:OD2	2.20	0.41
1:A:336:LEU:N	1:A:337:PRO:HD3	2.36	0.41
1:A:741:LEU:HD21	1:A:743:LEU:HD11	2.02	0.41
1:D:479:CYS:SG	1:D:534:TYR:HB3	2.60	0.41
1:B:428:ASN:C	1:B:491:ASN:OD1	2.58	0.41
1:D:176:TYR:CE2	1:D:205:LEU:CD2	3.03	0.41
1:D:467:PHE:HB3	2:N:1:NAG:H81	2.02	0.41
1:C:60:THR:OG1	1:C:60:THR:O	2.38	0.41
1:B:715:ARG:NH1	1:B:739:LYS:HD3	2.35	0.41
1:A:458:ASP:N	1:A:458:ASP:OD1	2.53	0.41
1:A:573:VAL:O	1:A:575:HIS:CE1	2.74	0.41
1:A:592:SER:HA	1:A:616:SER:O	2.21	0.41
1:B:228:PHE:HA	1:B:252:ASP:HB3	2.02	0.41
1:C:592:SER:HA	1:C:616:SER:O	2.20	0.41
1:D:257:CYS:SG	1:D:275:SER:O	2.79	0.41
1:D:118:ASP:OD1	1:D:118:ASP:N	2.54	0.41
1:D:152:SER:OG	1:D:176:TYR:CB	2.62	0.41
1:D:592:SER:HA	1:D:616:SER:O	2.21	0.41
1:C:589:LEU:HD23	1:C:613:LEU:HD13	2.03	0.40
1:D:329:SER:OG	1:D:330:GLY:N	2.54	0.40
1:D:783:PHE:O	1:D:786:TRP:HB3	2.22	0.40
1:B:310:MET:N	1:B:311:PRO:HD3	2.36	0.40
1:B:734:GLU:C	1:B:735:VAL:CG2	2.89	0.40
1:D:159:TYR:HB3	1:D:190:THR:HA	2.03	0.40
1:A:226:LYS:NZ	2:E:2:NAG:O7	2.50	0.40
1:D:73:ASN:O	1:D:98:PRO:HA	2.22	0.40
1:C:490:LEU:HD23	1:C:514:ALA:HB1	2.03	0.40
1:D:249:THR:HA	1:D:289:LEU:HA	2.03	0.40
1:D:804:ALA:HB1	1:D:805:SER:HB3	2.02	0.40
1:B:356:HIS:CD2	1:B:383:ARG:NE	2.89	0.40
1:B:538:THR:HB	1:B:539:ASN:ND2	2.37	0.40
1:D:199:THR:OG1	1:D:200:LEU:N	2.54	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:709:ASP:OD1	1:B:338:ARG:NH2[2_546]	2.13	0.07

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	741/811 (91%)	691 (93%)	47 (6%)	3 (0%)	34	54
1	B	732/811 (90%)	675 (92%)	55 (8%)	2 (0%)	41	61
1	C	715/811 (88%)	655 (92%)	58 (8%)	2 (0%)	41	61
1	D	712/811 (88%)	612 (86%)	93 (13%)	7 (1%)	15	28
All	All	2900/3244 (89%)	2633 (91%)	253 (9%)	14 (0%)	29	48

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	161	ILE
1	D	190	THR
1	D	284	GLN
1	B	735	VAL
1	D	246	ILE
1	A	378	VAL
1	A	735	VAL
1	C	378	VAL
1	C	601	ASP
1	A	579	PHE
1	B	378	VAL
1	D	378	VAL
1	D	91	LYS
1	D	735	VAL



### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	696/755 (92%)	659 (95%)	37 (5%)	22	43
1	B	689/755 (91%)	658 (96%)	31 (4%)	27	51
1	C	676/755 (90%)	642 (95%)	34 (5%)	24	46
1	D	673/755 (89%)	622 (92%)	51 (8%)	13	25
All	All	2734/3020 (90%)	2581 (94%)	153 (6%)	21	40

All (153) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	49	CYS
1	A	51	ASN
1	A	52	ARG
1	A	81	GLU
1	A	84	GLN
1	A	96	HIS
1	A	118	ASP
1	A	150	GLU
1	A	248	LEU
1	A	275	SER
1	A	286	LEU
1	A	296	SER
1	A	329	SER
1	A	338	ARG
1	A	353	TYR
1	A	360	SER
1	A	416	ASN
1	A	419	ASN
1	A	458	ASP
1	A	471	THR
1	A	472	ARG
1	A	495	PHE
1	A	534	TYR
1	A	569	ARG

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	573	VAL
1	A	611	VAL
1	A	625	ASN
1	A	632	ILE
1	A	678	PHE
1	A	686	GLN
1	A	736	SER
1	A	737	SER
1	A	739	LYS
1	A	753	LYS
1	A	754	SER
1	A	760	THR
1	A	817	LEU
1	B	49	CYS
1	B	51	ASN
1	B	100	VAL
1	B	122	LEU
1	B	136	GLN
1	B	142	SER
1	B	150	GLU
1	B	160	ASN
1	B	199	THR
1	B	215	HIS
1	B	235	LYS
1	B	286	LEU
1	B	408	GLN
1	B	458	ASP
1	B	472	ARG
1	B	502	GLU
1	B	509	CYS
1	B	595	ASN
1	B	625	ASN
1	B	686	GLN
1	B	702	PHE
1	B	727	LEU
1	B	733	SER
1	B	735	VAL
1	B	737	SER
1	B	749	LYS
1	B	762	THR
1	B	763	LYS
1	B	808	ASP

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	B	815	VAL
1	B	817	LEU
1	C	37	ASP
1	C	39	LYS
1	C	49	CYS
1	C	51	ASN
1	C	59	GLN
1	C	60	THR
1	C	76	THR
1	C	115	ASN
1	C	125	LYS
1	C	142	SER
1	C	240	GLU
1	C	243	LYS
1	C	248	LEU
1	C	286	LEU
1	C	301	LYS
1	C	308	LYS
1	C	329	SER
1	C	355	GLN
1	C	385	ASP
1	C	412	LYS
1	C	431	SER
1	C	465	SER
1	C	472	ARG
1	C	573	VAL
1	C	598	THR
1	C	643	ARG
1	C	671	ILE
1	C	711	THR
1	C	726	HIS
1	C	753	LYS
1	C	764	LEU
1	C	766	MET
1	C	778	CYS
1	C	808	ASP
1	D	48	GLU
1	D	51	ASN
1	D	52	ARG
1	D	59	GLN
1	D	64	TYR
1	D	77	HIS

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	D	80	ASN
1	D	81	GLU
1	D	126	ASN
1	D	147	SER
1	D	150	GLU
1	D	160	ASN
1	D	161	ILE
1	D	162	THR
1	D	185	LYS
1	D	190	THR
1	D	193	GLU
1	D	194	ASP
1	D	200	LEU
1	D	201	THR
1	D	202	ASN
1	D	207	SER
1	D	209	SER
1	D	215	HIS
1	D	221	PRO
1	D	222	SER
1	D	235	LYS
1	D	246	ILE
1	D	296	SER
1	D	361	ARG
1	D	387	PHE
1	D	470	PHE
1	D	471	THR
1	D	472	ARG
1	D	625	ASN
1	D	677	LYS
1	D	678	PHE
1	D	686	GLN
1	D	712	SER
1	D	726	HIS
1	D	734	GLU
1	D	735	VAL
1	D	745	SER
1	D	749	LYS
1	D	752	ASN
1	D	762	THR
1	D	776	CYS
1	D	778	CYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	779	ASP
1	D	782	ASP
1	D	810	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	41	GLN
1	A	191	ASN
1	A	809	GLN
1	B	51	ASN
1	B	160	ASN
1	B	312	HIS
1	B	388	GLN
1	B	416	ASN
1	B	539	ASN
1	B	809	GLN
1	C	55	GLN
1	C	115	ASN
1	C	191	ASN
1	C	284	GLN
1	C	416	ASN
1	C	629	ASN
1	C	686	GLN
1	D	139	GLN
1	D	202	ASN
1	D	215	HIS
1	D	233	GLN
1	D	395	ASN
1	D	593	HIS
1	D	770	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates i

32 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	NAG	E	1	1,2	14,14,15	0.94	1 (7%)	17,19,21	1.17	1 (5%)
2	NAG	E	2	2	14,14,15	0.89	0	17,19,21	1.41	3 (17%)
2	BMA	E	3	2	11,11,12	0.87	0	15,15,17	1.70	4 (26%)
3	NAG	F	1	1,3	14,14,15	1.01	1 (7%)	17,19,21	1.69	3 (17%)
3	NAG	F	2	3	14,14,15	0.71	0	17,19,21	1.68	2 (11%)
2	NAG	G	1	1,2	14,14,15	0.68	0	17,19,21	1.75	4 (23%)
2	NAG	G	2	2	14,14,15	0.89	1 (7%)	17,19,21	1.31	3 (17%)
2	BMA	G	3	2	11,11,12	0.63	0	15,15,17	1.37	1 (6%)
2	NAG	H	1	1,2	14,14,15	0.75	0	17,19,21	1.52	3 (17%)
2	NAG	H	2	2	14,14,15	0.66	0	17,19,21	1.14	0
2	BMA	H	3	2	11,11,12	0.88	0	15,15,17	1.58	3 (20%)
3	NAG	I	1	1,3	14,14,15	0.95	1 (7%)	17,19,21	2.01	3 (17%)
3	NAG	I	2	3	14,14,15	0.42	0	17,19,21	1.32	3 (17%)
2	NAG	J	1	1,2	14,14,15	0.65	0	17,19,21	1.35	3 (17%)
2	NAG	J	2	2	14,14,15	0.77	0	17,19,21	1.28	1 (5%)
2	BMA	J	3	2	11,11,12	0.64	0	15,15,17	1.59	3 (20%)
2	NAG	K	1	1,2	14,14,15	0.98	1 (7%)	17,19,21	1.68	3 (17%)
2	NAG	K	2	2	14,14,15	0.70	0	17,19,21	1.45	3 (17%)
2	BMA	K	3	2	11,11,12	0.95	1 (9%)	15,15,17	1.64	4 (26%)
3	NAG	L	1	1,3	14,14,15	0.91	0	17,19,21	1.44	2 (11%)
3	NAG	L	2	3	14,14,15	0.69	0	17,19,21	1.80	6 (35%)
2	NAG	M	1	1,2	14,14,15	0.73	1 (7%)	17,19,21	1.50	5 (29%)
2	NAG	M	2	2	14,14,15	1.14	2 (14%)	17,19,21	1.60	4 (23%)
2	BMA	M	3	2	11,11,12	0.61	0	15,15,17	1.37	3 (20%)
2	NAG	N	1	1,2	14,14,15	0.59	0	17,19,21	1.43	2 (11%)
2	NAG	N	2	2	14,14,15	0.91	1 (7%)	17,19,21	1.38	2 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	BMA	N	3	2	11,11,12	0.73	0	15,15,17	1.46	3 (20%)
3	NAG	O	1	1,3	14,14,15	0.81	1 (7%)	17,19,21	1.17	1 (5%)
3	NAG	O	2	3	14,14,15	0.77	0	17,19,21	0.82	0
2	NAG	P	1	1,2	14,14,15	0.62	0	17,19,21	1.55	2 (11%)
2	NAG	P	2	2	14,14,15	0.95	1 (7%)	17,19,21	1.20	3 (17%)
2	BMA	P	3	2	11,11,12	0.91	0	15,15,17	1.94	3 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	E	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	E	2	2	-	0/6/23/26	0/1/1/1
2	BMA	E	3	2	-	0/2/19/22	0/1/1/1
3	NAG	F	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	F	2	3	-	0/6/23/26	0/1/1/1
2	NAG	G	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	G	2	2	-	2/6/23/26	0/1/1/1
2	BMA	G	3	2	-	2/2/19/22	0/1/1/1
2	NAG	H	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	H	2	2	-	0/6/23/26	0/1/1/1
2	BMA	H	3	2	-	2/2/19/22	0/1/1/1
3	NAG	I	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	I	2	3	-	0/6/23/26	0/1/1/1
2	NAG	J	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	J	2	2	-	0/6/23/26	0/1/1/1
2	BMA	J	3	2	-	1/2/19/22	0/1/1/1
2	NAG	K	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	K	2	2	-	0/6/23/26	0/1/1/1
2	BMA	K	3	2	-	0/2/19/22	0/1/1/1
3	NAG	L	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	L	2	3	-	0/6/23/26	0/1/1/1
2	NAG	M	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	M	2	2	-	0/6/23/26	0/1/1/1
2	BMA	M	3	2	-	0/2/19/22	0/1/1/1
2	NAG	N	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	N	2	2	-	2/6/23/26	0/1/1/1
2	BMA	N	3	2	-	0/2/19/22	0/1/1/1

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	O	1	1,3	-	1/6/23/26	0/1/1/1
3	NAG	O	2	3	-	0/6/23/26	0/1/1/1
2	NAG	P	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	P	2	2	-	0/6/23/26	0/1/1/1
2	BMA	P	3	2	-	0/2/19/22	0/1/1/1

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	K	1	NAG	O5-C1	-3.31	1.38	1.43
2	M	2	NAG	O5-C1	-3.05	1.38	1.43
2	E	1	NAG	O5-C1	-2.38	1.39	1.43
3	O	1	NAG	O5-C1	-2.35	1.40	1.43
2	N	2	NAG	O5-C1	-2.25	1.40	1.43
3	F	1	NAG	C1-C2	-2.19	1.49	1.52
2	G	2	NAG	O5-C1	-2.18	1.40	1.43
2	K	3	BMA	O3-C3	2.17	1.48	1.43
3	I	1	NAG	O5-C1	-2.13	1.40	1.43
2	P	2	NAG	O5-C1	-2.10	1.40	1.43
2	M	2	NAG	C2-N2	-2.07	1.42	1.46
2	M	1	NAG	C1-C2	2.00	1.55	1.52

All (86) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	I	1	NAG	C1-C2-N2	-5.43	101.21	110.49
3	F	2	NAG	C1-O5-C5	5.13	119.15	112.19
2	K	1	NAG	O5-C1-C2	-4.75	103.78	111.29
2	P	3	BMA	C1-O5-C5	4.37	118.11	112.19
3	F	1	NAG	C1-C2-N2	-4.22	103.27	110.49
2	P	1	NAG	O5-C1-C2	-3.81	105.28	111.29
2	G	1	NAG	O7-C7-N2	3.74	128.83	121.95
2	G	1	NAG	C1-O5-C5	3.67	117.16	112.19
2	J	3	BMA	O5-C5-C6	3.66	112.94	107.20
3	L	1	NAG	C1-C2-N2	-3.65	104.25	110.49
2	N	1	NAG	C1-O5-C5	3.62	117.09	112.19
2	E	3	BMA	C1-O5-C5	3.58	117.05	112.19
3	L	2	NAG	O5-C5-C6	3.54	112.75	107.20
2	J	2	NAG	C2-N2-C7	3.40	127.74	122.90
2	M	2	NAG	O5-C1-C2	-3.36	105.98	111.29
2	N	2	NAG	O5-C1-C2	-3.33	106.03	111.29
3	I	1	NAG	C3-C4-C5	-3.27	104.40	110.24

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	M	3	BMA	C1-C2-C3	3.27	113.68	109.67
2	P	1	NAG	C1-O5-C5	3.23	116.57	112.19
3	L	2	NAG	C3-C4-C5	-3.18	104.56	110.24
2	K	2	NAG	O5-C1-C2	-3.18	106.27	111.29
3	F	2	NAG	O3-C3-C2	-3.17	102.91	109.47
2	J	3	BMA	O3-C3-C4	3.16	117.66	110.35
2	K	3	BMA	C2-C3-C4	-3.07	105.58	110.89
2	K	3	BMA	C1-C2-C3	3.05	113.42	109.67
2	K	1	NAG	C3-C4-C5	-3.04	104.82	110.24
2	E	2	NAG	C3-C4-C5	-3.02	104.84	110.24
2	G	1	NAG	O7-C7-C8	-3.02	116.44	122.06
3	I	2	NAG	C1-O5-C5	2.94	116.18	112.19
2	H	3	BMA	C2-C3-C4	-2.94	105.80	110.89
3	L	1	NAG	C1-O5-C5	2.93	116.17	112.19
2	K	2	NAG	C3-C4-C5	-2.88	105.10	110.24
2	H	3	BMA	O4-C4-C3	-2.88	103.69	110.35
2	J	1	NAG	O4-C4-C3	-2.87	103.71	110.35
3	F	1	NAG	O3-C3-C2	-2.82	103.62	109.47
3	O	1	NAG	C1-C2-N2	-2.78	105.73	110.49
2	E	3	BMA	O6-C6-C5	2.78	120.83	111.29
2	P	3	BMA	O3-C3-C2	2.77	115.29	109.99
2	M	2	NAG	O5-C5-C6	-2.76	102.87	107.20
3	I	1	NAG	C1-O5-C5	2.76	115.93	112.19
2	H	1	NAG	O4-C4-C5	-2.75	102.48	109.30
2	P	3	BMA	O5-C1-C2	2.75	115.01	110.77
2	G	1	NAG	C2-N2-C7	2.72	126.78	122.90
2	G	2	NAG	O5-C1-C2	-2.71	107.01	111.29
2	J	1	NAG	O7-C7-C8	-2.69	117.05	122.06
2	H	1	NAG	C3-C4-C5	-2.68	105.46	110.24
2	M	1	NAG	O7-C7-C8	-2.68	117.08	122.06
3	L	2	NAG	O7-C7-C8	-2.67	117.10	122.06
2	E	2	NAG	O5-C1-C2	-2.66	107.09	111.29
3	L	2	NAG	O4-C4-C5	2.64	115.85	109.30
2	M	1	NAG	O7-C7-N2	2.62	126.78	121.95
2	P	2	NAG	O7-C7-N2	2.61	126.75	121.95
2	J	1	NAG	C1-O5-C5	2.58	115.69	112.19
2	G	3	BMA	O4-C4-C3	-2.56	104.42	110.35
2	G	2	NAG	O5-C5-C6	-2.54	103.22	107.20
2	M	1	NAG	C1-O5-C5	2.52	115.60	112.19
2	N	3	BMA	C1-C2-C3	2.49	112.73	109.67
3	I	2	NAG	C3-C4-C5	-2.44	105.89	110.24
2	H	1	NAG	O5-C1-C2	-2.42	107.46	111.29

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	3	BMA	O4-C4-C3	-2.41	104.79	110.35
2	P	2	NAG	O5-C1-C2	-2.39	107.52	111.29
2	N	3	BMA	O5-C1-C2	-2.39	107.08	110.77
3	I	2	NAG	O4-C4-C5	2.35	115.13	109.30
2	N	3	BMA	O5-C5-C6	2.33	110.86	107.20
2	N	2	NAG	O5-C5-C6	-2.32	103.57	107.20
2	N	1	NAG	O5-C1-C2	-2.30	107.66	111.29
2	K	1	NAG	O7-C7-C8	-2.28	117.83	122.06
2	K	3	BMA	O3-C3-C2	2.26	114.32	109.99
2	M	1	NAG	C3-C4-C5	-2.21	106.31	110.24
2	G	2	NAG	O6-C6-C5	-2.20	103.74	111.29
2	H	3	BMA	C1-O5-C5	2.19	115.16	112.19
2	E	1	NAG	C3-C4-C5	-2.17	106.36	110.24
2	K	3	BMA	O3-C3-C4	2.17	115.36	110.35
2	M	2	NAG	C2-N2-C7	-2.16	119.82	122.90
2	M	3	BMA	O5-C1-C2	2.16	114.10	110.77
2	M	2	NAG	C4-C3-C2	-2.16	107.86	111.02
3	F	1	NAG	C4-C3-C2	-2.12	107.91	111.02
2	J	3	BMA	O2-C2-C3	2.12	114.38	110.14
2	K	2	NAG	O6-C6-C5	-2.12	104.03	111.29
2	E	2	NAG	O7-C7-N2	2.09	125.80	121.95
3	L	2	NAG	O7-C7-N2	2.09	125.79	121.95
2	P	2	NAG	C1-O5-C5	2.04	114.96	112.19
2	M	3	BMA	C1-O5-C5	2.04	114.95	112.19
3	L	2	NAG	O4-C4-C3	2.03	115.05	110.35
2	E	3	BMA	C1-C2-C3	2.03	112.16	109.67
2	M	1	NAG	O3-C3-C4	-2.01	105.71	110.35

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	N	2	NAG	C4-C5-C6-O6
2	N	2	NAG	O5-C5-C6-O6
2	N	1	NAG	C4-C5-C6-O6
2	G	3	BMA	C4-C5-C6-O6
2	G	3	BMA	O5-C5-C6-O6
2	N	1	NAG	O5-C5-C6-O6
2	H	3	BMA	O5-C5-C6-O6
2	H	3	BMA	C4-C5-C6-O6
2	G	2	NAG	C4-C5-C6-O6
3	O	1	NAG	C4-C5-C6-O6

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	J	3	BMA	O5-C5-C6-O6
2	G	2	NAG	O5-C5-C6-O6



There are no ring outliers.



3 monomers are involved in 3 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	N	1	NAG	1	0
2	E	1	NAG	1	0
2	E	2	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.

























## 5.6 Ligand geometry [i](#)

13 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	NAG	A	1006	1	14,14,15	0.62	0	17,19,21	1.35	3 (17%)
4	NAG	C	1006	1	14,14,15	0.58	0	17,19,21	1.70	3 (17%)
4	NAG	A	1010	1	14,14,15	0.56	0	17,19,21	1.39	2 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	NAG	D	907	1	14,14,15	0.83	0	17,19,21	1.85	3 (17%)
5	M4D	C	1011	-	22,22,22	1.46	3 (13%)	25,28,28	0.96	1 (4%)
4	NAG	C	1010	1	14,14,15	0.66	0	17,19,21	1.47	2 (11%)
5	M4D	A	1012	-	22,22,22	1.58	3 (13%)	25,28,28	0.98	2 (8%)
4	NAG	B	907	1	14,14,15	0.77	0	17,19,21	1.35	3 (17%)
4	NAG	B	911	1	14,14,15	0.62	0	17,19,21	1.23	2 (11%)
5	M4D	D	901	-	22,22,22	1.13	4 (18%)	25,28,28	1.00	1 (4%)
4	NAG	D	911	1	14,14,15	0.53	0	17,19,21	0.93	0
5	M4D	B	901	-	22,22,22	1.41	2 (9%)	25,28,28	1.08	2 (8%)
4	NAG	A	1011	1	14,14,15	0.81	1 (7%)	17,19,21	0.89	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	A	1006	1	-	0/6/23/26	0/1/1/1
4	NAG	C	1006	1	-	2/6/23/26	0/1/1/1
4	NAG	A	1010	1	-	2/6/23/26	0/1/1/1
4	NAG	D	907	1	-	2/6/23/26	0/1/1/1
5	M4D	C	1011	-	-	2/10/10/10	0/2/2/2
4	NAG	C	1010	1	-	0/6/23/26	0/1/1/1
5	M4D	A	1012	-	-	2/10/10/10	0/2/2/2
4	NAG	B	907	1	-	2/6/23/26	0/1/1/1
4	NAG	B	911	1	-	0/6/23/26	0/1/1/1
5	M4D	D	901	-	-	0/10/10/10	0/2/2/2
4	NAG	D	911	1	-	2/6/23/26	0/1/1/1
5	M4D	B	901	-	-	0/10/10/10	0/2/2/2
4	NAG	A	1011	1	-	0/6/23/26	0/1/1/1

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	1012	M4D	C7-C6	4.49	1.50	1.42
5	C	1011	M4D	C7-C6	4.19	1.50	1.42
5	B	901	M4D	C7-C6	4.16	1.50	1.42
5	A	1012	M4D	C1-C	3.96	1.49	1.42
5	C	1011	M4D	C1-C	3.46	1.48	1.42

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	901	M4D	C1-C	3.22	1.47	1.42
5	C	1011	M4D	C3-C1	2.57	1.48	1.42
5	D	901	M4D	C3-C1	2.47	1.48	1.42
5	D	901	M4D	C7-C6	2.23	1.46	1.42
5	D	901	M4D	C-N	-2.17	1.34	1.37
5	D	901	M4D	C2-C	-2.08	1.38	1.41
4	A	1011	NAG	O5-C1	-2.04	1.40	1.43
5	A	1012	M4D	C8-C1	-2.01	1.38	1.42

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	907	NAG	O5-C1-C2	-5.46	102.66	111.29
4	B	911	NAG	C1-O5-C5	3.78	117.31	112.19
4	C	1006	NAG	C8-C7-N2	3.76	122.47	116.10
4	A	1010	NAG	O5-C5-C6	3.60	112.85	107.20
4	C	1010	NAG	C1-O5-C5	3.46	116.88	112.19
5	B	901	M4D	C1-C-N	-3.19	119.42	122.81
5	D	901	M4D	C1-C-N	-3.13	119.50	122.81
4	B	907	NAG	O5-C1-C2	-3.11	106.37	111.29
4	D	907	NAG	C1-C2-N2	2.76	115.21	110.49
4	D	907	NAG	O4-C4-C3	-2.73	104.03	110.35
4	C	1006	NAG	O5-C1-C2	-2.67	107.08	111.29
4	B	907	NAG	O5-C5-C6	2.65	111.36	107.20
4	C	1010	NAG	C4-C3-C2	-2.64	107.14	111.02
5	C	1011	M4D	C15-C14-C3	-2.61	106.53	114.15
4	C	1006	NAG	C1-O5-C5	2.58	115.69	112.19
4	A	1006	NAG	C4-C3-C2	-2.41	107.49	111.02
5	B	901	M4D	C9-C10-C7	-2.39	106.89	114.10
5	A	1012	M4D	C1-C-N	-2.36	120.31	122.81
4	A	1010	NAG	O3-C3-C4	-2.34	104.94	110.35
5	A	1012	M4D	C15-C14-C3	-2.27	107.51	114.15
4	B	907	NAG	C1-C2-N2	2.17	114.20	110.49
4	A	1006	NAG	C2-N2-C7	-2.10	119.91	122.90
4	A	1006	NAG	O5-C1-C2	-2.09	107.99	111.29
4	A	1011	NAG	C1-O5-C5	2.05	114.96	112.19
4	B	911	NAG	C4-C3-C2	-2.04	108.02	111.02

There are no chirality outliers.

All (14) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
4	D	911	NAG	O5-C5-C6-O6
4	A	1010	NAG	O5-C5-C6-O6
4	D	907	NAG	O5-C5-C6-O6
4	A	1010	NAG	C4-C5-C6-O6
4	D	911	NAG	C4-C5-C6-O6
4	D	907	NAG	C4-C5-C6-O6
4	C	1006	NAG	C8-C7-N2-C2
4	C	1006	NAG	O7-C7-N2-C2
4	B	907	NAG	O5-C5-C6-O6
4	B	907	NAG	C4-C5-C6-O6
5	C	1011	M4D	C14-C15-C16-C17
5	C	1011	M4D	C15-C16-C17-N2
5	A	1012	M4D	C3-C14-C15-C16
5	A	1012	M4D	C14-C15-C16-C17


There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	C	1011	M4D	1	0
5	A	1012	M4D	1	0
5	B	901	M4D	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	749/811 (92%)	-0.17	7 (0%) 84 86	31, 46, 82, 114	0
1	B	742/811 (91%)	-0.12	9 (1%) 79 80	30, 50, 88, 118	0
1	C	727/811 (89%)	0.15	43 (5%) 22 23	34, 58, 106, 133	0
1	D	724/811 (89%)	0.49	85 (11%) 4 4	34, 72, 121, 150	0
All	All	2942/3244 (90%)	0.08	144 (4%) 29 31	30, 53, 108, 150	0

All (144) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	123	ASN	8.8
1	D	122	LEU	8.3
1	C	64	TYR	7.2
1	D	732	LEU	6.9
1	D	81	GLU	6.7
1	D	224	LEU	6.7
1	C	780	ILE	6.6
1	D	170	ILE	6.0
1	B	100	VAL	5.9
1	C	807	GLY	5.9
1	C	751	ILE	5.8
1	B	64	TYR	5.7
1	D	201	THR	5.5
1	D	171	ASN	5.5
1	C	783	PHE	5.5
1	D	166	ILE	5.4
1	D	64	TYR	5.3
1	D	733	SER	5.2
1	D	121	PHE	5.2
1	C	678	PHE	5.2
1	C	778	CYS	5.2

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	C	817	LEU	4.9
1	A	64	TYR	4.9
1	D	248	LEU	4.8
1	D	58	PRO	4.8
1	D	131	LEU	4.6
1	D	200	LEU	4.5
1	C	779	ASP	4.4
1	D	124	LEU	4.2
1	D	125	LYS	4.2
1	D	65	VAL	4.1
1	D	169	LEU	3.9
1	D	164	GLU	3.8
1	D	148	LEU	3.8
1	D	132	LEU	3.8
1	D	145	PRO	3.7
1	C	702	PHE	3.7
1	D	38	GLU	3.6
1	D	49	CYS	3.6
1	C	815	VAL	3.5
1	D	227	LEU	3.5
1	D	731	PHE	3.5
1	D	222	SER	3.5
1	C	774	PHE	3.5
1	C	814	ILE	3.5
1	D	87	GLN	3.5
1	D	144	LEU	3.4
1	D	195	GLY	3.3
1	D	242	PHE	3.3
1	D	94	LEU	3.2
1	D	281	PHE	3.2
1	D	147	SER	3.2
1	D	70	LEU	3.2
1	D	149	THR	3.1
1	D	225	ARG	3.1
1	C	786	TRP	3.1
1	D	807	GLY	3.1
1	D	791	LEU	3.1
1	C	811	GLY	3.1
1	C	795	ILE	3.1
1	D	734	GLU	3.1
1	C	810	ARG	3.1
1	B	791	LEU	3.0

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	D	177	LEU	3.0
1	C	750	THR	3.0
1	D	244	GLY	3.0
1	D	59	GLN	3.0
1	D	89	LEU	3.0
1	D	245	LEU	3.0
1	D	246	ILE	3.0
1	D	243	LYS	3.0
1	D	307	PHE	2.9
1	C	701	LEU	2.9
1	D	63	LYS	2.9
1	C	801	VAL	2.8
1	D	151	LEU	2.8
1	C	48	GLU	2.8
1	D	172	LEU	2.8
1	D	283	PHE	2.7
1	C	703	LEU	2.7
1	C	660	LEU	2.7
1	D	91	LYS	2.7
1	D	128	ARG	2.7
1	D	198	GLU	2.7
1	A	87	GLN	2.7
1	C	168	ARG	2.7
1	B	762	THR	2.6
1	D	752	ASN	2.6
1	C	796	PRO	2.6
1	A	46	ILE	2.6
1	C	65	VAL	2.6
1	C	33	SER	2.6
1	A	702	PHE	2.6
1	D	126	ASN	2.5
1	D	127	LEU	2.5
1	D	168	ARG	2.5
1	D	92	ILE	2.5
1	D	199	THR	2.5
1	D	735	VAL	2.5
1	A	41	GLN	2.4
1	D	793	VAL	2.4
1	C	723	ARG	2.4
1	B	810	ARG	2.4
1	D	774	PHE	2.4
1	C	776	CYS	2.4

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	D	282	ALA	2.4
1	B	63	LYS	2.3
1	D	36	CYS	2.3
1	A	86	LEU	2.3
1	D	763	LYS	2.3
1	D	186	VAL	2.3
1	B	361	ARG	2.3
1	D	219	LYS	2.2
1	C	816	SER	2.2
1	D	47	ALA	2.2
1	C	66	THR	2.2
1	D	57	VAL	2.2
1	C	679	PHE	2.2
1	C	690	LEU	2.2
1	C	747	LEU	2.2
1	C	87	GLN	2.2
1	D	769	LEU	2.2
1	A	40	LYS	2.1
1	C	46	ILE	2.1
1	C	166	ILE	2.1
1	C	704	THR	2.1
1	D	220	LEU	2.1
1	C	682	THR	2.1
1	B	122	LEU	2.1
1	C	782	ASP	2.1
1	C	89	LEU	2.1
1	C	656	ASN	2.1
1	D	792	ASN	2.1
1	D	221	PRO	2.1
1	D	175	LEU	2.1
1	B	86	LEU	2.1
1	D	772	ASN	2.1
1	C	777	THR	2.0
1	D	68	LEU	2.0
1	D	34	TYR	2.0
1	D	66	THR	2.0
1	D	80	ASN	2.0
1	D	100	VAL	2.0
1	D	78	ILE	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	BMA	G	3	11/12	0.86	0.15	52,56,63,70	0
2	BMA	P	3	11/12	0.87	0.16	53,60,77,78	0
2	BMA	N	3	11/12	0.88	0.14	72,79,85,90	0
2	BMA	H	3	11/12	0.90	0.20	44,55,60,61	0
2	BMA	E	3	11/12	0.90	0.12	44,48,54,54	0
2	BMA	M	3	11/12	0.92	0.13	59,66,77,81	0
2	BMA	K	3	11/12	0.92	0.11	44,54,62,63	0
2	NAG	N	2	14/15	0.94	0.15	58,66,75,82	0
3	NAG	F	2	14/15	0.94	0.15	43,51,57,60	0
3	NAG	I	2	14/15	0.95	0.14	53,60,65,66	0
3	NAG	O	2	14/15	0.95	0.12	58,62,67,70	0
2	NAG	N	1	14/15	0.95	0.15	55,61,69,69	0
3	NAG	L	2	14/15	0.96	0.11	47,55,62,65	0
3	NAG	O	1	14/15	0.96	0.13	38,42,44,51	0
2	BMA	J	3	11/12	0.96	0.09	50,55,60,60	0
2	NAG	P	2	14/15	0.97	0.13	37,47,51,55	0
3	NAG	F	1	14/15	0.97	0.14	32,34,42,42	0
2	NAG	M	2	14/15	0.97	0.13	44,49,53,54	0
2	NAG	J	1	14/15	0.97	0.12	32,38,40,41	0
2	NAG	M	1	14/15	0.97	0.13	45,46,50,50	0
2	NAG	K	1	14/15	0.97	0.16	38,41,44,45	0
2	NAG	H	2	14/15	0.98	0.14	36,45,54,58	0
2	NAG	P	1	14/15	0.98	0.15	37,44,50,55	0
3	NAG	L	1	14/15	0.98	0.15	38,41,45,48	0
2	NAG	H	1	14/15	0.98	0.16	35,40,44,46	0
2	NAG	K	2	14/15	0.98	0.11	39,45,49,52	0
2	NAG	J	2	14/15	0.98	0.14	37,39,47,51	0
2	NAG	E	1	14/15	0.98	0.16	30,33,39,50	0
2	NAG	G	2	14/15	0.98	0.17	39,44,51,53	0
2	NAG	E	2	14/15	0.98	0.11	30,34,42,44	0
3	NAG	I	1	14/15	0.98	0.14	34,37,41,47	0
2	NAG	G	1	14/15	0.98	0.12	34,37,38,41	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around Chain G:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain H:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around Chain J:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around Chain K:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around Chain M:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain N:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around Chain P:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around Chain F:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain L:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	NAG	C	1006	14/15	0.88	0.27	74,83,107,117	0
4	NAG	B	907	14/15	0.90	0.16	55,62,70,72	0
4	NAG	D	907	14/15	0.91	0.15	56,69,82,87	0
4	NAG	C	1010	14/15	0.94	0.15	78,82,87,88	0
5	M4D	C	1011	21/21	0.94	0.21	48,52,61,63	0
4	NAG	A	1010	14/15	0.94	0.19	60,70,81,85	0
4	NAG	D	911	14/15	0.94	0.16	58,67,74,74	0
4	NAG	A	1011	14/15	0.94	0.18	59,64,69,69	0
4	NAG	B	911	14/15	0.95	0.12	56,59,67,70	0
5	M4D	D	901	21/21	0.95	0.18	35,37,41,43	0
4	NAG	A	1006	14/15	0.96	0.12	56,64,71,73	0
5	M4D	B	901	21/21	0.96	0.20	39,42,46,47	0

*Continued on next page...*

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
5	M4D	A	1012	21/21	0.96	0.17	32,37,47,49	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around M4D D 901:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around M4D B 901:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







## 6.5 Other polymers [i](#)

There are no such residues in this entry.