



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 19, 2023 – 08:13 PM EDT

PDB ID : 5I8R
Title : aSMase with zinc
Authors : Zhou, Y.F.; Wei, R.R.
Deposited on : 2016-02-19
Resolution : 3.65 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.







Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1341 (3.78-3.50)
Clashscore	141614	1439 (3.78-3.50)
Ramachandran outliers	138981	1391 (3.78-3.50)
Sidechain outliers	138945	1391 (3.78-3.50)
RSRZ outliers	127900	1242 (3.78-3.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	583	 2% 70% 19% • 9%
1	B	583	 2% 76% 13% • 9%
1	C	583	 11% 76% 14% • 9%
2	D	2	 100%
2	E	2	 50% 50%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	2	 100%
2	G	2	 100%
2	I	2	 100%
3	H	3	 33% 33% 33%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	NAG	A	701	-	-	-	X
4	NAG	B	701	-	-	-	X
4	NAG	C	701	-	-	-	X

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 12883 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Spingomyelin phosphodiesterase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	528	4161	2684	717	737	23	0	0	0
1	B	528	4161	2684	717	737	23	0	0	0
1	C	528	4161	2684	717	737	23	0	0	0

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	D	2	28	16	2	10	0	0	0
2	E	2	28	16	2	10	0	0	0
2	F	2	28	16	2	10	0	0	0
2	G	2	28	16	2	10	0	0	0
2	I	2	28	16	2	10	0	0	0

- Molecule 3 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
3	H	3	39	22	2	15	0	0	0

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
4	A	1	14	8	1	5	0	0
4	A	1	14	8	1	5	0	0
4	A	1	14	8	1	5	0	0
4	A	1	14	8	1	5	0	0
4	A	1	14	8	1	5	0	0
4	B	1	14	8	1	5	0	0
4	B	1	14	8	1	5	0	0
4	B	1	14	8	1	5	0	0
4	B	1	14	8	1	5	0	0
4	C	1	14	8	1	5	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	C	1	Total	C	N	O	0	0
			14	8	1	5		
4	C	1	Total	C	N	O	0	0
			14	8	1	5		
4	C	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 5 is beta-D-mannopyranose (three-letter code: BMA) (formula: C₆H₁₂O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			11	6	5		
5	B	1	Total	C	O	0	0
			11	6	5		

- Molecule 6 is alpha-D-mannopyranose (three-letter code: MAN) (formula: C₆H₁₂O₆).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C O 11 6 5	0	0


- Molecule 7 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	2	Total Zn 2 2	0	0
7	B	2	Total Zn 2 2	0	0
7	C	2	Total Zn 2 2	0	0


3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Spingomyelin phosphodiesterase



- Molecule 1: Spingomyelin phosphodiesterase



- Molecule 1: Sphingomyelin phosphodiesterase




- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  100%



MAG1
MAG2

- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  33% 33% 33%



MAG1
MAG2
BMA3

4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	191.02Å 230.87Å 252.32Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	44.13 – 3.65 44.13 – 3.65	Depositor EDS
% Data completeness (in resolution range)	98.6 (44.13-3.65) 98.9 (44.13-3.65)	Depositor EDS
R_{merge}	0.23	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.34 (at 3.66Å)	Xtrriage
Refinement program	PHENIX (dev_2229: ???)	Depositor
R, R_{free}	0.248 , 0.254 0.251 , 0.258	Depositor DCC
R_{free} test set	2000 reflections (3.25%)	wwPDB-VP
Wilson B-factor (Å ²)	188.7	Xtrriage
Anisotropy	0.283	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 192.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.38$, $\langle L^2 \rangle = 0.22$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	12883	wwPDB-VP
Average B, all atoms (Å ²)	237.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.54% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, BMA, MAN, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.30	0/4307	0.55	2/5904 (0.0%)
1	B	0.29	0/4307	0.56	2/5904 (0.0%)
1	C	0.27	0/4307	0.51	0/5904
All	All	0.29	0/12921	0.54	4/17712 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	84	TRP	N-CA-C	5.70	126.39	111.00
1	B	272	MET	CA-CB-CG	5.64	122.89	113.30
1	A	382	MET	CG-SD-CE	5.07	108.31	100.20
1	A	272	MET	CA-CB-CG	5.06	121.89	113.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4161	0	4027	73	0
1	B	4161	0	4024	53	0
1	C	4161	0	4032	53	0
2	D	28	0	25	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	E	28	0	25	2	0
2	F	28	0	25	0	0
2	G	28	0	25	0	0
2	I	28	0	25	0	0
3	H	39	0	34	3	0
4	A	70	0	63	9	0
4	B	56	0	51	2	0
4	C	56	0	52	10	0
5	A	11	0	10	2	0
5	B	11	0	10	2	0
6	A	11	0	10	0	0
7	A	2	0	0	0	0
7	B	2	0	0	0	0
7	C	2	0	0	0	0
All	All	12883	0	12438	187	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (187) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:86:ASN:HD21	4:A:701:NAG:C1	1.07	1.64
1:C:86:ASN:HD21	4:C:701:NAG:C1	1.24	1.47
1:C:395:ASN:HD21	4:C:703:NAG:C1	1.27	1.45
4:A:709:NAG:O4	4:A:710:NAG:C1	1.63	1.45
1:A:86:ASN:ND2	4:A:701:NAG:C1	1.88	1.33
5:A:707:BMA:C1	2:E:2:NAG:O4	1.81	1.29
1:C:175:ASN:ND2	4:C:702:NAG:C1	1.99	1.25
1:C:503:ASN:HD21	4:C:704:NAG:C1	1.51	1.23
4:B:708:NAG:O4	5:B:709:BMA:C1	1.91	1.19
1:C:86:ASN:ND2	4:C:701:NAG:C1	2.09	1.14
1:C:395:ASN:ND2	4:C:703:NAG:C1	2.10	1.13
1:A:86:ASN:ND2	4:A:701:NAG:O5	1.82	1.10
3:H:2:NAG:O3	3:H:3:BMA:H2	1.54	1.05
1:C:175:ASN:HD21	4:C:702:NAG:C1	1.64	1.02
1:C:503:ASN:ND2	4:C:704:NAG:C1	2.22	1.01
4:A:709:NAG:C4	4:A:710:NAG:C1	2.45	0.95
1:C:175:ASN:HD22	4:C:702:NAG:C1	1.82	0.87
4:A:709:NAG:O4	4:A:710:NAG:C2	2.25	0.84
4:B:708:NAG:HO4	5:B:709:BMA:C1	1.88	0.83

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:H:2:NAG:H4	3:H:3:BMA:O2	1.81	0.79
3:H:2:NAG:O3	3:H:3:BMA:C2	2.27	0.79
1:C:218:ASP:OD1	1:C:238:ARG:NH2	2.21	0.74
1:C:515:GLU:HG2	1:C:538:ARG:HG2	1.71	0.73
1:C:462:GLU:HB2	1:C:596:GLN:HE22	1.52	0.73
1:C:537:TYR:HB2	1:C:542:THR:HG21	1.69	0.72
1:B:87:LEU:O	1:B:88:THR:OG1	2.09	0.71
1:B:515:GLU:HG2	1:B:538:ARG:HG2	1.73	0.71
1:C:86:ASN:ND2	4:C:701:NAG:O5	2.21	0.70
1:A:86:ASN:CG	4:A:701:NAG:C1	2.60	0.70
1:C:187:LYS:H	1:C:448:ASN:HD21	1.39	0.70
1:B:200:ARG:NH1	1:B:267:ALA:O	2.24	0.68
1:B:273:VAL:HG21	1:B:307:LEU:HD22	1.75	0.68
1:B:342:TYR:HA	1:B:345:MET:HE2	1.73	0.68
1:A:342:TYR:HA	1:A:345:MET:HE2	1.76	0.67
1:B:462:GLU:HB2	1:B:596:GLN:HE22	1.60	0.67
1:C:342:TYR:HA	1:C:345:MET:HE2	1.77	0.66
1:C:95:LEU:O	1:C:99:ILE:HG12	1.95	0.66
1:A:463:PHE:H	1:A:596:GLN:HE22	1.42	0.66
1:B:537:TYR:HB2	1:B:542:THR:HG21	1.79	0.64
1:A:187:LYS:H	1:A:448:ASN:HD21	1.44	0.63
1:A:515:GLU:HG2	1:A:538:ARG:HG2	1.80	0.63
1:B:89:CYS:HB3	1:B:90:PRO:HD3	1.81	0.63
1:B:439:TYR:OH	1:B:453:GLN:NE2	2.33	0.62
1:A:537:TYR:HB2	1:A:542:THR:HG21	1.81	0.62
1:A:138:PHE:CE1	1:A:323:PRO:HB3	2.34	0.61
1:A:218:ASP:OD1	1:A:238:ARG:NH2	2.30	0.61
4:A:709:NAG:H4	4:A:710:NAG:C1	2.28	0.61
1:C:273:VAL:HG21	1:C:307:LEU:HD22	1.82	0.61
1:B:440:TYR:HE1	1:B:599:ALA:HB3	1.65	0.60
1:A:273:VAL:HG21	1:A:307:LEU:HD22	1.85	0.59
1:B:95:LEU:O	1:B:99:ILE:HG12	2.02	0.59
1:C:114:SER:O	1:C:118:LYS:HG2	2.01	0.59
1:A:538:ARG:O	1:A:542:THR:HG23	2.02	0.59
1:A:95:LEU:O	1:A:99:ILE:HG12	2.03	0.58
1:C:318:ASN:HA	1:C:383:ASN:HD21	1.68	0.58
1:A:114:SER:O	1:A:118:LYS:HG2	2.03	0.58
1:A:207:LEU:HA	1:A:485:ALA:HB3	1.85	0.58
1:B:304:ARG:HG3	1:B:352:TRP:CZ2	2.39	0.58
1:C:499:GLN:NE2	1:C:515:GLU:OE2	2.35	0.58
1:A:200:ARG:NH1	1:A:267:ALA:O	2.36	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:463:PHE:H	1:B:596:GLN:HE22	1.52	0.57
1:C:463:PHE:H	1:C:596:GLN:HE22	1.51	0.57
1:C:138:PHE:CE1	1:C:323:PRO:HB3	2.40	0.56
1:A:271:ASP:HB3	1:A:272:MET:HE3	1.87	0.56
1:B:114:SER:O	1:B:118:LYS:HG2	2.05	0.56
1:B:538:ARG:O	1:B:542:THR:HG23	2.06	0.56
5:A:707:BMA:C1	2:E:2:NAG:C4	2.83	0.55
1:B:218:ASP:OD1	1:B:238:ARG:NH2	2.35	0.55
1:C:202:LEU:HB3	1:C:273:VAL:HG22	1.88	0.55
1:B:138:PHE:CE1	1:B:323:PRO:HB3	2.42	0.54
1:A:462:GLU:HB2	1:A:596:GLN:HE22	1.72	0.54
1:A:252:LEU:HD11	1:A:485:ALA:O	2.07	0.54
1:C:538:ARG:O	1:C:542:THR:HG23	2.07	0.54
1:B:187:LYS:H	1:B:448:ASN:HD21	1.56	0.54
1:C:168:TRP:CH2	1:C:170:ILE:HD12	2.43	0.53
1:A:279:ILE:HB	1:A:280:PRO:HD3	1.90	0.53
1:A:440:TYR:CD1	1:A:600:ARG:HB2	2.43	0.53
1:C:271:ASP:HB3	1:C:272:MET:HE3	1.91	0.53
1:C:343:GLU:O	1:C:347:LYS:HD3	2.09	0.53
1:C:561:ARG:NH1	1:C:609:HIS:O	2.42	0.53
1:A:220:ASP:HB3	1:A:238:ARG:NH2	2.24	0.52
1:B:88:THR:O	1:B:161:LEU:HD13	2.09	0.52
1:B:96:PHE:HA	1:B:99:ILE:HB	1.92	0.52
1:B:343:GLU:O	1:B:347:LYS:HD3	2.10	0.52
1:C:440:TYR:HE1	1:C:599:ALA:HB3	1.75	0.52
1:C:219:PRO:HB3	1:C:246:GLU:HG2	1.92	0.52
1:A:96:PHE:HA	1:A:99:ILE:HB	1.92	0.51
1:B:220:ASP:HB3	1:B:238:ARG:NH2	2.25	0.51
1:A:168:TRP:CH2	1:A:170:ILE:HD12	2.46	0.51
1:A:318:ASN:HA	1:A:383:ASN:HD21	1.75	0.51
1:A:483:PRO:HB2	1:A:576:LYS:HD3	1.93	0.51
1:B:275:TRP:O	1:B:314:PRO:HA	2.11	0.51
1:C:483:PRO:HB2	1:C:576:LYS:HD3	1.93	0.50
1:A:463:PHE:H	1:A:596:GLN:NE2	2.09	0.50
1:A:89:CYS:HB3	1:A:90:PRO:HD3	1.93	0.50
1:A:372:TYR:CE1	1:A:503:ASN:HB2	2.46	0.50
1:B:312:VAL:HB	1:B:352:TRP:CD2	2.46	0.49
1:B:437:TRP:CD2	1:B:600:ARG:HD2	2.47	0.49
1:A:314:PRO:HG2	1:A:349:TRP:CD2	2.48	0.49
1:A:343:GLU:O	1:A:347:LYS:HD3	2.13	0.49
1:C:314:PRO:HG2	1:C:349:TRP:CD2	2.48	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:159:LEU:HB2	1:A:168:TRP:CE3	2.47	0.49
1:C:275:TRP:O	1:C:314:PRO:HA	2.13	0.48
1:A:304:ARG:HG3	1:A:352:TRP:CZ2	2.49	0.48
1:B:194:PRO:HG3	1:C:538:ARG:HD3	1.95	0.47
1:C:304:ARG:HG3	1:C:352:TRP:CZ2	2.49	0.47
1:C:96:PHE:HA	1:C:99:ILE:HB	1.95	0.47
1:C:463:PHE:H	1:C:596:GLN:NE2	2.11	0.47
1:A:275:TRP:O	1:A:314:PRO:HA	2.14	0.47
1:A:459:HIS:HA	1:A:484:SER:HB3	1.96	0.47
1:A:219:PRO:HB3	1:A:246:GLU:HG2	1.95	0.47
1:C:220:ASP:HB3	1:C:238:ARG:NH2	2.30	0.47
1:A:439:TYR:OH	1:A:453:GLN:NE2	2.48	0.47
1:B:314:PRO:HG2	1:B:349:TRP:CD2	2.49	0.47
1:A:387:ARG:HH22	1:A:601:ALA:HB1	1.80	0.47
1:A:428:PRO:HD3	1:A:455:PHE:CZ	2.50	0.47
1:C:488:TYR:HA	1:C:489:ILE:HA	1.61	0.47
1:B:271:ASP:HB3	1:B:272:MET:HE3	1.97	0.47
1:B:515:GLU:CG	1:B:538:ARG:HG2	2.44	0.47
1:A:194:PRO:HG3	1:B:538:ARG:HD3	1.96	0.46
1:C:439:TYR:OH	1:C:453:GLN:NE2	2.47	0.46
1:C:89:CYS:HB3	1:C:90:PRO:HD3	1.96	0.46
1:C:200:ARG:NH1	1:C:267:ALA:O	2.40	0.46
1:B:219:PRO:HB3	1:B:246:GLU:HG2	1.98	0.46
1:C:279:ILE:HB	1:C:280:PRO:HD3	1.97	0.46
1:A:437:TRP:CD2	1:A:600:ARG:HD2	2.51	0.46
1:C:214:LEU:HD23	1:C:214:LEU:HA	1.78	0.46
1:B:272:MET:HG2	1:B:313:TYR:CE2	2.50	0.46
1:A:214:LEU:HA	1:A:214:LEU:HD23	1.67	0.45
1:B:214:LEU:HD23	1:B:214:LEU:HA	1.83	0.45
1:A:86:ASN:OD1	4:A:701:NAG:C1	2.65	0.45
1:A:312:VAL:HB	1:A:352:TRP:CD2	2.52	0.45
1:A:561:ARG:HD3	1:A:610:LEU:HD23	1.97	0.45
1:B:483:PRO:HB2	1:B:576:LYS:HD3	1.98	0.45
1:B:380:LEU:HB3	1:B:382:MET:CE	2.47	0.45
1:B:380:LEU:HB3	1:B:382:MET:HE1	1.99	0.45
1:A:261:LEU:HD11	1:A:303:VAL:HG12	1.98	0.44
1:A:466:PHE:HB2	1:A:477:ALA:HB3	1.99	0.44
1:A:308:GLY:HA3	1:A:309:PRO:HD3	1.78	0.44
1:A:191:PRO:HD3	1:B:266:PRO:HB3	1.98	0.44
1:A:244:TRP:CZ2	1:A:531:PRO:HG3	2.53	0.44
1:A:428:PRO:HD3	1:A:455:PHE:CE2	2.51	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:488:TYR:HA	1:B:489:ILE:HA	1.63	0.44
1:A:85:GLY:O	1:A:88:THR:HG23	2.18	0.44
1:A:201:ILE:HD12	1:A:272:MET:HB2	1.99	0.44
1:B:322:THR:HA	1:B:323:PRO:C	2.38	0.43
1:B:463:PHE:H	1:B:596:GLN:NE2	2.14	0.43
1:C:459:HIS:HA	1:C:484:SER:HB3	2.00	0.43
1:A:488:TYR:HA	1:A:489:ILE:HA	1.60	0.43
1:B:313:TYR:HD2	1:B:377:LEU:HD13	1.84	0.43
1:B:440:TYR:CD1	1:B:600:ARG:HB2	2.53	0.43
1:A:87:LEU:HB3	1:A:91:ILE:HD12	2.01	0.43
1:B:574:TYR:HD1	1:B:575:HIS:CE1	2.36	0.43
1:A:207:LEU:HB3	1:A:257:LEU:HD11	2.01	0.43
1:A:244:TRP:CE2	1:A:531:PRO:HG3	2.54	0.43
1:A:361:LEU:HD12	1:A:365:GLY:HA2	2.02	0.42
1:A:387:ARG:NH2	1:A:601:ALA:HB1	2.34	0.42
1:B:317:GLY:O	1:B:320:GLU:HG2	2.20	0.42
1:A:318:ASN:CA	1:A:383:ASN:HD21	2.33	0.42
1:C:574:TYR:HD1	1:C:575:HIS:CE1	2.37	0.42
1:A:328:PRO:HD2	1:A:338:SER:OG	2.20	0.42
1:B:470:GLU:OE1	1:B:470:GLU:N	2.46	0.42
1:A:294:ARG:HG3	1:A:295:ALA:N	2.34	0.42
1:A:320:GLU:HB2	1:A:341:LEU:HD21	2.01	0.42
1:A:328:PRO:HA	1:A:329:PRO:HD3	1.91	0.42
1:B:206:ASP:OD1	1:B:425:HIS:HE1	2.03	0.42
1:C:403:LEU:HD23	1:C:403:LEU:HA	1.94	0.42
1:B:459:HIS:HA	1:B:484:SER:HB3	2.02	0.42
1:B:168:TRP:CH2	1:B:170:ILE:HD12	2.55	0.41
1:A:203:PHE:CE1	1:A:454:PHE:HB3	2.55	0.41
1:B:279:ILE:HB	1:B:280:PRO:HD3	2.03	0.41
1:C:226:CYS:O	1:C:228:ARG:HG2	2.20	0.41
1:A:247:TYR:CZ	1:A:521:LEU:HB2	2.54	0.41
1:C:440:TYR:CD1	1:C:600:ARG:HB2	2.56	0.41
1:A:470:GLU:OE1	1:A:470:GLU:N	2.45	0.41
1:B:226:CYS:O	1:B:228:ARG:HG2	2.20	0.41
1:A:96:PHE:HA	1:A:99:ILE:CG1	2.50	0.41
1:B:328:PRO:HD2	1:B:338:SER:OG	2.21	0.41
1:A:437:TRP:CG	1:A:600:ARG:HD2	2.56	0.41
1:C:317:GLY:O	1:C:320:GLU:HG2	2.21	0.41
1:C:322:THR:HA	1:C:323:PRO:C	2.40	0.41
1:C:437:TRP:CG	1:C:600:ARG:HD2	2.56	0.41
1:A:251:ASP:OD2	1:A:282:HIS:HD2	2.05	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:499:GLN:HE21	1:A:513:ASP:HB3	1.86	0.40
1:B:111:ARG:O	1:B:115:VAL:HG12	2.21	0.40
1:A:293:LEU:HD23	1:A:293:LEU:HA	1.88	0.40
1:B:437:TRP:CG	1:B:600:ARG:HD2	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	526/583 (90%)	503 (96%)	22 (4%)	1 (0%)	47 79
1	B	526/583 (90%)	502 (95%)	22 (4%)	2 (0%)	34 70
1	C	526/583 (90%)	503 (96%)	22 (4%)	1 (0%)	47 79
All	All	1578/1749 (90%)	1508 (96%)	66 (4%)	4 (0%)	41 74

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	88	THR
1	B	89	CYS
1	A	354	PRO
1	C	354	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	448/495 (90%)	434 (97%)	14 (3%)	40	70
1	B	448/495 (90%)	434 (97%)	14 (3%)	40	70
1	C	448/495 (90%)	434 (97%)	14 (3%)	40	70
All	All	1344/1485 (90%)	1302 (97%)	42 (3%)	40	70

All (42) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	84	TRP
1	A	87	LEU
1	A	115	VAL
1	A	164	THR
1	A	215	GLU
1	A	228	ARG
1	A	272	MET
1	A	307	LEU
1	A	336	HIS
1	A	353	LEU
1	A	356	GLU
1	A	376	ARG
1	A	385	CYS
1	A	542	THR
1	B	84	TRP
1	B	87	LEU
1	B	115	VAL
1	B	164	THR
1	B	215	GLU
1	B	228	ARG
1	B	272	MET
1	B	307	LEU
1	B	336	HIS
1	B	353	LEU
1	B	356	GLU
1	B	376	ARG
1	B	385	CYS
1	B	542	THR
1	C	84	TRP
1	C	87	LEU
1	C	115	VAL
1	C	164	THR
1	C	215	GLU
1	C	228	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	272	MET
1	C	307	LEU
1	C	336	HIS
1	C	353	LEU
1	C	356	GLU
1	C	376	ARG
1	C	385	CYS
1	C	542	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (36) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	86	ASN
1	A	208	HIS
1	A	282	HIS
1	A	287	GLN
1	A	336	HIS
1	A	383	ASN
1	A	430	HIS
1	A	448	ASN
1	A	453	GLN
1	A	499	GLN
1	A	514	HIS
1	A	568	GLN
1	A	596	GLN
1	B	287	GLN
1	B	336	HIS
1	B	383	ASN
1	B	430	HIS
1	B	448	ASN
1	B	453	GLN
1	B	514	HIS
1	B	568	GLN
1	B	596	GLN
1	C	86	ASN
1	C	175	ASN
1	C	208	HIS
1	C	287	GLN
1	C	336	HIS
1	C	383	ASN
1	C	395	ASN
1	C	448	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	453	GLN
1	C	503	ASN
1	C	514	HIS
1	C	568	GLN
1	C	575	HIS
1	C	596	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

13 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	D	1	1,2	14,14,15	0.20	0	17,19,21	0.39	0
2	NAG	D	2	2	14,14,15	0.30	0	17,19,21	0.57	0
2	NAG	E	1	1,2	14,14,15	0.16	0	17,19,21	0.46	0
2	NAG	E	2	2	14,14,15	0.43	0	17,19,21	0.61	0
2	NAG	F	1	1,2	14,14,15	0.21	0	17,19,21	0.41	0
2	NAG	F	2	2	14,14,15	0.22	0	17,19,21	0.50	0
2	NAG	G	1	1,2	14,14,15	0.18	0	17,19,21	0.42	0
2	NAG	G	2	2	14,14,15	0.21	0	17,19,21	0.41	0
3	NAG	H	1	1,3	14,14,15	0.29	0	17,19,21	0.45	0
3	NAG	H	2	3	14,14,15	0.55	0	17,19,21	1.18	1 (5%)
3	BMA	H	3	3	11,11,12	0.27	0	15,15,17	0.64	0
2	NAG	I	1	1,2	14,14,15	0.26	0	17,19,21	0.38	0
2	NAG	I	2	2	14,14,15	0.30	0	17,19,21	0.37	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	D	1	1,2	-	1/6/23/26	0/1/1/1
2	NAG	D	2	2	-	2/6/23/26	0/1/1/1
2	NAG	E	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	E	2	2	-	0/6/23/26	0/1/1/1
2	NAG	F	1	1,2	-	1/6/23/26	0/1/1/1
2	NAG	F	2	2	-	2/6/23/26	0/1/1/1
2	NAG	G	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	G	2	2	-	0/6/23/26	0/1/1/1
3	NAG	H	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	H	2	3	-	6/6/23/26	0/1/1/1
3	BMA	H	3	3	-	0/2/19/22	0/1/1/1
2	NAG	I	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	I	2	2	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	H	2	NAG	O5-C1-C2	-2.82	106.83	111.29

There are no chirality outliers.

All (12) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	H	2	NAG	C8-C7-N2-C2
3	H	2	NAG	O7-C7-N2-C2
2	D	2	NAG	C4-C5-C6-O6
2	F	2	NAG	C4-C5-C6-O6
2	D	2	NAG	O5-C5-C6-O6
2	F	2	NAG	O5-C5-C6-O6
3	H	2	NAG	O5-C5-C6-O6
3	H	2	NAG	C4-C5-C6-O6
3	H	2	NAG	C1-C2-N2-C7
3	H	2	NAG	C3-C2-N2-C7
2	F	1	NAG	C4-C5-C6-O6
2	D	1	NAG	C4-C5-C6-O6


There are no ring outliers.


3 monomers are involved in 5 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	H	3	BMA	3	0
3	H	2	NAG	3	0
2	E	2	NAG	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.














5.6 Ligand geometry [i](#)

Of 22 ligands modelled in this entry, 6 are monoatomic - leaving 16 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NAG	B	701	1	14,14,15	0.21	0	17,19,21	0.46	0
6	MAN	A	711	-	11,11,12	0.86	0	15,15,17	0.99	1 (6%)
4	NAG	A	702	1	14,14,15	0.25	0	17,19,21	0.53	0
4	NAG	B	702	-	14,14,15	0.24	0	17,19,21	0.52	0
4	NAG	C	704	-	14,14,15	0.73	1 (7%)	17,19,21	0.59	0
4	NAG	B	708	-	14,14,15	0.42	0	17,19,21	0.50	0
4	NAG	A	709	1	14,14,15	0.25	0	17,19,21	0.50	0
4	NAG	C	703	-	14,14,15	0.69	1 (7%)	17,19,21	0.64	1 (5%)
4	NAG	A	708	-	14,14,15	0.38	0	17,19,21	0.52	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	A	710	-	14,14,15	0.36	0	17,19,21	0.40	0
4	NAG	C	701	-	14,14,15	0.88	1 (7%)	17,19,21	0.57	0
5	BMA	A	707	-	11,11,12	1.17	2 (18%)	15,15,17	1.55	4 (26%)
4	NAG	C	702	-	14,14,15	0.30	0	17,19,21	0.62	0
4	NAG	B	707	1	14,14,15	0.25	0	17,19,21	0.45	0
4	NAG	A	701	-	14,14,15	0.61	1 (7%)	17,19,21	0.45	0
5	BMA	B	709	-	11,11,12	1.14	1 (9%)	15,15,17	1.52	3 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	B	701	1	-	0/6/23/26	0/1/1/1
6	MAN	A	711	-	-	2/2/19/22	0/1/1/1
4	NAG	A	702	1	-	2/6/23/26	0/1/1/1
4	NAG	B	702	-	-	2/6/23/26	0/1/1/1
4	NAG	C	704	-	-	2/6/23/26	0/1/1/1
4	NAG	B	708	-	-	0/6/23/26	0/1/1/1
4	NAG	A	709	1	-	0/6/23/26	0/1/1/1
4	NAG	C	703	-	-	2/6/23/26	0/1/1/1
4	NAG	A	708	-	-	2/6/23/26	0/1/1/1
4	NAG	A	710	-	-	0/6/23/26	0/1/1/1
4	NAG	C	701	-	-	0/6/23/26	0/1/1/1
5	BMA	A	707	-	-	0/2/19/22	0/1/1/1
4	NAG	C	702	-	-	2/6/23/26	0/1/1/1
4	NAG	B	707	1	-	2/6/23/26	0/1/1/1
4	NAG	A	701	-	-	0/6/23/26	0/1/1/1
5	BMA	B	709	-	-	0/2/19/22	0/1/1/1

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	701	NAG	C1-C2	2.89	1.56	1.52
5	B	709	BMA	C1-C2	2.61	1.58	1.52
5	A	707	BMA	C2-C3	2.50	1.56	1.52
5	A	707	BMA	C1-C2	2.45	1.57	1.52
4	C	703	NAG	O5-C1	2.23	1.47	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	704	NAG	C1-C2	2.20	1.55	1.52
4	A	701	NAG	C1-C2	2.13	1.55	1.52

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	707	BMA	C1-C2-C3	3.48	113.94	109.67
5	B	709	BMA	C1-O5-C5	3.46	116.88	112.19
5	B	709	BMA	C1-C2-C3	2.98	113.33	109.67
5	A	707	BMA	C1-O5-C5	2.93	116.16	112.19
5	B	709	BMA	O2-C2-C3	-2.58	104.97	110.14
6	A	711	MAN	C1-O5-C5	2.26	115.25	112.19
4	C	703	NAG	C1-O5-C5	2.21	115.18	112.19
5	A	707	BMA	O2-C2-C3	-2.20	105.73	110.14
5	A	707	BMA	O5-C1-C2	2.15	114.09	110.77

There are no chirality outliers.

All (16) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	702	NAG	O5-C5-C6-O6
4	B	707	NAG	O5-C5-C6-O6
4	C	702	NAG	C4-C5-C6-O6
4	B	702	NAG	C4-C5-C6-O6
4	C	702	NAG	O5-C5-C6-O6
4	B	707	NAG	C4-C5-C6-O6
4	A	702	NAG	C4-C5-C6-O6
4	C	703	NAG	O5-C5-C6-O6
4	A	702	NAG	O5-C5-C6-O6
4	C	703	NAG	C4-C5-C6-O6
6	A	711	MAN	O5-C5-C6-O6
4	A	708	NAG	C4-C5-C6-O6
4	A	708	NAG	O5-C5-C6-O6
4	C	704	NAG	C4-C5-C6-O6
4	C	704	NAG	O5-C5-C6-O6
6	A	711	MAN	C4-C5-C6-O6

There are no ring outliers.

10 monomers are involved in 23 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	C	704	NAG	2	0
4	B	708	NAG	2	0
4	A	709	NAG	4	0
4	C	703	NAG	2	0
4	A	710	NAG	4	0
4	C	701	NAG	3	0
5	A	707	BMA	2	0
4	C	702	NAG	3	0
4	A	701	NAG	5	0
5	B	709	BMA	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	528/583 (90%)	-0.02	13 (2%) 57 41	147, 194, 235, 267	0
1	B	528/583 (90%)	0.12	13 (2%) 57 41	167, 211, 266, 321	0
1	C	528/583 (90%)	0.74	66 (12%) 3 3	215, 302, 350, 413	0
All	All	1584/1749 (90%)	0.28	92 (5%) 23 14	147, 221, 335, 413	0

All (92) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	277	GLY	6.2
1	C	451	ALA	5.2
1	C	424	GLY	5.1
1	C	425	HIS	4.8
1	C	482	ALA	4.8
1	C	325	ASN	4.7
1	C	456	GLY	4.6
1	C	329	PRO	4.5
1	B	611	MET	4.5
1	C	353	LEU	4.4
1	C	458	THR	4.4
1	C	319	HIS	4.3
1	C	85	GLY	4.3
1	C	125	ILE	4.2
1	C	318	ASN	4.2
1	C	331	PHE	4.0
1	C	205	THR	3.9
1	C	123	LEU	3.9
1	C	317	GLY	3.8
1	C	387	ARG	3.7
1	A	277	GLY	3.7
1	B	424	GLY	3.7
1	C	465	VAL	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	610	LEU	3.7
1	C	426	ILE	3.6
1	C	388	GLU	3.6
1	C	206	ASP	3.6
1	C	278	ASP	3.6
1	C	103	LEU	3.5
1	C	315	ALA	3.4
1	C	457	HIS	3.3
1	C	561	ARG	3.3
1	C	92	CYS	3.2
1	C	176	ILE	3.1
1	C	560	MET	3.1
1	A	425	HIS	3.1
1	B	610	LEU	3.0
1	C	510	VAL	3.0
1	A	611	MET	3.0
1	C	119	LEU	3.0
1	C	194	PRO	2.9
1	C	597	LEU	2.9
1	B	383	ASN	2.9
1	C	430	HIS	2.9
1	C	99	ILE	2.9
1	C	605	ALA	2.8
1	C	84	TRP	2.8
1	C	90	PRO	2.8
1	C	611	MET	2.8
1	C	484	SER	2.8
1	A	278	ASP	2.7
1	B	277	GLY	2.7
1	C	276	THR	2.7
1	A	424	GLY	2.7
1	B	386	SER	2.7
1	B	425	HIS	2.7
1	C	86	ASN	2.7
1	C	112	VAL	2.7
1	B	325	ASN	2.6
1	C	459	HIS	2.6
1	B	387	ARG	2.6
1	C	383	ASN	2.5
1	B	388	GLU	2.5
1	C	189	PRO	2.5
1	C	178	LEU	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	463	PHE	2.5
1	C	352	TRP	2.5
1	B	456	GLY	2.4
1	C	135	VAL	2.4
1	C	386	SER	2.4
1	A	84	TRP	2.4
1	C	120	CYS	2.4
1	A	317	GLY	2.4
1	C	600	ARG	2.3
1	A	457	HIS	2.3
1	C	404	GLN	2.3
1	B	381	ASN	2.2
1	A	85	GLY	2.2
1	C	126	ALA	2.2
1	C	95	LEU	2.2
1	A	318	ASN	2.2
1	C	275	TRP	2.2
1	C	198	VAL	2.2
1	C	606	LEU	2.2
1	A	95	LEU	2.2
1	C	251	ASP	2.2
1	C	483	PRO	2.1
1	C	394	ILE	2.1
1	C	418	ASP	2.1
1	A	205	THR	2.1
1	B	120	CYS	2.1
1	A	103	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q < 0.9
3	BMA	H	3	11/12	0.47	0.22	265,265,265,265	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	NAG	F	2	14/15	0.61	0.37	252,267,282,291	0
3	NAG	H	2	14/15	0.82	0.19	222,240,249,250	0
2	NAG	F	1	14/15	0.82	0.40	250,267,280,295	0
2	NAG	E	1	14/15	0.83	0.18	219,236,241,244	0
2	NAG	G	2	14/15	0.83	0.23	266,286,292,293	0
2	NAG	G	1	14/15	0.84	0.19	248,266,271,274	0
2	NAG	D	2	14/15	0.85	0.47	220,236,251,260	0
2	NAG	I	1	14/15	0.86	0.27	206,218,232,235	0
2	NAG	E	2	14/15	0.88	0.26	250,270,275,276	0
2	NAG	D	1	14/15	0.88	0.21	213,229,242,258	0
2	NAG	I	2	14/15	0.89	0.19	229,247,256,257	0
3	NAG	H	1	14/15	0.92	0.22	177,189,203,205	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around Chain E:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain F:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain G:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain I:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain H:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	NAG	C	701	14/15	0.46	0.58	337,339,341,341	0
4	NAG	A	701	14/15	0.56	0.48	286,288,290,291	0
5	BMA	A	707	11/12	0.66	0.25	292,292,292,292	0
4	NAG	C	703	14/15	0.69	0.20	314,332,337,340	0
4	NAG	C	702	14/15	0.70	0.26	303,329,337,337	0
4	NAG	A	702	14/15	0.74	0.28	250,276,284,284	0
6	MAN	A	711	11/12	0.75	0.27	279,279,279,279	0
4	NAG	B	701	14/15	0.77	0.46	294,295,297,298	0
4	NAG	B	702	14/15	0.78	0.26	266,292,300,301	0
4	NAG	C	704	14/15	0.82	0.16	313,323,334,336	0
7	ZN	C	707	1/1	0.82	0.49	297,297,297,297	0
7	ZN	C	708	1/1	0.82	0.59	290,290,290,290	0
5	BMA	B	709	11/12	0.85	0.20	309,309,309,309	0
4	NAG	A	708	14/15	0.86	0.18	215,226,236,239	0
7	ZN	A	713	1/1	0.89	0.35	176,176,176,176	0
7	ZN	B	714	1/1	0.89	0.30	189,189,189,189	0
4	NAG	A	710	14/15	0.91	0.14	234,252,261,262	0
4	NAG	B	708	14/15	0.92	0.29	301,301,301,301	0
4	NAG	B	707	14/15	0.93	0.22	267,277,288,290	0
7	ZN	A	712	1/1	0.93	0.42	175,175,175,175	0
4	NAG	A	709	14/15	0.94	0.14	179,192,206,208	0
7	ZN	B	713	1/1	0.97	0.37	202,202,202,202	0

6.5 Other polymers [i](#)

There are no such residues in this entry.