

Full wwPDB X-ray Structure Validation Report (i)

Sep 24, 2023 – 02:30 AM EDT

PDB ID : 5L2A

Title: Structure of CNTnw N149S,F366A in an outward-facing state

Authors: Hirschi, M.; Johnson, Z.L.; Lee, S.-Y.

Deposited on : 2016-07-31

Resolution : 3.45 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity : 4.02b-467

Mogul : 1.8.5 (274361), CSD as541be (2020)

Xtriage (Phenix) : 1.13

EDS : 2.35.1

buster-report : 1.1.7 (2018)

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

Refmac : 5.8.0158

CCP4 : 7.0.044 (Gargrove)

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.35.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 3.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive	Similar resolution
1,13,113	$(\# \mathrm{Entries})$	$(\# ext{Entries}, ext{ resolution range}(ext{Å}))$
R_{free}	130704	1291 (3.52-3.40)
Clashscore	141614	1372 (3.52-3.40)
Ramachandran outliers	138981	1337 (3.52-3.40)
Sidechain outliers	138945	1338 (3.52-3.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Mol	Chain	Length	Quality of chain		
1	A	431	89%	9% •	
1	В	431	87%	11% •	
1	С	431	70% 24%	• 6%	



2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 8963 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Nucleoside permease.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
1	۸	422	Total	С	N	О	S	0	0	0
1	A	422	3024	1982	492	533	17	U	U	0
1	В	422	Total	С	N	О	S	0	0	0
1	Б	422	3017	1970	492	539	16	0		
1	С	406	Total	С	N	О	S	0	0	0
1		400	2869	1883	460	510	16	0	U	

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-5	GLY	-	expression tag	UNP G4CRQ5
A	-4	PRO	-	expression tag	UNP G4CRQ5
A	-3	ALA	-	expression tag	UNP G4CRQ5
A	-2	VAL	-	expression tag	UNP G4CRQ5
A	-1	PRO	-	expression tag	UNP G4CRQ5
A	0	ARG	-	expression tag	UNP G4CRQ5
A	149	SER	ASN	engineered mutation	UNP G4CRQ5
A	366	ALA	PHE	engineered mutation	UNP G4CRQ5
В	-5	GLY	-	expression tag	UNP G4CRQ5
В	-4	PRO	-	expression tag	UNP G4CRQ5
В	-3	ALA	-	expression tag	UNP G4CRQ5
В	-2	VAL	-	expression tag	UNP G4CRQ5
В	-1	PRO	-	expression tag	UNP G4CRQ5
В	0	ARG	-	expression tag	UNP G4CRQ5
В	149	SER	ASN	engineered mutation	UNP G4CRQ5
В	366	ALA	PHE	engineered mutation	UNP G4CRQ5
С	-5	GLY	-	expression tag	UNP G4CRQ5
С	-4	PRO	-	expression tag	UNP G4CRQ5
С	-3	ALA	-	expression tag	UNP G4CRQ5
С	-2	VAL	-	expression tag	UNP G4CRQ5
С	-1	PRO	-	expression tag	UNP G4CRQ5
С	0	ARG	-	expression tag	UNP G4CRQ5
С	149	SER	ASN	engineered mutation	UNP G4CRQ5



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
С	366	ALA	PHE	engineered mutation	UNP G4CRQ5

• Molecule 2 is 2-{[(4-O-alpha-D-glucopyranosyl-beta-D-glucopyranosyl)oxy]methyl}-2-octyld ecyl 4-O-alpha-D-glucopyranosyl-beta-D-glucopyranoside (three-letter code: 6ZL) (formula: $C_{43}H_{80}O_{22}$).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	
2	A	1	Total 53	C 36	O 17	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Nucleoside permease





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 61	Depositor
Cell constants	119.08Å 119.08Å 276.96Å	Donositon
a, b, c, α , β , γ	90.00° 90.00° 120.00°	Depositor
Resolution (Å)	38.98 - 3.45	Depositor
Resolution (A)	38.98 - 3.45	EDS
% Data completeness	92.5 (38.98-3.45)	Depositor
(in resolution range)	94.8 (38.98-3.45)	EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	1.49 (at 3.48Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
D D.	0.272 , 0.307	Depositor
R, R_{free}	0.274 , 0.307	DCC
R_{free} test set	1948 reflections (7.04%)	wwPDB-VP
Wilson B-factor (Å ²)	74.1	Xtriage
Anisotropy	0.006	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$, $B_{sol}(Å^2)$	0.24 , 20.8	EDS
L-test for twinning ²	$< L > = 0.49, < L^2> = 0.32$	Xtriage
Estimated twinning fraction	0.062 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.80	EDS
Total number of atoms	8963	wwPDB-VP
Average B, all atoms (Å ²)	71.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.54% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of <|L|>, $<L^2>$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: 6ZL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond	lengths	Bond angles		
IVIOI	Chain	RMSZ $ \# Z > 5$		RMSZ	# Z > 5	
1	A	0.26	0/3077	0.41	0/4184	
1	В	0.32	0/3069	0.44	1/4170 (0.0%)	
1	С	0.27	0/2918	0.53	3/3971 (0.1%)	
All	All	0.28	0/9064	0.46	$4/12325 \ (0.0\%)$	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a maintain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	В	0	2
1	С	0	3
All	All	0	6

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	${f Atoms}$	\mathbf{Z}	$Observed(^{o})$	$\operatorname{Ideal}(^{o})$
1	С	292	ASP	N-CA-C	-7.35	91.17	111.00
1	С	293	LEU	CA-CB-CG	6.52	130.30	115.30
1	С	182	ALA	CB-CA-C	-5.68	101.58	110.10
1	В	157	ALA	C-N-CD	5.27	139.47	128.40

There are no chirality outliers.

All (6) planarity outliers are listed below:



Mol	Chain	Res	Type	Group
1	A	289	GLY	Peptide
1	В	157	ALA	Peptide
1	В	158	PRO	Peptide
1	С	292	ASP	Peptide
1	С	310	ILE	Peptide
1	С	312	VAL	Peptide

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3024	0	3142	25	0
1	В	3017	0	3112	30	0
1	С	2869	0	2959	76	0
2	A	53	0	0	1	0
All	All	8963	0	9213	123	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (123) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-1 Atom-2		Clash overlap (Å)
1:C:308:TRP:HD1	1:C:313:PRO:HA	1.38	0.88
1:C:170:GLU:OE2	1:C:392:ARG:NH2	2.20	0.75
1:B:158:PRO:O	1:B:161:VAL:N	2.18	0.75
1:C:308:TRP:CD1	1:C:313:PRO:HA	2.21	0.73
1:C:310:ILE:HG12	1:C:410:VAL:HG22	1.70	0.73
1:B:256:GLY:HA2	1:B:259:ILE:HD12	1.70	0.72
1:C:181:LEU:HD11	1:C:375:LEU:HD11	1.70	0.71
1:C:141:ALA:O	1:C:144:MET:N	2.24	0.70
1:C:181:LEU:HD11	1:C:375:LEU:CD1	2.24	0.68
1:C:181:LEU:HD22	1:C:371:SER:OG	1.93	0.67
1:C:282:GLY:O	1:C:286:GLY:N	2.29	0.66
1:C:141:ALA:O	1:C:144:MET:HB3	1.95	0.66
1:C:270:PHE:CD2	1:C:373:ALA:HB2	2.29	0.65
1:B:5:HIS:O	1:B:5:HIS:ND1	2.28	0.65



 $Continued\ from\ previous\ page...$

Continued from prev		Interatomic	Clash
Atom-1	Atom-2	${\rm distance}(\mathring{\rm A})$	overlap(Å)
1:C:95:PHE:CD1	1:C:100:ARG:HD2	2.31	0.65
1:C:185:ALA:O	1:C:188:VAL:HG12	1.98	0.64
1:A:327:LYS:HD2	1:A:363:LEU:HA	1.79	0.63
1:A:65:ASN:HB3	1:A:69:TYR:CE2	2.33	0.63
1:C:381:ILE:HD12	1:C:381:ILE:N	2.13	0.62
1:B:185:ALA:HB3	1:B:188:VAL:HG22	1.80	0.62
1:C:154:GLN:NE2	1:C:371:SER:OG	2.33	0.61
1:A:329:VAL:HG23	1:A:330:ILE:HG12	1.84	0.60
1:C:296:GLN:OE1	1:C:296:GLN:N	2.32	0.60
1:C:132:LEU:HA	1:C:135:MET:HB2	1.85	0.59
1:C:285:GLY:HA3	1:C:291:GLY:HA3	1.85	0.58
1:C:256:GLY:HA2	1:C:259:ILE:HD12	1.84	0.58
1:C:266:SER:HB3	1:C:373:ALA:HB1	1.85	0.56
1:C:181:LEU:CD1	1:C:375:LEU:HD11	2.37	0.55
2:A:501:6ZL:C06	2:A:501:6ZL:C11	2.86	0.54
1:B:358:ILE:HG23	1:B:409:ALA:HB1	1.90	0.53
1:B:152:VAL:HG11	1:B:156:GLU:O	2.08	0.53
1:A:77:LEU:HD12	1:C:97:PHE:CD2	2.42	0.53
1:A:77:LEU:HG	1:C:98:ALA:HB2	1.89	0.52
1:C:115:LEU:HA	1:C:118:ILE:HG12	1.91	0.52
1:B:158:PRO:O	1:B:162:ARG:N	2.42	0.52
1:A:77:LEU:HD12	1:C:97:PHE:HD2	1.75	0.52
1:C:381:ILE:N	1:C:381:ILE:CD1	2.73	0.51
1:B:327:LYS:HD3	1:B:363:LEU:HA	1.92	0.51
1:A:152:VAL:HG11	1:A:156:GLU:HB3	1.91	0.50
1:C:173:LEU:HD22	1:C:386:ARG:HD2	1.91	0.50
1:A:296:GLN:HG3	1:A:326:GLN:NE2	2.26	0.50
1:C:161:VAL:O	1:C:165:ILE:HG13	2.12	0.50
1:B:204:ALA:HB1	1:B:208:MET:HE3	1.93	0.50
1:C:375:LEU:O	1:C:379:LEU:HD23	2.12	0.49
1:A:161:VAL:O	1:A:165:ILE:HG13	2.12	0.49
1:B:352:SER:HG	1:B:355:THR:HG1	1.61	0.49
1:A:70:GLY:HA2	1:C:272:ALA:HB1	1.94	0.49
1:C:291:GLY:HA2	1:C:293:LEU:HB2	1.96	0.48
1:B:-1:PRO:O	1:B:3:VAL:HG23	2.13	0.48
1:B:267:LEU:HD21	1:B:333:PHE:HB3	1.95	0.48
1:B:116:TYR:CD2	1:B:121:MET:HG3	2.49	0.48
1:C:266:SER:CB	1:C:373:ALA:HB1	2.43	0.48
1:C:12:VAL:O	1:C:16:ILE:HG13	2.14	0.48
1:A:46:VAL:HG23	1:A:47:LEU:HG	1.95	0.47
1:C:293:LEU:HG	1:C:298:ILE:HD11	1.94	0.47



 $Continued\ from\ previous\ page...$

Continued from prev		Interatomic	Clash
Atom-1	Atom-2	${\rm distance} \ (\mathring{\rm A})$	overlap(Å)
1:A:45:LEU:O	1:A:52:GLY:HA3	2.13	0.47
1:A:104:MET:HG3	1:A:194:GLN:HG3	1.97	0.47
1:C:181:LEU:HD21	1:C:375:LEU:HG	1.96	0.47
1:C:139:SER:H	1:C:142:GLU:HG2	1.79	0.47
1:C:158:PRO:HB2	1:C:382:MET:HE1	1.95	0.47
1:C:118:ILE:HG13	1:C:120:VAL:HG23	1.97	0.47
1:C:285:GLY:CA	1:C:291:GLY:HA3	2.45	0.46
1:C:205:ALA:HA	1:C:208:MET:HB2	1.97	0.46
1:C:406:LEU:O	1:C:410:VAL:HG23	2.14	0.46
1:A:66:VAL:HA	1:A:69:TYR:HD2	1.80	0.46
1:A:74:VAL:HG22	1:C:268:LEU:HD11	1.98	0.46
1:B:155:THR:HG22	1:B:375:LEU:HD23	1.98	0.46
1:B:300:GLY:O	1:B:304:SER:OG	2.24	0.46
1:C:216:PHE:HA	1:C:219:LEU:HD12	1.97	0.46
1:A:46:VAL:HB	1:A:56:LEU:HD22	1.98	0.46
1:C:138:THR:HG21	1:C:143:SER:HB2	1.98	0.46
1:C:177:MET:HE1	1:C:390:VAL:HG22	1.97	0.46
1:C:3:VAL:HG12	1:C:414:LEU:HD11	1.97	0.46
1:C:139:SER:C	1:C:141:ALA:H	2.19	0.45
1:B:161:VAL:O	1:B:165:ILE:HG13	2.15	0.45
1:C:188:VAL:HG13	1:C:189:LEU:N	2.31	0.45
1:A:376:VAL:HG22	1:A:390:VAL:HG12	1.97	0.45
1:C:159:LEU:HD21	1:C:259:ILE:HD13	1.98	0.45
1:C:341:LYS:HA	1:C:344:LYS:HE2	1.99	0.45
1:B:229:ASN:OD1	1:B:229:ASN:N	2.50	0.45
1:C:49:VAL:HG12	1:C:51:GLN:H	1.82	0.45
1:B:133:GLN:O	1:B:137:GLY:HA2	2.16	0.45
1:B:372:ILE:HD12	1:C:244:ASN:HD21	1.81	0.45
1:C:125:ILE:HG12	1:C:144:MET:HG2	1.99	0.45
1:A:65:ASN:O	1:A:69:TYR:CD2	2.70	0.45
1:C:116:TYR:OH	1:C:160:VAL:O	2.18	0.45
1:B:5:HIS:HD1	1:B:5:HIS:C	2.20	0.44
1:C:112:MET:SD	1:C:160:VAL:HA	2.57	0.44
1:C:191:GLY:O	1:C:195:MET:HG3	2.18	0.44
1:B:46:VAL:HG23	1:B:47:LEU:HG	1.99	0.44
1:C:277:ILE:O	1:C:280:ILE:HB	2.18	0.44
1:B:163:PRO:HB2	1:B:231:ALA:HB1	1.98	0.44
1:C:60:SER:HA	1:C:151:PHE:HD1	1.82	0.43
1:C:12:VAL:HG11	1:C:309:VAL:HG11	1.99	0.43
1:C:82:VAL:HA	1:C:100:ARG:NH2	2.34	0.43
1:A:372:ILE:HD12	1:B:244:ASN:HD21	1.83	0.43



Continued from previous page...

A. 1		Interatomic	Clash
Atom-1	Atom-2	${\rm distance} \ (\mathring{\rm A})$	overlap (Å)
1:C:15:ALA:O	1:C:19:LEU:HG	2.19	0.43
1:C:94:GLY:O	1:C:96:VAL:HG23	2.19	0.43
1:C:203:ILE:HD13	1:C:203:ILE:HA	1.86	0.43
1:B:5:HIS:ND1	1:B:5:HIS:C	2.73	0.43
1:C:142:GLU:OE2	1:C:218:LYS:NZ	2.40	0.43
1:B:104:MET:HG3	1:B:194:GLN:HG3	2.01	0.42
1:A:145:SER:HB2	1:A:161:VAL:HG11	2.01	0.42
1:C:46:VAL:HG21	1:C:204:ALA:HA	2.02	0.42
1:C:386:ARG:HD3	1:C:389:ASP:HB2	2.00	0.42
1:C:188:VAL:HG22	1:C:192:TYR:CE2	2.55	0.42
1:B:376:VAL:HG22	1:B:390:VAL:HG12	2.01	0.42
1:C:197:VAL:HG21	1:C:336:TYR:CD1	2.55	0.42
1:A:149:SER:O	1:A:183:SER:OG	2.30	0.41
1:A:49:VAL:HA	1:A:50:PRO:HD3	1.81	0.41
1:A:412:ALA:O	1:A:416:THR:OG1	2.27	0.41
1:B:272:ALA:HB1	1:C:70:GLY:HA2	2.03	0.41
1:C:297:ALA:O	1:C:301:TRP:N	2.51	0.41
1:C:361:PHE:CD2	1:C:412:ALA:HB2	2.56	0.41
1:C:277:ILE:O	1:C:281:ILE:HG13	2.21	0.41
1:A:403:LEU:HD23	1:A:406:LEU:HD12	2.03	0.40
1:C:267:LEU:HD21	1:C:374:VAL:HG23	2.02	0.40
1:B:45:LEU:O	1:B:52:GLY:HA3	2.22	0.40
1:B:268:LEU:HD22	1:C:106:VAL:HB	2.02	0.40
1:C:188:VAL:CG1	1:C:189:LEU:N	2.84	0.40
1:A:150:ILE:HD11	1:A:210:ALA:HB2	2.03	0.40
1:B:406:LEU:O	1:B:410:VAL:HG23	2.22	0.40
1:C:16:ILE:HA	1:C:19:LEU:HD12	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	$_{ m ntiles}$
1	A	420/431 (97%)	402 (96%)	18 (4%)	0	100	100
1	В	418/431 (97%)	406 (97%)	12 (3%)	0	100	100
1	С	402/431 (93%)	362 (90%)	39 (10%)	1 (0%)	47	80
All	All	1240/1293 (96%)	1170 (94%)	69 (6%)	1 (0%)	51	84

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	$^{\mathrm{C}}$	316	GLU

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	n Analysed Rotameric Outliers		Percentiles			
1	A	300/321~(94%)	299 (100%)	1 (0%)		92	98
1	В	300/321 (94%)	300 (100%)	0		100	100
1	С	283/321 (88%)	282 (100%)	1 (0%)		91	97
All	All	883/963 (92%)	881 (100%)	2 (0%)		93	98

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	336	TYR
1	С	23	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	65	ASN
1	В	258	GLN
1	С	154	GLN
1	С	194	GLN



5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains i

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Pog	Link	Bond lengths			В	ond ang	cles
MIOI	Type	Chain	hain Res I	Lilik	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	6ZL	A	501	-	55,55,68	0.68	0	73,75,94	0.83	2 (2%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	6ZL	A	501	_	-	19/39/99/126	0/3/3/4

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$\mathbf{Observed}(^o)$	$\operatorname{Ideal}({}^{o})$
2	A	501	6ZL	C11-C10-C09	-2.37	109.53	117.16
2	A	501	6ZL	C07-C08-C09	-2.03	110.63	117.16



There are no chirality outliers.

All (19) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms	
2	A	501	6ZL	C08-C09-C18-O19	
2	A	501	6ZL	C10-C09-C18-O19	
2	A	501	6ZL	O21-C20-O19-C18	
2	A	501	6ZL	O45-C44-O43-C42	
2	A	501	6ZL	C64-C44-O43-C42	
2	A	501	6ZL	O45-C46-C47-O48	
2	A	501	6ZL	C49-C46-C47-O48	
2	A	501	6ZL	C06-C07-C08-C09	
2	A	501	6ZL	C42-C09-C18-O19	
2	A	501	6ZL	C05-C1-C2-C3	
2	A	501	6ZL	C10-C11-C12-C13	
2	A	501	6ZL	C1-C05-C06-C07	
2	A	501	6ZL	C09-C10-C11-C12	
2	A	501	6ZL	C25-C22-C23-O24	
2	A	501	6ZL	C08-C09-C42-O43	
2	A	501	6ZL	C10-C09-C42-O43	
2	A	501	6ZL	O21-C22-C23-O24	
2	A	501	6ZL	C09-C42-O43-C44	
2	A	501	6ZL	C18-C09-C42-O43	


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	6ZL	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains (i)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.3 Carbohydrates (i)


Unable to reproduce the depositors R factor - this section is therefore empty.

6.4 Ligands (i)

Unable to reproduce the depositors R factor - this section is therefore empty.

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers (i)

Unable to reproduce the depositors R factor - this section is therefore empty.

