



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 26, 2024 – 12:23 pm GMT

PDB ID : 5LF0
Title : Human 20S proteasome complex with Epoxomicin at 2.4 Angstrom
Authors : Schrader, J.; Henneberg, F.; Mata, R.; Tittmann, K.; Schneider, T.R.; Stark, H.; Bourenkov, G.; Chari, A.
Deposited on : 2016-06-30
Resolution : 2.41 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.41 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4647 (2.44-2.40)
Ramachandran outliers	138981	5073 (2.44-2.40)
Sidechain outliers	138945	5074 (2.44-2.40)
RSRZ outliers	127900	4543 (2.44-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	234	
1	O	234	
2	B	261	
2	P	261	
3	C	248	
3	Q	248	




Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	D	241	94%
4	R	241	94%
5	E	263	86% 2% 11%
5	S	263	87% 2% 10%
6	F	255	89% 6%
6	T	255	89% 4% 5% 6%
7	G	246	94% 5%
7	U	246	92% 5%
8	H	234	91% 6%
8	V	234	89% 5% 6%
9	I	205	95%
9	W	205	95%
10	J	201	92% 5%
10	X	201	93%
11	K	204	95%
11	Y	204	95%
12	L	213	97%
12	Z	213	98%
13	M	219	97%
13	a	219	96%
14	N	205	96%
14	b	205	96%
15	c	5	60% 40%
15	d	5	60% 40%
15	e	5	60% 40%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
15	f	5	
15	g	5	
15	h	5	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
15	IML	c	2	X	-	-	-
15	IML	d	2	X	-	-	-
15	IML	e	2	X	-	-	-
15	IML	f	2	X	-	-	-
15	IML	g	2	X	-	-	-
15	IML	h	2	X	-	-	-
7	6V1	U	47	X	-	-	-

2 Entry composition

There are 20 unique types of molecules in this entry. The entry contains 51776 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	230	Total 1788	C 1145	N 301	O 336	S 6	0	3	0
1	O	230	Total 1741	C 1111	N 293	O 331	S 6	0	0	0

- Molecule 2 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	248	Total 1926	C 1220	N 332	O 363	S 11	0	2	0
2	P	248	Total 1909	C 1206	N 325	O 367	S 11	0	2	0

- Molecule 3 is a protein called Proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	237	Total 1798	C 1121	N 320	O 352	S 5	0	2	0
3	Q	239	Total 1820	C 1136	N 320	O 359	S 5	0	0	0

- Molecule 4 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	D	233	Total 1762	C 1105	N 290	O 356	S 11	0	1	0
4	R	233	Total 1753	C 1103	N 293	O 346	S 11	0	1	0

- Molecule 5 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	234	Total	C	N	O	S	0	1	0
			1822	1144	325	342	11			
5	S	238	Total	C	N	O	S	0	3	0
			1875	1175	340	349	11			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	148	6V1	CYS	modified residue	UNP P25786
S	148	6V1	CYS	modified residue	UNP P25786

- Molecule 6 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	F	239	Total	C	N	O	S	0	4	0
			1888	1198	325	353	12			
6	T	240	Total	C	N	O	S	0	1	0
			1856	1178	315	351	12			

- Molecule 7 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	G	244	Total	C	N	O	S	0	2	0
			1912	1214	321	364	13			
7	U	238	Total	C	N	O	S	0	1	0
			1815	1147	304	350	14			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
G	47	6V1	CYS	modified residue	UNP P60900
G	161	6V1	CYS	modified residue	UNP P60900
U	47	6V1	CYS	modified residue	UNP P60900
U	161	6V1	CYS	modified residue	UNP P60900

- Molecule 8 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	H	220	Total	C	N	O	S	0	2	0
			1664	1047	284	320	13			
8	V	220	Total	C	N	O	S	0	2	0
			1622	1023	269	318	12			

- Molecule 9 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	I	204	Total	C	N	O	S	0	3	0
			1613	1028	270	295	20			
9	W	204	Total	C	N	O	S	0	2	0
			1599	1018	267	295	19			

- Molecule 10 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	J	196	Total	C	N	O	S	0	3	0
			1590	1021	271	288	10			
10	X	196	Total	C	N	O	S	0	2	0
			1572	1012	266	284	10			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
J	91	6V1	CYS	modified residue	UNP P49721
X	91	6V1	CYS	modified residue	UNP P49721

- Molecule 11 is a protein called Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	K	200	Total	C	N	O	S	0	0	0
			1545	974	269	293	9			
11	Y	201	Total	C	N	O	S	0	3	0
			1580	996	280	294	10			

- Molecule 12 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	L	213	Total	C	N	O	S	0	2	0
			1636	1038	277	310	11			
12	Z	213	Total	C	N	O	S	0	1	0
			1642	1041	280	310	11			

- Molecule 13 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	M	216	Total	C	N	O	S	0	1	0
			1692	1067	291	322	12			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
13	a	216	1688	1064	291	321	12	0	2	0

- Molecule 14 is a protein called Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
14	N	202	1519	953	258	295	13	0	1	0
14	b	203	1524	956	259	296	13	0	1	0

- Molecule 15 is a protein called EPOXOMICIN (peptide inhibitor).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
15	c	5	39	28	4	7	0	0	0
15	d	5	39	28	4	7	0	0	0
15	e	5	39	28	4	7	0	0	0
15	f	5	39	28	4	7	0	0	0
15	g	5	39	28	4	7	0	0	0
15	h	5	39	28	4	7	0	0	0

- Molecule 16 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Cl		
16	A	4	4	4	0	0
16	B	2	2	2	0	0
16	C	2	2	2	0	0
16	D	1	1	1	0	0
16	E	4	4	4	0	0
16	F	1	1	1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
16	G	2	Total 2	Cl 2	0	0
16	H	1	Total 1	Cl 1	0	0
16	I	1	Total 1	Cl 1	0	0
16	K	4	Total 4	Cl 4	0	0
16	M	3	Total 3	Cl 3	0	0
16	N	4	Total 4	Cl 4	0	0
16	O	4	Total 4	Cl 4	0	0
16	P	1	Total 1	Cl 1	0	0
16	Q	2	Total 2	Cl 2	0	0
16	R	2	Total 2	Cl 2	0	0
16	S	3	Total 3	Cl 3	0	0
16	U	1	Total 1	Cl 1	0	0
16	V	1	Total 1	Cl 1	0	0
16	W	1	Total 1	Cl 1	0	0
16	Y	5	Total 5	Cl 5	0	0
16	a	3	Total 3	Cl 3	0	0
16	b	4	Total 4	Cl 4	0	0
16	c	1	Total 1	Cl 1	0	0
16	f	1	Total 1	Cl 1	0	0


- Molecule 17 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
17	G	1	Total K 1 1	0	0
17	L	1	Total K 1 1	0	0
17	N	1	Total K 1 1	0	0
17	U	1	Total K 1 1	0	0
17	Z	1	Total K 1 1	0	0
17	b	1	Total K 1 1	0	0

- Molecule 18 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
18	H	2	Total Mg 2 2	0	0
18	I	1	Total Mg 1 1	0	0
18	J	1	Total Mg 1 1	0	0
18	K	1	Total Mg 1 1	0	0
18	V	2	Total Mg 2 2	0	0
18	W	1	Total Mg 1 1	0	0
18	X	1	Total Mg 1 1	0	0
18	Y	1	Total Mg 1 1	0	0

- Molecule 19 is PENTAETHYLENE GLYCOL (three-letter code: 1PE) (formula: C₁₀H₂₂O₆).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
19	H	1	Total	C O	0	0
			16	10 6		
19	I	1	Total	C O	0	0
			16	10 6		
19	K	1	Total	C O	0	0
			16	10 6		
19	L	1	Total	C O	0	0
			16	10 6		
19	N	1	Total	C O	0	0
			16	10 6		
19	W	1	Total	C O	0	0
			16	10 6		
19	Z	1	Total	C O	0	0
			16	10 6		
19	a	1	Total	C O	0	0
			16	10 6		
19	b	1	Total	C O	0	0
			16	10 6		

- Molecule 20 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
20	A	100	Total	O	0	0
			100	100		
20	B	116	Total	O	0	0
			116	116		
20	C	62	Total	O	0	0
			62	62		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
20	D	81	Total O 81 81	0	0
20	E	127	Total O 127 127	0	0
20	F	164	Total O 164 164	0	0
20	G	172	Total O 172 172	0	0
20	H	144	Total O 144 144	0	0
20	I	142	Total O 142 142	0	0
20	J	119	Total O 119 119	0	0
20	K	95	Total O 95 95	0	0
20	L	114	Total O 114 114	0	0
20	M	141	Total O 141 141	0	0
20	N	143	Total O 143 143	0	0
20	O	71	Total O 71 71	0	0
20	P	102	Total O 102 102	0	0
20	Q	57	Total O 57 57	0	0
20	R	109	Total O 109 109	0	0
20	S	101	Total O 101 101	0	0
20	T	73	Total O 73 73	0	0
20	U	80	Total O 80 80	0	0
20	V	104	Total O 104 104	0	0
20	W	89	Total O 89 89	0	0
20	X	109	Total O 109 109	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
20	Y	135	Total 135	O 135	0	0
20	Z	155	Total 155	O 155	0	0
20	a	154	Total 154	O 154	0	0
20	b	110	Total 110	O 110	0	0
20	c	1	Total 1	O 1	0	0
20	d	1	Total 1	O 1	0	0
20	g	1	Total 1	O 1	0	0
20	h	1	Total 1	O 1	0	0




- Molecule 4: Proteasome subunit alpha type-5





- Molecule 4: Proteasome subunit alpha type-5




- Molecule 5: Proteasome subunit alpha type-1





- Molecule 5: Proteasome subunit alpha type-1



- Molecule 6: Proteasome subunit alpha type-3



- Molecule 6: Proteasome subunit alpha type-3




- Molecule 7: Proteasome subunit alpha type-6

Chain G:  94% 5%





- Molecule 7: Proteasome subunit alpha type-6

Chain U:  92% 5%




- Molecule 8: Proteasome subunit beta type-7

Chain H:  91% 6%



- Molecule 8: Proteasome subunit beta type-7

Chain V:  89% 5% 6%



- Molecule 9: Proteasome subunit beta type-3

Chain I:  95%



- Molecule 9: Proteasome subunit beta type-3

Chain W:  95%



- Molecule 10: Proteasome subunit beta type-2

Chain J:  92% 5%



- Molecule 10: Proteasome subunit beta type-2

Chain X:  93% ..



- Molecule 11: Proteasome subunit beta type-5

Chain K:  95% ..



- Molecule 11: Proteasome subunit beta type-5

Chain Y:  95% ..



- Molecule 12: Proteasome subunit beta type-1

Chain L:  97% .



- Molecule 12: Proteasome subunit beta type-1

Chain Z:  98% .



- Molecule 13: Proteasome subunit beta type-4

Chain M:  97% ..



- Molecule 13: Proteasome subunit beta type-4

Chain a:  96% ..



- Molecule 14: Proteasome subunit beta type-6

Chain N:  96%



- Molecule 14: Proteasome subunit beta type-6

Chain b:  96%



- Molecule 15: EPOXOMICIN (peptide inhibitor)

Chain c:  60%



- Molecule 15: EPOXOMICIN (peptide inhibitor)

Chain d:  60%



- Molecule 15: EPOXOMICIN (peptide inhibitor)

Chain e:  60%



- Molecule 15: EPOXOMICIN (peptide inhibitor)

Chain f:  60%



- Molecule 15: EPOXOMICIN (peptide inhibitor)

Chain g:  60%



- Molecule 15: EPOXOMICIN (peptide inhibitor)



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	113.07Å 202.37Å 314.79Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	170.23 – 2.41 157.40 – 2.41	Depositor EDS
% Data completeness (in resolution range)	99.5 (170.23-2.41) 99.6 (157.40-2.41)	Depositor EDS
R_{merge}	0.17	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.24 (at 2.43Å)	Xtrriage
Refinement program	REFMAC 5.8.0103	Depositor
R, R_{free}	0.179 , 0.229 0.182 , 0.228	Depositor DCC
R_{free} test set	13832 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	52.7	Xtrriage
Anisotropy	0.278	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 43.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	51776	wwPDB-VP
Average B, all atoms (Å ²)	66.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.91% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: 6V1, CL, 1PE, IML, 6VO, MG, ACE, K, YCM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.53	0/1833	0.71	0/2489
1	O	0.49	0/1778	0.72	1/2419 (0.0%)
2	B	0.54	0/1962	0.73	2/2649 (0.1%)
2	P	0.53	0/1945	0.74	2/2631 (0.1%)
3	C	0.54	0/1818	0.82	0/2469
3	Q	0.54	0/1834	0.79	0/2490
4	D	0.55	0/1789	0.75	2/2424 (0.1%)
4	R	0.56	0/1780	0.81	2/2408 (0.1%)
5	E	0.54	0/1842	0.75	1/2493 (0.0%)
5	S	0.52	0/1901	0.75	0/2571
6	F	0.55	0/1935	0.75	1/2605 (0.0%)
6	T	0.54	0/1894	0.80	4/2556 (0.2%)
7	G	0.56	0/1909	0.72	2/2579 (0.1%)
7	U	0.51	0/1804	0.73	3/2441 (0.1%)
8	H	0.54	0/1697	0.81	3/2299 (0.1%)
8	V	0.51	1/1655 (0.1%)	0.75	1/2251 (0.0%)
9	I	0.57	0/1648	0.87	6/2219 (0.3%)
9	W	0.57	2/1630 (0.1%)	0.84	5/2197 (0.2%)
10	J	0.53	0/1613	0.77	2/2180 (0.1%)
10	X	0.52	0/1595	0.75	2/2157 (0.1%)
11	K	0.55	0/1576	0.78	0/2131
11	Y	0.58	0/1620	0.83	4/2185 (0.2%)
12	L	0.51	0/1672	0.72	0/2257
12	Z	0.55	0/1675	0.75	0/2257
13	M	0.55	0/1728	0.78	0/2339
13	a	0.54	0/1724	0.77	0/2336
14	N	0.56	0/1548	0.76	1/2095 (0.0%)
14	b	0.52	0/1554	0.72	0/2104
15	c	0.60	0/14	1.73	0/18
15	d	0.45	0/14	1.86	1/18 (5.6%)
15	e	0.79	0/14	1.34	0/18
15	f	0.68	0/14	1.68	0/18

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
15	g	0.78	0/14	1.97	0/18
15	h	0.59	0/14	2.11	1/18 (5.6%)
All	All	0.54	3/49043 (0.0%)	0.77	46/66339 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	P	0	4
3	C	0	1
3	Q	0	2
4	D	0	2
4	R	0	1
7	U	1	0
9	I	0	1
9	W	0	1
10	J	0	2
10	X	0	1
11	Y	0	1
13	a	0	1
15	c	1	0
15	d	2	0
15	e	1	0
15	f	1	0
15	g	2	0
15	h	2	0
All	All	10	17

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	W	77	GLU	CD-OE2	9.94	1.36	1.25
8	V	220	GLU	C-O	5.86	1.34	1.23
9	W	73	TYR	CG-CD1	5.13	1.45	1.39

All (46) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	R	120[A]	ALA	C-N-CA	10.29	147.42	121.70
4	R	120[B]	ALA	C-N-CA	10.29	147.42	121.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	W	16[A]	LYS	C-N-CA	9.36	145.11	121.70
9	W	16[B]	LYS	C-N-CA	9.36	145.11	121.70
6	T	6	GLY	N-CA-C	8.95	135.47	113.10
9	I	16[A]	LYS	C-N-CA	8.89	143.92	121.70
9	I	16[B]	LYS	C-N-CA	8.89	143.92	121.70
9	I	25[A]	ARG	NE-CZ-NH1	7.77	124.19	120.30
9	I	25[B]	ARG	NE-CZ-NH1	7.77	124.19	120.30
9	W	25[A]	ARG	NE-CZ-NH1	7.16	123.88	120.30
9	W	25[B]	ARG	NE-CZ-NH1	7.16	123.88	120.30
7	U	11	ARG	NE-CZ-NH1	7.11	123.86	120.30
9	W	69	ARG	NE-CZ-NH1	6.83	123.72	120.30
1	O	181	LEU	CA-CB-CG	6.80	130.94	115.30
9	I	69	ARG	NE-CZ-NH1	6.66	123.63	120.30
4	D	175[A]	GLU	N-CA-C	-6.64	93.06	111.00
4	D	175[B]	GLU	N-CA-C	-6.64	93.06	111.00
2	B	4	ARG	NE-CZ-NH1	6.25	123.43	120.30
11	Y	158	ARG	NE-CZ-NH2	-6.08	117.26	120.30
11	Y	158	ARG	NE-CZ-NH1	6.04	123.32	120.30
9	I	77	GLU	OE1-CD-OE2	-5.85	116.28	123.30
8	H	89	ARG	NE-CZ-NH1	5.72	123.16	120.30
8	H	72	ARG	NE-CZ-NH2	-5.71	117.44	120.30
7	U	117	ARG	NE-CZ-NH1	5.70	123.15	120.30
10	X	86	ARG	NE-CZ-NH1	5.57	123.08	120.30
2	P	4	ARG	NE-CZ-NH1	5.56	123.08	120.30
15	d	3	ILE	CA-CB-CG2	5.53	121.96	110.90
11	Y	1	THR	N-CA-CB	5.49	120.73	110.30
7	U	88	ARG	NE-CZ-NH1	5.47	123.04	120.30
7	G	86	ASP	CB-CG-OD1	5.44	123.19	118.30
7	G	117	ARG	NE-CZ-NH1	5.41	123.00	120.30
15	h	3	ILE	CB-CA-C	5.38	122.36	111.60
6	T	27	MET	CG-SD-CE	5.34	108.75	100.20
14	N	144	ARG	NE-CZ-NH1	5.33	122.96	120.30
10	X	70	ARG	NE-CZ-NH1	5.32	122.96	120.30
6	F	85	ARG	NE-CZ-NH2	-5.29	117.66	120.30
10	J	70	ARG	NE-CZ-NH1	5.21	122.91	120.30
11	Y	154	ASP	CB-CG-OD1	5.19	122.97	118.30
10	J	86	ARG	NE-CZ-NH1	5.13	122.87	120.30
2	P	96	ARG	NE-CZ-NH1	5.13	122.86	120.30
8	H	72	ARG	NE-CZ-NH1	5.11	122.86	120.30
2	B	96	ARG	NE-CZ-NH1	5.09	122.84	120.30
8	V	72	ARG	NE-CZ-NH1	5.09	122.84	120.30
5	E	174	ARG	NE-CZ-NH1	5.04	122.82	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	T	6	GLY	C-N-CA	5.03	134.28	121.70
6	T	169	ARG	NE-CZ-NH1	5.00	122.80	120.30

All (10) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
7	U	47	6V1	C1
15	c	2	IML	CB
15	d	2	IML	CA,CB
15	e	2	IML	CA
15	f	2	IML	CB
15	g	2	IML	CA,CB
15	h	2	IML	CA,CB

All (17) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	C	237	GLU	Peptide
4	D	175[A]	GLU	Peptide
4	D	175[B]	GLU	Peptide
9	I	78	GLY	Peptide
10	J	1[A]	MET	Peptide
10	J	1[B]	MET	Peptide
2	P	244	GLU	Peptide
2	P	245	ALA	Peptide
2	P	53	HIS	Peptide
2	P	54	LYS	Peptide
3	Q	47	LYS	Peptide
3	Q	49	SER	Peptide
4	R	130	PRO	Peptide
9	W	78	GLY	Peptide
10	X	1	MET	Peptide
11	Y	199	TYR	Peptide
13	a	215	ILE	Peptide

5.2 Too-close contacts

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	231/234 (99%)	220 (95%)	7 (3%)	4 (2%)	9	11
1	O	228/234 (97%)	217 (95%)	6 (3%)	5 (2%)	6	7
2	B	248/261 (95%)	236 (95%)	10 (4%)	2 (1%)	19	27
2	P	248/261 (95%)	233 (94%)	13 (5%)	2 (1%)	19	27
3	C	236/248 (95%)	223 (94%)	7 (3%)	6 (2%)	5	5
3	Q	236/248 (95%)	219 (93%)	10 (4%)	7 (3%)	4	3
4	D	232/241 (96%)	223 (96%)	6 (3%)	3 (1%)	12	16
4	R	232/241 (96%)	223 (96%)	6 (3%)	3 (1%)	12	16
5	E	232/263 (88%)	226 (97%)	5 (2%)	1 (0%)	34	47
5	S	238/263 (90%)	231 (97%)	5 (2%)	2 (1%)	19	27
6	F	241/255 (94%)	238 (99%)	3 (1%)	0	100	100
6	T	239/255 (94%)	232 (97%)	5 (2%)	2 (1%)	19	27
7	G	241/246 (98%)	236 (98%)	5 (2%)	0	100	100
7	U	232/246 (94%)	227 (98%)	3 (1%)	2 (1%)	17	24
8	H	220/234 (94%)	216 (98%)	4 (2%)	0	100	100
8	V	220/234 (94%)	217 (99%)	2 (1%)	1 (0%)	29	40
9	I	205/205 (100%)	201 (98%)	3 (2%)	1 (0%)	29	40
9	W	204/205 (100%)	196 (96%)	7 (3%)	1 (0%)	29	40
10	J	195/201 (97%)	191 (98%)	4 (2%)	0	100	100
10	X	195/201 (97%)	193 (99%)	2 (1%)	0	100	100
11	K	198/204 (97%)	195 (98%)	3 (2%)	0	100	100
11	Y	202/204 (99%)	198 (98%)	3 (2%)	1 (0%)	29	40
12	L	213/213 (100%)	211 (99%)	2 (1%)	0	100	100
12	Z	212/213 (100%)	210 (99%)	2 (1%)	0	100	100
13	M	215/219 (98%)	207 (96%)	8 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
13	a	216/219 (99%)	208 (96%)	8 (4%)	0	100	100
14	N	201/205 (98%)	198 (98%)	3 (2%)	0	100	100
14	b	202/205 (98%)	199 (98%)	3 (2%)	0	100	100
15	c	2/5 (40%)	2 (100%)	0	0	100	100
15	d	2/5 (40%)	2 (100%)	0	0	100	100
15	e	2/5 (40%)	2 (100%)	0	0	100	100
15	f	2/5 (40%)	2 (100%)	0	0	100	100
15	g	2/5 (40%)	2 (100%)	0	0	100	100
15	h	2/5 (40%)	2 (100%)	0	0	100	100
All	All	6224/6488 (96%)	6036 (97%)	145 (2%)	43 (1%)	22	31

All (43) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	52	LYS
1	A	53	SER
3	C	47	LYS
4	D	176	GLY
5	E	59	HIS
1	O	52	LYS
1	O	53	SER
3	Q	47	LYS
3	Q	201	SER
3	Q	206	ILE
4	R	130	PRO
5	S	238	GLU
6	T	208	ALA
11	Y	200	SER
4	D	175[A]	GLU
4	D	175[B]	GLU
1	O	231	ALA
2	P	52	ILE
2	P	54	LYS
3	Q	221	ASN
4	R	128	ALA
7	U	59	LYS
3	C	50	VAL
3	C	200	GLN
3	Q	48	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	T	6	GLY
8	V	203	ARG
1	A	176	ARG
2	B	51	ASN
2	B	203	VAL
3	C	203	GLY
3	Q	50	VAL
4	R	129	ASP
1	A	201	GLN
3	C	51	ALA
1	O	176	ARG
1	O	201	GLN
5	S	236	LEU
3	C	204	LYS
7	U	58	ASP
9	I	100	GLY
3	Q	203	GLY
9	W	100	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	185/191 (97%)	173 (94%)	12 (6%)	17	26
1	O	176/191 (92%)	165 (94%)	11 (6%)	18	27
2	B	200/221 (90%)	193 (96%)	7 (4%)	36	53
2	P	197/221 (89%)	185 (94%)	12 (6%)	18	29
3	C	179/210 (85%)	172 (96%)	7 (4%)	32	49
3	Q	184/210 (88%)	176 (96%)	8 (4%)	29	44
4	D	189/203 (93%)	184 (97%)	5 (3%)	46	64
4	R	187/203 (92%)	184 (98%)	3 (2%)	62	78
5	E	192/223 (86%)	185 (96%)	7 (4%)	35	52
5	S	197/223 (88%)	192 (98%)	5 (2%)	47	66

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
6	F	199/212 (94%)	189 (95%)	10 (5%)	24	38
6	T	192/212 (91%)	182 (95%)	10 (5%)	23	37
7	G	202/207 (98%)	195 (96%)	7 (4%)	36	53
7	U	186/207 (90%)	181 (97%)	5 (3%)	44	63
8	H	181/195 (93%)	175 (97%)	6 (3%)	38	56
8	V	172/195 (88%)	163 (95%)	9 (5%)	23	37
9	I	176/174 (101%)	171 (97%)	5 (3%)	43	62
9	W	173/174 (99%)	169 (98%)	4 (2%)	50	68
10	J	166/170 (98%)	155 (93%)	11 (7%)	16	25
10	X	163/170 (96%)	156 (96%)	7 (4%)	29	44
11	K	154/159 (97%)	148 (96%)	6 (4%)	32	49
11	Y	159/159 (100%)	156 (98%)	3 (2%)	57	74
12	L	175/178 (98%)	168 (96%)	7 (4%)	31	48
12	Z	175/178 (98%)	170 (97%)	5 (3%)	42	61
13	M	180/181 (99%)	177 (98%)	3 (2%)	60	77
13	a	178/181 (98%)	173 (97%)	5 (3%)	43	62
14	N	158/159 (99%)	154 (98%)	4 (2%)	47	66
14	b	158/159 (99%)	151 (96%)	7 (4%)	28	43
15	c	2/2 (100%)	1 (50%)	1 (50%)	0	0
15	d	2/2 (100%)	1 (50%)	1 (50%)	0	0
15	e	2/2 (100%)	1 (50%)	1 (50%)	0	0
15	f	2/2 (100%)	1 (50%)	1 (50%)	0	0
15	g	2/2 (100%)	1 (50%)	1 (50%)	0	0
15	h	2/2 (100%)	0	2 (100%)	0	0
All	All	5045/5378 (94%)	4847 (96%)	198 (4%)	33	49

All (198) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	17	LYS
1	A	50	LYS
1	A	69	LYS
1	A	139	ASN
1	A	142	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	174	GLU
1	A	189	THR
1	A	206	ASN
1	A	221	THR
1	A	223	THR
1	A	226	LYS
1	A	227	ASP
2	B	4	ARG
2	B	33	THR
2	B	59	VAL
2	B	173	SER
2	B	190	LEU
2	B	229	LYS
2	B	249	ARG
3	C	35	VAL
3	C	45	VAL
3	C	113	SER
3	C	148	ASP
3	C	205	ASN
3	C	208	LEU
3	C	225	ILE
4	D	46	VAL
4	D	126	GLU
4	D	182	GLN
4	D	199	LEU
4	D	231	LYS
5	E	29	VAL
5	E	61	LYS
5	E	101[A]	ARG
5	E	101[B]	ARG
5	E	181	GLU
5	E	189	LYS
5	E	202	GLU
6	F	17	ASP
6	F	53	VAL
6	F	81	LEU
6	F	86	SER
6	F	87	LEU
6	F	187	ARG
6	F	190	VAL
6	F	215	TRP
6	F	240	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	F	244	LYS
7	G	42	VAL
7	G	78	CYS
7	G	88	ARG
7	G	183	VAL
7	G	192	GLU
7	G	206	LEU
7	G	209	ASP
8	H	6	VAL
8	H	31	CYS
8	H	65	LEU
8	H	68	LEU
8	H	143	ARG
8	H	216	ILE
9	I	25[A]	ARG
9	I	25[B]	ARG
9	I	35	THR
9	I	115	THR
9	I	125	LEU
10	J	1[A]	MET
10	J	1[B]	MET
10	J	18	ASP
10	J	27[A]	GLN
10	J	27[B]	GLN
10	J	62	LYS
10	J	88	LEU
10	J	95	ARG
10	J	102	LEU
10	J	182	ILE
10	J	192	ASP
11	K	8	PHE
11	K	12	VAL
11	K	138	VAL
11	K	147	LEU
11	K	158	ARG
11	K	187	VAL
12	L	3[A]	SER
12	L	3[B]	SER
12	L	102	PHE
12	L	125	ASP
12	L	163	HIS
12	L	174	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
12	L	207	THR
13	M	100	ARG
13	M	154	LEU
13	M	216	SER
14	N	22	THR
14	N	35	THR
14	N	84	LYS
14	N	196	LYS
1	O	10	THR
1	O	118	GLN
1	O	139	ASN
1	O	142	ARG
1	O	181	LEU
1	O	184	GLU
1	O	189	THR
1	O	201	GLN
1	O	206	ASN
1	O	223	THR
1	O	226	LYS
2	P	4	ARG
2	P	33	THR
2	P	43	VAL
2	P	53	HIS
2	P	59	VAL
2	P	173	SER
2	P	177	GLN
2	P	190	LEU
2	P	204	SER
2	P	235	GLN
2	P	246	LYS
2	P	249	ARG
3	Q	45	VAL
3	Q	56	GLU
3	Q	148	ASP
3	Q	170	GLU
3	Q	206	ILE
3	Q	208	LEU
3	Q	227	LYS
3	Q	239	ASN
4	R	46	VAL
4	R	182	GLN
4	R	209	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	S	3	ARG
5	S	29	VAL
5	S	45	VAL
5	S	101	ARG
5	S	114	SER
6	T	17	ASP
6	T	53	VAL
6	T	81	LEU
6	T	86	SER
6	T	87	LEU
6	T	190	VAL
6	T	215	TRP
6	T	223	ARG
6	T	240	LYS
6	T	241	GLU
7	U	42	VAL
7	U	78	CYS
7	U	151	VAL
7	U	199	ILE
7	U	206	LEU
8	V	6	VAL
8	V	31	CYS
8	V	65	LEU
8	V	68	LEU
8	V	104[A]	ASP
8	V	104[B]	ASP
8	V	143	ARG
8	V	199	LEU
8	V	216	ILE
9	W	25[A]	ARG
9	W	25[B]	ARG
9	W	35	THR
9	W	125	LEU
10	X	1	MET
10	X	18	ASP
10	X	62	LYS
10	X	88	LEU
10	X	95	ARG
10	X	102	LEU
10	X	158	GLU
11	Y	8	PHE
11	Y	12	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
11	Y	147	LEU
12	Z	102	PHE
12	Z	125	ASP
12	Z	174	LEU
12	Z	207	THR
12	Z	208	VAL
13	a	92	LEU
13	a	100	ARG
13	a	124	TYR
13	a	154	LEU
13	a	216	SER
14	b	22	THR
14	b	35	THR
14	b	84	LYS
14	b	92	GLU
14	b	145	GLU
14	b	196	LYS
14	b	202	LEU
15	c	3	ILE
15	d	3	ILE
15	e	4	THR
15	f	3	ILE
15	g	3	ILE
15	h	3	ILE
15	h	4	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (31) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	51	GLN
1	A	101	GLN
1	A	108	GLN
1	A	206	ASN
2	B	40	ASN
5	E	60	GLN
6	F	143	ASN
8	H	116	HIS
8	H	153	ASN
10	J	101	ASN
10	J	132	HIS
12	L	79	ASN
12	L	157	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	O	62	HIS
1	O	101	GLN
1	O	118	GLN
1	O	206	ASN
2	P	40	ASN
2	P	146	GLN
2	P	166	ASN
3	Q	18	GLN
3	Q	239	ASN
5	S	86	ASN
6	T	63	ASN
6	T	68	ASN
6	T	143	ASN
8	V	116	HIS
9	W	172	ASN
10	X	24	ASN
10	X	174	ASN
12	Z	157	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

18 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	YCM	U	137	7	7,9,10	0.84	0	4,10,12	0.76	0
7	6V1	U	47	7	12,15,16	1.84	4 (33%)	9,20,22	2.51	3 (33%)
5	6V1	E	148	5	12,15,16	2.24	4 (33%)	9,20,22	3.25	4 (44%)
7	6V1	G	47	7	12,15,16	2.18	4 (33%)	9,20,22	2.23	3 (33%)
7	6V1	G	161	7	12,15,16	2.06	4 (33%)	9,20,22	2.23	4 (44%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
15	IML	e	2	15	7,8,9	0.73	0	7,9,11	2.67	2 (28%)
7	YCM	G	137	7	7,9,10	0.97	0	4,10,12	1.62	1 (25%)
10	6V1	X	91	10	12,15,16	1.84	3 (25%)	9,20,22	3.98	5 (55%)
3	YCM	C	63	3	7,9,10	0.94	1 (14%)	4,10,12	0.69	0
15	IML	f	2	15	7,8,9	0.71	0	7,9,11	1.43	1 (14%)
10	6V1	J	91	10	12,15,16	1.79	3 (25%)	9,20,22	4.15	5 (55%)
15	IML	d	2	15	7,8,9	0.96	0	7,9,11	2.33	3 (42%)
7	6V1	U	161	7	12,15,16	1.91	4 (33%)	9,20,22	2.43	4 (44%)
5	6V1	S	148	5	12,15,16	2.10	3 (25%)	9,20,22	2.77	4 (44%)
15	IML	g	2	15	7,8,9	0.99	1 (14%)	7,9,11	2.15	2 (28%)
15	IML	h	2	15	7,8,9	0.45	0	7,9,11	1.46	1 (14%)
15	IML	c	2	15	7,8,9	0.94	0	7,9,11	1.55	2 (28%)
3	YCM	Q	63	3	7,9,10	1.08	1 (14%)	4,10,12	2.69	2 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
15	IML	e	2	15	1/1/2/4	6/8/10/12	-
7	6V1	U	47	7	1/1/5/6	1/6/25/27	0/1/1/1
7	YCM	U	137	7	-	2/6/8/10	-
5	6V1	E	148	5	-	2/6/25/27	0/1/1/1
7	6V1	G	47	7	-	2/6/25/27	0/1/1/1
7	6V1	G	161	7	-	1/6/25/27	0/1/1/1
7	YCM	G	137	7	-	1/6/8/10	-
10	6V1	X	91	10	-	4/6/25/27	0/1/1/1
3	YCM	C	63	3	-	1/6/8/10	-
15	IML	f	2	15	1/1/2/4	7/8/10/12	-
10	6V1	J	91	10	-	4/6/25/27	0/1/1/1
15	IML	d	2	15	2/2/2/4	3/8/10/12	-
7	6V1	U	161	7	-	1/6/25/27	0/1/1/1
5	6V1	S	148	5	-	2/6/25/27	0/1/1/1
15	IML	g	2	15	2/2/2/4	1/8/10/12	-
15	IML	h	2	15	2/2/2/4	1/8/10/12	-
15	IML	c	2	15	1/1/2/4	3/8/10/12	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	YCM	Q	63	3	-	4/6/8/10	-

All (32) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	S	148	6V1	CB-SG	-5.47	1.76	1.82
5	E	148	6V1	CB-SG	-5.22	1.76	1.82
7	G	161	6V1	CB-SG	-5.14	1.76	1.82
7	G	47	6V1	CB-SG	-4.91	1.76	1.82
7	U	47	6V1	CB-SG	-4.39	1.77	1.82
7	U	161	6V1	CB-SG	-4.20	1.77	1.82
5	E	148	6V1	C1-SG	-4.14	1.78	1.83
10	J	91	6V1	C1-SG	-4.08	1.78	1.83
10	X	91	6V1	CB-SG	-4.06	1.77	1.82
7	G	47	6V1	C4-N3	-3.68	1.32	1.38
7	U	161	6V1	C1-SG	-3.37	1.79	1.83
10	X	91	6V1	C1-SG	-3.32	1.79	1.83
7	G	47	6V1	C2-N3	-3.22	1.34	1.38
10	J	91	6V1	C4-N3	-2.97	1.33	1.38
7	G	161	6V1	C2-N3	-2.97	1.34	1.38
5	S	148	6V1	C1-SG	-2.96	1.80	1.83
10	X	91	6V1	C4-N3	-2.89	1.34	1.38
5	E	148	6V1	C2-N3	-2.86	1.34	1.38
10	J	91	6V1	CB-SG	-2.82	1.79	1.82
7	G	161	6V1	C1-SG	-2.71	1.80	1.83
5	S	148	6V1	C2-N3	-2.59	1.35	1.38
3	Q	63	YCM	CD-SG	-2.45	1.75	1.81
7	U	47	6V1	C1-SG	-2.42	1.80	1.83
7	U	47	6V1	C2-N3	-2.41	1.35	1.38
7	U	161	6V1	C4-N3	-2.41	1.34	1.38
7	U	161	6V1	C2-N3	-2.39	1.35	1.38
7	G	161	6V1	C4-N3	-2.36	1.34	1.38
7	G	47	6V1	C1-SG	-2.29	1.80	1.83
5	E	148	6V1	C4-N3	-2.21	1.35	1.38
15	g	2	IML	CA-N	-2.19	1.43	1.47
7	U	47	6V1	C4-N3	-2.17	1.35	1.38
3	C	63	YCM	CD-SG	-2.03	1.76	1.81

All (46) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	J	91	6V1	C5-C4-N3	7.68	112.66	108.13

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	X	91	6V1	C5-C4-N3	7.10	112.31	108.13
5	E	148	6V1	C5-C4-N3	6.51	111.97	108.13
10	J	91	6V1	C2-N3-C4	-6.20	109.36	113.04
15	e	2	IML	CB-CA-C	-6.13	104.47	112.82
10	X	91	6V1	C2-N3-C4	-6.12	109.41	113.04
5	E	148	6V1	C2-N3-C4	-5.75	109.62	113.04
7	U	47	6V1	C2-N3-C4	-5.37	109.85	113.04
5	S	148	6V1	C5-C4-N3	5.20	111.20	108.13
5	S	148	6V1	C2-N3-C4	-4.85	110.16	113.04
10	J	91	6V1	C6-N3-C2	4.76	129.40	123.36
10	X	91	6V1	O7-C2-N3	4.52	129.67	124.14
10	J	91	6V1	O7-C2-N3	4.50	129.65	124.14
10	X	91	6V1	C6-N3-C2	4.45	129.00	123.36
3	Q	63	YCM	CE-CD-SG	-4.42	100.59	113.59
7	G	47	6V1	C2-N3-C4	-4.27	110.50	113.04
15	g	2	IML	CG2-CB-CA	4.16	121.27	111.03
7	U	47	6V1	C5-C4-N3	4.02	110.50	108.13
7	U	161	6V1	C5-C4-N3	3.92	110.44	108.13
15	d	2	IML	CG2-CB-CA	3.56	119.79	111.03
7	U	161	6V1	C2-N3-C4	-3.43	111.00	113.04
15	d	2	IML	CB-CA-C	3.41	117.47	112.82
7	U	161	6V1	O8-C4-C5	-3.40	122.29	127.24
7	G	161	6V1	O8-C4-C5	-3.34	122.37	127.24
7	G	47	6V1	C5-C4-N3	3.30	110.08	108.13
7	G	161	6V1	O8-C4-N3	3.30	127.57	123.92
10	J	91	6V1	O8-C4-C5	-3.27	122.48	127.24
7	G	161	6V1	C5-C4-N3	3.26	110.05	108.13
10	X	91	6V1	O8-C4-C5	-3.23	122.53	127.24
5	E	148	6V1	O8-C4-C5	-3.19	122.59	127.24
15	d	2	IML	CD1-CG1-CB	3.03	125.90	113.84
7	U	161	6V1	O8-C4-N3	3.02	127.26	123.92
7	G	137	YCM	CE-CD-SG	3.02	122.46	113.59
5	S	148	6V1	O8-C4-C5	-3.00	122.88	127.24
15	e	2	IML	C-CA-N	2.96	120.78	110.88
7	G	161	6V1	C2-N3-C4	-2.71	111.43	113.04
15	h	2	IML	O-C-CA	-2.63	117.51	124.83
15	g	2	IML	CG1-CB-CA	-2.44	105.12	111.17
3	Q	63	YCM	CA-CB-SG	-2.42	104.88	113.74
7	U	47	6V1	C6-N3-C2	2.36	126.35	123.36
5	E	148	6V1	C6-N3-C4	2.32	125.62	122.59
7	G	47	6V1	O8-C4-C5	-2.32	123.86	127.24
15	c	2	IML	CG2-CB-CA	2.29	116.67	111.03

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	c	2	IML	CG1-CB-CA	-2.14	105.86	111.17
5	S	148	6V1	C6-N3-C4	2.12	125.35	122.59
15	f	2	IML	O-C-CA	-2.08	119.04	124.83

All (10) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
7	U	47	6V1	C1
15	c	2	IML	CB
15	d	2	IML	CA
15	d	2	IML	CB
15	e	2	IML	CA
15	f	2	IML	CB
15	g	2	IML	CA
15	g	2	IML	CB
15	h	2	IML	CA
15	h	2	IML	CB

All (46) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	G	137	YCM	CE-CD-SG-CB
3	Q	63	YCM	SG-CD-CE-OZ1
3	Q	63	YCM	SG-CD-CE-NZ2
7	U	137	YCM	CE-CD-SG-CB
7	U	137	YCM	SG-CD-CE-NZ2
5	E	148	6V1	C3-C6-N3-C2
5	E	148	6V1	C3-C6-N3-C4
5	S	148	6V1	C3-C6-N3-C2
5	S	148	6V1	C3-C6-N3-C4
7	G	47	6V1	C-CA-CB-SG
7	U	47	6V1	C-CA-CB-SG
10	J	91	6V1	C-CA-CB-SG
10	J	91	6V1	C3-C6-N3-C2
10	J	91	6V1	C3-C6-N3-C4
10	X	91	6V1	C-CA-CB-SG
10	X	91	6V1	C3-C6-N3-C2
10	X	91	6V1	C3-C6-N3-C4
15	c	2	IML	CB-CA-N-CN
15	d	2	IML	C-CA-CB-CG2
15	e	2	IML	CB-CA-N-CN
15	e	2	IML	C-CA-CB-CG2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
15	e	2	IML	C-CA-CB-CG1
15	f	2	IML	O-C-CA-CB
15	f	2	IML	N-CA-CB-CG2
15	f	2	IML	C-CA-CB-CG2
15	f	2	IML	C-CA-CB-CG1
15	g	2	IML	CB-CA-N-CN
15	h	2	IML	CB-CA-N-CN
15	e	2	IML	CG2-CB-CG1-CD1
15	f	2	IML	N-CA-CB-CG1
15	e	2	IML	CA-CB-CG1-CD1
15	c	2	IML	CG2-CB-CG1-CD1
15	c	2	IML	CA-CB-CG1-CD1
10	J	91	6V1	CA-CB-SG-C1
10	X	91	6V1	CA-CB-SG-C1
3	C	63	YCM	CE-CD-SG-CB
3	Q	63	YCM	CE-CD-SG-CB
15	f	2	IML	CG2-CB-CG1-CD1
3	Q	63	YCM	N-CA-CB-SG
7	G	47	6V1	C5-C1-SG-CB
15	e	2	IML	N-CA-CB-CG1
15	d	2	IML	CB-CA-N-CN
15	f	2	IML	CB-CA-N-CN
15	d	2	IML	N-CA-CB-CG2
7	G	161	6V1	N-CA-CB-SG
7	U	161	6V1	N-CA-CB-SG

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 83 ligands modelled in this entry, 74 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
19	1PE	a	304	-	15,15,15	0.56	0	14,14,14	0.25	0
19	1PE	H	304	-	15,15,15	0.57	0	14,14,14	0.51	0
19	1PE	K	306	-	15,15,15	0.57	0	14,14,14	0.61	0
19	1PE	b	305	-	15,15,15	0.60	0	14,14,14	0.47	0
19	1PE	L	301	-	15,15,15	0.55	0	14,14,14	0.33	0
19	1PE	Z	301	-	15,15,15	0.56	0	14,14,14	0.42	0
19	1PE	W	303	-	15,15,15	0.63	0	14,14,14	0.48	0
19	1PE	I	303	-	15,15,15	0.58	0	14,14,14	0.88	1 (7%)
19	1PE	N	305	-	15,15,15	0.53	0	14,14,14	0.33	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
19	1PE	a	304	-	-	7/13/13/13	-
19	1PE	H	304	-	-	5/13/13/13	-
19	1PE	K	306	-	-	8/13/13/13	-
19	1PE	b	305	-	-	6/13/13/13	-
19	1PE	L	301	-	-	3/13/13/13	-
19	1PE	Z	301	-	-	7/13/13/13	-
19	1PE	W	303	-	-	10/13/13/13	-
19	1PE	I	303	-	-	7/13/13/13	-
19	1PE	N	305	-	-	5/13/13/13	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
19	I	303	1PE	C25-OH5-C14	2.18	122.72	113.29

There are no chirality outliers.

All (58) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
19	I	303	1PE	C15-C25-OH5-C14
19	H	304	1PE	C24-C14-OH5-C25
19	K	306	1PE	C16-C26-OH6-C15
19	W	303	1PE	OH6-C15-C25-OH5
19	b	305	1PE	OH4-C13-C23-OH3
19	Z	301	1PE	OH6-C15-C25-OH5
19	H	304	1PE	OH4-C13-C23-OH3
19	K	306	1PE	OH5-C14-C24-OH4
19	a	304	1PE	OH5-C14-C24-OH4
19	b	305	1PE	OH6-C15-C25-OH5
19	a	304	1PE	OH4-C13-C23-OH3
19	W	303	1PE	OH7-C16-C26-OH6
19	N	305	1PE	OH2-C12-C22-OH3
19	N	305	1PE	OH7-C16-C26-OH6
19	a	304	1PE	OH2-C12-C22-OH3
19	Z	301	1PE	OH4-C13-C23-OH3
19	L	301	1PE	OH6-C15-C25-OH5
19	N	305	1PE	OH4-C13-C23-OH3
19	L	301	1PE	OH5-C14-C24-OH4
19	K	306	1PE	OH6-C15-C25-OH5
19	I	303	1PE	OH6-C15-C25-OH5
19	Z	301	1PE	C16-C26-OH6-C15
19	a	304	1PE	OH7-C16-C26-OH6
19	b	305	1PE	OH7-C16-C26-OH6
19	I	303	1PE	OH2-C12-C22-OH3
19	H	304	1PE	OH5-C14-C24-OH4
19	Z	301	1PE	C15-C25-OH5-C14
19	I	303	1PE	C14-C24-OH4-C13
19	H	304	1PE	C16-C26-OH6-C15
19	Z	301	1PE	C12-C22-OH3-C23
19	W	303	1PE	C14-C24-OH4-C13
19	W	303	1PE	C24-C14-OH5-C25
19	W	303	1PE	C25-C15-OH6-C26
19	I	303	1PE	C24-C14-OH5-C25
19	Z	301	1PE	OH7-C16-C26-OH6
19	K	306	1PE	C13-C23-OH3-C22
19	W	303	1PE	C12-C22-OH3-C23
19	a	304	1PE	C23-C13-OH4-C24
19	Z	301	1PE	C25-C15-OH6-C26
19	a	304	1PE	OH6-C15-C25-OH5
19	K	306	1PE	C25-C15-OH6-C26
19	K	306	1PE	OH4-C13-C23-OH3
19	W	303	1PE	C13-C23-OH3-C22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
19	H	304	1PE	OH6-C15-C25-OH5
19	L	301	1PE	OH4-C13-C23-OH3
19	N	305	1PE	C12-C22-OH3-C23
19	b	305	1PE	C24-C14-OH5-C25
19	W	303	1PE	C23-C13-OH4-C24
19	I	303	1PE	C13-C23-OH3-C22
19	a	304	1PE	C25-C15-OH6-C26
19	W	303	1PE	OH5-C14-C24-OH4
19	K	306	1PE	OH2-C12-C22-OH3
19	b	305	1PE	C14-C24-OH4-C13
19	b	305	1PE	OH5-C14-C24-OH4
19	N	305	1PE	C13-C23-OH3-C22
19	K	306	1PE	C14-C24-OH4-C13
19	I	303	1PE	OH5-C14-C24-OH4
19	W	303	1PE	C16-C26-OH6-C15

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	230/234 (98%)	-0.41	0 100 100	41, 61, 99, 113	0
1	O	230/234 (98%)	-0.07	4 (1%) 70 67	56, 83, 125, 146	0
2	B	248/261 (95%)	-0.44	0 100 100	48, 67, 117, 159	0
2	P	248/261 (95%)	-0.19	7 (2%) 53 50	54, 75, 126, 169	0
3	C	236/248 (95%)	-0.23	1 (0%) 92 91	47, 79, 125, 152	0
3	Q	238/248 (95%)	-0.01	12 (5%) 28 26	49, 80, 144, 184	0
4	D	233/241 (96%)	-0.24	1 (0%) 92 91	50, 72, 105, 135	0
4	R	233/241 (96%)	-0.37	0 100 100	44, 59, 94, 124	0
5	E	233/263 (88%)	-0.28	4 (1%) 70 67	39, 56, 104, 129	0
5	S	237/263 (90%)	-0.16	5 (2%) 63 60	49, 65, 109, 124	0
6	F	239/255 (93%)	-0.32	0 100 100	37, 48, 72, 93	0
6	T	240/255 (94%)	0.03	9 (3%) 40 38	53, 76, 112, 144	0
7	G	241/246 (97%)	-0.38	0 100 100	39, 54, 93, 131	0
7	U	235/246 (95%)	-0.10	2 (0%) 84 82	60, 85, 119, 162	0
8	H	220/234 (94%)	-0.43	2 (0%) 84 82	38, 51, 85, 126	0
8	V	220/234 (94%)	-0.35	3 (1%) 75 73	49, 65, 100, 125	0
9	I	204/205 (99%)	-0.50	0 100 100	40, 51, 76, 89	0
9	W	204/205 (99%)	-0.29	0 100 100	47, 63, 93, 102	0
10	J	195/201 (97%)	-0.47	0 100 100	43, 57, 78, 94	0
10	X	195/201 (97%)	-0.45	0 100 100	42, 57, 74, 92	0
11	K	200/204 (98%)	-0.43	1 (0%) 91 89	44, 60, 87, 100	0
11	Y	201/204 (98%)	-0.47	1 (0%) 91 89	39, 51, 77, 95	0
12	L	213/213 (100%)	-0.39	0 100 100	43, 60, 86, 108	0
12	Z	213/213 (100%)	-0.44	0 100 100	40, 52, 79, 96	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	M	216/219 (98%)	-0.41	0 100 100	38, 53, 81, 112	0
13	a	216/219 (98%)	-0.44	1 (0%) 91 89	41, 56, 78, 101	0
14	N	202/205 (98%)	-0.46	0 100 100	38, 49, 77, 109	0
14	b	203/205 (99%)	-0.46	0 100 100	44, 59, 89, 127	0
15	c	2/5 (40%)	0.20	0 100 100	49, 49, 49, 55	0
15	d	2/5 (40%)	-0.11	0 100 100	51, 51, 51, 56	0
15	e	2/5 (40%)	-0.61	0 100 100	51, 51, 51, 51	0
15	f	2/5 (40%)	-0.14	0 100 100	62, 62, 62, 63	0
15	g	2/5 (40%)	-0.22	0 100 100	42, 42, 42, 49	0
15	h	2/5 (40%)	-0.16	0 100 100	59, 59, 59, 64	0
All	All	6235/6488 (96%)	-0.32	53 (0%) 84 82	37, 62, 108, 184	0

All (53) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	Q	234	LYS	9.4
3	Q	232	ILE	7.0
6	T	208	ALA	7.0
2	P	204	SER	6.9
1	O	232	ILE	6.4
3	Q	233	GLU	5.7
2	P	61	PHE	5.5
4	D	241	ILE	5.5
3	Q	238	GLU	5.4
3	Q	202	GLY	5.0
8	V	203	ARG	4.5
3	Q	236	LYS	4.4
2	P	203	VAL	4.2
3	Q	240	GLU	4.0
3	C	49	SER	3.9
13	a	216	SER	3.7
6	T	206	ASP	3.6
5	E	52	ALA	3.6
6	T	180	GLN	3.5
7	U	212	PRO	3.5
11	K	40	TYR	3.4
6	T	207	LYS	3.3
7	U	2	SER	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
6	T	209	PHE	3.0
3	Q	239	ASN	3.0
2	P	233	VAL	3.0
5	S	239	ARG	2.9
6	T	63	ASN	2.8
6	T	54	LEU	2.8
2	P	234	GLU	2.7
11	Y	40	TYR	2.6
3	Q	203	GLY	2.6
1	O	201	GLN	2.6
5	S	2	PHE	2.6
8	V	202	TYR	2.6
5	S	56	LEU	2.5
8	H	201	ARG	2.5
8	H	203	ARG	2.5
3	Q	229	VAL	2.4
6	T	205	LYS	2.4
5	E	53	GLN	2.4
1	O	199	GLU	2.4
2	P	202	ASP	2.3
5	E	56	LEU	2.2
6	T	204	VAL	2.2
5	S	3	ARG	2.2
5	E	237	GLU	2.1
8	V	204	CYS	2.1
3	Q	48	LYS	2.1
3	Q	181	ILE	2.1
2	P	230	GLN	2.1
1	O	225	VAL	2.0
5	S	53	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	6V1	U	47	15/16	0.87	0.33	103,127,131,132	0
7	YCM	U	137	10/11	0.89	0.15	75,84,96,96	0
5	6V1	S	148	15/16	0.91	0.19	56,86,92,92	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	YCM	Q	63	10/11	0.91	0.14	67,70,76,77	0
15	IML	d	2	9/10	0.91	0.18	54,56,59,60	0
15	IML	g	2	9/10	0.91	0.17	55,57,60,64	0
10	6V1	X	91	15/16	0.93	0.16	55,73,77,77	0
3	YCM	C	63	10/11	0.93	0.09	69,74,80,82	0
7	YCM	G	137	10/11	0.93	0.15	48,56,70,71	0
7	6V1	G	47	15/16	0.94	0.17	54,68,71,72	0
15	IML	h	2	9/10	0.94	0.12	67,68,75,76	0
15	IML	c	2	9/10	0.95	0.24	52,59,59,62	0
7	6V1	U	161	15/16	0.95	0.09	78,92,98,101	0
15	IML	e	2	9/10	0.95	0.12	58,62,68,69	0
10	6V1	J	91	15/16	0.95	0.17	50,71,74,78	0
5	6V1	E	148	15/16	0.95	0.15	44,70,77,81	0
15	IML	f	2	9/10	0.96	0.23	64,71,73,74	0
7	6V1	G	161	15/16	0.97	0.12	47,71,80,84	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
19	1PE	L	301	16/16	0.79	0.24	95,101,126,127	0
16	CL	S	302	1/1	0.82	0.24	95,95,95,95	0
19	1PE	Z	301	16/16	0.82	0.17	74,89,98,101	0
19	1PE	H	304	16/16	0.83	0.30	85,100,110,110	0
19	1PE	I	303	16/16	0.84	0.18	68,81,97,102	0
19	1PE	a	304	16/16	0.86	0.23	82,88,121,123	0
16	CL	O	302	1/1	0.87	0.15	79,79,79,79	0
19	1PE	W	303	16/16	0.87	0.16	78,85,94,95	0
16	CL	K	303	1/1	0.87	0.06	84,84,84,84	0
19	1PE	K	306	16/16	0.87	0.16	75,87,95,97	0
17	K	L	302	1/1	0.88	0.09	78,78,78,78	0
17	K	Z	302	1/1	0.88	0.10	63,63,63,63	0
16	CL	C	301	1/1	0.88	0.13	82,82,82,82	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
16	CL	V	303	1/1	0.89	0.13	75,75,75,75	0
16	CL	C	302	1/1	0.89	0.22	86,86,86,86	0
19	1PE	b	305	16/16	0.89	0.19	67,72,100,102	0
16	CL	a	303	1/1	0.90	0.12	84,84,84,84	0
16	CL	S	301	1/1	0.90	0.40	95,95,95,95	0
17	K	N	306	1/1	0.90	0.08	65,65,65,65	0
16	CL	D	301	1/1	0.91	0.37	90,90,90,90	0
16	CL	K	304	1/1	0.91	0.18	89,89,89,89	0
18	MG	W	301	1/1	0.92	0.08	56,56,56,56	0
16	CL	U	301	1/1	0.92	0.23	79,79,79,79	0
16	CL	O	303	1/1	0.92	0.15	101,101,101,101	0
16	CL	R	301	1/1	0.93	0.16	84,84,84,84	0
16	CL	B	302	1/1	0.93	0.17	80,80,80,80	0
16	CL	Y	303	1/1	0.93	0.29	89,89,89,89	0
17	K	b	306	1/1	0.93	0.06	73,73,73,73	0
18	MG	J	301	1/1	0.93	0.04	66,66,66,66	0
16	CL	Q	302	1/1	0.93	0.37	89,89,89,89	0
16	CL	b	302	1/1	0.93	0.24	91,91,91,91	0
16	CL	N	303	1/1	0.94	0.16	87,87,87,87	0
16	CL	N	304	1/1	0.94	0.16	72,72,72,72	0
16	CL	R	302	1/1	0.94	0.44	81,81,81,81	0
16	CL	A	303	1/1	0.94	0.08	72,72,72,72	0
16	CL	I	302	1/1	0.94	0.07	64,64,64,64	0
16	CL	O	304	1/1	0.94	0.27	91,91,91,91	0
16	CL	K	305	1/1	0.95	0.18	80,80,80,80	0
16	CL	b	303	1/1	0.95	0.13	82,82,82,82	0
16	CL	G	302	1/1	0.95	0.06	79,79,79,79	0
16	CL	A	301	1/1	0.95	0.08	64,64,64,64	0
19	1PE	N	305	16/16	0.95	0.13	55,61,82,83	0
16	CL	A	304	1/1	0.95	0.13	77,77,77,77	0
16	CL	Y	304	1/1	0.95	0.10	77,77,77,77	0
16	CL	Y	306	1/1	0.95	0.43	90,90,90,90	0
16	CL	E	301	1/1	0.95	0.17	85,85,85,85	0
16	CL	E	304	1/1	0.96	0.12	81,81,81,81	0
16	CL	A	302	1/1	0.96	0.06	80,80,80,80	0
16	CL	P	301	1/1	0.96	0.09	67,67,67,67	0
16	CL	c	101	1/1	0.96	0.11	63,63,63,63	0
16	CL	E	302	1/1	0.96	0.13	79,79,79,79	0
16	CL	Y	305	1/1	0.96	0.09	84,84,84,84	0
17	K	U	302	1/1	0.96	0.07	72,72,72,72	0
16	CL	S	303	1/1	0.96	0.19	82,82,82,82	0
16	CL	a	301	1/1	0.96	0.06	88,88,88,88	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
16	CL	a	302	1/1	0.96	0.07	64,64,64,64	0
16	CL	b	301	1/1	0.97	0.07	62,62,62,62	0
16	CL	O	301	1/1	0.97	0.10	80,80,80,80	0
16	CL	N	302	1/1	0.97	0.07	53,53,53,53	0
16	CL	E	303	1/1	0.97	0.26	91,91,91,91	0
18	MG	H	301	1/1	0.97	0.05	64,64,64,64	0
18	MG	I	301	1/1	0.97	0.07	60,60,60,60	0
17	K	G	303	1/1	0.97	0.09	56,56,56,56	0
16	CL	M	303	1/1	0.97	0.09	72,72,72,72	0
18	MG	Y	301	1/1	0.97	0.08	47,47,47,47	0
18	MG	V	302	1/1	0.98	0.04	72,72,72,72	0
16	CL	B	301	1/1	0.98	0.07	53,53,53,53	0
16	CL	Q	301	1/1	0.98	0.11	97,97,97,97	0
16	CL	H	303	1/1	0.98	0.11	70,70,70,70	0
16	CL	G	301	1/1	0.98	0.26	65,65,65,65	0
16	CL	b	304	1/1	0.98	0.05	55,55,55,55	0
16	CL	M	302	1/1	0.98	0.07	59,59,59,59	0
18	MG	H	302	1/1	0.98	0.18	63,63,63,63	0
16	CL	f	101	1/1	0.98	0.07	64,64,64,64	0
16	CL	W	302	1/1	0.98	0.06	70,70,70,70	0
18	MG	K	301	1/1	0.98	0.09	52,52,52,52	0
18	MG	V	301	1/1	0.98	0.08	55,55,55,55	0
16	CL	N	301	1/1	0.99	0.10	47,47,47,47	0
18	MG	X	301	1/1	0.99	0.04	54,54,54,54	0
16	CL	M	301	1/1	0.99	0.18	86,86,86,86	0
16	CL	K	302	1/1	0.99	0.07	54,54,54,54	0
16	CL	Y	302	1/1	0.99	0.07	49,49,49,49	0
16	CL	F	301	1/1	0.99	0.17	79,79,79,79	0

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.