



## wwPDB EM Validation Summary Report ⓘ

Nov 19, 2022 – 12:16 pm GMT

PDB ID : 5LZV  
EMDB ID : EMD-4133  
Title : Structure of the mammalian ribosomal termination complex with accommodated eRF1(AAQ) and ABCE1.  
Authors : Shao, S.; Murray, J.; Brown, A.; Taunton, J.; Ramakrishnan, V.; Hegde, R.S.  
Deposited on : 2016-10-02  
Resolution : 3.35 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43  
Mogul : 1.8.4, CSD as541be (2020)  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.31.2

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	257	89% (green), 7% (yellow), 4% (grey), 2% (orange), 2% (red)
2	B	403	93% (green), 5% (yellow), 2% (grey), 1% (orange), 1% (red)
3	C	425	82% (green), 15% (grey), 3% (yellow), 1% (orange), 1% (red)
4	D	297	95% (green), 4% (yellow), 1% (grey), 1% (orange), 1% (red)
5	E	291	70% (green), 26% (grey), 3% (yellow), 1% (orange), 1% (red)
6	F	247	86% (green), 9% (grey), 5% (yellow), 1% (orange), 1% (red)
7	G	319	68% (green), 27% (grey), 7% (yellow), 1% (orange), 1% (red)


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	H	192	 92% 6% ..
9	I	214	 92% . .
10	J	178	 90% 6% .
11	L	211	 96% .
12	M	218	 60% . 37%
13	N	204	 95% .
14	O	203	 90% 8% .
15	P	184	 78% 5% 17%
16	Q	188	 95% 5% .
17	R	196	 84% 7% . 8%
18	S	176	 93% 6% .
19	T	160	 91% 8% ..
20	U	128	 77% . 23%
21	V	140	 86% 6% . 6%
22	W	157	 16% 66% . 32%
23	X	156	 72% . 24%
24	Y	145	 88% . . 8%
25	Z	136	 96% . .
26	a	148	 97% . .
27	b	245	 6% 41% . 58%
28	c	115	 83% . 15%
29	d	125	 79% 6% 14%
30	e	135	 89% 6% 5%
31	f	110	 94% 5% .
32	g	117	 5% 94% . .


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
33	h	123	 96%
34	i	105	 94%
35	j	97	 84% 5% 11%
36	k	70	 96%
37	l	51	 96%
38	m	102	 49% 49%
39	n	25	 92% 8%
40	o	106	 95%
41	p	92	 97%
42	r	137	 88% 9%
43	s	318	 38% 58% 38%
44	t	165	 27% 88% 7%
45	1	15	 7% 80% 13% 7%
46	2	76	 74% 25%
47	3	75	 29% 65% 33%
48	5	3543	 72% 26%
49	7	120	 88% 12%
50	8	156	 72% 24%
51	9	1869	 62% 25% 9%
52	AA	295	 67% 6% 26%
53	BB	264	 70% 9% 19%
54	CC	293	 67% 8% 25%
55	DD	243	 6% 83% 10% 6%
56	EE	263	 84% 15%
57	FF	204	 78% 10% 9%






Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
58	GG	249	
59	HH	194	
60	II	208	
61	JJ	194	
62	KK	165	
63	LL	158	
64	MM	132	
65	NN	151	
66	OO	168	
67	PP	145	
68	QQ	146	
69	RR	135	
70	SS	152	
71	TT	145	
72	UU	119	
73	VV	83	
74	WW	130	
75	XX	143	
76	YY	130	
77	ZZ	125	
78	aa	115	
79	bb	84	
80	cc	69	
81	dd	56	
82	ee	133	

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
83	ff	156	
84	gg	317	
85	hh	15	
86	ii	459	
87	jj	599	

## 2 Entry composition

There are 90 unique types of molecules in this entry. The entry contains 223874 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called uL2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	248	Total	C	N	O	S	0	0
			1898	1189	389	314	6		

- Molecule 2 is a protein called uL3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	394	Total	C	N	O	S	0	0
			3172	2020	597	542	13		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	1	MET	GLN	initiating methionine	UNP G1TL06

- Molecule 3 is a protein called uL4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	C	362	Total	C	N	O	S	0	0
			2883	1812	577	480	14		

- Molecule 4 is a protein called uL18.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	D	293	Total	C	N	O	S	0	0
			2391	1512	438	427	14		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	1	MET	LYS	initiating methionine	UNP G1SYJ6

- Molecule 5 is a protein called eL6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	E	216	1729	1115	329	282	3	0	0

- Molecule 6 is a protein called uL30.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	F	225	1875	1205	358	303	9	0	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
F	61	ARG	GLY	conflict	UNP G1TUB1
F	93	ARG	GLY	conflict	UNP G1TUB1
F	131	MET	VAL	conflict	UNP G1TUB1
F	153	ILE	VAL	conflict	UNP G1TUB1

- Molecule 7 is a protein called eL8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	G	233	1879	1199	361	315	4	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
G	244	GLY	CYS	conflict	UNP G1STW0

- Molecule 8 is a protein called uL6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	H	190	1516	954	284	272	6	0	0

- Molecule 9 is a protein called uL16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	I	205	1664	1056	321	274	13	0	0

- Molecule 10 is a protein called uL5.



Mol	Chain	Residues	Atoms					AltConf	Trace
10	J	170	Total	C	N	O	S	0	0
			1362	861	254	241	6		

- Molecule 11 is a protein called eL13.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	L	210	Total	C	N	O	S	0	0
			1702	1065	354	279	4		

- Molecule 12 is a protein called eL14.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	M	138	Total	C	N	O	S	0	0
			1137	727	221	182	7		

- Molecule 13 is a protein called eL15.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	N	203	Total	C	N	O	S	0	0
			1701	1072	359	266	4		

- Molecule 14 is a protein called uL13.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	O	199	Total	C	N	O	S	0	0
			1630	1051	319	255	5		

- Molecule 15 is a protein called uL22.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	P	153	Total	C	N	O	S	0	0
			1242	777	241	215	9		

- Molecule 16 is a protein called eL18.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	Q	187	Total	C	N	O	S	0	0
			1515	946	315	250	4		

- Molecule 17 is a protein called eL19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	R	180	1508	933	328	238	9	0	0

- Molecule 18 is a protein called eL20.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
18	S	176	1462	930	285	236	11	0	0

- Molecule 19 is a protein called eL21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	T	159	1298	823	252	217	6	0	0

- Molecule 20 is a protein called eL22.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	U	99	809	519	141	147	2	0	0

- Molecule 21 is a protein called uL14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
21	V	131	979	618	184	172	5	0	0

- Molecule 22 is a protein called eL24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	W	106	860	538	174	144	4	0	0

- Molecule 23 is a protein called uL23.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	X	118	967	618	181	167	1	0	0

- Molecule 24 is a protein called uL24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
24	Y	134	1115	700	226	186	3	0	0

- Molecule 25 is a protein called eL27.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
25	Z	135	1107	714	208	182	3	0	0

- Molecule 26 is a protein called uL15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
26	a	147	1162	734	239	185	4	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
a	1	MET	GLN	conflict	UNP G1SNY0

- Molecule 27 is a protein called eL29.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
27	b	104	848	527	189	129	3	0	0

- Molecule 28 is a protein called eL30.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
28	c	98	761	481	134	140	6	0	0

- Molecule 29 is a protein called eL31.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
29	d	107	888	560	171	155	2	0	0

- Molecule 30 is a protein called eL32.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
30	e	128	1053	667	216	165	5	0	0

- Molecule 31 is a protein called eL33.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	f	109	876	555	174	143	4	0	0

- Molecule 32 is a protein called eL34.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
32	g	114	906	566	187	147	6	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
g	117	LYS	-	insertion	UNP G1U945

- Molecule 33 is a protein called uL29.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
33	h	122	1013	640	204	168	1	0	0

- Molecule 34 is a protein called eL36.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
34	i	102	830	520	176	129	5	0	0

- Molecule 35 is a protein called eL37.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
35	j	86	705	434	155	111	5	0	0

- Molecule 36 is a protein called eL38.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	k	69	Total	C	N	O	S	0	0
			569	366	103	99	1		

- Molecule 37 is a protein called eL39.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	l	50	Total	C	N	O	S	0	0
			447	286	96	64	1		

- Molecule 38 is a protein called eL40.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	m	52	Total	C	N	O	S	0	0
			429	266	90	67	6		

- Molecule 39 is a protein called eL41.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	n	25	Total	C	N	O	S	0	0
			239	145	64	27	3		

- Molecule 40 is a protein called eL42.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	o	104	Total	C	N	O	S	0	0
			851	533	174	138	6		

- Molecule 41 is a protein called eL43.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	p	91	Total	C	N	O	S	0	0
			708	445	136	120	7		

- Molecule 42 is a protein called eL28.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	r	124	Total	C	N	O	S	0	0
			994	616	205	167	6		

- Molecule 43 is a protein called uL10.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	s	196	Total	C	N	O	S	0	0
			1507	959	263	276	9		

- Molecule 44 is a protein called uL11.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	t	153	Total	C	N	O	S	0	0
			1160	722	218	217	3		

- Molecule 45 is a protein called Nascent chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	1	15	Total	C	N	O	S	0	0
			125	82	20	22	1		

- Molecule 46 is a RNA chain called P-site tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	2	76	Total	C	N	O	P	0	0
			1616	723	291	527	75		

- Molecule 47 is a RNA chain called E-site tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	3	75	Total	C	N	O	P	0	0
			1593	712	281	526	74		

- Molecule 48 is a RNA chain called 28S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	5	3543	Total	C	N	O	P	0	0
			75972	33833	13910	24686	3543		

- Molecule 49 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	7	120	Total	C	N	O	P	0	0
			2558	1141	456	842	119		

- Molecule 50 is a RNA chain called 5.8S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	8	151	Total	C	N	O	P	0	0
			3208	1432	564	1062	150		

- Molecule 51 is a RNA chain called 18S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	9	1698	Total	C	N	O	P	0	0
			36249	16180	6508	11864	1697		

- Molecule 52 is a protein called uS2.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	AA	217	Total	C	N	O	S	0	0
			1710	1086	300	316	8		

- Molecule 53 is a protein called eS1.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	BB	213	Total	C	N	O	S	0	0
			1729	1098	309	308	14		

- Molecule 54 is a protein called uS5.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	CC	221	Total	C	N	O	S	0	0
			1716	1111	295	301	9		

- Molecule 55 is a protein called uS3.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	DD	228	Total	C	N	O	S	0	0
			1768	1126	318	316	8		

- Molecule 56 is a protein called eS4.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	EE	262	Total	C	N	O	S	0	0
			2076	1324	386	358	8		

- Molecule 57 is a protein called uS7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
57	FF	185	1471	921	277	266	7	0	0

- Molecule 58 is a protein called eS6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
58	GG	237	1923	1200	387	329	7	0	0

- Molecule 59 is a protein called eS7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
59	HH	185	1488	952	271	264	1	0	0

- Molecule 60 is a protein called eS8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
60	II	206	1686	1058	332	291	5	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
II	47	ARG	GLY	conflict	UNP G1TJW1

- Molecule 61 is a protein called uS4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
61	JJ	185	1525	969	306	248	2	0	0

- Molecule 62 is a protein called eS10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
62	KK	96	810	530	143	131	6	0	0

- Molecule 63 is a protein called uS17.



Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
63	LL	143	1175	749	222	198	6	0	0

- Molecule 64 is a protein called eS12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
64	MM	117	908	570	161	169	8	0	0

- Molecule 65 is a protein called uS15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
65	NN	149	1202	770	228	203	1	0	0

- Molecule 66 is a protein called uS11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
66	OO	136	1016	621	199	190	6	0	0

- Molecule 67 is a protein called uS19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
67	PP	120	997	635	187	168	7	0	0

- Molecule 68 is a protein called uS9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
68	QQ	142	1128	717	213	195	3	0	0

- Molecule 69 is a protein called eS17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
69	RR	132	1068	670	199	195	4	0	0

- Molecule 70 is a protein called uS13.

Mol	Chain	Residues	Atoms					AltConf	Trace
70	SS	144	Total	C	N	O	S	0	0
			1190	746	241	202	1		

- Molecule 71 is a protein called eS19.

Mol	Chain	Residues	Atoms					AltConf	Trace
71	TT	141	Total	C	N	O	S	0	0
			1097	688	211	195	3		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
TT	119	GLY	TRP	conflict	UNP G1TN62

- Molecule 72 is a protein called uS10.

Mol	Chain	Residues	Atoms					AltConf	Trace
72	UU	100	Total	C	N	O	S	0	0
			795	498	152	141	4		

- Molecule 73 is a protein called eS21.

Mol	Chain	Residues	Atoms					AltConf	Trace
73	VV	83	Total	C	N	O	S	0	0
			636	393	117	121	5		

- Molecule 74 is a protein called uS8.

Mol	Chain	Residues	Atoms					AltConf	Trace
74	WW	129	Total	C	N	O	S	0	0
			1034	659	193	176	6		

- Molecule 75 is a protein called uS12.

Mol	Chain	Residues	Atoms					AltConf	Trace
75	XX	141	Total	C	N	O	S	0	0
			1098	693	219	183	3		

- Molecule 76 is a protein called eS24.

Mol	Chain	Residues	Atoms					AltConf	Trace
76	YY	124	Total	C	N	O	S	0	0
			1011	640	198	168	5		

- Molecule 77 is a protein called eS25.

Mol	Chain	Residues	Atoms					AltConf	Trace
77	ZZ	75	Total	C	N	O	S	0	0
			598	382	111	104	1		

- Molecule 78 is a protein called eS26.

Mol	Chain	Residues	Atoms					AltConf	Trace
78	aa	101	Total	C	N	O	S	0	0
			814	507	170	132	5		

- Molecule 79 is a protein called eS27.

Mol	Chain	Residues	Atoms					AltConf	Trace
79	bb	83	Total	C	N	O	S	0	0
			651	408	121	115	7		

- Molecule 80 is a protein called eS28.

Mol	Chain	Residues	Atoms					AltConf	Trace
80	cc	62	Total	C	N	O	S	0	0
			488	297	97	92	2		

- Molecule 81 is a protein called uS14.

Mol	Chain	Residues	Atoms					AltConf	Trace
81	dd	55	Total	C	N	O	S	0	0
			459	286	94	74	5		

- Molecule 82 is a protein called eS30.

Mol	Chain	Residues	Atoms					AltConf	Trace
82	ee	55	Total	C	N	O	S	0	0
			443	274	97	71	1		

- Molecule 83 is a protein called eS31.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
83	ff	68	555	351	103	94	7	0	0

- Molecule 84 is a protein called RACK1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
84	gg	313	2436	1535	424	465	12	0	0

- Molecule 85 is a RNA chain called mRNA (UGA stop codon).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
85	hh	15	317	142	54	106	15	0	0

- Molecule 86 is a protein called eRF1(AAQ).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
86	ii	419	3309	2106	562	629	12	0	0

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
ii	-21	MET	-	initiating methionine	UNP P62495
ii	-20	ARG	-	expression tag	UNP P62495
ii	-19	GLY	-	expression tag	UNP P62495
ii	-18	SER	-	expression tag	UNP P62495
ii	-17	HIS	-	expression tag	UNP P62495
ii	-16	HIS	-	expression tag	UNP P62495
ii	-15	HIS	-	expression tag	UNP P62495
ii	-14	HIS	-	expression tag	UNP P62495
ii	-13	HIS	-	expression tag	UNP P62495
ii	-12	HIS	-	expression tag	UNP P62495
ii	-11	GLY	-	expression tag	UNP P62495
ii	-10	MET	-	expression tag	UNP P62495
ii	-9	ALA	-	expression tag	UNP P62495
ii	-8	SER	-	expression tag	UNP P62495
ii	-7	GLU	-	expression tag	UNP P62495
ii	-6	ASN	-	expression tag	UNP P62495
ii	-5	LEU	-	expression tag	UNP P62495
ii	-4	TYR	-	expression tag	UNP P62495
ii	-3	PHE	-	expression tag	UNP P62495

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
ii	-2	GLN	-	expression tag	UNP P62495
ii	-1	GLY	-	expression tag	UNP P62495
ii	0	SER	-	expression tag	UNP P62495
ii	183	ALA	GLY	conflict	UNP P62495
ii	184	ALA	GLY	conflict	UNP P62495

- Molecule 87 is a protein called ABCE1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
87	jj	577	4555	2914	780	830	31	0	0

- Molecule 88 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
88	B	1	Total	Mg	0
			1	1	
88	I	1	Total	Mg	0
			1	1	
88	L	1	Total	Mg	0
			1	1	
88	P	1	Total	Mg	0
			1	1	
88	Q	1	Total	Mg	0
			1	1	
88	V	1	Total	Mg	0
			1	1	
88	a	2	Total	Mg	0
			2	2	
88	e	1	Total	Mg	0
			1	1	
88	g	1	Total	Mg	0
			1	1	
88	j	1	Total	Mg	0
			1	1	
88	5	197	Total	Mg	0
			197	197	
88	7	7	Total	Mg	0
			7	7	
88	8	5	Total	Mg	0
			5	5	
88	9	79	Total	Mg	0
			79	79	

*Continued on next page...*


Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
88	hh	1	Total	Mg	0
			1	1	

- Molecule 89 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
89	g	1	Total	Zn	0
			1	1	
89	j	1	Total	Zn	0
			1	1	
89	m	1	Total	Zn	0
			1	1	
89	o	1	Total	Zn	0
			1	1	
89	p	1	Total	Zn	0
			1	1	
89	aa	1	Total	Zn	0
			1	1	
89	dd	1	Total	Zn	0
			1	1	
89	ff	1	Total	Zn	0
			1	1	

- Molecule 90 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula: Fe<sub>4</sub>S<sub>4</sub>).




<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>			<b>AltConf</b>
90	jj	1	Total	Fe	S	0
			16	8	8	
90	jj	1	Total	Fe	S	0
			16	8	8	

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: uL2

Chain A:  89% 7%





- Molecule 2: uL3

Chain B:  93% 5%



- Molecule 3: uL4

Chain C:  82% 15%



- Molecule 4: uL18



Chain D:  95%





- Molecule 5: eL6

Chain E:  70% 26%









• Molecule 6: uL30





• Molecule 7: eL8





• Molecule 8: uL6




• Molecule 9: uL16





• Molecule 10: uL5



• Molecule 11: eL13




• Molecule 12: eL14





• Molecule 13: eL15



• Molecule 14: uL13




• Molecule 15: uL22



• Molecule 16: eL18





• Molecule 17: eL19








• Molecule 18: eL20




• Molecule 19: eL21





• Molecule 20: eL22




• Molecule 21: uL14




• Molecule 22: eL24



• Molecule 23: uL23







Chain e:  89% 6% 5%




• Molecule 31: eL33

Chain f:  94% 5%




• Molecule 32: eL34

Chain g:  5% 94%



• Molecule 33: uL29

Chain h:  96%





• Molecule 34: eL36

Chain i:  94%




• Molecule 35: eL37

Chain j:  84% 5% 11%




• Molecule 36: eL38


Chain k:  96%




• Molecule 37: eL39



• Molecule 38: eL40




• Molecule 39: eL41




• Molecule 40: eL42





• Molecule 41: eL43




• Molecule 42: eL28





• Molecule 43: uL10









• Molecule 44: uL11




• Molecule 45: Nascent chain



• Molecule 46: P-site tRNA




• Molecule 47: E-site tRNA




• Molecule 48: 28S ribosomal RNA














• Molecule 49: 5S ribosomal RNA




• Molecule 50: 5.8S ribosomal RNA




• Molecule 51: 18S ribosomal RNA






• Molecule 52: uS2




VAL  
GLY  
THR  
THR  
THR  
GLU  
TER  
SER

• Molecule 53: eS1




• Molecule 54: uS5





PRO  
ALA  
VAL  
ALA  
THR  
THR



• Molecule 55: uS3





• Molecule 56: eS4





• Molecule 57: uS7





• Molecule 58: eS6





• Molecule 59: eS7




• Molecule 60: eS8





• Molecule 61: uS4





• Molecule 62: eS10





• Molecule 63: uS17





• Molecule 64: eS12




• Molecule 65: uS15




• Molecule 66: uS11





• Molecule 67: uS19






• Molecule 68: uS9



• Molecule 69: eS17





• Molecule 70: uS13



• Molecule 71: eS19





• Molecule 72: uS10



• Molecule 73: eS21





• Molecule 74: uS8




• Molecule 75: uS12





• Molecule 76: eS24





• Molecule 77: eS25




• Molecule 78: eS26




• Molecule 79: eS27




• Molecule 80: eS28












• Molecule 81: uS14




• Molecule 82: eS30



• Molecule 83: eS31





• Molecule 84: RACK1





• Molecule 85: mRNA (UGA stop codon)



• Molecule 86: eRF1(AAQ)



• Molecule 87: ABCE1



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	80571	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	30	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	104478	Depositor
Image detector	FEI FALCON II (4k x 4k)	Depositor
Maximum map value	0.749	Depositor
Minimum map value	-0.443	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.022	Depositor
Recommended contour level	0.08	Depositor
Map size (Å)	562.8, 562.8, 562.8	wwPDB
Map dimensions	420, 420, 420	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.3399999, 1.3399999, 1.3399999	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SF4, MG, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.34	0/1936	0.61	0/2596
2	B	0.34	0/3240	0.56	0/4339
3	C	0.35	0/2937	0.59	0/3946
4	D	0.34	0/2437	0.55	1/3264 (0.0%)
5	E	0.34	0/1762	0.57	0/2362
6	F	0.35	0/1911	0.56	1/2549 (0.0%)
7	G	0.36	0/1910	0.58	0/2569
8	H	0.35	0/1535	0.58	0/2063
9	I	0.35	0/1702	0.55	0/2272
10	J	0.36	0/1385	0.57	0/1852
11	L	0.36	0/1733	0.62	0/2316
12	M	0.36	0/1158	0.59	0/1547
13	N	0.35	0/1746	0.61	0/2338
14	O	0.36	0/1662	0.59	0/2222
15	P	0.34	0/1268	0.54	0/1700
16	Q	0.35	0/1539	0.64	0/2054
17	R	0.35	0/1524	0.62	0/2013
18	S	0.35	0/1501	0.59	0/2012
19	T	0.34	0/1326	0.55	0/1770
20	U	0.37	0/823	0.52	0/1104
21	V	0.34	0/993	0.57	0/1332
22	W	0.35	0/873	0.55	0/1158
23	X	0.34	0/984	0.55	0/1323
24	Y	0.34	0/1132	0.56	0/1504
25	Z	0.36	0/1130	0.54	0/1507
26	a	0.32	0/1191	0.56	0/1590
27	b	0.35	0/861	0.57	0/1138
28	c	0.34	0/771	0.50	0/1034
29	d	0.36	0/903	0.61	0/1216
30	e	0.35	0/1071	0.60	0/1429
31	f	0.35	0/895	0.61	0/1198
32	g	0.35	0/916	0.64	0/1220

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
33	h	0.34	0/1021	0.56	0/1348
34	i	0.35	0/841	0.56	0/1112
35	j	0.37	0/720	0.67	0/952
36	k	0.33	0/575	0.52	0/761
37	l	0.37	0/459	0.58	0/608
38	m	0.35	0/435	0.57	0/575
39	n	0.35	0/240	0.71	0/305
40	o	0.35	0/864	0.58	0/1140
41	p	0.34	0/718	0.54	0/953
42	r	0.36	0/1010	0.62	0/1354
43	s	0.37	0/1530	0.51	0/2064
44	t	0.36	0/1174	0.55	0/1582
45	1	0.42	0/129	0.80	1/173 (0.6%)
46	2	0.25	0/1805	0.67	0/2809
47	3	0.22	0/1777	0.67	0/2763
48	5	0.25	7/84974 (0.0%)	0.68	22/132512 (0.0%)
49	7	0.21	0/2858	0.64	0/4455
50	8	0.23	0/3581	0.66	0/5577
51	9	0.23	1/40524 (0.0%)	0.70	10/63134 (0.0%)
52	AA	0.35	0/1747	0.60	0/2374
53	BB	0.35	0/1756	0.63	0/2350
54	CC	0.35	0/1753	0.63	0/2369
55	DD	0.36	0/1796	0.64	0/2417
56	EE	0.35	0/2118	0.64	0/2849
57	FF	0.35	0/1492	0.63	0/2005
58	GG	0.35	0/1946	0.68	1/2590 (0.0%)
59	HH	0.36	0/1510	0.59	0/2022
60	II	0.35	0/1715	0.64	0/2287
61	JJ	0.35	0/1550	0.70	0/2069
62	KK	0.36	0/834	0.61	0/1125
63	LL	0.34	0/1195	0.64	0/1597
64	MM	0.37	0/918	0.70	1/1233 (0.1%)
65	NN	0.35	0/1226	0.65	0/1649
66	OO	0.35	0/1029	0.76	1/1380 (0.1%)
67	PP	0.36	0/1017	0.68	0/1358
68	QQ	0.34	0/1146	0.62	0/1534
69	RR	0.35	0/1082	0.61	0/1452
70	SS	0.36	0/1208	0.68	0/1618
71	TT	0.38	0/1115	0.64	1/1493 (0.1%)
72	UU	0.34	0/805	0.63	0/1081
73	VV	0.37	0/643	0.67	0/860
74	WW	0.34	0/1051	0.65	0/1406
75	XX	0.34	0/1116	0.65	0/1490

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
76	YY	0.36	0/1028	0.65	0/1366
77	ZZ	0.35	0/604	0.63	0/810
78	aa	0.37	0/828	0.72	0/1109
79	bb	0.34	0/665	0.58	0/891
80	cc	0.34	0/490	0.68	0/656
81	dd	0.39	0/470	0.62	0/623
82	ee	0.36	0/447	0.68	0/587
83	ff	0.38	0/567	0.61	0/753
84	gg	0.34	0/2493	0.56	0/3394
85	hh	0.28	0/353	0.77	0/547
86	ii	0.36	0/3363	0.58	0/4523
87	jj	0.34	0/4640	0.56	1/6264 (0.0%)
All	All	0.29	8/239706 (0.0%)	0.65	40/350845 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
48	5	0	4
56	EE	0	1
75	XX	0	1
All	All	0	6

The worst 5 of 8 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
48	5	1974	U	C2-N3	20.27	1.51	1.37
51	9	1412	C	O3'-P	-7.90	1.51	1.61
48	5	1974	U	N1-C2	7.38	1.45	1.38
48	5	1986	U	N3-C4	7.08	1.44	1.38
48	5	1986	U	N1-C2	6.78	1.44	1.38

The worst 5 of 40 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
48	5	1974	U	C2-N3-C4	-11.71	119.98	127.00
48	5	1986	U	C2-N3-C4	-7.93	122.24	127.00
51	9	1394	G	C2'-C3'-O3'	7.89	126.85	109.50
51	9	1835	A	C2'-C3'-O3'	7.67	126.38	109.50
48	5	1979	A	C2'-C3'-O3'	7.12	125.16	109.50

There are no chirality outliers.

5 of 6 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
48	5	1974	U	Sidechain
48	5	1986	U	Sidechain
48	5	2002	A	Sidechain
48	5	2013	A	Sidechain
56	EE	155	LYS	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1898	0	1993	5	0
2	B	3172	0	3310	3	0
3	C	2883	0	3053	2	0
4	D	2391	0	2424	1	0
5	E	1729	0	1887	3	0
6	F	1875	0	1995	3	0
7	G	1879	0	2027	3	0
8	H	1516	0	1597	1	0
9	I	1664	0	1712	0	0
10	J	1362	0	1399	3	0
11	L	1702	0	1820	1	0
12	M	1137	0	1211	3	0
13	N	1701	0	1749	2	0
14	O	1630	0	1778	8	0
15	P	1242	0	1274	0	0
16	Q	1515	0	1634	1	0
17	R	1508	0	1664	6	0
18	S	1462	0	1508	5	0
19	T	1298	0	1366	2	0
20	U	809	0	833	0	0
21	V	979	0	1039	2	0
22	W	860	0	903	2	0
23	X	967	0	1040	0	0
24	Y	1115	0	1205	1	0
25	Z	1107	0	1182	0	0
26	a	1162	0	1209	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
27	b	848	0	920	0	0
28	c	761	0	794	0	0
29	d	888	0	930	0	0
30	e	1053	0	1147	0	0
31	f	876	0	912	0	0
32	g	906	0	999	0	0
33	h	1013	0	1147	0	0
34	i	830	0	916	0	0
35	j	705	0	737	0	0
36	k	569	0	637	0	0
37	l	447	0	480	0	0
38	m	429	0	466	0	0
39	n	239	0	289	0	0
40	o	851	0	920	0	0
41	p	708	0	756	0	0
42	r	994	0	1051	0	0
43	s	1507	0	1564	0	0
44	t	1160	0	1218	0	0
45	1	125	0	117	2	0
46	2	1616	0	824	5	0
47	3	1593	0	811	4	0
48	5	75972	0	38391	124	0
49	7	2558	0	1296	0	0
50	8	3208	0	1629	1	0
51	9	36249	0	18316	150	0
52	AA	1710	0	1708	2	0
53	BB	1729	0	1803	12	0
54	CC	1716	0	1806	10	0
55	DD	1768	0	1866	8	0
56	EE	2076	0	2177	15	0
57	FF	1471	0	1522	12	0
58	GG	1923	0	2089	6	0
59	HH	1488	0	1582	5	0
60	II	1686	0	1772	9	0
61	JJ	1525	0	1640	7	0
62	KK	810	0	836	5	0
63	LL	1175	0	1249	5	0
64	MM	908	0	939	19	0
65	NN	1202	0	1289	3	0
66	OO	1016	0	1039	2	0
67	PP	997	0	1045	5	0
68	QQ	1128	0	1195	8	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
69	RR	1068	0	1121	3	0
70	SS	1190	0	1249	4	0
71	TT	1097	0	1132	4	0
72	UU	795	0	862	2	0
73	VV	636	0	637	3	0
74	WW	1034	0	1080	6	0
75	XX	1098	0	1167	7	0
76	YY	1011	0	1083	2	0
77	ZZ	598	0	656	5	0
78	aa	814	0	864	0	0
79	bb	651	0	672	0	0
80	cc	488	0	514	0	0
81	dd	459	0	451	0	0
82	ee	443	0	492	0	0
83	ff	555	0	566	0	0
84	gg	2436	0	2393	0	0
85	hh	317	0	161	0	0
86	ii	3309	0	3350	0	0
87	jj	4555	0	4691	0	0
88	5	197	0	0	0	0
88	7	7	0	0	0	0
88	8	5	0	0	0	0
88	9	79	0	0	0	0
88	B	1	0	0	0	0
88	I	1	0	0	0	0
88	L	1	0	0	0	0
88	P	1	0	0	0	0
88	Q	1	0	0	0	0
88	V	1	0	0	0	0
88	a	2	0	0	0	0
88	e	1	0	0	0	0
88	g	1	0	0	0	0
88	hh	1	0	0	0	0
88	j	1	0	0	0	0
89	aa	1	0	0	0	0
89	dd	1	0	0	0	0
89	ff	1	0	0	0	0
89	g	1	0	0	0	0
89	j	1	0	0	0	0
89	m	1	0	0	0	0
89	o	1	0	0	0	0
89	p	1	0	0	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
90	jj	16	0	0	0	0
All	All	223874	0	168777	436	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

The worst 5 of 436 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
48:5:3914:U:O4	48:5:4378:A:N1	1.58	1.34
48:5:1986:U:C2	48:5:2006:U:O4	1.82	1.32
51:9:1137:U:O4	51:9:1148:A:N1	1.70	1.24
48:5:1986:U:O2	48:5:2006:U:C4	1.91	1.23
48:5:1986:U:O2	48:5:2006:U:O4	1.57	1.20

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	246/257 (96%)	224 (91%)	21 (8%)	1 (0%)	34	68
2	B	392/403 (97%)	365 (93%)	26 (7%)	1 (0%)	41	73
3	C	360/425 (85%)	339 (94%)	21 (6%)	0	100	100
4	D	291/297 (98%)	277 (95%)	14 (5%)	0	100	100
5	E	208/291 (72%)	193 (93%)	15 (7%)	0	100	100
6	F	223/247 (90%)	213 (96%)	9 (4%)	1 (0%)	34	68
7	G	229/319 (72%)	220 (96%)	9 (4%)	0	100	100
8	H	188/192 (98%)	177 (94%)	11 (6%)	0	100	100

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
9	I	201/214 (94%)	184 (92%)	17 (8%)	0	100	100
10	J	168/178 (94%)	160 (95%)	8 (5%)	0	100	100
11	L	208/211 (99%)	201 (97%)	7 (3%)	0	100	100
12	M	136/218 (62%)	128 (94%)	8 (6%)	0	100	100
13	N	201/204 (98%)	189 (94%)	12 (6%)	0	100	100
14	O	197/203 (97%)	184 (93%)	13 (7%)	0	100	100
15	P	151/184 (82%)	141 (93%)	10 (7%)	0	100	100
16	Q	185/188 (98%)	175 (95%)	10 (5%)	0	100	100
17	R	178/196 (91%)	173 (97%)	5 (3%)	0	100	100
18	S	174/176 (99%)	164 (94%)	10 (6%)	0	100	100
19	T	157/160 (98%)	150 (96%)	7 (4%)	0	100	100
20	U	97/128 (76%)	86 (89%)	11 (11%)	0	100	100
21	V	129/140 (92%)	115 (89%)	14 (11%)	0	100	100
22	W	102/157 (65%)	97 (95%)	5 (5%)	0	100	100
23	X	116/156 (74%)	107 (92%)	9 (8%)	0	100	100
24	Y	132/145 (91%)	123 (93%)	9 (7%)	0	100	100
25	Z	133/136 (98%)	127 (96%)	4 (3%)	2 (2%)	10	39
26	a	145/148 (98%)	135 (93%)	10 (7%)	0	100	100
27	b	100/245 (41%)	93 (93%)	5 (5%)	2 (2%)	7	33
28	c	96/115 (84%)	91 (95%)	5 (5%)	0	100	100
29	d	105/125 (84%)	95 (90%)	10 (10%)	0	100	100
30	e	126/135 (93%)	118 (94%)	8 (6%)	0	100	100
31	f	107/110 (97%)	101 (94%)	4 (4%)	2 (2%)	8	34
32	g	112/117 (96%)	106 (95%)	6 (5%)	0	100	100
33	h	120/123 (98%)	118 (98%)	2 (2%)	0	100	100
34	i	100/105 (95%)	94 (94%)	6 (6%)	0	100	100
35	j	84/97 (87%)	78 (93%)	5 (6%)	1 (1%)	13	44
36	k	67/70 (96%)	65 (97%)	2 (3%)	0	100	100
37	l	48/51 (94%)	44 (92%)	4 (8%)	0	100	100
38	m	50/102 (49%)	47 (94%)	3 (6%)	0	100	100
39	n	23/25 (92%)	23 (100%)	0	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
40	o	102/106 (96%)	99 (97%)	3 (3%)	0	100	100
41	p	89/92 (97%)	82 (92%)	7 (8%)	0	100	100
42	r	122/137 (89%)	114 (93%)	7 (6%)	1 (1%)	19	53
43	s	194/318 (61%)	176 (91%)	16 (8%)	2 (1%)	15	49
44	t	151/165 (92%)	136 (90%)	13 (9%)	2 (1%)	12	42
45	1	13/15 (87%)	8 (62%)	4 (31%)	1 (8%)	1	7
52	AA	215/295 (73%)	201 (94%)	13 (6%)	1 (0%)	29	63
53	BB	211/264 (80%)	201 (95%)	9 (4%)	1 (0%)	29	63
54	CC	219/293 (75%)	209 (95%)	10 (5%)	0	100	100
55	DD	226/243 (93%)	214 (95%)	9 (4%)	3 (1%)	12	42
56	EE	260/263 (99%)	246 (95%)	14 (5%)	0	100	100
57	FF	181/204 (89%)	171 (94%)	10 (6%)	0	100	100
58	GG	235/249 (94%)	221 (94%)	14 (6%)	0	100	100
59	HH	181/194 (93%)	171 (94%)	10 (6%)	0	100	100
60	II	204/208 (98%)	195 (96%)	8 (4%)	1 (0%)	29	63
61	JJ	183/194 (94%)	176 (96%)	7 (4%)	0	100	100
62	KK	94/165 (57%)	88 (94%)	6 (6%)	0	100	100
63	LL	139/158 (88%)	127 (91%)	12 (9%)	0	100	100
64	MM	115/132 (87%)	104 (90%)	11 (10%)	0	100	100
65	NN	147/151 (97%)	140 (95%)	7 (5%)	0	100	100
66	OO	134/168 (80%)	122 (91%)	11 (8%)	1 (1%)	22	56
67	PP	118/145 (81%)	108 (92%)	10 (8%)	0	100	100
68	QQ	140/146 (96%)	131 (94%)	9 (6%)	0	100	100
69	RR	130/135 (96%)	120 (92%)	10 (8%)	0	100	100
70	SS	142/152 (93%)	135 (95%)	7 (5%)	0	100	100
71	TT	139/145 (96%)	132 (95%)	7 (5%)	0	100	100
72	UU	98/119 (82%)	91 (93%)	7 (7%)	0	100	100
73	VV	81/83 (98%)	79 (98%)	2 (2%)	0	100	100
74	WW	127/130 (98%)	121 (95%)	6 (5%)	0	100	100
75	XX	139/143 (97%)	130 (94%)	6 (4%)	3 (2%)	6	32
76	YY	122/130 (94%)	113 (93%)	9 (7%)	0	100	100

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
77	ZZ	73/125 (58%)	68 (93%)	5 (7%)	0	100	100
78	aa	99/115 (86%)	93 (94%)	6 (6%)	0	100	100
79	bb	81/84 (96%)	71 (88%)	9 (11%)	1 (1%)	13	44
80	cc	60/69 (87%)	58 (97%)	2 (3%)	0	100	100
81	dd	53/56 (95%)	49 (92%)	4 (8%)	0	100	100
82	ee	53/133 (40%)	50 (94%)	3 (6%)	0	100	100
83	ff	66/156 (42%)	61 (92%)	5 (8%)	0	100	100
84	gg	311/317 (98%)	290 (93%)	20 (6%)	1 (0%)	41	73
86	ii	417/459 (91%)	404 (97%)	12 (3%)	1 (0%)	47	78
87	jj	571/599 (95%)	538 (94%)	32 (6%)	1 (0%)	47	78
All	All	12520/14448 (87%)	11763 (94%)	727 (6%)	30 (0%)	50	78

5 of 30 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
75	XX	62	PRO
86	ii	182	ARG
43	s	142	GLY
44	t	125	LEU
52	AA	159	ILE

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	190/199 (96%)	178 (94%)	12 (6%)	18	49
2	B	342/348 (98%)	326 (95%)	16 (5%)	26	58
3	C	302/347 (87%)	290 (96%)	12 (4%)	31	62
4	D	247/250 (99%)	239 (97%)	8 (3%)	39	68
5	E	190/251 (76%)	181 (95%)	9 (5%)	26	58
6	F	196/215 (91%)	187 (95%)	9 (5%)	27	59

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
7	G	200/272 (74%)	189 (94%)	11 (6%)	21	53
8	H	169/171 (99%)	157 (93%)	12 (7%)	14	45
9	I	175/181 (97%)	167 (95%)	8 (5%)	27	59
10	J	143/149 (96%)	138 (96%)	5 (4%)	36	66
11	L	175/176 (99%)	168 (96%)	7 (4%)	31	62
12	M	117/161 (73%)	111 (95%)	6 (5%)	24	55
13	N	171/172 (99%)	162 (95%)	9 (5%)	22	54
14	O	171/173 (99%)	163 (95%)	8 (5%)	26	58
15	P	134/163 (82%)	125 (93%)	9 (7%)	16	47
16	Q	164/165 (99%)	157 (96%)	7 (4%)	29	60
17	R	159/175 (91%)	148 (93%)	11 (7%)	15	46
18	S	157/157 (100%)	149 (95%)	8 (5%)	24	55
19	T	139/140 (99%)	127 (91%)	12 (9%)	10	36
20	U	89/114 (78%)	88 (99%)	1 (1%)	73	86
21	V	101/107 (94%)	93 (92%)	8 (8%)	12	40
22	W	86/126 (68%)	85 (99%)	1 (1%)	71	85
23	X	106/134 (79%)	101 (95%)	5 (5%)	26	58
24	Y	124/135 (92%)	118 (95%)	6 (5%)	25	57
25	Z	117/118 (99%)	115 (98%)	2 (2%)	60	80
26	a	119/120 (99%)	116 (98%)	3 (2%)	47	73
27	b	84/184 (46%)	82 (98%)	2 (2%)	49	74
28	c	84/98 (86%)	82 (98%)	2 (2%)	49	74
29	d	98/110 (89%)	90 (92%)	8 (8%)	11	38
30	e	114/121 (94%)	106 (93%)	8 (7%)	15	45
31	f	88/89 (99%)	84 (96%)	4 (4%)	27	59
32	g	98/100 (98%)	94 (96%)	4 (4%)	30	61
33	h	109/110 (99%)	105 (96%)	4 (4%)	34	63
34	i	86/89 (97%)	83 (96%)	3 (4%)	36	66
35	j	73/80 (91%)	69 (94%)	4 (6%)	21	53
36	k	64/65 (98%)	62 (97%)	2 (3%)	40	69
37	l	47/48 (98%)	46 (98%)	1 (2%)	53	77

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
38	m	48/90 (53%)	46 (96%)	2 (4%)	30	60
39	n	24/24 (100%)	22 (92%)	2 (8%)	11	37
40	o	92/94 (98%)	89 (97%)	3 (3%)	38	67
41	p	74/75 (99%)	72 (97%)	2 (3%)	44	72
42	r	108/121 (89%)	105 (97%)	3 (3%)	43	71
43	s	164/258 (64%)	156 (95%)	8 (5%)	25	57
44	t	126/137 (92%)	121 (96%)	5 (4%)	31	62
45	l	13/13 (100%)	13 (100%)	0	100	100
52	AA	180/245 (74%)	166 (92%)	14 (8%)	12	40
53	BB	194/231 (84%)	175 (90%)	19 (10%)	8	30
54	CC	187/225 (83%)	175 (94%)	12 (6%)	17	48
55	DD	190/202 (94%)	172 (90%)	18 (10%)	8	31
56	EE	224/225 (100%)	206 (92%)	18 (8%)	12	39
57	FF	158/170 (93%)	146 (92%)	12 (8%)	13	41
58	GG	207/218 (95%)	195 (94%)	12 (6%)	20	52
59	HH	165/174 (95%)	154 (93%)	11 (7%)	16	47
60	II	178/180 (99%)	164 (92%)	14 (8%)	12	40
61	JJ	161/168 (96%)	148 (92%)	13 (8%)	11	38
62	KK	87/136 (64%)	78 (90%)	9 (10%)	7	27
63	LL	130/142 (92%)	118 (91%)	12 (9%)	9	32
64	MM	99/108 (92%)	83 (84%)	16 (16%)	2	10
65	NN	130/131 (99%)	118 (91%)	12 (9%)	9	32
66	OO	106/130 (82%)	91 (86%)	15 (14%)	3	14
67	PP	109/130 (84%)	99 (91%)	10 (9%)	9	32
68	QQ	117/121 (97%)	111 (95%)	6 (5%)	24	55
69	RR	119/121 (98%)	111 (93%)	8 (7%)	16	47
70	SS	125/132 (95%)	111 (89%)	14 (11%)	6	23
71	TT	111/115 (96%)	101 (91%)	10 (9%)	9	33
72	UU	92/107 (86%)	86 (94%)	6 (6%)	17	48
73	VV	67/67 (100%)	65 (97%)	2 (3%)	41	69
74	WW	112/113 (99%)	106 (95%)	6 (5%)	22	54

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
75	XX	113/115 (98%)	107 (95%)	6 (5%)	22	54
76	YY	107/112 (96%)	96 (90%)	11 (10%)	7	27
77	ZZ	66/103 (64%)	63 (96%)	3 (4%)	27	59
78	aa	88/98 (90%)	78 (89%)	10 (11%)	5	22
79	bb	75/76 (99%)	70 (93%)	5 (7%)	16	47
80	cc	55/62 (89%)	51 (93%)	4 (7%)	14	43
81	dd	48/49 (98%)	48 (100%)	0	100	100
82	ee	46/106 (43%)	43 (94%)	3 (6%)	17	48
83	ff	61/140 (44%)	54 (88%)	7 (12%)	5	22
84	gg	272/275 (99%)	262 (96%)	10 (4%)	34	63
86	ii	361/394 (92%)	345 (96%)	16 (4%)	28	59
87	jj	509/526 (97%)	489 (96%)	20 (4%)	32	62
All	All	10926/12272 (89%)	10290 (94%)	636 (6%)	24	52

5 of 636 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
65	NN	132	LYS
79	bb	64	CYS
66	OO	146	ARG
65	NN	110	ASP
71	TT	102	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
64	MM	19	GLN

### 5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
46	2	74/76 (97%)	15 (20%)	0
47	3	72/75 (96%)	22 (30%)	2 (2%)
48	5	3515/3543 (99%)	902 (25%)	167 (4%)
49	7	119/120 (99%)	14 (11%)	1 (0%)
50	8	150/156 (96%)	36 (24%)	7 (4%)

Continued on next page...



*Continued from previous page...*

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
51	9	1679/1869 (89%)	419 (24%)	63 (3%)
85	hh	14/15 (93%)	7 (50%)	0
All	All	5623/5854 (96%)	1415 (25%)	240 (4%)

5 of 1415 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
46	2	8	U
46	2	9	A
46	2	16	C
46	2	19	G
46	2	20	U

5 of 240 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
48	5	2502	A
51	9	1286	G
48	5	4170	A
51	9	1264	C
51	9	1824	A

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 310 ligands modelled in this entry, 308 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
90	SF4	jj	601	87	0,12,12	-	-	-		
90	SF4	jj	600	87	0,12,12	-	-	-		

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
90	SF4	jj	601	87	-	-	0/6/5/5
90	SF4	jj	600	87	-	-	0/6/5/5

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
48	5	29
51	9	7
47	3	2
46	2	1

The worst 5 of 39 chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	5	2113:G	O3'	2258:C	P	41.35
1	5	1252:C	O3'	1271:G	P	35.93

*Continued on next page...*

*Continued from previous page...*

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	5	1219:G	O3'	1233:G	P	23.06
1	5	3948:C	O3'	4065:G	P	19.73
1	5	1406(C):G	O3'	1411:C	P	18.70


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-4133. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 210




Y Index: 210




Z Index: 210


### 6.2.2 Raw map



X Index: 210



Y Index: 210




Z Index: 210


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 228




Y Index: 211




Z Index: 220


### 6.3.2 Raw map



X Index: 225



Y Index: 211




Z Index: 202

The images above show the largest variance slices of the map in three orthogonal directions.


## 6.4 Orthogonal surface views [i](#)

### 6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.08. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.5 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)

This section contains the results of statistical analysis of the map.


### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.




## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1553  $\text{nm}^3$ ; this corresponds to an approximate mass of 1402 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum i




\*Reported resolution corresponds to spatial frequency of 0.299 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.299 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.35	-	-
Author-provided FSC curve	3.36	3.71	3.41
Unmasked-calculated*	3.90	5.01	3.99

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.90 differs from the reported value 3.35 by more than 10 %

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-4133 and PDB model 5LZV. Per-residue inclusion information can be found in section 3 on page 24.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.08 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.08).







































































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 88% of all backbone atoms, 81% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.08) and Q-score for the entire model and for each chain.





















































































Chain	Atom inclusion	Q-score
All	 0.8102	 0.4600
1	 0.6942	 0.4640
2	 0.8286	 0.4240
3	 0.5223	 0.2700
5	 0.8746	 0.4640
7	 0.9271	 0.4980
8	 0.8883	 0.4710
9	 0.8648	 0.4580
A	 0.8174	 0.5010
AA	 0.7621	 0.4790
B	 0.7972	 0.4860
BB	 0.7616	 0.4890
C	 0.8125	 0.4930
CC	 0.7631	 0.4860
D	 0.8016	 0.4710
DD	 0.6951	 0.4450
E	 0.7862	 0.4620
EE	 0.7694	 0.4830
F	 0.7971	 0.4930
FF	 0.7332	 0.4670
G	 0.7260	 0.4380
GG	 0.6997	 0.4270
H	 0.7679	 0.4710
HH	 0.6721	 0.4300
I	 0.7659	 0.4840
II	 0.7572	 0.4760
J	 0.7449	 0.4520
JJ	 0.7584	 0.4740
KK	 0.7367	 0.4460
L	 0.7713	 0.4640
LL	 0.7895	 0.4970
M	 0.7889	 0.4700
MM	 0.4083	 0.2890
N	 0.8438	 0.5100
NN	 0.7736	 0.4850



*Continued on next page...*

























*Continued from previous page...*

Chain	Atom inclusion	Q-score
O	 0.7958	 0.4850
OO	 0.7741	 0.4920
P	 0.8061	 0.4980
PP	 0.7399	 0.4480
Q	 0.8229	 0.4930
QQ	 0.7674	 0.4780
R	 0.7495	 0.4510
RR	 0.7062	 0.4490
S	 0.8161	 0.4950
SS	 0.7668	 0.4670
T	 0.7933	 0.4810
TT	 0.7676	 0.4640
U	 0.7383	 0.4160
UU	 0.6848	 0.4390
V	 0.7651	 0.4880
VV	 0.7476	 0.4810
W	 0.6342	 0.3930
WW	 0.7931	 0.5020
X	 0.7521	 0.4580
XX	 0.7908	 0.5090
Y	 0.7978	 0.4760
YY	 0.7655	 0.4710
Z	 0.7950	 0.4630
ZZ	 0.7187	 0.4550
a	 0.8478	 0.5100
aa	 0.7941	 0.5010
b	 0.6847	 0.4250
bb	 0.7199	 0.4640
c	 0.7473	 0.4670
cc	 0.7149	 0.4700
d	 0.7783	 0.4710
dd	 0.8100	 0.5020
e	 0.8104	 0.5100
ee	 0.6878	 0.4560
f	 0.8349	 0.5020
ff	 0.5102	 0.3280
g	 0.7796	 0.4740
gg	 0.6964	 0.4420
h	 0.7712	 0.4740
hh	 0.7453	 0.4250
i	 0.7450	 0.4590
ii	 0.5645	 0.4080

*Continued on next page...*

*Continued from previous page...*

Chain	Atom inclusion	Q-score
j	 0.8442	 0.5030
jj	 0.5988	 0.4250
k	 0.7110	 0.4330
l	 0.8314	 0.4970
m	 0.8101	 0.4950
n	 0.7752	 0.4860
o	 0.7930	 0.4880
p	 0.7533	 0.4790
r	 0.8349	 0.5010
s	 0.3340	 0.2230
t	 0.4895	 0.3140