



# Full wwPDB X-ray Structure Validation Report ⓘ

May 29, 2020 – 07:36 am BST

PDB ID : 5M95  
Title : STAPHYLOCOCCUS CAPITIS DIVALENT METAL ION TRANSPORTER  
(DMT) IN COMPLEX WITH MANGANESE  
Authors : Ehrnstorfer, I.A.; Geertsma, E.R.; Pardon, E.; Steyaert, J.; Dutzler, R.  
Deposited on : 2016-10-31  
Resolution : 3.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1026 (3.48-3.32)
Clashscore	141614	1055 (3.48-3.32)
Ramachandran outliers	138981	1038 (3.48-3.32)
Sidechain outliers	138945	1038 (3.48-3.32)
RSRZ outliers	127900	2173 (3.50-3.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	415	 7% 76% 19% 5%
1	C	415	 15% 75% 20% 5%
2	B	124	 22% 88% 9% 5%
2	D	124	 12% 85% 11% 5%

## 2 Entry composition i

There are 3 unique types of molecules in this entry. The entry contains 7948 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Divalent metal cation transporter MntH.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	395	3050	2024	485	529	12	0	0	0
1	C	395	3050	2024	485	529	12	0	0	0

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	41	MET	-	initiating methionine	UNP A0A0S4MEX1
A	42	SER	-	expression tag	UNP A0A0S4MEX1
A	361	SER	ALA	conflict	UNP A0A0S4MEX1
A	449	ALA	-	expression tag	UNP A0A0S4MEX1
A	450	LEU	-	expression tag	UNP A0A0S4MEX1
A	451	GLU	-	expression tag	UNP A0A0S4MEX1
A	452	VAL	-	expression tag	UNP A0A0S4MEX1
A	453	LEU	-	expression tag	UNP A0A0S4MEX1
A	454	PHE	-	expression tag	UNP A0A0S4MEX1
A	455	GLN	-	expression tag	UNP A0A0S4MEX1
C	41	MET	-	initiating methionine	UNP A0A0S4MEX1
C	42	SER	-	expression tag	UNP A0A0S4MEX1
C	361	SER	ALA	conflict	UNP A0A0S4MEX1
C	449	ALA	-	expression tag	UNP A0A0S4MEX1
C	450	LEU	-	expression tag	UNP A0A0S4MEX1
C	451	GLU	-	expression tag	UNP A0A0S4MEX1
C	452	VAL	-	expression tag	UNP A0A0S4MEX1
C	453	LEU	-	expression tag	UNP A0A0S4MEX1
C	454	PHE	-	expression tag	UNP A0A0S4MEX1
C	455	GLN	-	expression tag	UNP A0A0S4MEX1

- Molecule 2 is a protein called CAMELID ANTIBODY FRAGMENT, NANOBODY.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	120	Total	C	N	O	S	0	0	0
			923	564	172	183	4			
2	D	120	Total	C	N	O	S	0	0	0
			923	564	172	183	4			


- Molecule 3 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mn	0	0
			1	1		
3	C	1	Total	Mn	0	0
			1	1		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Divalent metal cation transporter MntH




- Molecule 1: Divalent metal cation transporter MntH



- Molecule 2: CAMELID ANTIBODY FRAGMENT, NANOBODY





- Molecule 2: CAMELID ANTIBODY FRAGMENT, NANOBODY

Chain D: 12% 85% 11%



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	114.17Å 114.17Å 257.53Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	19.90 – 3.40 49.44 – 3.40	Depositor EDS
% Data completeness (in resolution range)	100.0 (19.90-3.40) 100.0 (49.44-3.40)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.06 (at 3.40Å)	Xtrriage
Refinement program	PHENIX dev_1760	Depositor
R, $R_{free}$	0.252 , 0.292 0.271 , 0.318	Depositor DCC
$R_{free}$ test set	1343 reflections (4.88%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	138.0	Xtrriage
Anisotropy	0.080	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.27 , 99.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.029 for -h,-k,l	Xtrriage
$F_o, F_c$ correlation	0.85	EDS
Total number of atoms	7948	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	152.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.47% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.22	0/3112	0.41	0/4235
1	C	0.24	0/3112	0.44	0/4235
2	B	0.21	0/937	0.37	0/1268
2	D	0.20	0/937	0.37	0/1268
All	All	0.23	0/8098	0.42	0/11006

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3050	0	3222	52	0
1	C	3050	0	3222	58	0
2	B	923	0	897	6	0
2	D	923	0	897	8	0
3	A	1	0	0	0	0
3	C	1	0	0	0	0
All	All	7948	0	8238	121	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.



All (121) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:94:LYS:HD3	1:A:238:GLN:HE22	1.49	0.78
1:C:238:GLN:O	1:C:244:ARG:NH2	2.18	0.77
1:C:417:ILE:HG22	1:C:421:TRP:CD1	2.24	0.72
1:C:205:LYS:O	1:C:209:THR:OG1	2.07	0.72
1:C:188:PHE:O	1:C:189:ILE:HG13	1.94	0.66
1:C:104:LEU:HB3	1:C:108:VAL:HG13	1.78	0.65
1:C:160:ILE:HD11	1:C:168:ILE:HG12	1.77	0.65
1:A:354:LEU:HD11	1:C:354:LEU:HD11	1.79	0.65
1:C:208:VAL:HA	1:C:214:LEU:HD13	1.79	0.64
2:B:48:VAL:HG13	2:B:63:VAL:HG21	1.78	0.64
2:D:48:VAL:HG13	2:D:63:VAL:HG21	1.80	0.64
1:A:238:GLN:O	1:A:244:ARG:NH2	2.31	0.63
1:A:54:ILE:HG21	1:A:385:LEU:HG	1.80	0.62
1:A:157:LEU:HD11	1:A:332:ILE:HD11	1.81	0.61
2:B:90:THR:HG23	2:B:118:THR:HA	1.82	0.61
1:A:211:GLN:NE2	1:A:437:ASN:OD1	2.34	0.60
1:C:211:GLN:NE2	1:C:437:ASN:OD1	2.34	0.60
1:C:74:SER:HB3	1:C:221:ILE:HG12	1.84	0.59
1:C:54:ILE:HG21	1:C:385:LEU:HG	1.84	0.59
2:D:90:THR:HG23	2:D:118:THR:HA	1.85	0.57
2:D:20:LEU:HD12	2:D:80:LEU:HD23	1.85	0.57
1:C:154:VAL:HG13	1:C:356:ARG:HE	1.69	0.57
1:C:342:MET:HE1	1:C:355:ARG:HE	1.69	0.57
1:A:74:SER:HB3	1:A:221:ILE:HG12	1.87	0.57
1:C:417:ILE:HG22	1:C:421:TRP:HD1	1.69	0.56
1:A:104:LEU:HB3	1:A:108:VAL:HG23	1.88	0.56
1:A:90:ILE:HD12	1:A:254:ILE:HG12	1.88	0.56
2:B:82:MET:HB3	2:B:85:LEU:HD21	1.88	0.56
1:A:208:VAL:HA	1:A:214:LEU:HD13	1.87	0.55
1:C:411:LYS:O	1:C:413:MET:HG2	2.07	0.55
1:A:407:THR:O	1:A:413:MET:HB3	2.06	0.55
1:A:409:ASN:O	1:A:410:LYS:NZ	2.39	0.55
1:A:411:LYS:O	1:A:413:MET:HG2	2.07	0.55
1:C:407:THR:O	1:C:413:MET:HB3	2.06	0.55
1:C:409:ASN:O	1:C:410:LYS:NZ	2.39	0.54
1:C:214:LEU:HD11	1:C:430:ILE:HG23	1.88	0.54
1:C:207:ILE:HG13	1:C:208:VAL:HG23	1.90	0.53
1:A:154:VAL:HG13	1:A:356:ARG:HE	1.72	0.52
1:A:205:LYS:O	1:A:209:THR:OG1	2.19	0.52
2:B:59:TYR:HE1	2:B:69:ILE:H	1.57	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:87:ARG:HG2	1:C:254:ILE:HD13	1.91	0.52
1:A:198:LEU:HD22	1:A:203:PRO:HG3	1.92	0.51
1:C:352:ASN:OD1	1:C:355:ARG:NH1	2.44	0.51
1:A:88:LEU:O	1:A:92:THR:OG1	2.25	0.51
1:C:88:LEU:O	1:C:92:THR:OG1	2.24	0.51
2:D:82:MET:HB3	2:D:85:LEU:HD21	1.93	0.51
1:A:218:LEU:O	1:A:393:SER:OG	2.29	0.50
1:C:153:ASP:OD1	1:C:154:VAL:N	2.45	0.50
1:C:61:ALA:HB1	1:C:283:PHE:HB2	1.94	0.49
1:A:428:THR:HA	1:A:431:VAL:HG22	1.95	0.49
2:D:35:ASN:HB2	2:D:96:ASN:HB3	1.94	0.49
2:D:35:ASN:N	2:D:96:ASN:O	2.35	0.49
1:A:354:LEU:HD21	1:C:354:LEU:HD21	1.95	0.48
1:C:218:LEU:O	1:C:393:SER:OG	2.31	0.48
1:A:367:VAL:HG13	1:A:381:ILE:HD11	1.95	0.47
2:B:54:ASP:OD1	2:B:56:ASN:ND2	2.25	0.47
1:A:182:ILE:HD13	1:A:315:MET:HB3	1.97	0.46
1:A:87:ARG:HH12	1:A:407:THR:HG23	1.80	0.46
1:A:417:ILE:HG22	1:A:421:TRP:CD1	2.49	0.46
1:A:374:PHE:CG	1:A:380:LYS:HG2	2.51	0.46
1:C:350:ILE:O	1:C:355:ARG:NH2	2.48	0.46
1:A:61:ALA:HB1	1:A:283:PHE:HB2	1.96	0.46
1:A:214:LEU:HD11	1:A:430:ILE:HG23	1.96	0.46
1:A:377:ASN:HB3	1:A:380:LYS:HB2	1.97	0.46
1:A:95:ASP:HB3	1:A:235:SER:HB2	1.98	0.46
1:A:153:ASP:OD1	1:A:154:VAL:N	2.48	0.46
1:A:191:SER:HB2	1:A:194:LEU:HB2	1.97	0.46
1:C:404:GLN:NE2	1:C:417:ILE:HG23	2.31	0.45
2:D:36:TRP:HB2	2:D:49:ALA:HB3	1.97	0.45
1:A:191:SER:HA	1:A:192:PRO:HD3	1.82	0.44
1:A:68:LEU:HG	1:A:276:LEU:HD22	1.98	0.44
1:C:428:THR:HA	1:C:431:VAL:HG22	1.99	0.44
1:C:154:VAL:HG22	1:C:356:ARG:HE	1.82	0.44
1:C:120:ILE:HD13	1:C:338:GLY:HA2	1.98	0.44
1:C:47:TYR:O	1:C:53:TRP:NE1	2.45	0.44
1:A:397:PRO:HG3	1:A:427:TRP:HD1	1.83	0.44
1:C:367:VAL:HG13	1:C:381:ILE:HD11	1.99	0.44
1:A:299:HIS:HB3	2:B:29:PHE:HA	2.00	0.43
1:C:182:ILE:HD13	1:C:315:MET:HB3	1.99	0.43
1:C:377:ASN:HB3	1:C:380:LYS:HB2	2.00	0.43
1:C:78:ALA:HB2	1:C:225:ILE:HG12	2.00	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:401:ILE:O	1:C:405:LEU:HD13	2.19	0.43
1:C:397:PRO:HG3	1:C:427:TRP:HD1	1.83	0.43
1:A:244:ARG:HA	1:A:244:ARG:HD3	1.75	0.43
1:A:233:HIS:HA	1:A:236:ILE:HG22	2.00	0.43
1:C:90:ILE:HD12	1:C:254:ILE:HG12	2.01	0.43
1:A:242:TYR:O	1:A:244:ARG:NH1	2.52	0.43
1:A:69:PHE:CD1	1:A:202:VAL:HB	2.54	0.42
1:C:178:THR:O	1:C:182:ILE:HG13	2.19	0.42
2:D:37:TYR:CZ	2:D:47:LEU:HD23	2.54	0.42
1:C:69:PHE:CD1	1:C:202:VAL:HB	2.55	0.42
1:C:157:LEU:O	1:C:160:ILE:HG22	2.18	0.42
1:A:352:ASN:HA	1:A:355:ARG:HG2	2.02	0.42
1:A:86:VAL:HG13	1:A:237:VAL:HG21	2.02	0.42
1:C:194:LEU:HA	1:C:194:LEU:HD23	1.94	0.42
1:C:197:ILE:HG23	1:C:198:LEU:HG	2.00	0.42
1:C:203:PRO:O	1:C:205:LYS:N	2.53	0.42
1:C:325:ALA:O	1:C:329:ASN:ND2	2.53	0.42
1:A:410:LYS:HA	1:A:410:LYS:NZ	2.35	0.42
1:C:188:PHE:C	1:C:189:ILE:HG13	2.40	0.42
1:C:120:ILE:HD11	1:C:341:VAL:HG21	2.01	0.41
1:C:394:ILE:HD13	1:C:431:VAL:HB	2.02	0.41
1:C:374:PHE:CG	1:C:380:LYS:HG2	2.55	0.41
1:C:410:LYS:HA	1:C:410:LYS:NZ	2.35	0.41
1:A:178:THR:O	1:A:182:ILE:HG13	2.21	0.41
1:C:113:TRP:CD1	1:C:341:VAL:HG12	2.56	0.41
1:A:144:ILE:HD11	1:A:368:ILE:HG23	2.02	0.41
1:C:379:GLU:O	1:C:383:GLN:HG3	2.21	0.41
1:A:393:SER:HA	1:A:427:TRP:HZ2	1.85	0.41
1:A:98:GLN:H	1:A:98:GLN:HG2	1.62	0.41
1:C:179:VAL:HA	1:C:182:ILE:HD12	2.03	0.41
1:C:191:SER:HA	1:C:192:PRO:HD3	1.81	0.41
1:C:65:TYR:HB3	1:C:68:LEU:HD12	2.03	0.41
1:C:254:ILE:CD1	1:C:412:LEU:HD21	2.51	0.41
1:A:390:VAL:O	1:A:393:SER:HB2	2.21	0.41
1:C:244:ARG:HA	1:C:244:ARG:HD3	1.71	0.41
1:A:65:TYR:HB3	1:A:68:LEU:HD12	2.03	0.40
1:A:87:ARG:HG2	1:A:254:ILE:HD13	2.02	0.40
1:A:355:ARG:HA	1:A:358:ILE:HD12	2.02	0.40
1:A:94:LYS:HB3	1:A:95:ASP:H	1.78	0.40
1:A:265:LEU:HA	1:A:265:LEU:HD23	1.95	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	393/415 (95%)	372 (95%)	21 (5%)	0	100	100
1	C	393/415 (95%)	368 (94%)	25 (6%)	0	100	100
2	B	118/124 (95%)	118 (100%)	0	0	100	100
2	D	118/124 (95%)	118 (100%)	0	0	100	100
All	All	1022/1078 (95%)	976 (96%)	46 (4%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	333/351 (95%)	330 (99%)	3 (1%)	78	90
1	C	333/351 (95%)	331 (99%)	2 (1%)	86	94
2	B	98/101 (97%)	98 (100%)	0	100	100
2	D	98/101 (97%)	98 (100%)	0	100	100
All	All	862/904 (95%)	857 (99%)	5 (1%)	86	94

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	47	TYR
1	A	233	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	412	LEU
1	C	47	TYR
1	C	412	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	238	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	395/415 (95%)	0.35	28 (7%) 16 18	86, 133, 206, 279	0
1	C	395/415 (95%)	0.89	61 (15%) 2 2	85, 166, 255, 339	0
2	B	120/124 (96%)	1.10	27 (22%) 0 1	94, 132, 173, 179	0
2	D	120/124 (96%)	0.42	15 (12%) 3 4	98, 131, 177, 213	0
All	All	1030/1078 (95%)	0.65	131 (12%) 3 4	85, 140, 231, 339	0

All (131) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	246	ASP	15.6
1	C	412	LEU	9.9
1	A	204	HIS	8.4
1	C	247	ASN	8.1
1	C	252	GLN	7.9
1	C	411	LYS	7.4
1	C	103	PHE	6.7
1	C	248	GLU	5.5
1	C	245	HIS	5.4
1	C	112	PHE	5.3
2	B	111	TRP	5.2
1	C	289	ASN	5.0
2	D	106	SER	4.9
1	C	256	TYR	4.5
1	C	63	TYR	4.5
1	C	259	ILE	4.3
2	B	36	TRP	4.3
2	B	48	VAL	4.3
1	C	104	LEU	4.2
1	A	439	TYR	4.2
2	D	114	GLY	4.1

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	C	231	TYR	4.1
1	C	250	LYS	4.1
1	C	345	PHE	4.1
1	C	288	THR	4.0
1	C	186	GLU	4.0
1	A	418	ASN	3.9
2	B	79	TYR	3.9
2	B	113	GLN	3.9
1	C	82	GLN	3.9
1	A	55	THR	3.8
1	C	108	VAL	3.8
1	C	243	ASP	3.8
2	D	92	VAL	3.6
1	C	59	GLY	3.6
2	D	41	PRO	3.6
1	A	200	GLY	3.6
1	C	110	ILE	3.5
1	C	91	ALA	3.5
1	A	56	SER	3.5
1	A	375	LYS	3.5
1	A	377	ASN	3.5
1	C	105	SER	3.4
1	C	227	PRO	3.4
1	C	189	ILE	3.4
1	A	166	ARG	3.3
1	C	255	LYS	3.3
2	B	62	SER	3.2
2	D	94	TYR	3.2
1	C	253	ALA	3.2
2	D	108	GLN	3.2
2	B	20	LEU	3.2
1	A	374	PHE	3.2
2	D	39	GLN	3.2
1	A	215	TYR	3.2
2	D	113	GLN	3.1
1	C	439	TYR	3.1
1	C	251	ALA	3.1
1	C	109	ALA	3.1
1	C	106	LYS	3.0
2	B	67	PHE	3.0
1	A	179	VAL	3.0
2	B	70	SER	3.0

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	C	100	THR	3.0
2	B	93	TYR	2.9
1	C	241	LYS	2.9
2	B	94	TYR	2.9
1	A	106	LYS	2.8
2	B	59	TYR	2.8
2	D	107	ALA	2.8
1	A	207	ILE	2.8
2	B	115	THR	2.8
2	D	115	THR	2.8
2	B	108	GLN	2.8
1	C	334	GLY	2.7
2	B	69	ILE	2.7
1	C	406	ALA	2.7
1	A	220	ILE	2.7
1	A	211	GLN	2.6
2	B	63	VAL	2.6
2	B	112	GLY	2.6
1	C	346	LEU	2.6
1	A	436	LEU	2.5
1	C	249	GLU	2.5
1	C	331	THR	2.4
1	C	347	ARG	2.4
1	C	204	HIS	2.4
1	C	115	ILE	2.4
1	C	83	SER	2.4
1	C	287	LYS	2.4
1	A	59	GLY	2.4
1	C	230	LEU	2.4
2	B	49	ALA	2.4
2	D	11	LEU	2.4
1	C	258	THR	2.4
2	B	37	TYR	2.4
1	A	191	SER	2.4
1	C	398	PHE	2.4
1	C	351	PRO	2.4
1	C	225	ILE	2.3
1	C	286	THR	2.3
1	C	58	GLN	2.3
2	B	80	LEU	2.3
1	A	46	GLY	2.3
2	B	4	LEU	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	B	64	LYS	2.3
1	A	272	ASN	2.3
1	A	437	ASN	2.3
1	C	170	ALA	2.2
1	A	380	LYS	2.2
2	B	68	THR	2.2
2	B	6	GLU	2.2
1	A	217	ALA	2.2
1	C	397	PRO	2.2
1	C	101	ARG	2.2
1	C	234	SER	2.2
1	A	432	ILE	2.2
1	C	185	PHE	2.2
1	C	99	MET	2.1
2	B	3	GLN	2.1
2	D	105	THR	2.1
2	D	111	TRP	2.1
1	A	221	ILE	2.1
2	D	6	GLU	2.1
2	D	40	PRO	2.1
1	A	327	GLY	2.1
2	B	45	ARG	2.1
1	A	47	TYR	2.1
1	C	169	GLU	2.0
1	C	427	TRP	2.0
2	B	44	GLN	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	MN	A	501	1/1	0.89	0.15	173,173,173,173	0
3	MN	C	501	1/1	0.94	0.47	326,326,326,326	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.