

Full wwPDB X-ray Structure Validation Report (i)

Jan 7, 2024 - 05:17 pm GMT

PDB ID	:	5NHU
Title	:	HUMAN ALPHA THROMBIN COMPLEXED WITH ANOPHELES GAM-
		BIAE cE5 ANTICOAGULANT
Authors	:	Ripoll-Rozada, J.; Pereira, P.J.B.
Deposited on	:	2017-03-22
Resolution	:	1.45 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.36
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY\;DIFFRACTION$

The reported resolution of this entry is 1.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R _{free}	130704	1156 (1.46-1.46)
Clashscore	141614	1202 (1.46-1.46)
Ramachandran outliers	138981	1178 (1.46-1.46)
Sidechain outliers	138945	1178 (1.46-1.46)
RSRZ outliers	127900	1139 (1.46-1.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain					
1	В	36	<u>6%</u> 86%	6%	8%			
1	D	36	61%	14% • • 19%	6			
1	L	36	92%		6% ·			
2	А	259	2% 	8	% •			
2	С	259	26% 54%	39%	••			



Mol	Chain	Length		(Quality of chain	
2	Н	259	<u>2%</u>		86%	10% •
3	Ι	82	5% 24%	5%	71%	
3	J	82	6% 28%	7%	65%	
3	K	82	7% • 9%		88%	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	NAG	С	601	X	-	-	-



$5 \mathrm{NHU}$

2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 9088 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
1	т	36	Total	С	Ν	Ο	S	0	0	0
1		30	287	177	48	61	1	0	0	0
1	В	22	Total	С	Ν	Ο	S	0	0	0
1	D		265	162	45	57	1	0	0	0
1	Л	20	Total	С	Ν	Ο	S	0	1	0
	D	29	241	150	39	50	2	0		0

• Molecule 1 is a protein called Prothrombin.

• Molecule 2 is a protein called Prothrombin.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
9	п	252	Total	С	Ν	Ο	\mathbf{S}	0	7	0
	11	252	2095	1335	373	373	14	0	1	0
0	Δ	251	Total	С	Ν	0	S	0	0	0
	A	201	2090	1331	369	376	14	0	0	0
0	C	240	Total	С	Ν	0	S	0	00	0
		249	2828	1814	498	495	21	0	99	

• Molecule 3 is a protein called AGAP008004-PA.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
3	Ι	24	Total C N O 189 118 34 37	0	0	0
3	J	29	Total C N O 234 143 42 49	0	0	0
3	K	10	Total C N O 84 52 17 15	0	0	0

• Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	Н	1	Total C N O 14 8 1 5	0	0
4	А	1	Total C N O 14 8 1 5	0	0
4	С	1	Total C N O 14 8 1 5	0	0

• Molecule 5 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	Н	1	Total Na 1 1	0	0
5	А	1	Total Na 1 1	0	0
5	С	1	Total Na 1 1	0	0

• Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	L	50	$\begin{array}{cc} {\rm Total} & {\rm O} \\ 50 & 50 \end{array}$	0	0
6	Н	214	Total O 214 214	0	0
6	В	38	Total O 38 38	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	А	242	Total O 242 242	0	0
6	D	23	TotalO2323	0	0
6	С	126	Total O 128 128	0	6
6	Ι	12	Total O 12 12	0	0
6	J	20	TotalO2020	0	0
6	K	3	Total O 3 3	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Prothrombin

GLU

• Molecule 2: Prothrombin





4 Data and refinement statistics (i)

Property	Value	Source
Space group	I 1 2 1	Depositor
Cell constants	110.71Å 78.64Å 136.11Å	Depositor
a, b, c, α , β , γ	90.00° 101.84° 90.00°	Depositor
Bosolution (Å)	54.18 - 1.45	Depositor
Resolution (A)	54.18 - 1.45	EDS
% Data completeness	98.3 (54.18-1.45)	Depositor
(in resolution range)	98.3 (54.18-1.45)	EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.42 (at 1.45 \text{\AA})$	Xtriage
Refinement program	PHENIX (1.11.1_2575: ???)	Depositor
B B.	0.179 , 0.203	Depositor
n, n_{free}	0.179 , 0.203	DCC
R_{free} test set	9836 reflections (4.95%)	wwPDB-VP
Wilson B-factor $(Å^2)$	18.2	Xtriage
Anisotropy	0.417	Xtriage
Bulk solvent $k_{sol}(e/A^3), B_{sol}(A^2)$	0.35 , 50.3	EDS
L-test for $twinning^2$	$ L > = 0.48, < L^2 > = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	9088	wwPDB-VP
Average B, all atoms $(Å^2)$	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 4.20% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bo	nd lengths	Bond angles	
MOI	Unam	RMSZ	# Z > 5	RMSZ	# Z > 5
1	В	0.97	0/267	0.99	0/353
1	D	0.96	0/243	1.14	2/323~(0.6%)
1	L	1.00	1/290~(0.3%)	0.95	1/384~(0.3%)
2	А	0.98	0/2142	1.01	3/2893~(0.1%)
2	С	0.66	1/2902~(0.0%)	0.81	0/3920
2	Н	0.92	4/2147~(0.2%)	1.01	5/2898~(0.2%)
3	Ι	0.83	0/193	0.98	1/261~(0.4%)
3	J	0.74	0/240	0.85	0/326
3	K	0.48	0/86	0.72	0/115
All	All	0.85	6/8510~(0.1%)	0.94	12/11473~(0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	С	0	1

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	Н	444	GLU	CG-CD	6.76	1.62	1.51
2	Н	381	VAL	CB-CG2	-6.44	1.39	1.52
1	L	300	GLU	CD-OE2	-5.65	1.19	1.25
2	Н	444	GLU	CB-CG	5.40	1.62	1.52
2	Н	521	CYS	CB-SG	5.28	1.91	1.82
2	С	479	VAL	CB-CG1	-5.25	1.41	1.52

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	А	326	ASP	CB-CG-OD1	6.63	124.27	118.30
2	Н	454	TYR	CB-CG-CD2	-6.19	117.28	121.00
2	А	519	ASP	CB-CG-OD1	5.86	123.58	118.30
2	Н	433	ASP	CB-CG-OD2	-5.74	113.13	118.30
1	L	320	ARG	NE-CZ-NH2	-5.59	117.50	120.30
2	Н	409	ARG	NE-CZ-NH2	5.53	123.06	120.30
2	Н	418	ARG	NE-CZ-NH1	-5.35	117.63	120.30
2	Н	331	MET	CG-SD-CE	-5.25	91.80	100.20
2	А	505	MET	CG-SD-CE	-5.21	91.86	100.20
3	Ι	56	ARG	CG-CD-NE	5.11	122.53	111.80
1	D	293[A]	CYS	CA-CB-SG	5.06	123.11	114.00
1	D	293[B]	CYS	CA-CB-SG	5.06	123.11	114.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	С	557	TYR	Mainchain

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	В	265	0	256	0	0
1	D	241	0	234	10	0
1	L	287	0	275	2	1
2	А	2090	0	2060	17	0
2	С	2828	0	2805	115	1
2	Н	2095	0	2076	13	0
3	Ι	189	0	176	2	0
3	J	234	0	208	7	0
3	Κ	84	0	78	9	0
4	А	14	0	13	0	0
4	С	14	0	13	0	0
4	Н	14	0	13	0	0
5	А	1	0	0	0	0
5	С	1	0	0	0	0
5	Н	1	0	0	0	0

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	А	242	0	0	3	0
6	В	38	0	0	0	0
6	С	128	0	0	10	0
6	D	23	0	0	0	0
6	Н	214	0	0	3	0
6	Ι	12	0	0	0	0
6	J	20	0	0	2	0
6	Κ	3	0	0	1	0
6	L	50	0	0	0	0
All	All	9088	0	8207	154	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (154) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic	Clash
		distance (A)	overlap (A)
2:C:401:LEU:HD22	2:C:423[B]:MET:HB3	1.51	0.92
2:C:365[B]:LEU:HD21	2:C:423[B]:MET:HE1	1.52	0.90
2:C:334:TRP:O	2:C:351[B]:SER:HA	1.75	0.87
1:L:320:ARG:NH2	2:H:451[A]:GLN:OE1	2.10	0.85
2:C:370[B]:TRP:O	2:C:372[B]:LYS:N	2.14	0.80
2:C:381[B]:VAL:O	2:C:398:ILE:HA	1.86	0.76
2:C:341:LYS:HB3	2:C:378[B]:ASP:HA	1.68	0.74
2:C:527:GLY:O	2:C:545[B]:VAL:N	2.19	0.72
2:C:443[B]:ARG:NH1	6:C:701:HOH:O	2.16	0.72
2:C:567[B]:LYS:O	2:C:571[B]:GLN:HG2	1.90	0.71
2:C:450:LEU:HD23	2:C:487:ILE:HD13	1.72	0.71
2:C:383[B]:ILE:O	2:C:396:GLU:HA	1.92	0.70
2:C:336:VAL:HG22	2:C:383[A]:ILE:HG23	1.73	0.69
2:C:360[B]:THR:HG21	2:C:423[B]:MET:CE	2.23	0.69
2:C:336:VAL:HB	2:C:350[B]:ALA:HB3	1.74	0.69
2:C:338:LEU:HD23	2:C:364[B]:CYS:HB3	1.76	0.67
2:C:441[B]:PRO:HA	2:C:540:TYR:CD1	2.29	0.67
2:C:365[B]:LEU:HD13	2:C:404:ILE:HG12	1.76	0.67
3:K:52:ARG:HG2	3:K:53:ASP:H	1.59	0.67
2:C:501:ILE:HG23	2:C:505:MET:HE2	1.79	0.64
2:C:376[A]:GLU:HA	2:C:404:ILE:HD12	1.80	0.63
2:C:334:TRP:CD2	2:C:438[B]:VAL:HB	2.33	0.63
2:C:547[B]:TRP:NE1	6:C:703:HOH:O	2.26	0.62
2:C:360[B]:THR:HG21	2:C:423[B]:MET:HE2	1.80	0.62

5N	HU
OT I	110

A + a 1	A + a	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:D:293[B]:CYS:HB2	2:C:439[B]:CYS:HA	1.80	0.62
2:C:336:VAL:N	2:C:350[B]:ALA:O	2.30	0.62
2:C:334:TRP:HB3	2:C:436[A]:HIS:O	2.00	0.62
2:C:451:GLN:HG3	6:C:722:HOH:O	1.99	0.62
2:A:338[B]:LEU:CD2	2:A:381:VAL:HG12	2.31	0.61
2:A:450[A]:LEU:HD12	2:A:487:ILE:HD13	1.82	0.61
2:C:543[B]:GLY:HA2	2:C:561[B]:THR:O	2.00	0.61
1:D:293[B]:CYS:C	2:C:439[B]:CYS:SG	2.79	0.60
2:C:382[B]:ARG:HA	2:C:397:LYS:O	2.01	0.60
2:C:568[B]:LYS:HB3	6:C:774:HOH:O	2.00	0.60
2:C:403:LYS:HG3	2:C:404:ILE:H	1.68	0.58
2:C:541:GLN:NE2	2:C:544[B]:ILE:HG12	2.19	0.57
2:C:361[B]:ALA:HB2	2:C:526:GLY:HA2	1.85	0.57
2:C:549[B]:GLU:HB2	3:K:61:LEU:HD11	1.87	0.57
2:C:336:VAL:O	2:C:350[B]:ALA:N	2.38	0.57
3:K:56:ARG:NH2	6:K:102:HOH:O	2.40	0.55
2:C:548[B]:GLY:O	3:K:55:GLY:O	2.25	0.55
1:D:302:LYS:HE2	1:D:304:LEU:HD12	1.89	0.54
2:C:567[B]:LYS:HE2	2:C:571[B]:GLN:OE1	2.06	0.54
2:C:341:LYS:N	2:C:378[B]:ASP:O	2.40	0.54
2:C:439[B]:CYS:SG	2:C:538:ARG:HD3	2.47	0.54
2:C:400:MET:HB2	2:C:426[A]:LYS:HG3	1.89	0.54
1:L:310:ARG:NH1	2:A:444:GLU:OE2	2.40	0.54
2:C:439[A]:CYS:HB2	2:C:540:TYR:CD1	2.42	0.54
1:D:293[B]:CYS:HB2	2:C:439[B]:CYS:CA	2.38	0.54
2:C:365[B]:LEU:HD13	2:C:404:ILE:CG1	2.38	0.54
2:A:498:ARG:NH1	3:J:61:LEU:O	2.42	0.53
2:C:415:ASN:OD1	2:C:417:ASP:HB2	2.08	0.53
2:C:441[A]:PRO:HB2	2:C:446:ALA:HB2	1.90	0.53
2:C:401:LEU:C	2:C:426[A]:LYS:HG2	2.28	0.53
2:A:549:GLU:HG2	3:J:61:LEU:HD11	1.89	0.53
2:C:360[B]:THR:HG21	2:C:423[B]:MET:HE3	1.89	0.52
2:C:336:VAL:HB	2:C:350[B]:ALA:CB	2.38	0.52
1:D:293[B]:CYS:CB	2:C:439[B]:CYS:HA	2.39	0.52
2:C:350[A]:ALA:HA	2:C:526:GLY:O	2.10	0.52
3:J:43:GLU:OE2	6:J:101:HOH:O	2.19	0.51
2:C:355[B]:ASP:OD2	2:C:428[B]:PRO:HB3	2.11	0.51
2:C:400:MET:N	6:C:708:HOH:O	2.44	0.51
2:C:441[A]:PRO:HD3	2:C:541:GLN:O	2.11	0.51
2:C:365[B]:LEU:HD11	2:C:423[B]:MET:HE2	1.93	0.51
2:A:516:LYS:HE3	6:A:851:HOH:O	2.09	0.51

Atom-1	Atom-2	Interatomic	Clash
		distance (A)	overlap (A)
2:C:338:LEU:CD2	2:C:364[B]:CYS:HB3	2.41	0.51
2:C:348[B]:CYS:HB2	2:C:525:SER:O	2.12	0.50
2:H:376:GLU:HG2	2:H:403:LYS:HA	1.91	0.50
2:C:442[A]:ASP:OD1	2:C:445:THR:HB	2.12	0.50
2:A:376[B]:GLU:HG2	2:A:403:LYS:HA	1.92	0.50
2:A:494:LYS:HD2	6:A:730:HOH:O	2.11	0.50
2:C:363[A]:HIS:HB3	2:C:416:LEU:HD21	1.93	0.50
2:H:498:ARG:HG2	6:H:829:HOH:O	2.12	0.49
2:C:526:GLY:N	2:C:545[B]:VAL:O	2.25	0.49
2:C:570[A]:ILE:O	2:C:574[A]:ILE:HG12	2.12	0.49
2:C:527:GLY:O	2:C:545[B]:VAL:HG23	2.12	0.49
2:C:363[A]:HIS:HD2	3:K:54:PRO:HD2	1.78	0.49
2:C:440[B]:LEU:O	6:C:702:HOH:O	2.20	0.49
2:C:406:ILE:HD11	2:C:410:TYR:CD2	2.48	0.48
2:C:529:PHE:HB2	2:C:560[B]:TYR:CD1	2.48	0.48
2:A:450[A]:LEU:HD12	2:A:487:ILE:CD1	2.43	0.48
2:C:375[B]:THR:HA	2:C:404:ILE:HD12	1.96	0.48
2:C:396:GLU:O	2:C:397:LYS:HD2	2.13	0.48
2:C:399:SER:CB	2:C:425[B]:LEU:HD22	2.44	0.48
2:C:402:GLU:N	2:C:426[A]:LYS:HG2	2.29	0.48
2:C:507:CYS:HA	2:C:558[B]:GLY:O	2.14	0.47
2:C:522:GLU:HG3	3:K:53:ASP:HB3	1.96	0.47
2:A:450[B]:LEU:HD22	2:A:450[B]:LEU:HA	1.63	0.47
2:H:393[A]:ARG:O	2:H:394:ASN:HB2	2.14	0.47
2:C:406:ILE:HG23	6:C:783:HOH:O	2.15	0.47
2:C:333:PRO:O	2:C:435[A]:ILE:HA	2.14	0.47
2:C:334:TRP:CG	2:C:438[B]:VAL:HB	2.50	0.47
1:D:293[B]:CYS:HB2	2:C:438[B]:VAL:C	2.36	0.47
2:C:400:MET:HG2	6:C:710:HOH:O	2.15	0.47
2:C:544[B]:ILE:HG23	6:C:705:HOH:O	2.15	0.46
2:H:412:TRP:CZ3	2:H:413:ARG:HG2	2.50	0.46
2:C:388:ARG:HD3	6:C:770:HOH:O	2.13	0.46
2:H:416:LEU:HG	3:I:60:PHE:HE2	1.81	0.46
2:H:397:LYS:HG2	2:H:429:VAL:HG23	1.98	0.46
1:D:293[B]:CYS:O	2:C:439[B]:CYS:SG	2.74	0.46
2:C:362[A]:ALA:HB1	2:C:406:ILE:CD1	2.46	0.45
2:H:409:ARG:CG	2:H:409:ARG:HH21	2.29	0.45
2:C:466:GLU:HB2	2:C:551[B]:CYS:HB2	1.97	0.45
2:C:458:VAL:HG21	2:C:560[B]:TYR:OH	2.15	0.45
2:C:544[B]:ILE:HB	2:C:561[B]:THR:HB	1.98	0.45
3:I:58:PRO:HG2	3:I:61:LEU:HG	1.98	0.45

5NHU	

Atom-1	Atom-2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:C:366[B]:LEU:HD11	2:C:406:ILE:HG21	1.99	0.44
2:C:369[A]:PRO:HB3	3:K:59:GLU:HG3	1.99	0.44
2:C:410:TYR:CZ	2:C:412:TRP:HB3	2.52	0.44
2:C:442[A]:ASP:O	2:C:446:ALA:CB	2.66	0.44
2:C:397:LYS:HG2	2:C:429[B]:VAL:HG23	2.00	0.44
2:C:401:LEU:CD1	2:C:423[B]:MET:SD	3.06	0.44
2:A:338[B]:LEU:HD23	2:A:381:VAL:HG12	2.00	0.44
2:C:357[A]:TRP:CZ3	2:C:424[A]:LYS:HB2	2.53	0.44
2:C:368[A]:PRO:HG2	2:C:412:TRP:CE2	2.53	0.43
3:K:56:ARG:HA	3:K:56:ARG:HD3	1.54	0.43
2:C:336:VAL:HB	2:C:350[B]:ALA:C	2.38	0.43
2:H:565:ARG:NH1	6:H:706:HOH:O	2.40	0.43
2:C:365[B]:LEU:HD22	2:C:404:ILE:HD13	2.00	0.43
3:J:62:ARG:HD2	6:J:106:HOH:O	2.18	0.43
2:A:334:TRP:CG	2:A:438:VAL:HB	2.53	0.43
2:A:568:LYS:HD3	2:A:568:LYS:HA	1.81	0.43
2:H:409:ARG:HH21	2:H:409:ARG:HG2	1.84	0.43
2:A:386:HIS:HE1	6:A:926:HOH:O	2.01	0.43
2:C:512:PRO:HG3	2:C:555:GLY:N	2.33	0.43
2:A:543:GLY:HA2	2:A:561:THR:O	2.19	0.43
2:C:411:ASN:ND2	2:C:414:GLU:HB3	2.34	0.43
2:A:549:GLU:HG2	3:J:61:LEU:CD1	2.48	0.43
2:H:475:GLY:HA3	6:H:864:HOH:O	2.19	0.42
2:C:380[B]:LEU:HA	2:C:399:SER:O	2.19	0.42
3:J:35:GLU:HG3	3:J:36:GLU:N	2.34	0.42
2:C:356[A]:ARG:HE	2:C:428[A]:PRO:HB3	1.84	0.42
2:C:525:SER:HA	2:C:545[B]:VAL:HG12	2.02	0.42
2:H:356:ARG:NH1	2:H:424:LYS:HE2	2.35	0.42
2:C:541:GLN:HG2	2:C:563[B]:VAL:HG11	2.01	0.42
2:A:416:LEU:HG	3:J:60:PHE:HE2	1.85	0.42
1:D:293[B]:CYS:HB2	2:C:439[B]:CYS:N	2.35	0.42
1:D:297:PRO:HB2	2:C:433[B]:ASP:HA	2.02	0.41
2:C:446:ALA:HA	2:C:542[A]:MET:HE1	2.02	0.41
2:C:494:LYS:HD2	2:C:495:ASP:OD1	2.20	0.41
2:C:401:LEU:HD13	2:C:423[B]:MET:SD	2.60	0.41
2:C:336:VAL:HG22	2:C:383[B]:ILE:CD1	2.50	0.41
2:C:374[B]:PHE:HB2	2:C:379[B]:LEU:HD11	2.03	0.41
2:C:404:ILE:HG12	2:C:423[A]:MET:HG2	2.02	0.41
2:C:545[B]:VAL:HG22	2:C:560[B]:TYR:CE1	2.56	0.41
2:C:355[A]:ASP:OD2	2:C:356[A]:ARG:HG2	2.21	0.41
2:C:549[B]:GLU:CB	3:K:61:LEU:HD11	2.51	0.41

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:D:290:GLU:O	1:D:293[A]:CYS:HB2	2.21	0.40
2:C:376[A]:GLU:CA	2:C:404:ILE:HD12	2.50	0.40
2:C:363[B]:HIS:CE1	2:C:525:SER:HB3	2.57	0.40
2:C:376[A]:GLU:OE2	2:C:403:LYS:HD2	2.22	0.40
2:C:341:LYS:HB3	2:C:378[B]:ASP:CA	2.45	0.40
2:C:365[B]:LEU:HA	2:C:365[B]:LEU:HD23	1.73	0.40
2:H:395:ILE:HD12	2:H:434:TYR:CE2	2.57	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:320:ARG:OXT	2:C:565[A]:ARG:NH2[4_544]	2.12	0.08

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	В	31/36~(86%)	30~(97%)	1 (3%)	0	100	100
1	D	28/36~(78%)	27~(96%)	1 (4%)	0	100	100
1	L	34/36~(94%)	33~(97%)	1 (3%)	0	100	100
2	А	255/259~(98%)	247 (97%)	8(3%)	0	100	100
2	С	343/259~(132%)	321 (94%)	18 (5%)	4 (1%)	13	2
2	Н	255/259~(98%)	247 (97%)	7 (3%)	1 (0%)	34	13
3	Ι	20/82~(24%)	20 (100%)	0	0	100	100
3	J	27/82~(33%)	25~(93%)	2(7%)	0	100	100
3	K	8/82~(10%)	8 (100%)	0	0	100	100
All	All	1001/1131 (88%)	958 (96%)	38 (4%)	5 (0%)	41	9

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	С	371[A]	ASP
2	С	371[B]	ASP
2	С	418[A]	ARG
2	С	418[B]	ARG
2	Н	394	ASN

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	В	29/31~(94%)	27~(93%)	2 (7%)	15	1
1	D	27/31~(87%)	22~(82%)	5 (18%)	1	0
1	L	31/31~(100%)	31~(100%)	0	100	100
2	А	227/225~(101%)	226 (100%)	1 (0%)	91	80
2	С	306/225~(136%)	295~(96%)	11 (4%)	35	6
2	Н	227/225~(101%)	222~(98%)	5 (2%)	52	18
3	Ι	20/70~(29%)	20~(100%)	0	100	100
3	J	25/70~(36%)	25~(100%)	0	100	100
3	Κ	9/70~(13%)	9 (100%)	0	100	100
All	All	901/978~(92%)	877 (97%)	24 (3%)	47	12

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	Н	409	ARG
2	Н	445	THR
2	Н	467	THR
2	Н	507	CYS
2	Н	572	LYS
1	В	288	SER
1	В	320	ARG
2	А	507	CYS

Mol	Chain	Res	Type
1	D	290	GLU
1	D	293[A]	CYS
1	D	293[B]	CYS
1	D	307	LYS
1	D	317	ILE
2	С	356[A]	ARG
2	С	356[B]	ARG
2	С	376[A]	GLU
2	С	376[B]	GLU
2	С	393	ARG
2	С	398	ILE
2	С	450	LEU
2	С	505	MET
2	С	507	CYS
2	С	565[A]	ARG
2	С	565[B]	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 6 ligands modelled in this entry, 3 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

Mal	Turne	Chain	Dea Link		Bond lengths			B	ond ang	les
MOI	туре	Unain	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	А	601	2	14,14,15	0.48	0	17,19,21	1.11	1 (5%)
4	NAG	С	601	2	14,14,15	2.60	2 (14%)	17,19,21	0.86	1 (5%)
4	NAG	Н	601	2	14,14,15	0.38	0	17,19,21	0.89	1 (5%)

expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	А	601	2	-	0/6/23/26	0/1/1/1
4	NAG	С	601	2	1/1/5/7	4/6/23/26	0/1/1/1
4	NAG	Н	601	2	-	0/6/23/26	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
4	С	601	NAG	O5-C1	-9.16	1.29	1.43
4	С	601	NAG	C1-C2	-3.07	1.47	1.52

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
4	А	601	NAG	C1-O5-C5	3.97	117.56	112.19
4	С	601	NAG	C3-C4-C5	2.73	115.10	110.24
4	Н	601	NAG	C1-O5-C5	2.66	115.80	112.19

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
4	С	601	NAG	C1

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	С	601	NAG	C8-C7-N2-C2
4	С	601	NAG	O7-C7-N2-C2
4	С	601	NAG	C4-C5-C6-O6

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	С	601	NAG	O5-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<rsrz></rsrz>	#RSRZ>2	$OWAB(Å^2)$	Q < 0.9
1	В	33/36~(91%)	0.17	2 (6%) 21 23	16, 24, 63, 76	0
1	D	29/36~(80%)	0.09	0 100 100	21, 30, 51, 60	0
1	L	36/36~(100%)	0.65	5 (13%) 2 3	17, 27, 63, 75	0
2	А	251/259~(96%)	-0.34	4 (1%) 72 72	13, 21, 40, 56	0
2	С	249/259~(96%)	1.22	68 (27%) 0 0	18, 38, 76, 90	0
2	Н	252/259~(97%)	-0.21	5 (1%) 65 67	15, 23, 43, 63	0
3	Ι	24/82~(29%)	0.92	4 (16%) 1 2	19, 35, 66, 100	0
3	J	29/82~(35%)	0.96	5 (17%) 1 2	18, 32, 84, 94	0
3	K	10/82 (12%)	2.90	6 (60%) 0 0	63, 69, 75, 92	0
All	All	913/1131 (80%)	0.30	99 (10%) 5 6	13, 26, 67, 100	0

All (99) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	J	45	HIS	9.1
3	Κ	61	LEU	8.6
2	С	378[A]	ASP	8.4
2	С	374[A]	PHE	7.6
3	Ι	46	ALA	7.3
2	С	377[A]	ASN	7.0
2	С	404	ILE	6.5
3	J	44	GLU	6.3
2	С	412	TRP	6.0
1	L	285	THR	6.0
2	С	370[A]	TRP	5.8
2	С	406	ILE	5.8
3	J	63	ASN	5.8
2	С	379[A]	LEU	5.2
2	Н	467	THR	5.0

Mol

2

2

2

2

3

2

С

С

Κ

А

342

405

59

467

2	С	366[A]	LEU	4.6	
2	С	401	LEU	4.5	
3	J	46	ALA	4.1	
3	Ι	37	PHE	4.1	
2	Н	577	PHE	4.0	
2	С	399	SER	4.0	
2	С	501	ILE	4.0	
2	С	496	SER	3.9	
2	С	550[A]	GLY	3.8	
1	L	286	PHE	3.7	
2	С	398	ILE	3.7	
2	С	339[A]	PHE	3.7	
2	С	410	TYR	3.6	
2	С	368[A]	PRO	3.6	
2	С	413	ARG	3.6	
1	L	287	GLY	3.6	
3	K	57	ASN	3.6	
3	K	58	PRO	3.6	
1	L	288	SER	3.6	
2	С	341	LYS	3.5	
2	С	474	LYS	3.5	
2	С	340[A]	ARG	3.5	
2	С	535	PHE	3.5	
2	С	569[A]	TRP	3.4	
3	J	62	ARG	3.4	
2	С	343	PRO	3.3	
2	С	574[A]	ILE	3.3	
2	С	428[A]	PRO	3.3	
2	С	576[A]	GLN	3.3	
2	С	400	MET	3.3	
2	С	416	LEU	3.2	
2	А	577	PHE	3.2	
2	С	495	ASP	3.2	
3	K	52	ARG	3.2	
2	С	369[A]	PRO	3.2	
3	K	60	PHE	3.2	

Continued from previous page...

 Res

499

498

Type

ILE

ARG

RSRZ

4.9

4.8

Chain

С

С

THR Continued on next page...

SER

TYR

GLU

3.2

3.1

3.0

3.0

Conti	nued fron	ı previou	s page	
\mathbf{Mol}	Chain	Res	Type	RSRZ
3	Ι	36	GLU	2.9
2	С	345[A]	GLU	2.9
2	С	572[A]	LYS	2.9
2	С	373[A]	ASN	2.8
2	С	497	THR	2.8
2	Н	474	LYS	2.8
2	С	344[A]	GLN	2.7
2	С	376[A]	GLU	2.7
2	С	403	LYS	2.7
2	С	568[A]	LYS	2.7
2	С	555	GLY	2.7
1	L	289	GLY	2.6
2	С	357[A]	TRP	2.6
2	С	408	PRO	2.6
2	С	365[A]	LEU	2.6
2	С	429[A]	VAL	2.5
2	С	491	PRO	2.5
1	В	288	SER	2.5
2	С	575[A]	ASP	2.5
2	А	578	GLY	2.4
2	Н	578	GLY	2.3
2	С	383[A]	ILE	2.3
2	С	381[A]	VAL	2.3
1	В	320	ARG	2.3
2	С	371[A]	ASP	2.3
2	С	492	VAL	2.3
2	С	402	GLU	2.2
2	С	554	ASP	2.2
2	С	564[A]	PHE	2.2
2	А	535	PHE	2.2
2	С	557	TYR	2.2
2	С	513	ASP	2.2
2	Н	576	GLN	2.1
2	С	380[A]	LEU	2.1
2	С	426[A]	LYS	2.1
2	С	407	HIS	2.1
2	С	356[A]	ARG	2.1
2	С	551[A]	CYS	2.1
2	С	500	ARG	2.0
3	Ι	38	ASP	2.0
2	С	544[A]	ILE	2.0
2	С	427[A]	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	${f B} ext{-factors}({ m \AA}^2)$	Q < 0.9
4	NAG	С	601	14/15	0.60	0.25	43,63,71,72	14
4	NAG	Н	601	14/15	0.84	0.17	$45,\!56,\!62,\!64$	0
4	NAG	А	601	14/15	0.89	0.19	35,48,58,61	0
5	NA	С	602	1/1	0.97	0.15	32,32,32,32	0
5	NA	А	602	1/1	0.99	0.05	17,17,17,17	0
5	NA	Н	602	1/1	0.99	0.05	20,20,20,20	0

6.5 Other polymers (i)

There are no such residues in this entry.

