



# Full wwPDB X-ray Structure Validation Report ⓘ

May 25, 2020 – 05:39 am BST

PDB ID : 5ODN  
Title : Salinibacter ruber Single-Strand Binding protein  
Authors : Pierechod, M.; Rothweiler, U.  
Deposited on : 2017-07-06  
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3163 (2.60-2.60)
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)
RSRZ outliers	127900	3104 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	196	
1	B	196	
1	C	196	
1	D	196	
1	E	196	
1	F	196	

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	G	196	<p>7% 44% 8% 48%</p>
1	H	196	<p>% 42% 8% 49%</p>
2	I	4	<p>25% 75% 25%</p>
2	J	4	<p>25% 100%</p>
2	K	4	<p>100%</p>
2	M	4	<p>75% 25%</p>
2	N	4	<p>100%</p>
2	Q	4	<p>25% 75% 25%</p>
3	L	3	<p>100% 67% 33%</p>
3	P	3	<p>33% 67%</p>

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 7084 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Single-stranded DNA-binding protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	99	778	481	134	157	6	0	0	0
1	B	106	826	511	139	170	6	0	0	0
1	C	102	784	485	133	160	6	0	0	0
1	D	106	831	517	142	166	6	0	0	0
1	E	105	820	507	137	170	6	0	0	0
1	F	105	808	502	132	168	6	0	0	0
1	G	102	785	489	131	159	6	0	0	0
1	H	99	778	481	134	157	6	0	0	0

There are 224 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-27	MET	-	initiating methionine	UNP Q2S565
A	-26	ASN	-	expression tag	UNP Q2S565
A	-25	HIS	-	expression tag	UNP Q2S565
A	-24	LYS	-	expression tag	UNP Q2S565
A	-23	VAL	-	expression tag	UNP Q2S565
A	-22	HIS	-	expression tag	UNP Q2S565
A	-21	HIS	-	expression tag	UNP Q2S565
A	-20	HIS	-	expression tag	UNP Q2S565
A	-19	HIS	-	expression tag	UNP Q2S565
A	-18	HIS	-	expression tag	UNP Q2S565
A	-17	HIS	-	expression tag	UNP Q2S565
A	-16	MET	-	expression tag	UNP Q2S565
A	-15	GLU	-	expression tag	UNP Q2S565

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	-14	LEU	-	expression tag	UNP Q2S565
A	-13	GLY	-	expression tag	UNP Q2S565
A	-12	THR	-	expression tag	UNP Q2S565
A	-11	LEU	-	expression tag	UNP Q2S565
A	-10	GLU	-	expression tag	UNP Q2S565
A	-9	GLY	-	expression tag	UNP Q2S565
A	-8	SER	-	expression tag	UNP Q2S565
A	-7	GLU	-	expression tag	UNP Q2S565
A	-6	ASN	-	expression tag	UNP Q2S565
A	-5	LEU	-	expression tag	UNP Q2S565
A	-4	TYR	-	expression tag	UNP Q2S565
A	-3	PHE	-	expression tag	UNP Q2S565
A	-2	GLN	-	expression tag	UNP Q2S565
A	-1	GLY	-	expression tag	UNP Q2S565
A	0	ALA	-	expression tag	UNP Q2S565
B	-27	MET	-	initiating methionine	UNP Q2S565
B	-26	ASN	-	expression tag	UNP Q2S565
B	-25	HIS	-	expression tag	UNP Q2S565
B	-24	LYS	-	expression tag	UNP Q2S565
B	-23	VAL	-	expression tag	UNP Q2S565
B	-22	HIS	-	expression tag	UNP Q2S565
B	-21	HIS	-	expression tag	UNP Q2S565
B	-20	HIS	-	expression tag	UNP Q2S565
B	-19	HIS	-	expression tag	UNP Q2S565
B	-18	HIS	-	expression tag	UNP Q2S565
B	-17	HIS	-	expression tag	UNP Q2S565
B	-16	MET	-	expression tag	UNP Q2S565
B	-15	GLU	-	expression tag	UNP Q2S565
B	-14	LEU	-	expression tag	UNP Q2S565
B	-13	GLY	-	expression tag	UNP Q2S565
B	-12	THR	-	expression tag	UNP Q2S565
B	-11	LEU	-	expression tag	UNP Q2S565
B	-10	GLU	-	expression tag	UNP Q2S565
B	-9	GLY	-	expression tag	UNP Q2S565
B	-8	SER	-	expression tag	UNP Q2S565
B	-7	GLU	-	expression tag	UNP Q2S565
B	-6	ASN	-	expression tag	UNP Q2S565
B	-5	LEU	-	expression tag	UNP Q2S565
B	-4	TYR	-	expression tag	UNP Q2S565
B	-3	PHE	-	expression tag	UNP Q2S565
B	-2	GLN	-	expression tag	UNP Q2S565
B	-1	GLY	-	expression tag	UNP Q2S565

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	0	ALA	-	expression tag	UNP Q2S565
C	-27	MET	-	initiating methionine	UNP Q2S565
C	-26	ASN	-	expression tag	UNP Q2S565
C	-25	HIS	-	expression tag	UNP Q2S565
C	-24	LYS	-	expression tag	UNP Q2S565
C	-23	VAL	-	expression tag	UNP Q2S565
C	-22	HIS	-	expression tag	UNP Q2S565
C	-21	HIS	-	expression tag	UNP Q2S565
C	-20	HIS	-	expression tag	UNP Q2S565
C	-19	HIS	-	expression tag	UNP Q2S565
C	-18	HIS	-	expression tag	UNP Q2S565
C	-17	HIS	-	expression tag	UNP Q2S565
C	-16	MET	-	expression tag	UNP Q2S565
C	-15	GLU	-	expression tag	UNP Q2S565
C	-14	LEU	-	expression tag	UNP Q2S565
C	-13	GLY	-	expression tag	UNP Q2S565
C	-12	THR	-	expression tag	UNP Q2S565
C	-11	LEU	-	expression tag	UNP Q2S565
C	-10	GLU	-	expression tag	UNP Q2S565
C	-9	GLY	-	expression tag	UNP Q2S565
C	-8	SER	-	expression tag	UNP Q2S565
C	-7	GLU	-	expression tag	UNP Q2S565
C	-6	ASN	-	expression tag	UNP Q2S565
C	-5	LEU	-	expression tag	UNP Q2S565
C	-4	TYR	-	expression tag	UNP Q2S565
C	-3	PHE	-	expression tag	UNP Q2S565
C	-2	GLN	-	expression tag	UNP Q2S565
C	-1	GLY	-	expression tag	UNP Q2S565
C	0	ALA	-	expression tag	UNP Q2S565
D	-27	MET	-	initiating methionine	UNP Q2S565
D	-26	ASN	-	expression tag	UNP Q2S565
D	-25	HIS	-	expression tag	UNP Q2S565
D	-24	LYS	-	expression tag	UNP Q2S565
D	-23	VAL	-	expression tag	UNP Q2S565
D	-22	HIS	-	expression tag	UNP Q2S565
D	-21	HIS	-	expression tag	UNP Q2S565
D	-20	HIS	-	expression tag	UNP Q2S565
D	-19	HIS	-	expression tag	UNP Q2S565
D	-18	HIS	-	expression tag	UNP Q2S565
D	-17	HIS	-	expression tag	UNP Q2S565
D	-16	MET	-	expression tag	UNP Q2S565
D	-15	GLU	-	expression tag	UNP Q2S565

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
D	-14	LEU	-	expression tag	UNP Q2S565
D	-13	GLY	-	expression tag	UNP Q2S565
D	-12	THR	-	expression tag	UNP Q2S565
D	-11	LEU	-	expression tag	UNP Q2S565
D	-10	GLU	-	expression tag	UNP Q2S565
D	-9	GLY	-	expression tag	UNP Q2S565
D	-8	SER	-	expression tag	UNP Q2S565
D	-7	GLU	-	expression tag	UNP Q2S565
D	-6	ASN	-	expression tag	UNP Q2S565
D	-5	LEU	-	expression tag	UNP Q2S565
D	-4	TYR	-	expression tag	UNP Q2S565
D	-3	PHE	-	expression tag	UNP Q2S565
D	-2	GLN	-	expression tag	UNP Q2S565
D	-1	GLY	-	expression tag	UNP Q2S565
D	0	ALA	-	expression tag	UNP Q2S565
E	-27	MET	-	initiating methionine	UNP Q2S565
E	-26	ASN	-	expression tag	UNP Q2S565
E	-25	HIS	-	expression tag	UNP Q2S565
E	-24	LYS	-	expression tag	UNP Q2S565
E	-23	VAL	-	expression tag	UNP Q2S565
E	-22	HIS	-	expression tag	UNP Q2S565
E	-21	HIS	-	expression tag	UNP Q2S565
E	-20	HIS	-	expression tag	UNP Q2S565
E	-19	HIS	-	expression tag	UNP Q2S565
E	-18	HIS	-	expression tag	UNP Q2S565
E	-17	HIS	-	expression tag	UNP Q2S565
E	-16	MET	-	expression tag	UNP Q2S565
E	-15	GLU	-	expression tag	UNP Q2S565
E	-14	LEU	-	expression tag	UNP Q2S565
E	-13	GLY	-	expression tag	UNP Q2S565
E	-12	THR	-	expression tag	UNP Q2S565
E	-11	LEU	-	expression tag	UNP Q2S565
E	-10	GLU	-	expression tag	UNP Q2S565
E	-9	GLY	-	expression tag	UNP Q2S565
E	-8	SER	-	expression tag	UNP Q2S565
E	-7	GLU	-	expression tag	UNP Q2S565
E	-6	ASN	-	expression tag	UNP Q2S565
E	-5	LEU	-	expression tag	UNP Q2S565
E	-4	TYR	-	expression tag	UNP Q2S565
E	-3	PHE	-	expression tag	UNP Q2S565
E	-2	GLN	-	expression tag	UNP Q2S565
E	-1	GLY	-	expression tag	UNP Q2S565

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
E	0	ALA	-	expression tag	UNP Q2S565
F	-27	MET	-	initiating methionine	UNP Q2S565
F	-26	ASN	-	expression tag	UNP Q2S565
F	-25	HIS	-	expression tag	UNP Q2S565
F	-24	LYS	-	expression tag	UNP Q2S565
F	-23	VAL	-	expression tag	UNP Q2S565
F	-22	HIS	-	expression tag	UNP Q2S565
F	-21	HIS	-	expression tag	UNP Q2S565
F	-20	HIS	-	expression tag	UNP Q2S565
F	-19	HIS	-	expression tag	UNP Q2S565
F	-18	HIS	-	expression tag	UNP Q2S565
F	-17	HIS	-	expression tag	UNP Q2S565
F	-16	MET	-	expression tag	UNP Q2S565
F	-15	GLU	-	expression tag	UNP Q2S565
F	-14	LEU	-	expression tag	UNP Q2S565
F	-13	GLY	-	expression tag	UNP Q2S565
F	-12	THR	-	expression tag	UNP Q2S565
F	-11	LEU	-	expression tag	UNP Q2S565
F	-10	GLU	-	expression tag	UNP Q2S565
F	-9	GLY	-	expression tag	UNP Q2S565
F	-8	SER	-	expression tag	UNP Q2S565
F	-7	GLU	-	expression tag	UNP Q2S565
F	-6	ASN	-	expression tag	UNP Q2S565
F	-5	LEU	-	expression tag	UNP Q2S565
F	-4	TYR	-	expression tag	UNP Q2S565
F	-3	PHE	-	expression tag	UNP Q2S565
F	-2	GLN	-	expression tag	UNP Q2S565
F	-1	GLY	-	expression tag	UNP Q2S565
F	0	ALA	-	expression tag	UNP Q2S565
G	-27	MET	-	initiating methionine	UNP Q2S565
G	-26	ASN	-	expression tag	UNP Q2S565
G	-25	HIS	-	expression tag	UNP Q2S565
G	-24	LYS	-	expression tag	UNP Q2S565
G	-23	VAL	-	expression tag	UNP Q2S565
G	-22	HIS	-	expression tag	UNP Q2S565
G	-21	HIS	-	expression tag	UNP Q2S565
G	-20	HIS	-	expression tag	UNP Q2S565
G	-19	HIS	-	expression tag	UNP Q2S565
G	-18	HIS	-	expression tag	UNP Q2S565
G	-17	HIS	-	expression tag	UNP Q2S565
G	-16	MET	-	expression tag	UNP Q2S565
G	-15	GLU	-	expression tag	UNP Q2S565

*Continued on next page...*



*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
G	-14	LEU	-	expression tag	UNP Q2S565
G	-13	GLY	-	expression tag	UNP Q2S565
G	-12	THR	-	expression tag	UNP Q2S565
G	-11	LEU	-	expression tag	UNP Q2S565
G	-10	GLU	-	expression tag	UNP Q2S565
G	-9	GLY	-	expression tag	UNP Q2S565
G	-8	SER	-	expression tag	UNP Q2S565
G	-7	GLU	-	expression tag	UNP Q2S565
G	-6	ASN	-	expression tag	UNP Q2S565
G	-5	LEU	-	expression tag	UNP Q2S565
G	-4	TYR	-	expression tag	UNP Q2S565
G	-3	PHE	-	expression tag	UNP Q2S565
G	-2	GLN	-	expression tag	UNP Q2S565
G	-1	GLY	-	expression tag	UNP Q2S565
G	0	ALA	-	expression tag	UNP Q2S565
H	-27	MET	-	initiating methionine	UNP Q2S565
H	-26	ASN	-	expression tag	UNP Q2S565
H	-25	HIS	-	expression tag	UNP Q2S565
H	-24	LYS	-	expression tag	UNP Q2S565
H	-23	VAL	-	expression tag	UNP Q2S565
H	-22	HIS	-	expression tag	UNP Q2S565
H	-21	HIS	-	expression tag	UNP Q2S565
H	-20	HIS	-	expression tag	UNP Q2S565
H	-19	HIS	-	expression tag	UNP Q2S565
H	-18	HIS	-	expression tag	UNP Q2S565
H	-17	HIS	-	expression tag	UNP Q2S565
H	-16	MET	-	expression tag	UNP Q2S565
H	-15	GLU	-	expression tag	UNP Q2S565
H	-14	LEU	-	expression tag	UNP Q2S565
H	-13	GLY	-	expression tag	UNP Q2S565
H	-12	THR	-	expression tag	UNP Q2S565
H	-11	LEU	-	expression tag	UNP Q2S565
H	-10	GLU	-	expression tag	UNP Q2S565
H	-9	GLY	-	expression tag	UNP Q2S565
H	-8	SER	-	expression tag	UNP Q2S565
H	-7	GLU	-	expression tag	UNP Q2S565
H	-6	ASN	-	expression tag	UNP Q2S565
H	-5	LEU	-	expression tag	UNP Q2S565
H	-4	TYR	-	expression tag	UNP Q2S565
H	-3	PHE	-	expression tag	UNP Q2S565
H	-2	GLN	-	expression tag	UNP Q2S565
H	-1	GLY	-	expression tag	UNP Q2S565

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
H	0	ALA	-	expression tag	UNP Q2S565

- Molecule 2 is a DNA chain called DNA (5'-D(P\*TP\*TP\*TP\*T)-3').

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
2	I	4	Total	C	N	O	P	0	0	0
			80	40	8	28	4			
2	M	4	Total	C	N	O	P	0	0	0
			76	40	8	25	3			
2	J	4	Total	C	N	O	P	0	0	0
			80	40	8	28	4			
2	K	4	Total	C	N	O	P	0	0	0
			77	40	8	26	3			
2	N	4	Total	C	N	O	P	0	0	0
			64	30	6	24	4			
2	Q	4	Total	C	N	O	P	0	0	0
			77	40	8	26	3			

- Molecule 3 is a DNA chain called DNA (5'-D(\*TP\*TP\*T)-3').

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
3	P	3	Total	C	N	O	P	0	0	0
			57	30	6	19	2			
3	L	3	Total	C	N	O	P	0	0	0
			60	30	6	21	3			

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	22	Total	O	0	0
			22	22		
4	B	10	Total	O	0	0
			10	10		
4	C	6	Total	O	0	0
			6	6		
4	D	14	Total	O	0	0
			14	14		
4	E	14	Total	O	0	0
			14	14		
4	F	9	Total	O	0	0
			9	9		

*Continued on next page...*


*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>ZeroOcc</b>	<b>AltConf</b>
4	G	10	Total 10	O 10	0	0
4	H	17	Total 17	O 17	0	0
4	K	1	Total 1	O 1	0	0







• Molecule 1: Single-stranded DNA-binding protein





• Molecule 1: Single-stranded DNA-binding protein




• Molecule 1: Single-stranded DNA-binding protein




• Molecule 1: Single-stranded DNA-binding protein



- Molecule 2: DNA (5'-D(P\*TP\*TP\*TP\*T)-3')



- Molecule 2: DNA (5'-D(P\*TP\*TP\*TP\*T)-3')



- Molecule 2: DNA (5'-D(P\*TP\*TP\*TP\*T)-3')



- Molecule 2: DNA (5'-D(P\*TP\*TP\*TP\*T)-3')




There are no outlier residues recorded for this chain.

- Molecule 2: DNA (5'-D(P\*TP\*TP\*TP\*T)-3')



There are no outlier residues recorded for this chain.

- Molecule 2: DNA (5'-D(P\*TP\*TP\*TP\*T)-3')



- Molecule 3: DNA (5'-D(\*TP\*TP\*T)-3')

Chain P:  33% 67%

  
T1  
T2  
T3

- Molecule 3: DNA (5'-D(\*TP\*TP\*T)-3')

Chain L:  67% 100% 33%

  
T1  
T2  
T3

## 4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	106.47Å 123.50Å 205.25Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.26 – 2.60 47.26 – 2.60	Depositor EDS
% Data completeness (in resolution range)	98.2 (47.26-2.60) 99.8 (47.26-2.60)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.49 (at 2.61Å)	Xtrriage
Refinement program	PHENIX (1.10.1_2155: ???)	Depositor
R, $R_{free}$	0.190 , 0.243 0.189 , 0.242	Depositor DCC
$R_{free}$ test set	2119 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	51.8	Xtrriage
Anisotropy	0.177	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 52.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	7084	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	59.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.60% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.43	0/790	0.58	0/1067
1	B	0.42	0/839	0.55	0/1135
1	C	0.42	0/796	0.58	0/1078
1	D	0.41	0/845	0.57	0/1142
1	E	0.37	0/833	0.54	0/1127
1	F	0.37	0/821	0.56	0/1114
1	G	0.41	0/798	0.59	0/1081
1	H	0.42	0/790	0.57	0/1067
2	I	0.78	0/87	1.24	0/132
2	J	0.85	0/87	1.27	0/132
2	K	0.95	0/84	1.33	0/128
2	M	0.88	0/83	1.27	0/127
2	N	0.79	0/69	1.26	0/105
2	Q	0.73	0/84	1.25	0/128
3	L	0.65	0/65	1.29	0/98
3	P	0.78	0/62	1.32	0/94
All	All	0.46	0/7133	0.67	0/9755

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	778	0	736	14	0
1	B	826	0	769	8	0
1	C	784	0	728	12	0
1	D	831	0	778	17	0
1	E	820	0	763	10	0
1	F	808	0	739	21	0
1	G	785	0	734	16	0
1	H	778	0	736	13	0
2	I	80	0	49	1	0
2	J	80	0	49	0	0
2	K	77	0	50	0	0
2	M	76	0	47	1	0
2	N	64	0	36	0	0
2	Q	77	0	50	1	0
3	L	60	0	37	1	0
3	P	57	0	38	3	0
4	A	22	0	0	2	0
4	B	10	0	0	0	0
4	C	6	0	0	0	0
4	D	14	0	0	0	0
4	E	14	0	0	1	0
4	F	9	0	0	0	0
4	G	10	0	0	0	0
4	H	17	0	0	0	0
4	K	1	0	0	0	0
All	All	7084	0	6339	91	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (91) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:37:ASN:HB3	1:F:49:GLN:HE22	1.16	1.10
1:H:37:ASN:HD21	3:L:2:DT:H3	1.12	0.96
1:C:61:ARG:O	1:C:65:ILE:HD13	1.67	0.94
3:P:1:DT:H2''	3:P:2:DT:H5''	1.59	0.85
1:C:61:ARG:O	1:C:65:ILE:CD1	2.29	0.80
1:F:37:ASN:HB3	1:F:49:GLN:NE2	1.96	0.79
1:G:49:GLN:HE22	2:M:3:DT:H3	1.31	0.77
1:A:3:ARG:NH2	1:G:49:GLN:OE1	2.23	0.71
1:A:38:GLU:OE2	1:G:81:LYS:NZ	2.24	0.69

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:65:ILE:HD12	1:H:0:ALA:HB3	1.74	0.68
1:D:6:ASN:HD21	1:D:82:LEU:H	1.44	0.66
1:A:1:MET:HE3	1:H:107:PHE:H	1.62	0.64
1:B:5:VAL:HG23	1:F:106:MET:CE	2.28	0.64
1:G:68:GLU:HG3	1:G:69:TYR:CD1	2.34	0.62
1:F:6:ASN:HD21	1:F:82:LEU:HB2	1.66	0.61
1:A:7:LYS:NZ	1:A:79:GLU:OE2	2.34	0.61
1:C:88:GLU:OE1	1:C:92:ASN:ND2	2.28	0.61
1:D:38:GLU:OE1	1:F:81:LYS:NZ	2.36	0.59
1:B:5:VAL:HG23	1:F:106:MET:HE1	1.84	0.59
1:H:20:LEU:HD11	1:H:28:ALA:HB1	1.85	0.57
1:E:82:LEU:HD21	1:H:82:LEU:HD21	1.86	0.57
1:E:1:MET:N	4:E:202:HOH:O	2.38	0.57
1:H:3:ARG:NH2	2:Q:4:DT:O2	2.37	0.57
1:C:0:ALA:HB3	1:D:65:ILE:HD12	1.86	0.56
1:F:20:LEU:HD11	1:F:28:ALA:HB1	1.89	0.55
1:C:65:ILE:N	1:C:65:ILE:HD12	2.22	0.55
1:D:50:ASN:HD22	1:D:51:THR:H	1.55	0.54
1:E:75:GLN:HG2	1:E:108:LEU:HB2	1.89	0.54
1:G:105:MET:HE2	1:G:107:PHE:N	2.22	0.54
1:D:39:THR:HG23	1:F:3:ARG:HE	1.73	0.53
1:F:61:ARG:O	1:F:65:ILE:HD12	2.10	0.51
1:F:89:ASP:OD2	1:F:93:ASN:HB2	2.10	0.51
1:A:1:MET:CE	1:H:107:PHE:H	2.24	0.51
1:G:62:LEU:HD11	1:G:105:MET:HB3	1.91	0.51
1:D:6:ASN:ND2	1:D:82:LEU:H	2.08	0.51
1:D:82:LEU:HD21	1:F:82:LEU:HD11	1.93	0.51
1:E:70:LEU:HD21	1:E:105:MET:CE	2.42	0.49
1:H:10:LEU:HD13	1:H:34:LEU:HD23	1.93	0.49
1:B:40:TYR:CZ	1:B:48:VAL:HG11	2.47	0.49
1:C:20:LEU:HD11	1:C:28:ALA:HB1	1.94	0.49
1:E:1:MET:CE	1:G:107:PHE:H	2.26	0.49
1:A:65:ILE:CD1	1:H:0:ALA:HB3	2.41	0.48
1:H:16:ASP:HA	1:H:72:LYS:HG3	1.96	0.48
1:F:18:PRO:HB3	1:F:32:MET:HG2	1.95	0.48
1:A:13:ASN:HA	1:A:74:SER:O	2.14	0.47
1:G:42:ASP:OD2	1:G:46:ASN:HB2	2.15	0.46
4:A:219:HOH:O	1:D:101:LYS:HD3	2.15	0.46
1:G:70:LEU:HD21	1:G:105:MET:HE1	1.97	0.46
1:E:70:LEU:HD21	1:E:105:MET:HE3	1.98	0.46
1:E:85:ARG:NH1	1:E:99:GLU:OE1	2.49	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:68:GLU:HG3	1:G:69:TYR:HD1	1.78	0.45
1:F:84:THR:HG22	1:F:98:THR:OG1	2.16	0.45
1:D:6:ASN:HD21	1:D:82:LEU:HB2	1.82	0.45
1:G:105:MET:HE2	1:G:106:MET:C	2.37	0.45
1:C:61:ARG:C	1:C:65:ILE:HD13	2.36	0.45
1:D:39:THR:HG23	1:F:3:ARG:NE	2.31	0.45
1:A:35:ALA:HB2	1:A:53:TRP:CZ3	2.52	0.44
1:G:70:LEU:HD21	1:G:105:MET:CE	2.48	0.44
1:D:82:LEU:HD21	1:F:82:LEU:HD21	1.99	0.44
1:C:61:ARG:O	1:C:65:ILE:HD12	2.16	0.43
1:B:82:LEU:HD21	1:C:82:LEU:HD21	1.98	0.43
1:H:35:ALA:HB2	1:H:53:TRP:CZ3	2.54	0.43
3:P:2:DT:H5'	3:P:2:DT:H6	1.82	0.43
1:D:39:THR:HG22	1:D:49:GLN:HA	1.99	0.43
1:D:61:ARG:HA	1:D:64:GLU:HG3	2.01	0.43
1:G:35:ALA:HB2	1:G:53:TRP:CH2	2.54	0.43
1:F:38:GLU:HG2	1:F:39:THR:N	2.34	0.43
1:B:2:ALA:O	1:F:106:MET:HG3	2.19	0.42
1:A:14:LEU:HA	1:A:14:LEU:HD23	1.80	0.42
1:C:36:THR:OG1	1:C:54:HIS:HE1	2.02	0.42
3:P:1:DT:C2'	3:P:2:DT:H5''	2.39	0.42
1:E:1:MET:HE3	1:G:107:PHE:H	1.84	0.42
1:C:39:THR:HA	1:C:48:VAL:O	2.20	0.41
1:A:50:ASN:HB2	4:A:202:HOH:O	2.19	0.41
1:D:13:ASN:HA	1:D:74:SER:O	2.20	0.41
1:F:35:ALA:HB2	1:F:53:TRP:CZ3	2.55	0.41
1:C:5:VAL:HG23	1:D:106:MET:HE1	2.02	0.41
1:B:13:ASN:HA	1:B:74:SER:O	2.20	0.41
1:E:62:LEU:HD11	1:E:105:MET:HB3	2.01	0.41
1:E:86:SER:HB3	1:E:96:TYR:CE2	2.56	0.41
1:B:1:MET:HE1	1:F:107:PHE:HB3	2.02	0.41
1:H:87:TRP:CE2	1:H:95:ARG:HB2	2.55	0.41
1:D:79:GLU:HB3	1:D:104:GLU:HB2	2.03	0.41
1:A:20:LEU:HD11	1:A:28:ALA:HB1	2.02	0.41
1:B:1:MET:HE1	1:F:107:PHE:CB	2.51	0.41
1:A:37:ASN:ND2	1:A:51:THR:OG1	2.54	0.40
1:D:22:TYR:CE1	1:D:28:ALA:HB2	2.56	0.40
1:G:35:ALA:HB2	1:G:53:TRP:CZ3	2.56	0.40
1:G:7:LYS:HB2	1:G:7:LYS:HE2	1.90	0.40
1:F:72:LYS:HE2	2:I:2:DT:H5''	2.02	0.40
1:A:106:MET:HG2	1:H:2:ALA:O	2.22	0.40

There are no symmetry-related clashes.

### 5.3 Torsion angles [i](#)

#### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	95/196 (48%)	95 (100%)	0	0	100	100
1	B	102/196 (52%)	101 (99%)	1 (1%)	0	100	100
1	C	98/196 (50%)	98 (100%)	0	0	100	100
1	D	102/196 (52%)	102 (100%)	0	0	100	100
1	E	101/196 (52%)	100 (99%)	1 (1%)	0	100	100
1	F	101/196 (52%)	99 (98%)	2 (2%)	0	100	100
1	G	98/196 (50%)	96 (98%)	2 (2%)	0	100	100
1	H	95/196 (48%)	95 (100%)	0	0	100	100
All	All	792/1568 (50%)	786 (99%)	6 (1%)	0	100	100

There are no Ramachandran outliers to report.

#### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	83/165 (50%)	83 (100%)	0	100	100
1	B	88/165 (53%)	88 (100%)	0	100	100
1	C	82/165 (50%)	82 (100%)	0	100	100
1	D	87/165 (53%)	84 (97%)	3 (3%)	37	63

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	E	88/165 (53%)	88 (100%)	0	100	100
1	F	85/165 (52%)	85 (100%)	0	100	100
1	G	83/165 (50%)	82 (99%)	1 (1%)	71	87
1	H	83/165 (50%)	82 (99%)	1 (1%)	71	87
All	All	679/1320 (51%)	674 (99%)	5 (1%)	84	94

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	6	ASN
1	D	7	LYS
1	D	50	ASN
1	G	25	SER
1	H	3	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	37	ASN
1	A	83	GLN
1	B	50	ASN
1	C	54	HIS
1	D	6	ASN
1	D	50	ASN
1	E	49	GLN
1	F	6	ASN
1	F	49	GLN
1	F	93	ASN
1	F	103	GLN
1	H	37	ASN
1	H	75	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

#### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

#### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

#### 5.7 Other polymers [i](#)

There are no such residues in this entry.

#### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	99/196 (50%)	0.09	0 <span style="border: 1px solid blue; padding: 2px;">100</span> <span style="border: 1px solid blue; padding: 2px;">100</span>	27, 43, 79, 101	0
1	B	106/196 (54%)	0.49	8 (7%) <span style="border: 1px solid red; padding: 2px;">14</span> <span style="border: 1px solid red; padding: 2px;">10</span>	32, 50, 96, 121	0
1	C	102/196 (52%)	0.31	3 (2%) <span style="border: 1px solid gray; padding: 2px;">51</span> <span style="border: 1px solid gray; padding: 2px;">45</span>	33, 51, 80, 99	0
1	D	106/196 (54%)	0.34	6 (5%) <span style="border: 1px solid red; padding: 2px;">23</span> <span style="border: 1px solid red; padding: 2px;">18</span>	35, 51, 84, 101	0
1	E	105/196 (53%)	0.46	6 (5%) <span style="border: 1px solid red; padding: 2px;">23</span> <span style="border: 1px solid red; padding: 2px;">18</span>	32, 58, 84, 103	0
1	F	105/196 (53%)	0.69	9 (8%) <span style="border: 1px solid red; padding: 2px;">10</span> <span style="border: 1px solid red; padding: 2px;">7</span>	35, 58, 89, 131	0
1	G	102/196 (52%)	0.67	13 (12%) <span style="border: 1px solid red; padding: 2px;">3</span> <span style="border: 1px solid red; padding: 2px;">2</span>	35, 57, 90, 108	0
1	H	99/196 (50%)	0.37	2 (2%) <span style="border: 1px solid blue; padding: 2px;">65</span> <span style="border: 1px solid blue; padding: 2px;">60</span>	31, 53, 76, 93	0
2	I	4/4 (100%)	0.61	1 (25%) <span style="border: 1px solid red; padding: 2px;">0</span> <span style="border: 1px solid red; padding: 2px;">0</span>	79, 85, 93, 109	0
2	J	4/4 (100%)	1.30	1 (25%) <span style="border: 1px solid red; padding: 2px;">0</span> <span style="border: 1px solid red; padding: 2px;">0</span>	84, 85, 98, 119	0
2	K	4/4 (100%)	0.54	0 <span style="border: 1px solid blue; padding: 2px;">100</span> <span style="border: 1px solid blue; padding: 2px;">100</span>	64, 67, 82, 115	0
2	M	4/4 (100%)	-0.14	0 <span style="border: 1px solid blue; padding: 2px;">100</span> <span style="border: 1px solid blue; padding: 2px;">100</span>	53, 55, 61, 98	0
2	N	4/4 (100%)	1.57	0 <span style="border: 1px solid blue; padding: 2px;">100</span> <span style="border: 1px solid blue; padding: 2px;">100</span>	99, 100, 101, 118	0
2	Q	4/4 (100%)	0.67	1 (25%) <span style="border: 1px solid red; padding: 2px;">0</span> <span style="border: 1px solid red; padding: 2px;">0</span>	76, 80, 88, 105	0
3	L	3/3 (100%)	2.86	3 (100%) <span style="border: 1px solid red; padding: 2px;">0</span> <span style="border: 1px solid red; padding: 2px;">0</span>	112, 112, 116, 125	0
3	P	3/3 (100%)	1.12	0 <span style="border: 1px solid blue; padding: 2px;">100</span> <span style="border: 1px solid blue; padding: 2px;">100</span>	87, 87, 108, 123	0
All	All	854/1598 (53%)	0.45	53 (6%) <span style="border: 1px solid red; padding: 2px;">20</span> <span style="border: 1px solid red; padding: 2px;">15</span>	27, 54, 91, 131	0

All (53) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	69	TYR	5.4
1	B	94	THR	5.1
1	D	-3	PHE	4.8
1	G	69	TYR	4.6
1	B	86	SER	4.4

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	B	87	TRP	4.3
2	J	4	DT	4.1
1	G	26	GLY	3.9
1	G	94	THR	3.8
1	D	-4	TYR	3.8
1	C	48	VAL	3.6
1	G	87	TRP	3.5
1	F	88	GLU	3.5
3	L	3	DT	3.4
1	E	107	PHE	3.2
1	G	86	SER	3.2
1	G	21	ARG	3.1
1	G	20	LEU	2.9
3	L	1	DT	2.9
2	Q	4	DT	2.9
1	D	0	ALA	2.7
1	E	47	GLU	2.7
1	C	69	TYR	2.7
1	B	88	GLU	2.7
1	B	92	ASN	2.6
1	E	69	TYR	2.6
1	B	93	ASN	2.6
1	E	43	SER	2.6
1	F	93	ASN	2.6
2	I	4	DT	2.6
1	F	68	GLU	2.6
1	G	96	TYR	2.5
1	F	89	ASP	2.5
1	B	96	TYR	2.4
1	D	-6	ASN	2.3
1	D	-5	LEU	2.3
1	C	49	GLN	2.3
1	H	69	TYR	2.3
1	F	86	SER	2.3
1	G	28	ALA	2.3
1	F	87	TRP	2.3
3	L	2	DT	2.2
1	G	65	ILE	2.2
1	F	92	ASN	2.2
1	G	24	GLY	2.2
1	G	85	ARG	2.2
1	D	50	ASN	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	E	109	ASP	2.2
1	B	69	TYR	2.1
1	F	94	THR	2.1
1	E	49	GLN	2.1
1	H	50	ASN	2.1
1	G	22	TYR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.