



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 1, 2022 – 02:01 PM EDT

PDB ID : 5RLR
Title : PanDDA analysis group deposition – Crystal Structure of SARS-CoV-2 heli-
case in complex with Z822382694
Authors : Newman, J.A.; Yosaatmadja, Y.; Douangamath, A.; Aimon, A.; Powell, A.J.;
Dias, A.; Fearon, D.; Dunnett, L.; Brandao-Neto, J.; Krojer, T.; Skyner, R.;
Gorrie-Stone, T.; Thompson, W.; von Delft, F.; Arrowsmith, C.H.; Edwards,
A.; Bountra, C.; Gileadi, O.
Deposited on : 2020-09-16
Resolution : 2.32 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at <http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 2.29
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.29


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.32 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5974 (2.34-2.30)
Clashscore	141614	6604 (2.34-2.30)
Ramachandran outliers	138981	6523 (2.34-2.30)
Sidechain outliers	138945	6523 (2.34-2.30)
RSRZ outliers	127900	5855 (2.34-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	601	
1	B	601	

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 9419 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Helicase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	572	Total 4417	C 2816	N 737	O 832	S 32	0	0	0
1	B	585	Total 4508	C 2875	N 750	O 848	S 35	0	1	0

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	3	Total 3	Zn 3	0	0
2	B	3	Total 3	Zn 3	0	0

- Molecule 3 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total O P 5 4 1	0	0
3	A	1	Total O P 5 4 1	0	0
3	B	1	Total O P 5 4 1	0	0
3	B	1	Total O P 5 4 1	0	0

- Molecule 4 is (1R)-2-(methylsulfonyl)-1-phenylethan-1-ol (three-letter code: VWD) (formula: C₉H₁₂O₃S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	1	Total C O S 13 9 3 1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	205	Total O 205 205	0	0
5	B	250	Total O 250 250	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Helicase



- Molecule 1: Helicase



I565	I566	R567	A568	K569	V570	L585	L590	F593	ARG	ARG	ASN	VAL	ALA	THR	LEU	GLN
------	------	------	------	------	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----

4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	59.25Å 70.24Å 85.59Å 102.48° 96.28° 112.50°	Depositor
Resolution (Å)	81.66 – 2.32 81.66 – 2.32	Depositor EDS
% Data completeness (in resolution range)	95.8 (81.66-2.32) 95.9 (81.66-2.32)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.39 (at 2.32Å)	Xtrriage
Refinement program	REFMAC 5.8.0258	Depositor
R, R_{free}	0.209 , 0.283 0.221 , 0.288	Depositor DCC
R_{free} test set	2622 reflections (5.17%)	wwPDB-VP
Wilson B-factor (Å ²)	38.5	Xtrriage
Anisotropy	0.119	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 38.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	9419	wwPDB-VP
Average B, all atoms (Å ²)	58.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.83% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, PO4, VWD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.71	0/4517	0.84	0/6156
1	B	0.69	1/4610 (0.0%)	0.86	0/6283
All	All	0.70	1/9127 (0.0%)	0.85	0/12439

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	551	GLU	CD-OE2	6.71	1.33	1.25

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4417	0	4321	67	0
1	B	4508	0	4425	76	0
2	A	3	0	0	0	0
2	B	3	0	0	0	0
3	A	10	0	0	0	0
3	B	10	0	0	0	0
4	B	13	0	0	0	0
5	A	205	0	0	3	2

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	B	250	0	0	9	2
All	All	9419	0	8746	141	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (141) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:60:VAL:HB	5:A:925:HOH:O	1.63	0.96
1:B:510:VAL:HG21	1:B:541:TYR:CD1	2.15	0.81
1:A:293:ILE:HG13	1:A:320:LYS:HB3	1.66	0.77
1:A:519:ASN:HB3	1:A:530:THR:HG23	1.68	0.75
1:B:554:HIS:ND1	5:B:801:HOH:O	2.17	0.75
1:A:333:ILE:HB	1:A:358:CYS:SG	2.27	0.74
1:A:510:VAL:HG21	1:A:541:TYR:CD1	2.25	0.71
1:A:519:ASN:HB3	1:A:530:THR:CG2	2.22	0.68
1:A:269:TYR:CD1	1:A:295:LEU:HD13	2.30	0.66
1:B:474[B]:MET:HG2	1:B:590:LEU:HB2	1.79	0.64
1:A:277:TYR:HA	1:A:396:TYR:O	1.98	0.64
1:B:15:ARG:HG3	1:B:24:PHE:CE2	2.33	0.63
1:B:293:ILE:HG13	1:B:320:LYS:HB3	1.81	0.61
1:A:352:LEU:HD11	1:B:234:PRO:HD3	1.81	0.61
1:B:195:ILE:CG2	1:B:195:ILE:O	2.49	0.60
1:A:368:ALA:O	1:A:393:ALA:HA	2.02	0.60
1:B:280:LEU:HD11	1:B:438:LEU:HG	1.83	0.60
1:B:451:THR:HG21	1:B:585:LEU:HD23	1.84	0.59
1:B:15:ARG:HG3	1:B:24:PHE:CD2	2.38	0.59
1:B:512:ILE:O	1:B:546:PHE:HA	2.02	0.59
1:A:127:THR:HG23	1:A:130:LEU:HB2	1.85	0.58
1:B:284:PRO:HG2	1:B:566:THR:HG21	1.87	0.57
1:A:304:ILE:HA	1:A:370:ILE:O	2.05	0.57
1:A:280:LEU:HD11	1:A:438:LEU:HG	1.86	0.56
1:B:195:ILE:O	1:B:195:ILE:HG23	2.06	0.56
1:A:139:LYS:O	1:A:143:GLU:HG2	2.06	0.55
1:B:278:SER:HA	1:B:435:ASP:OD1	2.06	0.55
1:A:215:THR:HG22	1:B:193:VAL:HG21	1.88	0.55
1:B:504:PRO:HB3	1:B:507:ARG:HH21	1.71	0.55
1:B:13:SER:O	1:B:44:SER:HA	2.08	0.54
1:B:252:LEU:HB3	1:B:299:TYR:CD1	2.43	0.53
1:B:183:THR:O	1:B:225:PHE:HA	2.08	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:378:MET:O	1:B:407:ALA:HB2	2.07	0.53
1:A:7:LEU:HD21	1:A:106:PHE:CD1	2.45	0.52
1:A:419:PRO:HA	1:A:422:PHE:CE1	2.45	0.52
1:A:445:PRO:HD3	1:A:569:LYS:O	2.10	0.52
1:B:152:ALA:HB2	1:B:167:TRP:CZ3	2.45	0.51
1:B:15:ARG:HG2	1:B:22:ARG:O	2.09	0.51
1:A:19:CYS:HB2	1:A:23:PRO:HD2	1.93	0.51
1:A:158:LEU:HD11	1:A:164:HIS:CE1	2.46	0.51
1:B:277:TYR:HA	1:B:396:TYR:O	2.11	0.51
1:B:279:THR:HB	1:B:429:MET:CE	2.40	0.51
1:A:275:GLN:O	1:A:395:HIS:ND1	2.42	0.50
1:B:103:VAL:HG12	1:B:103:VAL:O	2.12	0.50
1:B:486:SER:HB3	1:B:517:SER:HB2	1.94	0.50
1:A:512:ILE:O	1:A:546:PHE:HA	2.12	0.50
1:B:510:VAL:HG21	1:B:541:TYR:CG	2.47	0.49
1:A:276:LYS:O	1:A:395:HIS:HA	2.12	0.49
1:A:367:THR:HG22	1:A:392:ARG:HB3	1.94	0.49
1:B:269:TYR:CD1	1:B:295:LEU:HD13	2.48	0.49
1:A:510:VAL:HG21	1:A:541:TYR:CG	2.47	0.49
1:B:19:CYS:CB	1:B:23:PRO:HD2	2.43	0.48
1:B:19:CYS:HB2	1:B:23:PRO:HD2	1.95	0.48
1:B:152:ALA:HB2	1:B:167:TRP:CH2	2.48	0.48
1:B:177:ASN:HB3	1:B:516:ASN:ND2	2.28	0.47
1:A:164:HIS:CD2	1:A:207:ASP:O	2.67	0.47
1:A:406:PRO:HB3	1:A:422:PHE:CD2	2.49	0.47
1:A:235:LEU:HD21	1:A:382:TYR:CE2	2.49	0.47
1:B:2:VAL:N	5:B:819:HOH:O	2.46	0.47
1:B:31:TYR:CE2	1:B:87:GLY:HA2	2.50	0.47
1:B:563:VAL:O	1:B:567:ARG:HG2	2.15	0.47
1:B:124:ASN:OD1	1:B:381:ASN:ND2	2.44	0.47
1:A:251:GLY:HA3	1:A:394:LYS:HD3	1.96	0.47
1:B:51:ASN:ND2	5:B:822:HOH:O	2.47	0.47
1:B:303:ARG:NH1	1:B:353:GLU:O	2.47	0.47
1:A:456:VAL:HG23	1:A:457:TYR:CD2	2.49	0.46
1:B:103:VAL:O	1:B:103:VAL:CG1	2.63	0.46
1:A:297:LEU:HD11	1:A:324:TYR:HB3	1.97	0.46
1:A:533:VAL:HG11	1:A:560:ARG:HG3	1.98	0.46
1:A:14:LEU:HB2	1:A:25:LEU:O	2.16	0.46
1:A:194:GLN:C	1:A:196:GLY:H	2.19	0.46
1:A:367:THR:HA	1:A:392:ARG:O	2.16	0.46
1:B:8:CYS:SG	1:B:99:GLY:O	2.73	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:127:THR:O	1:A:131:LYS:HG3	2.16	0.46
1:A:512:ILE:HA	1:A:531:GLN:O	2.15	0.46
1:B:26:CYS:O	1:B:29:CYS:N	2.50	0.45
1:B:474[A]:MET:SD	1:B:495:VAL:HG11	2.57	0.45
1:B:254:PRO:HB3	1:B:298:TYR:CE2	2.52	0.45
1:A:46:ASN:OD1	1:A:46:ASN:N	2.46	0.45
1:A:329:LYS:HE2	1:A:354:GLN:OE1	2.16	0.45
1:B:504:PRO:HA	1:B:507:ARG:HD2	1.98	0.45
1:A:269:TYR:OH	1:A:294:GLY:HA3	2.16	0.45
1:A:462:LYS:NZ	5:A:816:HOH:O	2.50	0.45
1:B:452:VAL:CG1	1:B:565:ILE:HD11	2.47	0.45
1:A:106:PHE:CE1	1:A:133:PHE:CE2	3.04	0.45
1:B:445:PRO:HD2	1:B:448:ILE:HD12	1.98	0.45
1:A:296:ALA:O	1:A:300:PRO:HA	2.17	0.44
1:B:480:ILE:HD11	5:B:851:HOH:O	2.17	0.44
1:B:283:PRO:HD2	1:B:438:LEU:O	2.17	0.44
1:A:63:LEU:CB	1:A:83:LEU:HD12	2.48	0.44
1:A:12:THR:OG1	1:A:26:CYS:HA	2.18	0.44
1:B:167:TRP:CZ3	1:B:174:PRO:HD2	2.52	0.44
1:A:291:PHE:C	1:A:291:PHE:CD1	2.90	0.44
1:B:16:CYS:O	1:B:22:ARG:HA	2.17	0.44
1:B:386:VAL:O	1:B:390:ARG:HG2	2.18	0.43
1:B:456:VAL:HG23	1:B:457:TYR:CE2	2.53	0.43
1:A:376:ILE:HG12	1:A:425:VAL:HG11	1.99	0.43
1:B:279:THR:HB	1:B:429:MET:HE3	2.00	0.43
1:B:519:ASN:HD21	1:B:531:GLN:C	2.20	0.43
1:A:64:TYR:O	1:A:70:TYR:HA	2.17	0.43
1:A:490:ARG:N	1:A:491:PRO:CD	2.81	0.43
1:B:452:VAL:HG13	1:B:565:ILE:HD11	2.00	0.43
1:B:183:THR:OG1	1:B:228:THR:OG1	2.36	0.43
1:A:7:LEU:HD13	1:A:103:VAL:HG22	2.01	0.43
1:A:456:VAL:HG23	1:A:457:TYR:CE2	2.54	0.43
1:A:591:GLU:O	1:A:592:ILE:HB	2.19	0.43
1:A:31:TYR:CE2	1:A:87:GLY:HA2	2.54	0.42
1:B:8:CYS:SG	1:B:99:GLY:N	2.92	0.42
1:A:457:TYR:O	1:A:458:ASP:C	2.58	0.42
1:B:26:CYS:O	1:B:27:CYS:C	2.58	0.42
1:B:32:ASP:O	1:B:36:SER:OG	2.25	0.42
1:B:280:LEU:HD21	1:B:438:LEU:HD11	2.02	0.42
1:B:187:VAL:HG23	5:B:897:HOH:O	2.19	0.42
1:B:533:VAL:HG11	1:B:560:ARG:O	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:319:GLU:OE2	1:A:319:GLU:HA	2.20	0.42
1:B:50:CYS:SG	1:B:71:TYR:HA	2.60	0.42
1:B:86:ASN:HB3	5:B:991:HOH:O	2.18	0.41
1:B:445:PRO:HG3	1:B:570:VAL:O	2.19	0.41
1:A:19:CYS:CB	1:A:23:PRO:HD2	2.49	0.41
1:B:367:THR:HA	1:B:392:ARG:O	2.21	0.41
1:A:480:ILE:HG21	1:A:550:THR:HG22	2.01	0.41
1:A:12:THR:HG21	1:A:26:CYS:HA	2.02	0.41
1:A:370:ILE:HA	1:A:395:HIS:O	2.20	0.41
1:B:289:SER:HB2	1:B:320:LYS:HD3	2.01	0.41
1:A:445:PRO:HD2	1:A:448:ILE:HD12	2.01	0.41
1:B:7:LEU:CD2	1:B:130:LEU:HD21	2.51	0.41
1:A:130:LEU:HD23	1:A:130:LEU:HA	1.90	0.41
1:B:52:ALA:CB	1:B:75:HIS:CG	3.04	0.41
1:B:345:LYS:HE3	5:B:826:HOH:O	2.20	0.41
1:A:34:VAL:HA	1:A:39:HIS:O	2.21	0.41
1:B:154:VAL:HG13	1:B:163:LEU:HD22	2.03	0.41
1:A:419:PRO:HA	1:A:422:PHE:CD1	2.55	0.41
1:B:542:ASP:OD1	1:B:569:LYS:HE3	2.21	0.40
1:A:304:ILE:HG12	1:A:370:ILE:HB	2.03	0.40
1:A:158:LEU:HD11	1:A:164:HIS:ND1	2.37	0.40
1:A:239:THR:O	1:A:388:ASN:ND2	2.55	0.40
1:B:304:ILE:HD12	1:B:355:TYR:HE1	1.87	0.40
1:B:459:ASN:HA	5:B:922:HOH:O	2.21	0.40
1:A:21:ARG:NH1	5:A:827:HOH:O	2.54	0.40
1:B:174:PRO:HG2	1:B:182:PHE:HZ	1.86	0.40
1:B:484:VAL:HG23	5:B:928:HOH:O	2.22	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:862:HOH:O	5:B:1023:HOH:O[1_554]	2.14	0.06
5:A:862:HOH:O	5:B:1032:HOH:O[1_554]	2.15	0.05

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	564/601 (94%)	537 (95%)	24 (4%)	3 (0%)	29	35
1	B	580/601 (96%)	542 (93%)	34 (6%)	4 (1%)	22	26
All	All	1144/1202 (95%)	1079 (94%)	58 (5%)	7 (1%)	25	30

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	92	LEU
1	A	484	VAL
1	B	11	GLN
1	A	218	LYS
1	B	27	CYS
1	B	48	TYR
1	A	195	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	485/523 (93%)	466 (96%)	19 (4%)	32	45
1	B	498/523 (95%)	473 (95%)	25 (5%)	24	34
All	All	983/1046 (94%)	939 (96%)	44 (4%)	27	38

All (44) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12	THR
1	A	51	ASN
1	A	76	LYS
1	A	81	PHE
1	A	92	LEU
1	A	127	THR
1	A	157	VAL
1	A	162	GLU
1	A	169	VAL
1	A	173	ARG
1	A	209	VAL
1	A	217	TYR
1	A	255	THR
1	A	289	SER
1	A	344	ASP
1	A	373	PHE
1	A	502	ARG
1	A	530	THR
1	A	591	GLU
1	B	8	CYS
1	B	12	THR
1	B	51	ASN
1	B	69	SER
1	B	74	SER
1	B	76	LYS
1	B	92	LEU
1	B	95	ASN
1	B	160	ASP
1	B	169	VAL
1	B	191	SER
1	B	192	LYS
1	B	195	ILE
1	B	215	THR
1	B	220	ASN
1	B	223	ASP
1	B	256	LEU
1	B	353	GLU
1	B	365	GLU
1	B	373	PHE
1	B	416	THR
1	B	442	ARG
1	B	458	ASP
1	B	484	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	486	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	245	HIS
1	A	257	ASN
1	A	275	GLN
1	A	531	GLN
1	B	75	HIS
1	B	268	ASN
1	B	404	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 6 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	PO4	A	704	-	4,4,4	0.50	0	6,6,6	0.57	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	PO4	A	705	-	4,4,4	0.70	0	6,6,6	0.51	0
3	PO4	B	705	-	4,4,4	0.83	0	6,6,6	0.46	0
4	VWD	B	701	-	12,13,13	0.32	0	15,18,18	0.62	0
3	PO4	B	706	-	4,4,4	1.09	0	6,6,6	0.39	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	VWD	B	701	-	-	0/9/9/9	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.


There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	572/601 (95%)	0.34	44 (7%) 13 18	25, 61, 121, 158	0
1	B	585/601 (97%)	0.00	14 (2%) 59 66	26, 45, 96, 146	0
All	All	1157/1202 (96%)	0.17	58 (5%) 28 36	25, 54, 111, 158	0

All (58) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	217	TYR	9.6
1	A	215	THR	8.1
1	A	170	GLY	7.9
1	A	336	ALA	7.1
1	B	340	VAL	6.0
1	A	229	SER	5.6
1	B	213	GLY	5.2
1	A	200	PHE	5.1
1	B	196	GLY	5.0
1	A	246	TYR	4.9
1	A	247	VAL	4.8
1	A	256	LEU	4.6
1	A	339	ARG	4.5
1	B	193	VAL	4.5
1	A	337	ARG	4.4
1	A	352	LEU	4.4
1	A	214	THR	4.2
1	A	208	ALA	4.2
1	A	334	ILE	4.2
1	A	167	TRP	4.0
1	A	217	TYR	3.8
1	A	149	TYR	3.7
1	B	216	THR	3.6
1	A	225	PHE	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	338	ALA	3.5
1	A	216	THR	3.4
1	A	340	VAL	3.4
1	A	179	ASN	3.4
1	A	169	VAL	3.3
1	A	153	THR	3.2
1	A	207	ASP	3.2
1	A	266	VAL	3.1
1	A	230	HIS	2.9
1	B	45	VAL	2.9
1	A	368	ALA	2.8
1	B	67	GLY	2.8
1	B	2	VAL	2.7
1	A	249	ILE	2.6
1	A	202	LYS	2.6
1	B	163	LEU	2.6
1	A	165	LEU	2.5
1	B	190	ASN	2.5
1	B	96	THR	2.4
1	B	195	ILE	2.4
1	A	171	LYS	2.3
1	A	181	VAL	2.3
1	A	201	GLU	2.3
1	A	182	PHE	2.3
1	B	69	SER	2.3
1	A	257	ASN	2.2
1	A	305	VAL	2.2
1	A	272	VAL	2.2
1	A	302	ALA	2.1
1	A	178	ARG	2.1
1	A	185	TYR	2.1
1	A	227	LEU	2.0
1	A	157	VAL	2.0
1	A	387	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	VWD	B	701	13/13	0.87	0.20	49,53,63,69	13
2	ZN	B	704	1/1	0.96	0.09	78,78,78,78	0
2	ZN	B	703	1/1	0.96	0.06	78,78,78,78	0
2	ZN	A	701	1/1	0.97	0.10	54,54,54,54	0
2	ZN	A	702	1/1	0.97	0.10	50,50,50,50	0
2	ZN	A	703	1/1	0.97	0.08	81,81,81,81	0
3	PO4	B	705	5/5	0.98	0.12	40,46,49,53	0
3	PO4	A	705	5/5	0.99	0.11	42,44,47,48	0
2	ZN	B	702	1/1	0.99	0.10	45,45,45,45	0
3	PO4	B	706	5/5	0.99	0.13	42,47,50,60	0
3	PO4	A	704	5/5	0.99	0.10	40,43,49,51	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.