



wwPDB EM Validation Summary Report ⓘ

Nov 2, 2022 – 05:02 AM EDT

PDB ID : 5TAT
EMDB ID : EMD-8384
Title : Structure of rabbit RyR1 (Caffeine/ATP/EGTA dataset, class 2)
Authors : Clarke, O.B.; des Georges, A.; Zalk, R.; Marks, A.R.; Hendrickson, W.A.;
Frank, J.
Deposited on : 2016-09-10
Resolution : 4.80 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 4.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	108	
1	F	108	
1	H	108	
1	J	108	
2	B	4416	
2	E	4416	
2	G	4416	
2	I	4416	

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 121452 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Peptidyl-prolyl cis-trans isomerase FKBP1B.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	F	107	818	516	144	154	4	0	0
1	A	107	818	516	144	154	4	0	0
1	H	107	818	516	144	154	4	0	0
1	J	107	818	516	144	154	4	0	0

- Molecule 2 is a protein called Ryanodine receptor 1.


Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	4194	29499	18686	5228	5428	157	0	0
2	I	4194	29499	18686	5228	5428	157	0	0
2	E	4194	29499	18686	5228	5428	157	0	0
2	G	4194	29499	18686	5228	5428	157	0	0

- Molecule 3 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula: $C_{10}H_{16}N_5O_{13}P_3$).



Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
3	B	1	Total	C	N	O	P	0
			31	10	5	13	3	
3	I	1	Total	C	N	O	P	0
			31	10	5	13	3	
3	E	1	Total	C	N	O	P	0
			31	10	5	13	3	
3	G	1	Total	C	N	O	P	0
			31	10	5	13	3	

- Molecule 4 is CAFFEINE (three-letter code: CFF) (formula: $C_8H_{10}N_4O_2$).



Mol	Chain	Residues	Atoms				AltConf
4	B	1	Total	C	N	O	0
			14	8	4	2	
4	I	1	Total	C	N	O	0
			14	8	4	2	
4	E	1	Total	C	N	O	0
			14	8	4	2	
4	G	1	Total	C	N	O	0
			14	8	4	2	


- Molecule 5 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
5	B	1	Total	Zn	0
			1	1	
5	I	1	Total	Zn	0
			1	1	
5	E	1	Total	Zn	0
			1	1	
5	G	1	Total	Zn	0
			1	1	


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Peptidyl-prolyl cis-trans isomerase FKBP1B




- Molecule 1: Peptidyl-prolyl cis-trans isomerase FKBP1B




- Molecule 1: Peptidyl-prolyl cis-trans isomerase FKBP1B





- Molecule 1: Peptidyl-prolyl cis-trans isomerase FKBP1B






• Molecule 2: Ryanodine receptor 1







X3537	X3538	X3539	X3540	X3541	X3542	X3543	X3544	X3547	X3548	X3549	X3550	X3551	X3552	X3553	X3554	X3555	X3556	X3557	X3558	X3559	X3560	X3561	X3562	X3563	X3564	X3565	X3566	X3567	X3568	X3569	X3574	X3575	X3576	X3580	X3581	X3582	X3583	X3584	X3585	X3586	X3587	X3588	X3589	X3590	X3597	X3606	X3609	X3610	X3611	X3612	X3613	L3641																														
X3390	X3391	X3392	X3393	X3394	X3395	X3396	X3397	X3398	X3399	X3400	X3401	X3402	X3403	X3404	X3405	X3409	X3410	X3411	X3412	X3413	X3414	X3429	X3430	X3431	X3432	X3433	X3434	X3443	X3451	X3465	X3466	X3467	X3468	X3511	X3512	X3513	X3514	X3515	X3516	X3519	X3524	X3525	X3526	X3529	X3530	X3531	X3532	X3533	X3534	X3535	X3536																															
X3302	X3303	X3304	X3308	X3314	X3323	X3324	X3325	X3331	X3334	X3335	X3336	X3337	X3338	X3339	X3340	X3341	X3342	X3347	X3348	X3349	X3350	X3351	X3352	X3353	X3354	X3355	X3356	X3357	X3358	X3359	X3360	X3361	X3362	X3363	X3364	X3365	X3366	X3369	X3375	X3379	X3382	X3383	X3384	X3385	X3386	X3387	X3388	X3389																																		
X3223	X3224	X3225	X3226	X3227	X3230	X3231	X3232	X3233	X3234	X3235	X3236	X3241	X3242	X3243	X3244	X3245	X3246	X3247	X3248	X3249	X3250	X3251	X3252	X3253	X3254	X3261	X3262	X3263	X3264	X3265	X3266	X3267	X3268	X3269	X3270	X3271	X3272	X3273	X3274	X3275	X3276	X3277	X3278	X3279	X3280	X3281	X3282	X3283	X3284	X3285	X3286	X3287	X3288	X3289	X3290	X3291	X3292	X3299																								
X3060	X3061	X3062	X3063	X3134	X3135	X3136	X3137	X3138	X3143	X3144	X3145	X3146	X3147	X3148	X3149	X3150	X3156	X3157	X3158	X3159	X3160	X3161	X3162	X3163	X3170	X3174	X3175	X3176	X3182	X3190	X3191	X3192	X3193	X3194	X3195	X3196	X3197	X3200	X3210	X3211	X3212	X3213	X3214	X3215	X3216	X3217	X3218	X3219	X3220	X3221	X3222																															
T2938	R2939	X2942	X2943	X2944	X2945	X2946	X2947	X2950	X2951	X2952	X2953	X2954	X2957	X2964	X2965	X2966	X2972	X2973	X2974	X2975	X2976	X2995	X2998	X3001	X3013	X3016	X3022	X3023	X3027	X3028	X3037	X3038	X3039	X3040	X3041	X3044	X3045	X3046	X3047	X3048	X3049	X3050	X3053	X3056	X3057																																					
L2878	A2879	E2880	N2881	Y2882	H2883	N2884	T2885	W2886	G2887	R2888	K2889	K2890	K2891	Q2892	E2893	L2894	E2895	A2896	K2897	G2898	L2899	G2900	T2901	H2902	P2903	L2904	L2905	V2906	Y2907	Y2908	D2909	T2910	L2911	T2912	A2913	A2914	E2915	K2916	A2917	R2918	D2919	R2920	E2921	K2922	A2923	Q2924	E2925	L2926	L2927	K2928	F2929	L2930	M2932	N2933	G2934	A2936	V2937																									
A2818	W2819	E2820	W2821	T2822	L2823	E2824	K2825	W2826	R2827	E2828	G2829	E2830	GLU	ARG	THR	GLU	LYS	LYS	THR	THR	LYS	ILE	SER	GLN	THR	ALA	GLN	THR	ASP	PRO	ARG	GLU	GLY	N2855	N2856	P2857	Q2858	Q2859	P2860	D2861	L2862	G2864	V2865	T2866	L2867	S2868	R2869	E2870	L2871	Q2872	A2873	W2874	A2875	E2876	Q2877																											
F2758	A2759	E2760	Y2761	T2762	H2763	E2764	K2765	W2766	A2767	F2768	D2769	K2770	L2771	Q2772	N2773	M2774	W2775	S2776	Y2777	G2778	E2779	N2780	V2781	D2782	E2783	E2784	L2785	T2786	T2787	H2788	T2789	M2790	L2791	R2792	P2793	Y2794	K2795	T2796	F2797	S2798	E2799	K2800	D2801	K2802	E2803	L2804	Y2805	R2806	W2807	P2808	L2809	K2810	D2811	S2812	L2813	K2814	A2815	M2816	L2817																							
X2623	X2624	X2625	X2626	X2627	X2628	X2629	X2648	X2669	X2670	X2671	X2672	X2673	X2674	X2675	X2676	X2677	X2683	X2687	X2688	X2689	X2692	X2696	X2697	X2698	X2699	X2700	X2701	X2702	X2703	N2704	F2705	D2706	R2707	P2708	V2709	E2710	T2711	P2713	V2714	E2715	L2716	N2717	E2718	L2719	L2720	L2721	L2722	L2723	L2724	L2725	L2726	L2727	L2728	L2729	L2730	L2731	L2732	L2733	L2734	L2735	L2736	L2737	L2738	L2739	L2740	L2741	L2742	L2743	L2744	L2745	L2746	L2747	L2748	E2749	K2750	L2751	D2752	S2753	F2754	L2755	N2756	K2757
L2460	L2463	D2464	D2465	L2466	T2469	L2470	S2471	L2472	P2473	L2474	Q2475	L2476	P2477	T2478	L2479	X2487	X2488	X2489	X2490	X2493	X2511	X2512	X2513	X2514	X2522	X2531	X2532	X2533	X2534	X2535	X2538	X2561	X2562	X2565	X2569	X2581	X2582	X2583	X2584	X2585	X2596	X2617	X2618	X2619	X2620																																					
G2370	E2371	G2372	G2373	S2374	L2376	L2377	I2386	S2387	P2390	A2391	R2392	D2393	G2394	P2395	GLY	VAL	ARG	ARG	ASP	ARG	ARG	ARG	ARG	GLU	HIS	PHE	GLY	GLU	GLU	PRO	PRO	GLU	GLU	N2414	R2415	V2416	G2419	H2420	D2431	R2435	P2438	E2439	N2440	H2441	L2442	G2446	K2447	G2448	R2452	I2453	L2356	L2357	L2358	R2359	K2360	P2361	E2362	C2363	F2366	A2367	L2368	R2369																				
Q2291	E2292	Q2293	D2294	L2295	Y2301	G2304	C2305	G2306	L2307	Q2308	S2309	C2310	P2311	L2314	A2315	K2316	D2320	C2326	G2327	R2330	Y2331	L2332	L2335	R2336	F2337	F2340	W2341	N2342	G2343	E2344	S2345	Y2346	E2347	E2348	N2349	A2350	N2351	L2356	L2357	L2358	R2359	K2360	P2361	E2362	C2363	F2366	A2367	L2368	R2369																																	




• Molecule 2: Ryanodine receptor 1







R2369	G2370	E2371	G2372	G2373	S2374	G2375	L2376	L2377	L2386	S2387	P2390	A2391	R2392	G2393	G2394	P2395	VAL	ARG	ARG	ASP	ARG	ARG	ARG	GLU	GLU	HIS	PHE	GLY	GLY	GLU	PRO	PRO	PRO	GLU	N2414	R2415	V2416	G2419	H2420	D2431	R2435	P2438	E2439	H2440	H2441	L2442	G2446	K2447	G2448	R2452	L2453									
L2460	L2463	D2464	D2465	L2466	I2469	I2470	S2471	L2472	P2473	L2474	Q2475	I2476	P2477	L2478	L2479	X2487	X2488	X2489	X2490	X2493	X2511	X2512	X2513	X2514	X2522	X2531	X2532	X2533	X2534	X2535	X2538	X2561	X2562	X2565	X2569	X2581	X2582	X2583	X2584	X2585	X2586	X2596	X2617	X2618	X2619	X2620														
X2623	X2624	X2625	X2626	X2627	X2628	X2629	X2648	X2669	X2670	X2671	X2672	X2673	X2674	X2675	X2676	X2677	X2683	X2687	X2688	X2689	X2692	X2696	X2697	X2698	X2699	X2700	X2701	X2702	X2703	X2704	X2735	X2736	X2737	X2738	X2739	X2740	X2741	X2742	X2743	X2744	X2745	X2746	X2747	X2748	X2749	X2750	X2751	X2752	X2753	X2754	X2755	X2756								
K2757	F2758	A2759	E2760	T2761	Y2762	H2763	E2764	K2765	N2766	A2767	F2768	D2769	K2770	I2771	Q2772	ARG	M2773	L2774	M2775	S2776	Y2777	G2778	E2779	M2780	V2781	D2782	E2783	E2784	L2785	K2786	T2787	H2788	F2789	M2790	L2791	R2792	F2793	Y2794	K2795	T2796	F2797	S2798	E2799	K2800	L2801	K2802	E2803	L2804	Y2805	R2806	L2807	P2808	L2809	K2810	E2811	S2812	L2813	L2814	A2815	M2816
I2817	A2818	W2819	E2820	T2821	T2822	L2823	E2824	K2825	A2826	R2827	E2828	E2829	E2830	GLU	GLU	THR	THR	GLU	GLU	LYS	LYS	THR	ARG	LYS	ILE	SER	GLN	THR	ALA	GLN	THR	TYR	ASP	ARG	ARG	ARG	GLY	Y2855	P2856	P2857	Q2858	P2859	P2860	D2861	L2862	S2863	G2864	V2865	T2866	L2867	S2868	R2869	E2870	L2871	Q2872	A2873	M2874	A2875	E2876	
Q2877	L2878	R2879	E2880	X2881	Y2882	H2883	N2884	F2885	W2886	G2887	K2888	K2889	K2890	K2891	Q2892	E2893	E2894	E2895	A2896	K2897	G2898	G2899	G2900	T2901	H2902	P2903	L2904	L2905	V2906	P2907	Y2908	D2909	T2910	L2911	T2912	A2913	K2914	E2915	K2916	A2917	R2918	D2919	R2920	E2921	K2922	A2923	Q2924	E2925	L2926	L2927	K2928	F2929	Q2930	M2931	N2932	N2933	G2934	Y2935	A2936	
V2937	T2938	R2939	X2940	X2941	X2942	X2943	X2944	X2945	X2946	X2947	X2950	X2951	X2952	X2964	X2965	X2966	X2972	X2973	X2974	X2975	X2976	X2995	X2998	X3001	X3013	X3016	X3022	X3023	X3027	X3028	X3029	X3037	X3038	X3039	X3040	X3041	X3044	X3045	X3046	X3047	X3048	X3049	X3050	X3053	X3056	X3057	X3060													
X3061	X3062	X3063	X3134	X3135	X3136	X3137	X3138	X3143	X3144	X3145	X3146	X3147	X3148	X3149	X3150	X3156	X3157	X3158	X3159	X3160	X3161	X3162	X3163	X3170	X3174	X3175	X3176	X3190	X3191	X3192	X3193	X3194	X3195	X3196	X3197	X3200	X3210	X3211	X3212	X3213	X3214	X3215	X3216	X3217	X3218	X3219	X3220	X3221	X3222	X3223	X3224	X3225	X3226							
X3227	X3228	X3229	X3230	X3231	X3232	X3233	X3234	X3235	X3236	X3241	X3242	X3243	X3244	X3245	X3246	X3247	X3248	X3249	X3250	X3251	X3252	X3253	X3254	X3261	X3262	X3263	X3264	X3265	X3266	X3267	X3268	X3269	X3270	X3271	X3272	X3273	X3274	X3275	X3278	X3279	X3280	X3281	X3282	X3283	X3284	X3285	X3286	X3287	X3288	X3289	X3290	X3291	X3292	X3302	X3303	X3304				
X3308	X3314	X3323	X3324	X3325	X3331	X3334	X3335	X3336	X3337	X3338	X3339	X3340	X3341	X3342	X3347	X3348	X3349	X3350	X3351	X3352	X3353	X3354	X3355	X3356	X3357	X3358	X3359	X3360	X3361	X3362	X3363	X3364	X3365	X3366	X3369	X3372	X3375	X3379	X3382	X3383	X3384	X3385	X3386	X3387	X3388	X3389	X3390	X3391	X3392	X3393	X3394	X3395	X3396	X3397	X3398	X3399				
X3393	X3394	X3395	X3396	X3397	X3398	X3399	X3400	X3401	X3402	X3403	X3404	X3405	X3409	X3410	X3411	X3412	X3413	X3414	X3429	X3430	X3431	X3432	X3433	X3434	X3443	X3451	X3465	X3466	X3467	X3468	X3511	X3512	X3513	X3514	X3515	X3516	X3519	X3524	X3525	X3526	X3529	X3530	X3531	X3532	X3533	X3534	X3535	X3536	X3537	X3538	X3539									
X3540	X3541	X3542	X3543	X3544	X3547	X3548	X3549	X3550	X3551	X3552	X3553	X3554	X3555	X3556	X3557	X3558	X3559	X3560	X3561	X3562	X3563	X3564	X3565	X3566	X3567	X3568	X3569	X3570	X3576	X3579	X3580	X3581	X3582	X3583	X3584	X3585	X3586	X3587	X3588	X3589	X3590	X3597	X3606	X3609	X3610	X3611	X3612	X3613	L3641	X3642	N3643	L3644								
F3653	K3658	W3661	I3662	L3663	T3664	E3665	D3666	H3667	S3668	F3669	X3672	M3673	I3674	D3676	A3680	G3681	E3682	Q3683	E3684	X3685	E3686	E3687	E3688	E3689	V3690	E3691	E3692	K3693	E3707	T3711	E3712	K3713	S3714	K3715	L3716	D3717	E3718	D3719	Y3720	K3723	A3724	Y3725	I3728	H3734	L3735	E3736	E3737	G3738												




• Molecule 2: Ryanodine receptor 1








G2375	L2376	L2377	L2386	S2387	F2390	A2391	D2392	D2393	G2394	P2395	GLY	VAL	ARG	ARG	ASP	ARG	ARG	ARG	ARG	ARG	ARG	ARG	HIS	PHE	GLY	GLY	GLU	PRO	PRO	PRO	P2340	N2414	R2415	V2416	G2419	H2420	D2431	R2435	P2438	E2439	N2440	H2441	L2442	G2446	N2447	G2448	R2452	L2453	L2460	L2463	D2464	D2465																																																																																																																																																																																																
L2295	Y2301	G2304	C2305	Q2308	S2309	C2310	P2311	L2314	A2315	K2316	D2320	C2326	G2327	R2330	Y2331	L2332	L2335	R2336	F2337	F2340	N2341	G2342	G2343	E2344	S2345	V2346	E2347	E2348	N2349	A2350	N2351	L2356	L2357	I2358	R2359	K2360	P2361	E2362	C2363	P2366	A2367	L2368	R2369	C2370	E2371	G2372	G2373	S2374	N2188	K2189	Y2192	R2189	A2200	H2204	V2212	N2213	V2214	L2215	G2216	G2217	G2218	E2219	K2220	K2221	E2222	L2223	F2235	L2236	Q2247	D2252	H2253	L2257	N2260	L2263	G2264	L2265	G2266	N2267	Q2268	G2269	S2270	T2271	P2272	L2273	V2275	A2276	A2277	E2285	L2288	A2289	L2290	Q2291	E2292	Q2293	D2294																																																																																																																																																					
SER	LEU	LEU	GLU	THR	VAL	ARG	VAL	GLY	LYS	LYS	GLU	GLU	PRO	ALA	ALA	GLU	GLU	GLU	GLU	PRO	K2089	K2090	P2091	R2104	Q2107	E2108	D2109	E2118	F2121	L2131	R2140	A2141	S2147	E2150	E2157	L2166	M2170	Q2173	G2183	M2184	L2185	M2186	N2187	LEU	GLU	GLU	PRO	GLU	GLU	GLU	THR	THR	SER	LEU	SER	SER	ARG	LEU	ARG	LEU	ASP	S1987	A1988	A1989	E1990	T1991	R1993	R1994	T1995	F1998	R1999	S2000	P2001	P2002	Q2005	L2010	H2011	F2012	K2013	A2016	D2017	E2018	E2019	D2020	C2021	P2022	L2023	P2024	E2025	D2026	I2027	H2041	C2042	I2044	Q2045	L2046	E2047	G2048	GLU	GLU	GLU	PRO	GLU	GLU	GLU	GLU	THR	THR	SER	LEU	SER	SER	ARG	LEU																																																																																																																																		
L1639	E1644	M1645	M1648	D1649	E1652	L1653	S1654	R1655	R1656	L1657	Q1660	H1663	S1664	L1667	R1671	A1672	L1676	M1679	R1680	V1681	A1682	H1683	A1684	L1685	G1686	M1687	H1688	Q1691	L1694	L1698	E1699	D1700	A1701	P1704	R1708	A1709	G1710	Y1711	Y1712	D1713	I1718	H1719	L1720	E1721	S1722	A1723	C1724	R1725	S1726	R1727	R1728	L1731	S1732	E1733	L1738	E1741	T1742	R1743	F1748	P1749	P1750	G1751	R1752	G1753	G1754	G1755	M1756	A1757	R1758	R1759	H1760	G1761	L1762	P1763	G1764	V1765	G1766	V1767	T1768	R1772	H1775	V1783	A1784	A1785	L1786	P1787	A1788	ALA	GLY	VAL	ALA	E1793	A1794	P1795	A1796	R1797	L1798	X1530	X1531	X1532	X1543	X1544	X1545	X1546	X1547	X1548	X1549	X1550	X1551	X1555	M1573	S1576	L1581	S1582	E1583	A1588	P1589	Q1590	C1591	R1594	Q1598	M1599	L1600	S1604	M1605	S1606	L1613	Q1614	V1615	THR	ARG	ARG	ALA	E1622	A1627	C1630	Q1631	D1632	P1633	M1636	M1637	A1638	X1529	X1528	X1527	X1526	X1524	X1523	X1522	X1521	X1520	X1519	X1516	X1515	X1514	X1513	X1512	ARG	ARG	ARG	GLU	GLU	GLU	X1505	X1504	X1497	X1489	X1479	X1478	X1477	X1476	X1457	X1447	X1443	X1442	X1441	X1440	X1439	X1438	X1290	X1291	E1183	I1182	E1181	R1180	F1179	A1178	T1177	E1176	S1175	G1174	R1173	S1173	M1170	L1169	G1166	N1165	L1164	T1163	I1161	E1157	L1156	L1155	D1154	I1153	M1152	V1149	V1148	D1147	G1146	S1145	Q1144	R1141	G1140	L1134	R1131	R1128	H1127	V1123	L1120	E1119	D1118	A1117	G1116	L1115	E1114	V1113	D1112	P1111	R1110	L1109	E1108	F1107	A1106	H1104	G1103	V1102	R1101	M1100	E1099	T1096	E1093	F1092	Y1089


Table listing PDB IDs and residue types, color-coded by quality. The table contains 38 columns and approximately 100 rows of data, with each cell containing a PDB ID and a corresponding residue type (e.g., GLU, LYS, THR).




• Molecule 2: Ryanodine receptor 1







A2767	F2768	D2769	K2770	I2771	Q2772	H2773	H2774	W2775	S2776	V2777	G2778	E2779	H2780	V2781	D2782	E2783	E2784	L2785	K2786	T2787	H2788	F2789	H2790	L2791	R2792	F2793	V2794	K2795	T2796	F2797	S2798	E2799	K2800	D2801	K2802	E2803	L2804	V2805	R2806	W2807	L2808	K2810	E2811	S2812	L2813	K2814	A2815	H2816	L2817	A2818	W2819	E2820	W2821	T2822	L2823	K2825	A2826																																																																	
R2827	E2828	G2829	E2830	GLU	GLU	ARG	THR	GLU	LYS	LYS	THR	LYS	ARG	ARG	ILE	SER	GLN	THR	ALA	GLN	THR	TYR	ASP	PRO	ARG	GLU	GLY	N2855	N2856	P2857	Q2858	P2859	P2860	D2861	L2862	S2863	G2864	E2865	T2866	L2867	S2868	R2869	L2870	L2871	Q2872	A2873	M2874	A2875	E2876	Q2877	L2878	A2879	E2880	N2881	Y2882	H2883	N2884	T2885	E2886	R2887	R2888	R2889	K2890	K2891	Q2892	E2893	L2894	E2895	A2896	L2897	G2898	G2899	I2899	G2900	T2901	H2902	P2903	L2904	L2905	V2906	P2907	V2908	D2909	T2910	L2911	T2912	A2913	K2914	E2915	K2916	A2917	K2918	D2919	R2920	E2921	K2922	A2923	Q2924	E2925	L2926	L2927	K2928	F2929	L2930	Q2931	M2932	N2933	Q2934	Y2935	N2936	A2936	V2937	T2938	N2939	K2940	K2941	K2942	K2943	K2944	K2945	K2946	K2947
X2950	X2951	X2952	X2953	X2954	X2955	X2956	X2957	X2958	X2959	X2960	X2961	X2962	X2963	X2964	X2965	X2966	X2967	X2968	X3001	X3013	X3016	X3022	X3023	X3027	X3028	X3029	X3037	X3038	X3039	X3040	X3041	X3044	X3045	X3046	X3047	X3048	X3049	X3050	X3053	X3056	X3057	X3060	X3061	X3062	X3063	X3134	X3135	X3136	X3137	X3138																																																																								
X3143	X3144	X3145	X3146	X3147	X3148	X3149	X3150	X3156	X3157	X3158	X3159	X3160	X3161	X3162	X3163	X3170	X3174	X3175	X3176	X3182	X3190	X3191	X3192	X3193	X3194	X3195	X3196	X3197	X3200	X3210	X3211	X3212	X3213	X3214	X3215	X3216	X3217	X3218	X3219	X3220	X3221	X3222	X3223	X3224	X3225	X3226	X3227	X3230	X3231	X3232	X3233																																																																							
X3234	X3235	X3236	X3241	X3242	X3243	X3244	X3245	X3246	X3248	X3249	X3250	X3251	X3252	X3253	X3254	X3261	X3262	X3264	X3265	X3266	X3267	X3268	X3269	X3270	X3271	X3272	X3273	X3274	X3275	X3278	X3279	X3280	X3281	X3282	X3283	X3284	X3285	X3286	X3287	X3288	X3289	X3290	X3291	X3292	X3299	X3302	X3303	X3304	X3308	X3314	X3323																																																																							
X3324	X3325	X3331	X3334	X3336	X3336	X3337	X3338	X3339	X3340	X3341	X3342	X3347	X3348	X3349	X3350	X3351	X3352	X3353	X3354	X3355	X3356	X3357	X3358	X3359	X3360	X3361	X3362	X3363	X3364	X3365	X3366	X3369	X3375	X3379	X3382	X3383	X3384	X3385	X3386	X3387	X3388	X3389	X3390	X3391	X3392	X3393	X3394	X3395	X3396	X3397	X3398	X3399																																																																						
X3400	X3401	X3402	X3403	X3404	X3405	X3409	X3410	X3411	X3412	X3413	X3414	X3429	X3430	X3431	X3432	X3433	X3434	X3443	X3451	X3465	X3466	X3467	X3468	X3511	X3512	X3513	X3514	X3516	X3519	X3524	X3525	X3526	X3529	X3530	X3531	X3532	X3533	X3534	X3535	X3536	X3537	X3538	X3539	X3540	X3542	X3543	X3544	X3547																																																																										
X3548	X3549	X3550	X3551	X3552	X3553	X3554	X3555	X3558	X3559	X3560	X3561	X3562	X3563	X3564	X3565	X3566	X3567	X3568	X3569	X3574	X3575	X3576	X3580	X3581	X3582	X3583	X3584	X3585	X3586	X3587	X3588	X3589	X3590	X3597	X3606	X3609	X3610	X3611	X3612	X3613	X3641	X3642	N3643	L3644	F3653	K3658	W3661	L3662	L3663																																																																									
T3664	E3665	D3666	H3667	S3668	F3669	R3672	H3673	D3674	D3675	D3676	A3680	G3681	E3682	Q3683	E3684	E3685	E3686	E3687	E3688	E3689	V3690	E3691	E3692	K3693	D3696	Q3700	R3707	T3711	E3712	K3713	S3714	K3715	L3716	D3717	E3718	D3719	Y3720	M3721	D3722	A3723	Y3725	I3728	H3734	L3735	E3736	E3737	G3738	G3739	E3740	N3741	GLY																																																																							
GLU	ALA	GLU	GLU	E3747	E3748	V3749	E3750	V3751	S3752	F3753	E3754	E3755	K3756	E3757	H3758	R3762	S3768	R3769	L3770	H3771	T3772	R3773	V3779	L3780	Q3781	S3784	K3787	G3788	E3789	T3790	T3798	L3805	N3806	G3807	N3809	L3817	K3821	D3822	A3823	K3824	G3827	Q3830	Q3833	L3842	D3843																																																																													
R3849	E3854	G3855	L3856	G3857	M3858	V3859	N3860	E3861	D3862	G3863	T3864	V3865	L3866	N3867	R3868	Q3869	N3870	E3871	K3872	K3873	R3874	M3875	A3876	D3877	D3878	E3879	Q3889	E3893	N3896	N3897	D3898	F3899	L3903	Q3906	T3907	T3910	T3911	T3912	L4040	L3913	L3923	L3924	R3925	S3929	Y3937	S3938	G3939	K3940	D3941																																																																									
V3942	I3943	E3944	E3945	I3946	G3947	K3948	K3949	N3950	F3951	M3955	V3961	F3962	N3963	G3971	F3972	C3973	N3976	D3987	F3992	F3996	K4002	S4007	S4008	D4009	L4010	E4011	L4012	L4019	R4020	R4021	D4022	M4023	E4032	G4033	M4034	G4038	M4039	L4040	A4041	D4046	V4049	E4050	E4056																																																																															



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	55564	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI POLARA 300	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.095	Depositor
Minimum map value	-0.043	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.005	Depositor
Recommended contour level	0.035	Depositor
Map size (\AA)	502.0, 502.0, 502.0	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.255, 1.255, 1.255	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ATP, CFF, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.31	0/834	0.52	0/1123
1	F	0.31	0/834	0.52	0/1123
1	H	0.31	0/834	0.52	0/1123
1	J	0.31	0/834	0.52	0/1123
2	B	0.29	0/25428	0.53	6/34534 (0.0%)
2	E	0.29	0/25428	0.53	6/34534 (0.0%)
2	G	0.29	0/25428	0.53	6/34534 (0.0%)
2	I	0.29	0/25428	0.53	6/34534 (0.0%)
All	All	0.29	0/105048	0.53	24/142628 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	B	0	14
2	E	0	14
2	G	0	14
2	I	0	14
All	All	0	56

There are no bond length outliers.

The worst 5 of 24 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	131	LEU	CA-CB-CG	8.17	134.09	115.30
2	E	131	LEU	CA-CB-CG	8.17	134.09	115.30
2	I	131	LEU	CA-CB-CG	8.17	134.08	115.30
2	G	131	LEU	CA-CB-CG	8.16	134.08	115.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	1600	LEU	CA-CB-CG	7.04	131.49	115.30

There are no chirality outliers.

5 of 56 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	139	GLU	Peptide
2	B	1676	LEU	Peptide
2	B	312	THR	Peptide
2	B	694	PRO	Peptide
2	B	808	TYR	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	818	0	824	10	0
1	F	818	0	824	11	0
1	H	818	0	824	11	0
1	J	818	0	824	9	0
2	B	29499	0	24741	252	0
2	E	29499	0	24741	250	0
2	G	29499	0	24741	251	0
2	I	29499	0	24741	253	0
3	B	31	0	12	1	0
3	E	31	0	12	1	0
3	G	31	0	12	1	0
3	I	31	0	12	1	0
4	B	14	0	10	1	0
4	E	14	0	10	1	0
4	G	14	0	10	1	0
4	I	14	0	10	1	0
5	B	1	0	0	0	0
5	E	1	0	0	0	0
5	G	1	0	0	0	0
5	I	1	0	0	0	0
All	All	121452	0	102348	1016	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 1016 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:2291:GLN:HB2	2:E:2295:LEU:HG	1.78	0.66
2:G:2291:GLN:HB2	2:G:2295:LEU:HG	1.78	0.66
2:I:379:HIS:HD2	2:I:382:GLY:H	1.45	0.65
2:B:1743:ARG:O	2:B:1964:ARG:NH2	2.30	0.65
2:I:2291:GLN:HB2	2:I:2295:LEU:HG	1.78	0.65

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	105/108 (97%)	94 (90%)	11 (10%)	0	100	100
1	F	105/108 (97%)	93 (89%)	12 (11%)	0	100	100
1	H	105/108 (97%)	93 (89%)	12 (11%)	0	100	100
1	J	105/108 (97%)	93 (89%)	12 (11%)	0	100	100
2	B	3235/4416 (73%)	2929 (90%)	304 (9%)	2 (0%)	51	85
2	E	3235/4416 (73%)	2931 (91%)	302 (9%)	2 (0%)	51	85
2	G	3235/4416 (73%)	2930 (91%)	303 (9%)	2 (0%)	51	85
2	I	3235/4416 (73%)	2930 (91%)	303 (9%)	2 (0%)	51	85
All	All	13360/18096 (74%)	12093 (90%)	1259 (9%)	8 (0%)	54	85

5 of 8 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	1708	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	I	1708	ARG
2	E	1708	ARG
2	G	1708	ARG
2	B	4641	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	88/89 (99%)	88 (100%)	0	100	100
1	F	88/89 (99%)	88 (100%)	0	100	100
1	H	88/89 (99%)	88 (100%)	0	100	100
1	J	88/89 (99%)	88 (100%)	0	100	100
2	B	2493/3022 (82%)	2476 (99%)	17 (1%)	84	90
2	E	2493/3022 (82%)	2476 (99%)	17 (1%)	84	90
2	G	2493/3022 (82%)	2476 (99%)	17 (1%)	84	90
2	I	2493/3022 (82%)	2476 (99%)	17 (1%)	84	90
All	All	10324/12444 (83%)	10256 (99%)	68 (1%)	84	90

5 of 68 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	G	1676	LEU
2	G	3663	LEU
2	G	4120	ASN
2	I	1964	ARG
2	I	1676	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 135 such sidechains are listed below:

Mol	Chain	Res	Type
2	G	1688	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	G	2127	GLN
2	G	4553	ASN
2	I	1679	ASN
2	I	1598	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 4 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	ATP	E	5101	-	26,33,33	0.88	1 (3%)	31,52,52	1.43	5 (16%)
3	ATP	B	5101	-	26,33,33	0.88	1 (3%)	31,52,52	1.43	5 (16%)
3	ATP	G	5101	-	26,33,33	0.88	1 (3%)	31,52,52	1.43	5 (16%)
4	CFF	G	5102	-	8,15,15	2.39	3 (37%)	8,23,23	1.32	1 (12%)
4	CFF	E	5102	-	8,15,15	2.38	3 (37%)	8,23,23	1.30	1 (12%)
3	ATP	I	5101	-	26,33,33	0.88	1 (3%)	31,52,52	1.43	5 (16%)
4	CFF	B	5102	-	8,15,15	2.38	3 (37%)	8,23,23	1.32	1 (12%)
4	CFF	I	5102	-	8,15,15	2.37	3 (37%)	8,23,23	1.31	1 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ATP	E	5101	-	-	6/18/38/38	0/3/3/3
3	ATP	B	5101	-	-	6/18/38/38	0/3/3/3
3	ATP	G	5101	-	-	6/18/38/38	0/3/3/3
4	CFF	G	5102	-	-	-	0/2/2/2
4	CFF	E	5102	-	-	-	0/2/2/2
3	ATP	I	5101	-	-	6/18/38/38	0/3/3/3
4	CFF	B	5102	-	-	-	0/2/2/2
4	CFF	I	5102	-	-	-	0/2/2/2

The worst 5 of 16 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	E	5102	CFF	C5-C4	-4.42	1.33	1.39
4	G	5102	CFF	C5-C4	-4.42	1.33	1.39
4	I	5102	CFF	C5-C4	-4.42	1.33	1.39
4	B	5102	CFF	C5-C4	-4.36	1.33	1.39
4	B	5102	CFF	C6-N1	-3.90	1.32	1.38

The worst 5 of 24 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	G	5101	ATP	PB-O3B-PG	-3.51	120.77	132.83
3	E	5101	ATP	PB-O3B-PG	-3.51	120.78	132.83
3	B	5101	ATP	PB-O3B-PG	-3.50	120.81	132.83
3	I	5101	ATP	PB-O3B-PG	-3.50	120.81	132.83
3	E	5101	ATP	C3'-C2'-C1'	3.14	105.71	100.98

There are no chirality outliers.

5 of 24 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	B	5101	ATP	C5'-O5'-PA-O1A
3	B	5101	ATP	C5'-O5'-PA-O2A
3	I	5101	ATP	C5'-O5'-PA-O1A
3	I	5101	ATP	C5'-O5'-PA-O2A
3	E	5101	ATP	C5'-O5'-PA-O1A


There are no ring outliers.


8 monomers are involved in 8 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	E	5101	ATP	1	0
3	B	5101	ATP	1	0
3	G	5101	ATP	1	0
4	G	5102	CFE	1	0
4	E	5102	CFE	1	0
3	I	5101	ATP	1	0
4	B	5102	CFE	1	0
4	I	5102	CFE	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
2	B	14
2	E	14
2	I	14
2	G	14

The worst 5 of 56 chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	B	4345:UNK	C	4540:PHE	N	74.23
1	E	4345:UNK	C	4540:PHE	N	74.23

Continued on next page...

Continued from previous page...

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	I	4345:UNK	C	4540:PHE	N	74.22
1	G	4345:UNK	C	4540:PHE	N	74.22
1	I	3613:UNK	C	3639:THR	N	43.91


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-8384. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 200




Y Index: 200




Z Index: 200


6.2.2 Raw map



X Index: 200



Y Index: 200




Z Index: 200


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 184




Y Index: 216




Z Index: 227


6.3.2 Raw map



X Index: 184



Y Index: 216




Z Index: 227

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.035. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.5 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 596 nm^3 ; this corresponds to an approximate mass of 539 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.208 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.208 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	4.80	-	-
Author-provided FSC curve	4.75	7.07	4.85
Unmasked-calculated*	7.34	9.09	7.57

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 7.34 differs from the reported value 4.8 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-8384 and PDB model 5TAT. Per-residue inclusion information can be found in section 3 on page 6.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.035 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.035).



















9.4 Atom inclusion [i](#)



At the recommended contour level, 66% of all backbone atoms, 45% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.035) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.4471	 0.2510
A	 0.4491	 0.2490
B	 0.4473	 0.2510
E	 0.4469	 0.2510
F	 0.4491	 0.2530
G	 0.4468	 0.2510
H	 0.4454	 0.2510
I	 0.4476	 0.2520
J	 0.4442	 0.2510

