



Full wwPDB EM Validation Report ⓘ

Mar 2, 2024 – 07:43 PM EST

PDB ID : 5V4S
EMDB ID : EMD-8632
Title : CryoEM Structure of a Prokaryotic Cyclic Nucleotide-Gated Ion Channel
Authors : James, Z.M.; Borst, A.J.; Haitin, Y.; Frenz, B.; DiMaio, F.; Zagotta, W.N.;
Veesler, D.
Deposited on : 2017-03-10
Resolution : 4.20 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev70
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 4.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	465	
1	B	465	
1	C	465	
1	D	465	

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 10756 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Transporter, cation channel family / cyclic nucleotide-binding domain multi-domain protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	387	2689	1748	461	474	6	0	0
1	B	387	2689	1748	461	474	6	0	0
1	C	387	2689	1748	461	474	6	0	0
1	D	387	2689	1748	461	474	6	0	0

There are 128 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-30	MET	-	expression tag	UNP I0XVQ9
A	-29	LYS	-	expression tag	UNP I0XVQ9
A	-28	HIS	-	expression tag	UNP I0XVQ9
A	-27	HIS	-	expression tag	UNP I0XVQ9
A	-26	HIS	-	expression tag	UNP I0XVQ9
A	-25	HIS	-	expression tag	UNP I0XVQ9
A	-24	HIS	-	expression tag	UNP I0XVQ9
A	-23	HIS	-	expression tag	UNP I0XVQ9
A	-22	HIS	-	expression tag	UNP I0XVQ9
A	-21	HIS	-	expression tag	UNP I0XVQ9
A	-20	PRO	-	expression tag	UNP I0XVQ9
A	-19	MET	-	expression tag	UNP I0XVQ9
A	-18	SER	-	expression tag	UNP I0XVQ9
A	-17	ASP	-	expression tag	UNP I0XVQ9
A	-16	VAL	-	expression tag	UNP I0XVQ9
A	-15	ASP	-	expression tag	UNP I0XVQ9
A	-14	ILE	-	expression tag	UNP I0XVQ9
A	-13	PRO	-	expression tag	UNP I0XVQ9
A	-12	THR	-	expression tag	UNP I0XVQ9
A	-11	THR	-	expression tag	UNP I0XVQ9
A	-10	GLU	-	expression tag	UNP I0XVQ9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-9	ASN	-	expression tag	UNP I0XVQ9
A	-8	LEU	-	expression tag	UNP I0XVQ9
A	-7	TYR	-	expression tag	UNP I0XVQ9
A	-6	PHE	-	expression tag	UNP I0XVQ9
A	-5	GLN	-	expression tag	UNP I0XVQ9
A	-4	GLY	-	expression tag	UNP I0XVQ9
A	-3	SER	-	expression tag	UNP I0XVQ9
A	-2	GLY	-	expression tag	UNP I0XVQ9
A	-1	SER	-	expression tag	UNP I0XVQ9
A	0	MET	-	expression tag	UNP I0XVQ9
A	1	GLY	-	expression tag	UNP I0XVQ9
B	-30	MET	-	expression tag	UNP I0XVQ9
B	-29	LYS	-	expression tag	UNP I0XVQ9
B	-28	HIS	-	expression tag	UNP I0XVQ9
B	-27	HIS	-	expression tag	UNP I0XVQ9
B	-26	HIS	-	expression tag	UNP I0XVQ9
B	-25	HIS	-	expression tag	UNP I0XVQ9
B	-24	HIS	-	expression tag	UNP I0XVQ9
B	-23	HIS	-	expression tag	UNP I0XVQ9
B	-22	HIS	-	expression tag	UNP I0XVQ9
B	-21	HIS	-	expression tag	UNP I0XVQ9
B	-20	PRO	-	expression tag	UNP I0XVQ9
B	-19	MET	-	expression tag	UNP I0XVQ9
B	-18	SER	-	expression tag	UNP I0XVQ9
B	-17	ASP	-	expression tag	UNP I0XVQ9
B	-16	VAL	-	expression tag	UNP I0XVQ9
B	-15	ASP	-	expression tag	UNP I0XVQ9
B	-14	ILE	-	expression tag	UNP I0XVQ9
B	-13	PRO	-	expression tag	UNP I0XVQ9
B	-12	THR	-	expression tag	UNP I0XVQ9
B	-11	THR	-	expression tag	UNP I0XVQ9
B	-10	GLU	-	expression tag	UNP I0XVQ9
B	-9	ASN	-	expression tag	UNP I0XVQ9
B	-8	LEU	-	expression tag	UNP I0XVQ9
B	-7	TYR	-	expression tag	UNP I0XVQ9
B	-6	PHE	-	expression tag	UNP I0XVQ9
B	-5	GLN	-	expression tag	UNP I0XVQ9
B	-4	GLY	-	expression tag	UNP I0XVQ9
B	-3	SER	-	expression tag	UNP I0XVQ9
B	-2	GLY	-	expression tag	UNP I0XVQ9
B	-1	SER	-	expression tag	UNP I0XVQ9
B	0	MET	-	expression tag	UNP I0XVQ9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	1	GLY	-	expression tag	UNP I0XVQ9
C	-30	MET	-	expression tag	UNP I0XVQ9
C	-29	LYS	-	expression tag	UNP I0XVQ9
C	-28	HIS	-	expression tag	UNP I0XVQ9
C	-27	HIS	-	expression tag	UNP I0XVQ9
C	-26	HIS	-	expression tag	UNP I0XVQ9
C	-25	HIS	-	expression tag	UNP I0XVQ9
C	-24	HIS	-	expression tag	UNP I0XVQ9
C	-23	HIS	-	expression tag	UNP I0XVQ9
C	-22	HIS	-	expression tag	UNP I0XVQ9
C	-21	HIS	-	expression tag	UNP I0XVQ9
C	-20	PRO	-	expression tag	UNP I0XVQ9
C	-19	MET	-	expression tag	UNP I0XVQ9
C	-18	SER	-	expression tag	UNP I0XVQ9
C	-17	ASP	-	expression tag	UNP I0XVQ9
C	-16	VAL	-	expression tag	UNP I0XVQ9
C	-15	ASP	-	expression tag	UNP I0XVQ9
C	-14	ILE	-	expression tag	UNP I0XVQ9
C	-13	PRO	-	expression tag	UNP I0XVQ9
C	-12	THR	-	expression tag	UNP I0XVQ9
C	-11	THR	-	expression tag	UNP I0XVQ9
C	-10	GLU	-	expression tag	UNP I0XVQ9
C	-9	ASN	-	expression tag	UNP I0XVQ9
C	-8	LEU	-	expression tag	UNP I0XVQ9
C	-7	TYR	-	expression tag	UNP I0XVQ9
C	-6	PHE	-	expression tag	UNP I0XVQ9
C	-5	GLN	-	expression tag	UNP I0XVQ9
C	-4	GLY	-	expression tag	UNP I0XVQ9
C	-3	SER	-	expression tag	UNP I0XVQ9
C	-2	GLY	-	expression tag	UNP I0XVQ9
C	-1	SER	-	expression tag	UNP I0XVQ9
C	0	MET	-	expression tag	UNP I0XVQ9
C	1	GLY	-	expression tag	UNP I0XVQ9
D	-30	MET	-	expression tag	UNP I0XVQ9
D	-29	LYS	-	expression tag	UNP I0XVQ9
D	-28	HIS	-	expression tag	UNP I0XVQ9
D	-27	HIS	-	expression tag	UNP I0XVQ9
D	-26	HIS	-	expression tag	UNP I0XVQ9
D	-25	HIS	-	expression tag	UNP I0XVQ9
D	-24	HIS	-	expression tag	UNP I0XVQ9
D	-23	HIS	-	expression tag	UNP I0XVQ9
D	-22	HIS	-	expression tag	UNP I0XVQ9

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-21	HIS	-	expression tag	UNP I0XVQ9
D	-20	PRO	-	expression tag	UNP I0XVQ9
D	-19	MET	-	expression tag	UNP I0XVQ9
D	-18	SER	-	expression tag	UNP I0XVQ9
D	-17	ASP	-	expression tag	UNP I0XVQ9
D	-16	VAL	-	expression tag	UNP I0XVQ9
D	-15	ASP	-	expression tag	UNP I0XVQ9
D	-14	ILE	-	expression tag	UNP I0XVQ9
D	-13	PRO	-	expression tag	UNP I0XVQ9
D	-12	THR	-	expression tag	UNP I0XVQ9
D	-11	THR	-	expression tag	UNP I0XVQ9
D	-10	GLU	-	expression tag	UNP I0XVQ9
D	-9	ASN	-	expression tag	UNP I0XVQ9
D	-8	LEU	-	expression tag	UNP I0XVQ9
D	-7	TYR	-	expression tag	UNP I0XVQ9
D	-6	PHE	-	expression tag	UNP I0XVQ9
D	-5	GLN	-	expression tag	UNP I0XVQ9
D	-4	GLY	-	expression tag	UNP I0XVQ9
D	-3	SER	-	expression tag	UNP I0XVQ9
D	-2	GLY	-	expression tag	UNP I0XVQ9
D	-1	SER	-	expression tag	UNP I0XVQ9
D	0	MET	-	expression tag	UNP I0XVQ9
D	1	GLY	-	expression tag	UNP I0XVQ9


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Transporter, cation channel family / cyclic nucleotide-binding domain multi-domain protein



- Molecule 1: Transporter, cation channel family / cyclic nucleotide-binding domain multi-domain protein



A318	D819	P320	A321	L322	V323	T324	S325	L326	V327	F328	S329	M330	K331	P332	M333	L336	E337	G338	D339	T340	I341	F342	R343	R344	G345	E346	K347	G348	D349	D350	L351	Y352	I353	L354	S355	E356	G357	S358	V359	D360	I361	L362	D363	S364	D365	E366	K367	T368	I369	L370	L371	S372	L373	Q374	E375	G376	Q377	F378
F379	G380	E381	L382	A383	L384	V385	M386	D387	A388	P389	R390	S391	A392	T393	V394	R395	A396	T397	T398	T399	C400	E401	I402	Y403	T404	L405	S406	K407	T408	D409	F410	D411	M412	V413	L414	K415	R416	F417	S418	Q419	F420	R421	S422	A423	I424	E425	E426	S427	V428	A429	H430	LEU	LYS	LYS	ARG			

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C4	Depositor
Number of particles used	18737	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	1.4	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.444	Depositor
Minimum map value	-0.259	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.009	Depositor
Recommended contour level	0.088	Depositor
Map size (Å)	316.796, 316.796, 316.796	wwPDB
Map dimensions	232, 232, 232	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.3655, 1.3655, 1.3655	Depositor

5 Model quality i

5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.61	0/2740	0.72	7/3759 (0.2%)
1	B	0.61	0/2740	0.72	7/3759 (0.2%)
1	C	0.61	0/2740	0.72	7/3759 (0.2%)
1	D	0.61	0/2740	0.72	7/3759 (0.2%)
All	All	0.61	0/10960	0.72	28/15036 (0.2%)

There are no bond length outliers.

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	96	LEU	N-CA-C	12.13	143.76	111.00
1	C	96	LEU	N-CA-C	12.13	143.76	111.00
1	D	96	LEU	N-CA-C	12.13	143.76	111.00
1	A	96	LEU	N-CA-C	12.13	143.75	111.00
1	A	97	GLU	N-CA-CB	-12.00	89.00	110.60
1	B	97	GLU	N-CA-CB	-12.00	89.00	110.60
1	C	97	GLU	N-CA-CB	-12.00	89.00	110.60
1	D	97	GLU	N-CA-CB	-12.00	89.00	110.60
1	A	423	ALA	N-CA-C	7.87	132.24	111.00
1	B	423	ALA	N-CA-C	7.86	132.23	111.00
1	C	423	ALA	N-CA-C	7.86	132.23	111.00
1	D	423	ALA	N-CA-C	7.86	132.23	111.00
1	A	424	ILE	N-CA-CB	-7.65	93.20	110.80
1	B	424	ILE	N-CA-CB	-7.65	93.20	110.80
1	C	424	ILE	N-CA-CB	-7.65	93.20	110.80
1	D	424	ILE	N-CA-CB	-7.65	93.20	110.80
1	A	30	ARG	CB-CA-C	6.56	123.53	110.40
1	B	30	ARG	CB-CA-C	6.56	123.53	110.40
1	C	30	ARG	CB-CA-C	6.56	123.53	110.40
1	D	30	ARG	CB-CA-C	6.56	123.53	110.40
1	A	424	ILE	N-CA-C	-5.50	96.17	111.00
1	B	424	ILE	N-CA-C	-5.48	96.19	111.00
1	C	424	ILE	N-CA-C	-5.48	96.19	111.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	424	ILE	N-CA-C	-5.48	96.19	111.00
1	B	31	ILE	N-CA-C	5.48	125.80	111.00
1	C	31	ILE	N-CA-C	5.48	125.80	111.00
1	D	31	ILE	N-CA-C	5.48	125.80	111.00
1	A	31	ILE	N-CA-C	5.46	125.75	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2689	0	2325	15	0
1	B	2689	0	2325	16	0
1	C	2689	0	2325	14	0
1	D	2689	0	2325	15	0
All	All	10756	0	9300	60	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (60) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:54:LEU:O	1:D:58:TRP:CD1	2.50	0.65
1:A:54:LEU:O	1:A:58:TRP:CD1	2.50	0.64
1:C:54:LEU:O	1:C:58:TRP:CD1	2.50	0.64
1:B:12:TRP:CE2	1:B:58:TRP:CD1	2.86	0.64
1:B:54:LEU:O	1:B:58:TRP:CD1	2.50	0.64
1:C:12:TRP:CE2	1:C:58:TRP:CD1	2.86	0.64
1:D:12:TRP:CE2	1:D:58:TRP:CD1	2.86	0.63
1:A:96:LEU:O	1:A:100:THR:HG23	1.99	0.63
1:C:96:LEU:O	1:C:100:THR:HG23	1.99	0.63
1:D:96:LEU:O	1:D:100:THR:HG23	1.99	0.63
1:A:12:TRP:CE2	1:A:58:TRP:CD1	2.86	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:96:LEU:O	1:B:100:THR:HG23	1.99	0.62
1:C:168:LEU:O	1:C:172:ASP:N	2.36	0.59
1:D:168:LEU:O	1:D:172:ASP:N	2.36	0.59
1:B:12:TRP:CZ2	1:B:58:TRP:CD1	2.91	0.59
1:C:12:TRP:CZ2	1:C:58:TRP:CD1	2.91	0.59
1:A:168:LEU:O	1:A:172:ASP:N	2.36	0.58
1:B:168:LEU:O	1:B:172:ASP:N	2.36	0.58
1:C:54:LEU:O	1:C:58:TRP:HD1	1.87	0.58
1:A:12:TRP:CZ2	1:A:58:TRP:CD1	2.91	0.57
1:D:12:TRP:CZ2	1:D:58:TRP:CD1	2.91	0.57
1:B:54:LEU:O	1:B:58:TRP:HD1	1.87	0.56
1:A:54:LEU:O	1:A:58:TRP:HD1	1.87	0.56
1:D:54:LEU:O	1:D:58:TRP:HD1	1.87	0.55
1:B:12:TRP:CZ2	1:B:58:TRP:NE1	2.81	0.49
1:C:12:TRP:CH2	1:C:54:LEU:HB2	2.48	0.49
1:A:12:TRP:CH2	1:A:54:LEU:HB2	2.48	0.49
1:A:12:TRP:CZ2	1:A:58:TRP:NE1	2.81	0.48
1:B:12:TRP:CH2	1:B:54:LEU:HB2	2.48	0.48
1:D:12:TRP:CZ2	1:D:58:TRP:NE1	2.81	0.48
1:C:12:TRP:CZ2	1:C:58:TRP:NE1	2.81	0.48
1:D:12:TRP:CH2	1:D:54:LEU:HB2	2.48	0.48
1:B:12:TRP:HH2	1:B:54:LEU:HB2	1.79	0.48
1:C:12:TRP:HH2	1:C:54:LEU:HB2	1.79	0.48
1:B:12:TRP:CE2	1:B:58:TRP:NE1	2.82	0.47
1:C:12:TRP:CE2	1:C:58:TRP:NE1	2.82	0.47
1:D:12:TRP:CE2	1:D:58:TRP:NE1	2.82	0.47
1:A:12:TRP:CE2	1:A:58:TRP:NE1	2.83	0.47
1:D:12:TRP:HH2	1:D:54:LEU:HB2	1.79	0.47
1:A:12:TRP:HH2	1:A:54:LEU:HB2	1.79	0.46
1:B:131:ASP:CG	1:B:135:ARG:NH1	2.73	0.42
1:C:131:ASP:CG	1:C:135:ARG:NH1	2.73	0.42
1:A:131:ASP:CG	1:A:135:ARG:NH1	2.73	0.41
1:D:54:LEU:C	1:D:58:TRP:HD1	2.23	0.41
1:D:131:ASP:CG	1:D:135:ARG:NH1	2.73	0.41
1:B:361:ILE:O	1:B:370:LEU:N	2.53	0.41
1:C:265:ILE:HG12	1:C:268:ARG:NH2	2.36	0.41
1:B:54:LEU:C	1:B:58:TRP:HD1	2.23	0.41
1:D:265:ILE:HG12	1:D:268:ARG:NH2	2.36	0.41
1:A:361:ILE:O	1:A:370:LEU:N	2.53	0.41
1:C:54:LEU:C	1:C:58:TRP:HD1	2.23	0.41
1:A:131:ASP:CG	1:A:135:ARG:HH12	2.24	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:265:ILE:HG12	1:B:268:ARG:NH2	2.36	0.41
1:D:143:THR:HA	1:D:144:PRO:HD3	1.95	0.41
1:D:361:ILE:O	1:D:370:LEU:N	2.53	0.41
1:A:54:LEU:C	1:A:58:TRP:HD1	2.23	0.40
1:B:12:TRP:CH2	1:B:54:LEU:CB	3.05	0.40
1:B:131:ASP:CG	1:B:135:ARG:HH12	2.24	0.40
1:A:265:ILE:HG12	1:A:268:ARG:NH2	2.36	0.40
1:C:361:ILE:O	1:C:370:LEU:N	2.53	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	379/465 (82%)	353 (93%)	25 (7%)	1 (0%)	41	76
1	B	379/465 (82%)	353 (93%)	25 (7%)	1 (0%)	41	76
1	C	379/465 (82%)	353 (93%)	25 (7%)	1 (0%)	41	76
1	D	379/465 (82%)	353 (93%)	25 (7%)	1 (0%)	41	76
All	All	1516/1860 (82%)	1412 (93%)	100 (7%)	4 (0%)	44	76

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	198	GLY
1	B	198	GLY
1	C	198	GLY
1	D	198	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	205/410 (50%)	205 (100%)	0	100	100
1	B	205/410 (50%)	205 (100%)	0	100	100
1	C	205/410 (50%)	205 (100%)	0	100	100
1	D	205/410 (50%)	205 (100%)	0	100	100
All	All	820/1640 (50%)	820 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-8632. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)

6.2.1 Primary map




The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 116



Y Index: 116




Z Index: 134


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.088. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 66 nm³; this corresponds to an approximate mass of 60 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.238\AA^{-1}


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-8632 and PDB model 5V4S. Per-residue inclusion information can be found in section 3 on page 7.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.088 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.088).

9.4 Atom inclusion [i](#)



At the recommended contour level, 59% of all backbone atoms, 49% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary [i](#)

The table lists the average atom inclusion at the recommended contour level (0.088) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	■ 0.4940	■ 0.2720
A	■ 0.4930	■ 0.2730
B	■ 0.4950	■ 0.2720
C	■ 0.4950	■ 0.2720
D	■ 0.4930	■ 0.2720

