



# Full wwPDB X-ray Structure Validation Report i

Aug 20, 2020 – 04:16 PM BST

PDB ID : 5WNE  
Title : X-RAY CO-STRUCTURE OF RHO-ASSOCIATED PROTEIN KINASE (ROCK1) WITH A HIGHLY SELECTIVE INHIBITOR  
Authors : Li, X.  
Deposited on : 2017-07-31  
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the i symbol.

---

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.13.1
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.13.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## X-RAY DIFFRACTION


The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3163 (2.60-2.60)
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)
RSRZ outliers	127900	3104 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 12536 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Rho-associated protein kinase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	384	Total	C	N	O	S	0	0	0
			3119	1995	514	589	21			
1	B	352	Total	C	N	O	S	0	0	0
			2885	1862	471	531	21			
1	C	384	Total	C	N	O	S	0	0	0
			3135	2011	518	584	22			
1	D	396	Total	C	N	O	S	0	0	0
			3222	2059	532	610	21			

There are 20 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1	GLY	-	expression tag	UNP Q13464
A	2	SER	-	expression tag	UNP Q13464
A	3	LEU	-	expression tag	UNP Q13464
A	4	HIS	-	expression tag	UNP Q13464
A	5	MET	-	expression tag	UNP Q13464
B	1	GLY	-	expression tag	UNP Q13464
B	2	SER	-	expression tag	UNP Q13464
B	3	LEU	-	expression tag	UNP Q13464
B	4	HIS	-	expression tag	UNP Q13464
B	5	MET	-	expression tag	UNP Q13464
C	1	GLY	-	expression tag	UNP Q13464
C	2	SER	-	expression tag	UNP Q13464
C	3	LEU	-	expression tag	UNP Q13464
C	4	HIS	-	expression tag	UNP Q13464
C	5	MET	-	expression tag	UNP Q13464
D	1	GLY	-	expression tag	UNP Q13464
D	2	SER	-	expression tag	UNP Q13464
D	3	LEU	-	expression tag	UNP Q13464
D	4	HIS	-	expression tag	UNP Q13464
D	5	MET	-	expression tag	UNP Q13464

- Molecule 2 is 3,4-dimethoxy-N-({3-[(5-methyl-4,5,6,7-tetrahydro[1,3]thiazolo[5,4-c]pyridin-2-yl)carbamoyl]phenyl}methyl)benzamide (three-letter code: B4J) (formula: C<sub>24</sub>H<sub>26</sub>N<sub>4</sub>O<sub>4</sub>S) (labeled as "Ligand of Interest" by author).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
2	A	1	33	24	4	4	1	0	0
2	B	1	33	24	4	4	1	0	0
2	C	1	33	24	4	4	1	0	0
2	D	1	33	24	4	4	1	0	0

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total    C    O 6    3    3	0	0



- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	19	Total    O 19    19	0	0
4	B	3	Total    O 3    3	0	0
4	C	8	Total    O 8    8	0	0
4	D	7	Total    O 7    7	0	0



### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Rho-associated protein kinase 1




- Molecule 1: Rho-associated protein kinase 1



- Molecule 1: Rho-associated protein kinase 1





## 4 Data and refinement statistics i

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	161.85Å    82.16Å    169.37Å 90.00°    115.05°    90.00°	Depositor
Resolution (Å)	40.00 – 2.60 44.89 – 2.60	Depositor EDS
% Data completeness (in resolution range)	99.8 (40.00-2.60) 99.8 (44.89-2.60)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) >$ <sup>1</sup>	2.07 (at 2.61Å)	Xtriage
Refinement program	BUSTER 2.11.7	Depositor
$R$ , $R_{free}$	0.228 , 0.246 0.244 , 0.262	Depositor DCC
$R_{free}$ test set	3147 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	73.0	Xtriage
Anisotropy	0.119	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 72.6	EDS
L-test for twinning <sup>2</sup>	$<  L  > = 0.51$ , $< L^2 > = 0.35$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	12536	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	114.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.42% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $< |L| >$ ,  $< L^2 >$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, B4J

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.39	0/3193	0.61	0/4316
1	B	0.38	0/2954	0.58	0/3982
1	C	0.38	0/3210	0.60	0/4334
1	D	0.39	0/3299	0.61	0/4457
All	All	0.39	0/12656	0.60	0/17089

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3119	0	3023	14	0
1	B	2885	0	2818	18	0
1	C	3135	0	3045	19	0
1	D	3222	0	3120	18	0
2	A	33	0	0	0	0
2	B	33	0	0	0	0
2	C	33	0	0	0	0
2	D	33	0	0	1	0
3	A	6	0	8	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	19	0	0	0	0
4	B	3	0	0	0	0
4	C	8	0	0	0	0
4	D	7	0	0	0	0
All	All	12536	0	12014	63	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (63) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:71:MET:H	1:D:400:TYR:HE1	1.42	0.65
1:C:6:SER:HB2	1:C:10:ARG:HG3	1.77	0.65
1:C:7:PHE:O	1:C:10:ARG:HB2	1.99	0.62
1:D:377:GLU:OE2	1:D:377:GLU:HA	2.01	0.60
1:B:297:LEU:HD22	1:B:317:LEU:HD22	1.83	0.60
1:C:30:LEU:HB3	1:D:30:LEU:HB3	1.85	0.58
1:B:278:PHE:HZ	1:B:317:LEU:HD21	1.68	0.58
1:B:335:HIS:HD2	1:B:337:PHE:H	1.54	0.56
1:B:7:PHE:HA	1:B:9:THR:N	2.21	0.56
1:A:335:HIS:HD2	1:A:337:PHE:H	1.54	0.55
1:B:129:ALA:HB2	1:B:139:LEU:HD23	1.89	0.55
1:D:335:HIS:HD2	1:D:337:PHE:H	1.53	0.54
1:C:140:PHE:O	1:C:401:SER:HB2	2.06	0.54
1:C:335:HIS:HD2	1:C:337:PHE:H	1.54	0.54
1:C:230:ARG:HG2	1:C:254:TYR:HB3	1.89	0.53
1:B:128:MET:HB3	1:B:139:LEU:HB2	1.91	0.52
1:A:344:ALA:HB3	1:A:347:THR:HG22	1.92	0.52
1:C:344:ALA:HB3	1:C:347:THR:HG22	1.92	0.51
1:B:344:ALA:HB3	1:B:347:THR:HG22	1.92	0.51
1:A:15:ASP:HB2	1:A:18:LEU:HD12	1.92	0.51
1:D:344:ALA:HB3	1:D:347:THR:HG22	1.92	0.50
1:C:27:SER:HB2	1:D:18:LEU:HD13	1.93	0.49
1:B:293:HIS:HB2	1:B:317:LEU:HD21	1.95	0.47
1:A:34:LEU:HD23	1:A:63:ILE:HD11	1.97	0.47
1:C:66:ILE:HD11	1:D:25:VAL:HG21	1.97	0.46
1:A:124:GLU:HG2	1:A:151:MET:HE1	1.98	0.46
1:C:34:LEU:HD23	1:C:63:ILE:HD11	1.97	0.45
1:D:127:ILE:O	1:D:131:ALA:HB2	2.16	0.45
1:B:7:PHE:HB3	1:B:10:ARG:HD2	1.99	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:142:ALA:HB3	1:D:399:TYR:HB3	1.99	0.44
1:B:34:LEU:HD23	1:B:63:ILE:HD11	1.99	0.44
1:A:196:HIS:HD2	1:A:198:ASP:H	1.65	0.44
1:C:245:VAL:HG22	1:C:255:TYR:CZ	2.53	0.44
1:D:261:TRP:CZ2	1:D:329:VAL:HG12	2.52	0.44
1:C:6:SER:HB3	1:C:9:THR:HB	2.00	0.43
1:B:293:HIS:HB2	1:B:317:LEU:CD2	2.48	0.43
1:C:129:ALA:HB2	1:C:139:LEU:HD23	2.01	0.43
2:D:900:B4J:S31	2:D:900:B4J:O17	2.77	0.43
1:D:84:ARG:HD3	1:D:89:GLU:HB3	1.99	0.43
1:A:305:ILE:O	1:A:309:ALA:HB3	2.19	0.43
1:B:84:ARG:HD3	1:B:89:GLU:HB3	2.00	0.42
1:C:18:LEU:HD13	1:D:27:SER:HB2	2.01	0.42
1:C:335:HIS:CD2	1:C:337:PHE:H	2.36	0.42
1:A:223:MET:HB3	1:A:227:GLY:HA2	2.02	0.42
1:A:84:ARG:HD3	1:A:89:GLU:HB3	2.00	0.42
1:A:55:PHE:HB2	1:B:392:LEU:HB3	2.02	0.42
1:A:335:HIS:CD2	1:A:337:PHE:H	2.36	0.42
1:A:38:VAL:HG21	1:A:63:ILE:HG13	2.02	0.42
1:C:84:ARG:HD3	1:C:89:GLU:HB3	2.01	0.41
1:A:66:ILE:HD11	1:B:25:VAL:HG21	2.01	0.41
1:C:38:VAL:HG21	1:C:63:ILE:HG13	2.02	0.41
1:B:335:HIS:CD2	1:B:337:PHE:H	2.36	0.41
1:D:155:TYR:O	1:D:157:PRO:HD3	2.21	0.41
1:C:393:PRO:HA	1:D:58:ARG:NH2	2.36	0.41
1:D:34:LEU:HD23	1:D:63:ILE:HD11	2.01	0.41
1:C:127:ILE:O	1:C:131:ALA:HB2	2.21	0.41
1:B:383:ILE:HA	1:B:384:PRO:HD3	1.93	0.41
1:D:129:ALA:HB2	1:D:139:LEU:HD23	2.03	0.41
1:D:335:HIS:CD2	1:D:337:PHE:H	2.36	0.40
1:A:241:ILE:HG21	1:A:246:LEU:HD13	2.02	0.40
1:B:127:ILE:O	1:B:131:ALA:HB2	2.21	0.40
1:B:7:PHE:HA	1:B:9:THR:H	1.85	0.40
1:D:219:THR:HB	1:D:235:VAL:CG1	2.51	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles (i)

### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	380/415 (92%)	359 (94%)	17 (4%)	4 (1%)	14 30
1	B	340/415 (82%)	325 (96%)	12 (4%)	3 (1%)	17 35
1	C	376/415 (91%)	357 (95%)	16 (4%)	3 (1%)	19 39
1	D	394/415 (95%)	373 (95%)	16 (4%)	5 (1%)	12 24
All	All	1490/1660 (90%)	1414 (95%)	61 (4%)	15 (1%)	15 32

All (15) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	224	ASN
1	C	60	LYS
1	D	249	GLN
1	A	60	LYS
1	A	303	ASN
1	A	304	ASP
1	B	60	LYS
1	D	60	LYS
1	D	117	ASP
1	D	374	ASP
1	A	306	SER
1	D	116	SER
1	B	117	ASP
1	C	7	PHE
1	C	253	GLY

### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	341/369 (92%)	320 (94%)	21 (6%)	18 37
1	B	316/369 (86%)	296 (94%)	20 (6%)	18 36
1	C	343/369 (93%)	317 (92%)	26 (8%)	13 26
1	D	352/369 (95%)	332 (94%)	20 (6%)	20 41
All	All	1352/1476 (92%)	1265 (94%)	87 (6%)	17 35

All (87) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	14	MET
1	A	26	ASN
1	A	34	LEU
1	A	68	ASP
1	A	91	GLN
1	A	115	ARG
1	A	117	ASP
1	A	139	LEU
1	A	209	SER
1	A	212	LEU
1	A	225	LYS
1	A	275	ASP
1	A	302	ASP
1	A	312	LEU
1	A	318	THR
1	A	320	ARG
1	A	326	ARG
1	A	336	LEU
1	A	342	GLN
1	A	372	GLU
1	A	400	TYR
1	B	5	MET
1	B	7	PHE
1	B	8	GLU
1	B	10	ARG
1	B	26	ASN
1	B	34	LEU
1	B	68	ASP
1	B	91	GLN
1	B	115	ARG
1	B	117	ASP

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	126	ASP
1	B	212	LEU
1	B	254	TYR
1	B	258	GLU
1	B	275	ASP
1	B	312	LEU
1	B	317	LEU
1	B	336	LEU
1	B	342	GLN
1	B	402	ASN
1	C	5	MET
1	C	6	SER
1	C	13	LYS
1	C	26	ASN
1	C	34	LEU
1	C	68	ASP
1	C	91	GLN
1	C	115	ARG
1	C	117	ASP
1	C	126	ASP
1	C	212	LEU
1	C	225	LYS
1	C	230	ARG
1	C	254	TYR
1	C	257	ARG
1	C	275	ASP
1	C	299	PHE
1	C	312	LEU
1	C	319	ASP
1	C	321	GLU
1	C	336	LEU
1	C	342	GLN
1	C	370	ASP
1	C	377	GLU
1	C	378	GLU
1	C	401	SER
1	D	8	GLU
1	D	13	LYS
1	D	26	ASN
1	D	34	LEU
1	D	68	ASP
1	D	91	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	115	ARG
1	D	117	ASP
1	D	212	LEU
1	D	222	LYS
1	D	225	LYS
1	D	275	ASP
1	D	283	LEU
1	D	305	ILE
1	D	312	LEU
1	D	320	ARG
1	D	327	ASN
1	D	336	LEU
1	D	342	GLN
1	D	377	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	26	ASN
1	A	196	HIS
1	A	311	ASN
1	A	335	HIS
1	B	196	HIS
1	B	311	ASN
1	B	335	HIS
1	C	311	ASN
1	C	335	HIS
1	D	26	ASN
1	D	190	HIS
1	D	196	HIS
1	D	303	ASN
1	D	311	ASN
1	D	335	HIS

### 5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [\(i\)](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
3	GOL	A	502	-	5,5,5	0.05	0	5,5,5	0.13	0
2	B4J	A	501	-	33,36,36	0.99	1 (3%)	39,50,50	2.82	6 (15%)
2	B4J	B	900	-	33,36,36	0.97	2 (6%)	39,50,50	2.97	7 (17%)
2	B4J	C	900	-	33,36,36	0.92	2 (6%)	39,50,50	2.92	7 (17%)
2	B4J	D	900	-	33,36,36	0.90	1 (3%)	39,50,50	2.82	6 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	A	502	-	-	0/4/4/4	-
2	B4J	A	501	-	-	0/19/30/30	0/4/4/4
2	B4J	B	900	-	-	4/19/30/30	0/4/4/4
2	B4J	C	900	-	-	0/19/30/30	0/4/4/4
2	B4J	D	900	-	-	0/19/30/30	0/4/4/4

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	B4J	C24-C23	-3.19	1.36	1.42
2	B	900	B4J	C24-C23	-2.96	1.36	1.42
2	D	900	B4J	C24-C23	-2.73	1.37	1.42
2	C	900	B4J	C24-C23	-2.72	1.37	1.42
2	B	900	B4J	C30-N29	2.26	1.40	1.36
2	C	900	B4J	C30-N29	2.02	1.40	1.36

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	900	B4J	C25-N26-C27	13.35	121.35	109.74
2	C	900	B4J	C25-N26-C27	13.27	121.27	109.74
2	D	900	B4J	C25-N26-C27	12.66	120.75	109.74
2	A	501	B4J	C25-N26-C27	11.65	119.86	109.74
2	A	501	B4J	C28-C27-N26	11.16	120.81	110.60
2	C	900	B4J	C28-C27-N26	10.56	120.26	110.60
2	B	900	B4J	C28-C27-N26	10.52	120.22	110.60
2	D	900	B4J	C28-C27-N26	10.25	119.97	110.60
2	B	900	B4J	O18-C1-C2	3.55	120.36	115.41
2	D	900	B4J	C19-O18-C1	3.00	122.06	117.53
2	C	900	B4J	C19-O18-C1	2.99	122.04	117.53
2	A	501	B4J	C19-O18-C1	2.85	121.83	117.53
2	A	501	B4J	O20-C2-C1	2.79	119.29	115.41
2	B	900	B4J	C21-O20-C2	2.68	121.57	117.53
2	C	900	B4J	C21-O20-C2	2.60	121.46	117.53
2	B	900	B4J	O20-C2-C1	2.60	119.03	115.41
2	D	900	B4J	O20-C2-C1	2.53	118.94	115.41
2	B	900	B4J	O18-C1-C6	-2.47	119.87	124.12
2	A	501	B4J	O18-C1-C2	2.30	118.61	115.41
2	A	501	B4J	O20-C2-C3	-2.18	120.62	124.37
2	C	900	B4J	C27-C28-C23	-2.17	108.99	113.00
2	D	900	B4J	O18-C1-C2	2.12	118.37	115.41
2	C	900	B4J	O20-C2-C1	2.11	118.35	115.41
2	B	900	B4J	C14-C16-N29	2.09	120.53	115.92
2	D	900	B4J	C21-O20-C2	2.06	120.63	117.53
2	C	900	B4J	O18-C1-C2	2.01	118.21	115.41

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	900	B4J	C2-C1-O18-C19

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
2	B	900	B4J	C6-C1-O18-C19
2	B	900	B4J	C1-C2-O20-C21
2	B	900	B4J	C3-C2-O20-C21


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	900	B4J	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data i

### 6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	384/415 (92%)	0.40	19 (4%) 29 23	54, 81, 124, 169	0
1	B	352/415 (84%)	2.20	137 (38%) 0 0	89, 154, 216, 234	0
1	C	384/415 (92%)	1.34	76 (19%) 1 0	58, 119, 218, 244	0
1	D	396/415 (95%)	0.39	19 (4%) 30 24	51, 82, 125, 151	0
All	All	1516/1660 (91%)	1.06	251 (16%) 1 1	51, 100, 208, 244	0

All (251) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	309	ALA	16.1
1	B	272	LEU	14.2
1	B	310	LYS	12.8
1	B	314	CYS	12.4
1	C	287	TYR	12.2
1	C	245	VAL	11.0
1	C	235	VAL	10.8
1	B	312	LEU	10.5
1	B	297	LEU	10.2
1	B	287	TYR	10.2
1	B	245	VAL	10.1
1	C	291	MET	9.5
1	C	299	PHE	9.3
1	C	290	ILE	9.0
1	C	288	SER	8.9
1	B	267	PHE	8.8
1	B	269	TYR	8.8
1	C	246	LEU	8.7
1	B	159	GLY	8.7
1	C	322	VAL	8.6
1	B	336	LEU	8.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	338	PHE	8.4
1	B	165	MET	8.4
1	B	204	MET	8.4
1	C	272	LEU	8.0
1	B	179	THR	7.9
1	C	338	PHE	7.7
1	B	205	LEU	7.7
1	C	236	GLY	7.5
1	B	271	MET	7.3
1	B	158	GLY	7.2
1	C	255	TYR	7.2
1	C	334	ARG	7.2
1	C	232	ASP	7.1
1	C	234	ALA	6.9
1	B	316	PHE	6.8
1	B	80	LYS	6.6
1	B	243	PRO	6.6
1	B	246	LEU	6.6
1	B	291	MET	6.6
1	C	269	TYR	6.5
1	B	173	LYS	6.4
1	C	337	PHE	6.4
1	B	290	ILE	6.2
1	B	79	VAL	6.1
1	B	82	ILE	6.1
1	C	327	ASN	6.1
1	C	253	GLY	6.0
1	C	229	VAL	6.0
1	C	230	ARG	6.0
1	C	281	ASP	5.9
1	B	175	ALA	5.8
1	B	317	LEU	5.5
1	B	203	ASN	5.5
1	B	212	LEU	5.5
1	B	164	LEU	5.5
1	B	87	PHE	5.4
1	B	273	VAL	5.4
1	B	92	LEU	5.4
1	B	342	GLN	5.3
1	B	241	ILE	5.3
1	B	170	VAL	5.2
1	B	295	ASN	5.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	292	ASN	5.1
1	C	316	PHE	5.1
1	B	277	PRO	5.1
1	B	284	VAL	5.1
1	C	323	ARG	5.1
1	C	231	CYS	5.0
1	B	311	ASN	4.9
1	B	160	ASP	4.9
1	B	172	GLU	4.9
1	C	254	TYR	4.8
1	C	170	VAL	4.7
1	D	373	GLU	4.6
1	B	368	PHE	4.6
1	B	240	TYR	4.6
1	C	233	THR	4.5
1	C	259	CYS	4.4
1	C	172	GLU	4.4
1	B	206	LEU	4.4
1	B	66	ILE	4.4
1	C	325	GLY	4.4
1	B	359	LEU	4.2
1	C	295	ASN	4.2
1	B	199	VAL	4.2
1	A	336	LEU	4.1
1	B	337	PHE	4.1
1	B	292	ASN	4.1
1	B	331	GLU	4.1
1	B	355	VAL	4.1
1	B	264	VAL	4.0
1	B	262	TRP	4.0
1	B	161	LEU	3.9
1	B	201	PRO	3.9
1	C	286	THR	3.8
1	D	400	TYR	3.8
1	D	305	ILE	3.8
1	B	168	TYR	3.8
1	B	93	VAL	3.8
1	B	362	ASP	3.8
1	C	326	ARG	3.8
1	C	321	GLU	3.7
1	B	268	LEU	3.7
1	B	157	PRO	3.7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	298	THR	3.7
1	B	148	TYR	3.7
1	D	303	ASN	3.6
1	B	278	PHE	3.6
1	C	297	LEU	3.6
1	B	341	ASP	3.6
1	B	177	PHE	3.6
1	B	340	ASN	3.6
1	B	104	MET	3.5
1	B	183	VAL	3.5
1	C	317	LEU	3.5
1	C	267	PHE	3.5
1	D	7	PHE	3.5
1	C	324	LEU	3.4
1	A	303	ASN	3.4
1	B	86	ALA	3.4
1	B	307	LYS	3.4
1	B	167	ASN	3.3
1	C	176	ARG	3.3
1	B	76	TYR	3.3
1	C	313	ILE	3.3
1	C	5	MET	3.3
1	B	69	LEU	3.3
1	B	330	GLU	3.3
1	C	164	LEU	3.2
1	B	121	PHE	3.2
1	B	254	TYR	3.2
1	D	8	GLU	3.2
1	C	161	LEU	3.2
1	B	266	VAL	3.1
1	C	252	ASP	3.1
1	B	352	VAL	3.1
1	D	371	LEU	3.1
1	B	335	HIS	3.1
1	B	265	GLY	3.0
1	C	298	THR	3.0
1	B	178	TYR	3.0
1	B	313	ILE	3.0
1	B	255	TYR	3.0
1	B	107	LEU	3.0
1	B	343	TRP	3.0
1	A	69	LEU	2.9

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	254	TYR	2.9
1	B	346	GLU	2.9
1	B	166	SER	2.9
1	B	256	GLY	2.8
1	B	365	THR	2.8
1	B	210	GLY	2.8
1	A	29	CYS	2.8
1	C	268	LEU	2.8
1	B	106	LEU	2.7
1	C	355	VAL	2.7
1	B	283	LEU	2.7
1	B	367	ASN	2.7
1	B	63	ILE	2.7
1	D	82	ILE	2.7
1	D	376	GLY	2.7
1	B	261	TRP	2.7
1	B	129	ALA	2.7
1	C	312	LEU	2.6
1	D	312	LEU	2.6
1	A	63	ILE	2.6
1	C	350	ASP	2.6
1	B	402	ASN	2.6
1	C	320	ARG	2.6
1	B	364	ASP	2.6
1	B	315	ALA	2.6
1	A	33	GLY	2.6
1	C	63	ILE	2.6
1	B	89	GLU	2.6
1	B	14	MET	2.6
1	B	7	PHE	2.5
1	B	60	LYS	2.5
1	A	19	ARG	2.5
1	B	332	ILE	2.5
1	B	174	TRP	2.5
1	C	271	MET	2.5
1	A	61	ASP	2.5
1	D	272	LEU	2.5
1	C	273	VAL	2.5
1	C	307	LYS	2.4
1	D	336	LEU	2.4
1	B	117	ASP	2.4
1	B	90	VAL	2.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	91	GLN	2.4
1	C	370	ASP	2.4
1	C	228	MET	2.4
1	A	25	VAL	2.4
1	B	94	ARG	2.4
1	C	336	LEU	2.3
1	C	363	ILE	2.3
1	C	400	TYR	2.3
1	B	384	PRO	2.3
1	B	308	GLU	2.3
1	B	8	GLU	2.3
1	B	155	TYR	2.3
1	D	375	LYS	2.3
1	C	258	GLU	2.3
1	A	66	ILE	2.3
1	B	133	SER	2.3
1	C	345	TRP	2.2
1	B	276	THR	2.2
1	A	34	LEU	2.2
1	A	62	THR	2.2
1	B	78	VAL	2.2
1	C	262	TRP	2.2
1	A	60	LYS	2.2
1	B	105	LYS	2.2
1	B	280	ALA	2.2
1	C	278	PHE	2.2
1	B	345	TRP	2.2
1	B	358	ASP	2.2
1	B	150	TYR	2.2
1	C	195	ILE	2.2
1	B	354	PRO	2.2
1	A	55	PHE	2.2
1	B	348	LEU	2.1
1	C	227	GLY	2.1
1	B	353	ALA	2.1
1	C	175	ALA	2.1
1	A	52	ILE	2.1
1	D	14	MET	2.1
1	C	308	GLU	2.1
1	B	349	ARG	2.1
1	C	183	VAL	2.1
1	B	9	THR	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	16	ASN	2.1
1	D	11	PHE	2.1
1	A	281	ASP	2.1
1	C	348	LEU	2.1
1	B	102	TYR	2.1
1	C	300	PRO	2.1
1	B	339	LYS	2.1
1	A	334	ARG	2.1
1	B	149	LEU	2.1
1	C	314	CYS	2.0
1	B	186	LEU	2.0
1	C	199	VAL	2.0
1	C	293	HIS	2.0
1	D	25	VAL	2.0
1	B	197	ARG	2.0
1	D	377	GLU	2.0
1	B	360	SER	2.0
1	B	130	PHE	2.0
1	A	17	LEU	2.0
1	D	283	LEU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	GOL	A	502	6/6	0.73	0.20	133,134,134,134	0
2	B4J	B	900	33/33	0.91	0.29	133,141,149,157	0
2	B4J	C	900	33/33	0.94	0.19	87,91,95,96	0


*Continued on next page...*


*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	B4J	A	501	33/33	0.95	0.19	67,70,78,81	0
2	B4J	D	900	33/33	0.97	0.18	57,59,61,63	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.