



Full wwPDB EM Validation Report ⓘ

Mar 4, 2024 – 07:30 PM EST

PDB ID : 6DZI
EMDB ID : EMD-8932
Title : Cryo-EM Structure of Mycobacterium smegmatis 70S C(minus) ribosome 70S-MPY complex
Authors : Sharma, M.R.; Li, Y.; Korripella, R.; Yang, Y.; Kaushal, P.S.; Lin, Q.; Wade, J.T.; Gray, A.G.; Derbyshire, K.M.; Agrawal, R.K.; Ojha, A.
Deposited on : 2018-07-05
Resolution : 3.46 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev70
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.46 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	h	1511	
2	j	32	
3	k	208	
4	l	200	
5	m	180	
6	n	96	
7	p	155	
8	q	131	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	4	126	 97%
10	s	99	 100%
11	t	115	 99%
12	u	122	 98%
13	v	116	 100%
14	x	88	 99%
15	z	113	 100%
16	5	94	 97%
17	6	82	 5% 100%
18	7	85	 95% 5%
19	8	228	 34% 83% 13%
20	r	84	 17% 100%
21	Y	103	 30% 100%
22	9	100	 100%
23	A	3119	 69% 29%
24	B	118	 79% 20%
25	C	275	 98%
26	D	214	 98%
27	E	209	 99%
28	F	182	 98%
29	G	176	 99%
30	H	151	 33% 99%
31	I	126	 17% 99%
32	J	133	 5% 98%
33	K	146	100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	L	122	100%
35	M	145	98%
36	N	136	99%
37	O	118	100%
38	P	126	98%
39	Q	113	96%
40	R	124	100%
41	S	100	99%
42	T	114	97%
43	U	97	100%
44	V	105	91% 8%
45	W	192	99%
46	X	79	97%
47	Z	64	98%
48	a	59	100%
49	b	54	94% 6%
50	c	53	19% 79% 19%
51	d	46	98%
52	e	63	100%
53	f	37	100%
54	g	82	82% 10% 9%
55	y	77	83% 14%
56	3	23	100%

2 Entry composition [i](#)

There are 56 unique types of molecules in this entry. The entry contains 150868 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
1	h	1511	32439	14448	5930	10550	1511	0	0

- Molecule 2 is a protein called CONSERVED PROTEIN DOMAIN.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	j	32	280	172	71	36	1	0	0

- Molecule 3 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	k	208	1660	1036	322	298	4	0	0

- Molecule 4 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	l	200	1641	1028	316	295	2	0	0

- Molecule 5 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	m	180	1296	812	245	235	4	0	0

- Molecule 6 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	n	96	771	486	138	145	2	0	0

- Molecule 7 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	p	155	1232	768	241	221	2	0	0

- Molecule 8 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	q	131	1010	633	189	187	1	0	0

- Molecule 9 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
9	4	126	994	630	194	170	0	0

- Molecule 10 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	s	99	788	495	146	144	3	0	0

- Molecule 11 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	t	115	855	528	170	156	1	0	0

- Molecule 12 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	u	122	958	594	197	165	2	0	0

- Molecule 13 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	v	116	935	572	191	169	3	0	0

- Molecule 14 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms				AltConf	Trace
14	x	88	Total	C	N	O	0	0
			720	449	147	124		

- Molecule 15 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms				AltConf	Trace
15	z	113	Total	C	N	O	0	0
			891	570	162	159		

- Molecule 16 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	5	94	Total	C	N	O	S	0	0
			748	469	142	135	2		

- Molecule 17 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	6	82	Total	C	N	O	S	0	0
			662	425	124	112	1		

- Molecule 18 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms				AltConf	Trace
18	7	85	Total	C	N	O	0	0
			660	402	139	119		

- Molecule 19 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	8	228	Total	C	N	O	S	0	0
			1793	1132	322	330	9		

- Molecule 20 is a protein called 30S ribosomal protein S18 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	r	84	Total	C	N	O	S	0	0
			659	408	131	116	4		

- Molecule 21 is a protein called Ribosome hibernation promoting factor.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	Y	103	Total	C	N	O	S	0	0
			861	529	175	155	2		

- Molecule 22 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	9	100	Total	C	N	O	S	0	0
			819	497	183	138	1		

- Molecule 23 is a RNA chain called 23 S rRNA (3119-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
23	A	3119	Total	C	N	O	P	0	0
			66981	29854	12313	21695	3119		

- Molecule 24 is a RNA chain called 5S RNA (118-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
24	B	118	Total	C	N	O	P	0	0
			2522	1126	468	810	118		

- Molecule 25 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	C	275	Total	C	N	O	S	0	0
			2110	1298	438	370	4		

- Molecule 26 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	D	214	Total	C	N	O	S	0	0
			1587	982	310	290	5		

- Molecule 27 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	E	209	Total	C	N	O	S	0	0
			1569	969	295	303	2		

- Molecule 28 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
28	F	182	1445	907	271	261	6	0	0

- Molecule 29 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
29	G	176	1348	845	249	253	1	0	0

- Molecule 30 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
30	H	151	1119	695	209	214	1	0	0

- Molecule 31 is a protein called 50S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	I	126	918	580	156	180	2	0	0

- Molecule 32 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
32	J	133	990	625	175	187	3	0	0

- Molecule 33 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
33	K	146	1130	722	207	200	1	0	0

- Molecule 34 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
34	L	122	938	586	179	170	3	0	0

- Molecule 35 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	M	145	Total	C	N	O	S	0	0
			1078	676	205	194	3		

- Molecule 36 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	N	136	Total	C	N	O	S	0	0
			1092	690	213	187	2		

- Molecule 37 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	O	118	Total	C	N	O	S	0	0
			928	583	180	163	2		

- Molecule 38 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				AltConf	Trace
38	P	126	Total	C	N	O	0	0
			956	586	199	171		

- Molecule 39 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	Q	113	Total	C	N	O	S	0	0
			907	570	171	165	1		

- Molecule 40 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms				AltConf	Trace
40	R	124	Total	C	N	O	0	0
			988	613	203	172		

- Molecule 41 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms				AltConf	Trace
41	S	100	Total	C	N	O	0	0
			754	478	137	139		

- Molecule 42 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms				AltConf	Trace
42	T	114	Total	C	N	O	0	0
			873	543	171	159		

- Molecule 43 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms				AltConf	Trace
43	U	97	Total	C	N	O	0	0
			756	479	138	139		

- Molecule 44 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	V	97	Total	C	N	O	S	0	0
			732	456	137	137	2		

- Molecule 45 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms				AltConf	Trace
45	W	192	Total	C	N	O	0	0
			1428	881	255	292		

- Molecule 46 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms				AltConf	Trace
46	X	79	Total	C	N	O	0	0
			586	361	123	102		

- Molecule 47 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	Z	64	Total	C	N	O	S	0	0
			531	324	103	103	1		

- Molecule 48 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms				AltConf	Trace
48	a	59	Total	C	N	O	0	0
			474	292	95	87		

- Molecule 49 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	b	54	Total	C	N	O	S	0	0
			423	260	93	69	1		

- Molecule 50 is a protein called 50S ribosomal protein L33 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	c	53	Total	C	N	O	S	0	0
			456	281	97	78			

- Molecule 51 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	d	46	Total	C	N	O	S	0	0
			377	225	97	54	1		

- Molecule 52 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	e	63	Total	C	N	O	S	0	0
			502	302	115	85			

- Molecule 53 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	f	37	Total	C	N	O	S	0	0
			299	181	66	47	5		

- Molecule 54 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	g	75	Total	C	N	O	S	0	0
			593	379	103	110	1		

- Molecule 55 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	y	77	Total	C	N	O	S	0	0
			617	377	132	106	2		


- Molecule 56 is a protein called Uncharacterized protein.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
56	3	23	189	111	50	28	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 16S rRNA







- Molecule 2: CONSERVED PROTEIN DOMAIN




- Molecule 3: 30S ribosomal protein S3



- Molecule 4: 30S ribosomal protein S4



- Molecule 5: 30S ribosomal protein S5



- Molecule 6: 30S ribosomal protein S6



- Molecule 7: 30S ribosomal protein S7





- Molecule 8: 30S ribosomal protein S8

Chain q: 98%



- Molecule 9: 30S ribosomal protein S9

Chain 4: 97%



- Molecule 10: 30S ribosomal protein S10

Chain s: 100%

There are no outlier residues recorded for this chain.

- Molecule 11: 30S ribosomal protein S11

Chain t: 99%




- Molecule 12: 30S ribosomal protein S12

Chain u: 98%




- Molecule 13: 30S ribosomal protein S13

Chain v: 100%




- Molecule 14: 30S ribosomal protein S15

Chain x: 99%




- Molecule 15: 30S ribosomal protein S16



- Molecule 16: 30S ribosomal protein S17





- Molecule 17: 30S ribosomal protein S19




- Molecule 18: 30S ribosomal protein S20




- Molecule 19: 30S ribosomal protein S2




- Molecule 20: 30S ribosomal protein S18 1




• Molecule 21: Ribosome hibernation promoting factor




• Molecule 22: 30S ribosomal protein S14



• Molecule 23: 23 S rRNA (3119-MER)



A492	G2367	G2373	G2374	G2375	G2380	G2385	G2386	G2387	G2388	G2389	G2390	G2391	G2392	G2393	G2394	G2395	G2396	G2397	G2398	G2399	G2400	G2401	G2402	G2403	G2407	G2408	G2411	G2412	G2413	G2419	G2420	G2421	G2434	G2435	G2436	G2437	G2449	G2450	G2454	G2627	G2639	G2643	G2647	G2648	G2649												
C2274	U2167	U2168	G2276	U2033	U2036	C2043	A2046	C2047	C2048	C2049	C2050	U2051	A2064	A2065	G2066	U2086	C2087	C2088	C2089	U2090	U2091	U2092	C2093	G2094	G2095	G2096	A2106	G2107	U2112	A2124	G2130	A2136	A2137	C2138	U2139	A2140	U2141	A2152	G2153	G2154	U2155	A2161	A2162	U2163	U2164	C2165	C2166										
G1558	G1559	U1560	A1561	C1562	A1563	A1564	A1565	A1566	A1567	C1568	A1569	C1570	C1571	G1572	A1573	G1574	A1575	A1576	C1577	G1578	C1579	A1580	A1581	C1582	U1583	U1584	U1585	G1586	G1587	G1588	G1589	G1590	U1591	G1592	U1593	G1594	G1595	C1596	G1597	U1598	U1599	G1600	G1601	G1602	G1603	G1604	G1605	G1606	C1607	U1608	G1609	A1610	A1611	A1616	C1617	U1623	U1624
C1001	C1002	C1003	C1004	C1005	G1006	G1007	G1008	A1011	C1012	G1013	G1014	A1015	C1022	A1025	A1026	U1028	C1029	C1030	U1034	G1035	C1046	A1047	A1048	G1049	A1058	A1062	G1063	U1075	A1076	A1077	G1078	C1081	C1082	G1083	U1084	G1085	C1089	G1090	A1091	G1092	A1101	G1102	C1103	C1104	G1114												
A1119	G1120	G1121	C1122	C1123	C1124	C1125	G1130	G1131	G1140	U1141	G1142	A1144	U1151	G1152	U1153	G1157	A1164	G1165	C1171	A1172	G1173	U1178	U1179	G1180	U1184	A1185	G1186	A1187	A1188	G1189	C1190	A1191	G1192	U1200	G1201	A1202	A1203	A1204	G1205	G1207	U1208	G1209	U1212	A1213	A1214	U1215											
A1216	U1219	U1223	G1224	G1225	U1226	G1230	U1234	U1235	G1238	G1240	A1244	U1245	U1246	A1251	G1252	C1253	C1260	A1261	A1267	G1270	C1271	G1272	G1273	G1276	C1277	C1290	A1415	A1416	U1292	G1293	U1294	C1298	G1302	U1303	C1311	U1320	U1326	G1332	G1339																		
G1343	A1344	G1345	A1352	C1353	G1359	A1362	G1365	U1370	G1371	A1376	A1377	U1378	G1379	A1380	G1384	C1385	G1386	A1387	U1388	U1389	C1393	C1404	C1408	C1409	C1410	G1413	G1414	A1415	A1416	C1421	U1428	C1429	C1435	C1436	A1437	C1440	C1441	U1444	C1445	G1456	A1457	G1458															
G1462	C1465	C1466	C1472	G1473	A1480	C1481	G1486	G1492	A1499	A1500	C1501	G1507	A1508	U1509	A1510	U1511	U1512	C1513	A1518	G1522	U1523	G1524	U1525	U1529	G1530	C1531	C1534	C1535	A1536	U1537	G1538	A1539	U1540	U1544	C1545	A1546	G1547	U1550	U1551	A1552	C1553	U1554	A1555	A1556	C1557												
G1625	G1626	U1627	A1628	G1629	U1630	A1631	G1632	G1637	A1638	G1639	A1640	A1648	C1649	G1650	G1658	G1674	A1679	A1680	U1681	G1688	A1696	A1821	C1822	C1823	C1824	C1825	C1830	A1834	C1835	C1843	A1852	C1856	U1857	U1878	A1879	A1865	C1866	G1871	A1872	A1873	C1874	G1878	C1888	U1889	C1752	C1753											
G1754	A1755	G1756	U1757	G1760	U1767	C1775	A1778	A1787	C1788	A1789	A1790	A1791	A1792	G1793	C1801	A1802	A1803	C1813	U1820	A1821	C1822	C1823	C1824	C1825	C1830	A1834	C1835	C1843	A1852	C1856	U1857	U1878	A1879	A1865	C1866	G1871	A1872	A1873	C1874	G1878	C1888	U1889	C1752	C1753													
G1891	G1892	C1893	A1894	A1895	C1901	C1902	C1909	C1912	A1916	G1917	A1918	G1921	A1925	A1931	U1946	U1947	A1948	C1949	G1950	U1968	C1971	A1972	A1973	A1974	A1975	A1979	G1980	U1981	A1990	C1991	U1992	C1998	A2003	A2004	C2005	A2008	G2016	C2017	G2018	C2023	C2024	C1752	C2025														
A2026	A2027	U2033	A2036	C2043	A2046	C2047	C2048	C2049	C2050	U2051	A2064	A2065	G2066	U2086	C2087	C2088	C2089	U2090	U2091	U2092	C2093	G2094	G2095	G2096	A2106	G2107	U2112	A2124	G2130	A2136	A2137	C2138	U2139	A2140	U2141	A2152	G2153	G2154	U2155	A2161	A2162	U2163	U2164	C2165	C2166												
U2167	U2168	G2169	U2033	U2036	C2043	A2046	C2047	C2048	C2049	C2050	U2051	A2064	A2065	G2066	U2086	C2087	C2088	C2089	U2090	U2091	U2092	C2093	G2094	G2095	G2096	A2106	G2107	U2112	A2124	G2130	A2136	A2137	C2138	U2139	A2140	U2141	A2152	G2153	G2154	U2155	A2161	A2162	U2163	U2164	C2165	C2166											
G2274	U2167	U2168	G2276	U2033	U2036	C2043	A2046	C2047	C2048	C2049	C2050	U2051	A2064	A2065	G2066	U2086	C2087	C2088	C2089	U2090	U2091	U2092	C2093	G2094	G2095	G2096	A2106	G2107	U2112	A2124	G2130	A2136	A2137	C2138	U2139	A2140	U2141	A2152	G2153	G2154	U2155	A2161	A2162	U2163	U2164	C2165	C2166										
G2274	U2167	U2168	G2276	U2033	U2036	C2043	A2046	C2047	C2048	C2049	C2050	U2051	A2064	A2065	G2066	U2086	C2087	C2088	C2089	U2090	U2091	U2092	C2093	G2094	G2095	G2096	A2106	G2107	U2112	A2124	G2130	A2136	A2137	C2138	U2139	A2140	U2141	A2152	G2153	G2154	U2155	A2161	A2162	U2163	U2164	C2165	C2166										
G2274	U2167	U2168	G2276	U2033	U2036	C2043	A2046	C2047	C2048	C2049	C2050	U2051	A2064	A2065	G2066	U2086	C2087	C2088	C2089	U2090	U2091	U2092	C2093	G2094	G2095	G2096	A2106	G2107	U2112	A2124	G2130	A2136	A2137	C2138	U2139	A2140	U2141	A2152	G2153	G2154	U2155	A2161	A2162	U2163	U2164	C2165	C2166										
G2274	U2167	U2168	G2276	U2033	U2036	C2043	A2046	C2047	C2048	C2049	C2050	U2051	A2064	A2065	G2066	U2086	C2087	C2088	C2089	U2090	U2091	U2092	C2093	G2094	G2095	G2096	A2106	G2107	U2112	A2124	G2130	A2136	A2137	C2138	U2139	A2140	U2141	A2152	G2153	G2154	U2155	A2161	A2162	U2163	U2164	C2165	C2166										
G2274	U2167	U2168	G2276	U2033	U2036	C2043	A2046	C2047	C2048	C2049	C2050	U2051	A2064	A2065	G2066	U2086	C2087	C2088	C2089	U2090	U2091	U2092	C2093	G2094	G2095	G2096	A2106	G2107	U2112	A2124	G2130	A2136	A2137	C2138	U2139	A2140	U2141	A2152	G2153	G2154	U2155	A2161	A2162	U2163	U2164	C2165	C2166										
G2274	U2167	U2168	G2276	U2033	U2036	C2043	A2046	C2047	C2048	C2049	C2050	U2051	A2064	A2065	G2066	U2086	C2087	C2088	C2089	U2090	U2091	U2092	C2093	G2094	G2095	G2096	A2106	G2107	U2112	A2124	G2130	A2136	A2137	C2138	U2139	A2140	U2141	A2152	G2153	G2154	U2155	A2161	A2162	U2163	U2164	C2165	C2166										
G2274	U2167	U2168	G2276	U2033	U2036	C2043	A2046	C2047	C2048	C2049	C2050	U2051	A2064	A2065	G2066	U2086	C2087	C2088	C2089	U2090	U2091	U2092	C2093	G2094	G2095	G2096	A2106	G2107	U2112	A2124	G2130	A2136	A2137	C2138	U2139	A2140	U2141	A2152	G2153	G2154	U2155	A2161	A2162	U2163	U2164	C2165	C2166										
G2274	U2167	U2168	G2276	U2033	U2036	C2043	A2046	C2047	C2048	C2049	C2050	U2051	A2064	A2065	G2066	U2086	C2087	C2088	C2089	U2090	U2091	U2092	C2093	G2094	G2095	G2096	A2106	G2107	U2112	A2124	G2130	A2136	A2137	C2138	U2139	A2140	U2141	A2152	G2153	G2154	U2155	A2161	A2162	U2163	U2164	C2165	C2166										
G2274	U2167	U2168	G2276	U2033	U2036	C2043	A2046	C2047	C2048	C2049	C2050	U2051	A2064	A2065	G2066	U2086	C2087	C2088	C2089	U2090	U2091	U2092	C2093	G2094	G2095	G2096	A2106	G2107	U2112	A2124	G2130	A2136	A2137	C2138	U2139	A2140	U2141	A2152	G2153	G2154	U2155	A2161	A2162	U2163	U2164	C2165	C2166										
G2274	U2167	U2168	G2276	U2033	U2036	C2043	A2046	C2047	C2048	C2049	C2050	U2051	A2064	A2065	G2066	U2086	C2087	C2088	C2089	U2090	U2091	U2092	C2093	G2094	G2095	G2096	A2106	G2107	U2112	A2124	G2130	A2136	A2137	C2138	U2139	A2140	U2141	A2152	G2153	G2154	U2155	A2161	A2162	U2163	U2164	C2165	C2166										
G2274	U2167	U2168	G2276	U2033	U2036	C2043	A2046	C2047	C2048	C2049	C2050	U2051	A2064	A2065	G2066	U2086	C2087	C2088	C2089	U2090	U2091	U2092	C2093	G2094	G2095	G2096	A2106	G2107	U2112	A2124	G2130	A2136	A2137	C2138	U2139	A2140	U2141	A2152	G2153	G2154	U2155	A2161	A2162	U2163	U2164	C2165	C2166										
G2274	U2167	U2168	G2276	U2033	U2036	C2043	A2046	C2047	C2048	C2049	C2050	U2051	A2064	A2065	G2066	U2086	C2087	C2088	C2089	U2090	U2091	U2092	C2093	G2094	G2095	G2096	A2106	G2107	U2112	A2124	G2130	A2136	A2137	C2138	U2139	A2140	U2141	A2152	G2153	G2154	U2155	A2161	A2162	U2163	U2164	C2165	C2166										
G2274	U2167	U2168	G2276	U2033	U2036	C2043	A2046	C2047	C2048	C2049	C2050	U2051	A2064	A2065	G2066	U2086	C2087	C2088	C2089	U2090	U2091	U2092	C2093	G2094	G2095	G2096	A2106	G2107	U2112	A2124	G2130	A2136	A2137	C2138	U2139	A2140	U2141	A2152	G2153	G2154	U2155	A2161	A2162	U2163	U2164	C2165	C2166										
G2274	U2167	U2168	G2276	U2033	U2036	C2043	A2046	C2047	C2048	C2049	C2050	U2051	A2064	A2065	G2066	U2086	C2087	C2088	C2089	U2090	U2091	U2092	C2093	G2094	G2095	G2096	A2106	G2107	U2112	A2124	G2130	A2136	A2137	C2138	U2139	A2140	U2141	A2152	G2153	G2154	U2155	A2161	A2162	U2163	U2164	C2165	C2166										
G2274	U2167	U2168	G2276	U2033	U2036	C2043	A2046	C2047	C2048	C2049	C2050	U2051	A2064	A2065	G2066	U2086	C2087	C2088	C2089	U2090	U2091	U2092	C2093	G2094	G2095	G2096	A2106	G2107	U2112	A2124	G2130	A2136	A2137	C2138																							



- Molecule 24: 5S RNA (118-MER)

Chain B: 79% 20%



- Molecule 25: 50S ribosomal protein L2

Chain C: 98%



- Molecule 26: 50S ribosomal protein L3

Chain D: 98%



- Molecule 27: 50S ribosomal protein L4

Chain E: 99%



- Molecule 28: 50S ribosomal protein L5

Chain F: 98%




- Molecule 29: 50S ribosomal protein L6

Chain G:  99%




- Molecule 30: 50S ribosomal protein L9

Chain H:  33% 99%



- Molecule 31: 50S ribosomal protein L10

Chain I:  17% 99%



- Molecule 32: 50S ribosomal protein L11

Chain J:  5% 98%



- Molecule 33: 50S ribosomal protein L13

Chain K:  100%

There are no outlier residues recorded for this chain.

- Molecule 34: 50S ribosomal protein L14

Chain L:  100%

There are no outlier residues recorded for this chain.

- Molecule 35: 50S ribosomal protein L15

Chain M:  98%



- Molecule 36: 50S ribosomal protein L16

Chain N:  99% ..



- Molecule 37: 50S ribosomal protein L17

Chain O:  100%

There are no outlier residues recorded for this chain.


- Molecule 38: 50S ribosomal protein L18

Chain P:  98% .



- Molecule 39: 50S ribosomal protein L19

Chain Q:  96% ..



- Molecule 40: 50S ribosomal protein L20

Chain R:  100%

There are no outlier residues recorded for this chain.

- Molecule 41: 50S ribosomal protein L21

Chain S:  99% .




- Molecule 42: 50S ribosomal protein L22

Chain T:  97% .





- Molecule 43: 50S ribosomal protein L23

Chain U:  100%



- Molecule 44: 50S ribosomal protein L24



- Molecule 45: 50S ribosomal protein L25



- Molecule 46: 50S ribosomal protein L27



- Molecule 47: 50S ribosomal protein L29



- Molecule 48: 50S ribosomal protein L30





There are no outlier residues recorded for this chain.

- Molecule 49: 50S ribosomal protein L32




- Molecule 50: 50S ribosomal protein L33 2





- Molecule 51: 50S ribosomal protein L34



- Molecule 52: 50S ribosomal protein L35





There are no outlier residues recorded for this chain.

- Molecule 53: 50S ribosomal protein L36





There are no outlier residues recorded for this chain.

- Molecule 54: 50S ribosomal protein L31



- Molecule 55: 50S ribosomal protein L28



- Molecule 56: Uncharacterized protein



There are no outlier residues recorded for this chain.

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C2	Depositor
Number of particles used	66840	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	67.10	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.313	Depositor
Minimum map value	-0.175	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.009	Depositor
Recommended contour level	0.02	Depositor
Map size (Å)	485.78003, 485.78003, 485.78003	wwPDB
Map dimensions	454, 454, 454	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.07, 1.07, 1.07	Depositor

5 Model quality i

5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	h	0.75	0/36309	1.06	78/56657 (0.1%)
2	j	0.54	0/280	0.87	0/359
3	k	0.37	0/1684	0.62	0/2261
4	l	0.38	0/1672	0.65	0/2251
5	m	0.42	0/1312	0.63	0/1772
6	n	0.44	0/782	0.61	0/1059
7	p	0.35	0/1252	0.67	0/1690
8	q	0.44	0/1025	0.65	1/1385 (0.1%)
9	4	0.34	0/1012	0.66	0/1362
10	s	0.35	0/802	0.62	0/1086
11	t	0.42	0/873	0.65	0/1180
12	u	0.47	0/969	0.79	2/1294 (0.2%)
13	v	0.35	0/942	0.72	0/1260
14	x	0.47	0/729	0.73	0/977
15	z	0.41	0/908	0.65	0/1226
16	5	0.42	0/759	0.69	0/1016
17	6	0.37	0/680	0.62	0/915
18	7	0.44	0/663	0.65	0/882
19	8	0.46	0/1822	1.21	28/2457 (1.1%)
20	r	0.41	0/665	0.72	0/889
21	Y	0.36	0/875	0.67	0/1169
22	9	0.36	0/830	0.65	0/1106
23	A	1.26	88/75001 (0.1%)	1.23	313/117027 (0.3%)
24	B	0.99	0/2821	1.12	5/4396 (0.1%)
25	C	0.76	1/2153 (0.0%)	0.77	4/2895 (0.1%)
26	D	0.80	0/1609	0.79	1/2165 (0.0%)
27	E	0.66	0/1592	0.67	1/2153 (0.0%)
28	F	0.49	0/1467	0.67	0/1973
29	G	0.53	0/1369	0.70	1/1848 (0.1%)
30	H	0.42	0/1129	0.75	0/1524
31	I	0.34	0/925	0.58	0/1246
32	J	0.34	0/1006	0.62	0/1364
33	K	0.71	0/1157	0.65	0/1567
34	L	0.80	0/946	0.74	0/1268

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
35	M	0.70	0/1091	0.76	1/1457 (0.1%)
36	N	0.70	0/1118	0.75	2/1506 (0.1%)
37	O	0.75	0/945	0.73	0/1267
38	P	0.60	0/966	0.74	1/1298 (0.1%)
39	Q	0.80	1/921 (0.1%)	0.73	1/1236 (0.1%)
40	R	0.86	0/1000	0.75	0/1341
41	S	0.69	0/764	0.63	0/1030
42	T	0.76	0/887	0.76	0/1204
43	U	0.68	0/766	0.64	0/1030
44	V	0.55	0/738	0.63	0/987
45	W	0.52	0/1443	0.64	0/1970
46	X	0.80	0/595	0.73	0/798
47	Z	0.60	0/534	0.74	1/713 (0.1%)
48	a	0.70	0/477	0.69	0/640
49	b	0.67	0/427	0.79	1/572 (0.2%)
50	c	0.50	0/463	0.88	1/621 (0.2%)
51	d	0.84	0/380	0.99	2/500 (0.4%)
52	e	0.69	0/507	0.75	0/672
53	f	0.85	0/303	0.71	0/401
54	g	0.42	0/613	0.76	2/835 (0.2%)
55	y	0.53	0/629	0.82	1/843 (0.1%)
56	3	0.72	0/191	0.79	0/247
All	All	0.98	90/163778 (0.1%)	1.07	447/244847 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
4	l	0	1
19	8	0	10
26	D	0	1
32	J	0	1
45	W	0	1
All	All	0	14

All (90) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
39	Q	50	GLN	CA-CB	-8.43	1.35	1.53
23	A	1081	C	N1-C6	-6.45	1.33	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
23	A	2841	C	N1-C6	-6.26	1.33	1.37
23	A	901	C	N1-C6	-6.19	1.33	1.37
23	A	202	C	N1-C6	-6.10	1.33	1.37
23	A	2008	A	N9-C4	-6.04	1.34	1.37
23	A	1376	C	N1-C6	-6.04	1.33	1.37
23	A	1822	C	N1-C6	-6.03	1.33	1.37
23	A	1125	C	N1-C6	-5.97	1.33	1.37
23	A	2223	C	N1-C6	-5.96	1.33	1.37
23	A	2905	C	N1-C6	-5.88	1.33	1.37
23	A	902	C	N1-C6	-5.84	1.33	1.37
23	A	1888	C	C4-C5	-5.80	1.38	1.43
23	A	2915	C	C4-C5	-5.78	1.38	1.43
23	A	1027	C	N1-C6	-5.77	1.33	1.37
23	A	847	C	C4-C5	-5.76	1.38	1.43
23	A	678	A	N7-C5	-5.76	1.35	1.39
23	A	2005	C	C4-C5	-5.72	1.38	1.43
23	A	2667	C	N1-C6	-5.70	1.33	1.37
23	A	197	C	C4-C5	-5.69	1.38	1.43
23	A	2233	G	N9-C8	-5.68	1.33	1.37
23	A	2923	C	N1-C6	-5.68	1.33	1.37
23	A	2830	C	N1-C6	-5.68	1.33	1.37
23	A	799	G	N9-C4	-5.65	1.33	1.38
23	A	793	C	C4-C5	-5.65	1.38	1.43
23	A	2248	C	C4-C5	-5.64	1.38	1.43
23	A	2916	C	N1-C6	-5.62	1.33	1.37
23	A	813	C	N1-C6	-5.60	1.33	1.37
23	A	1413	C	C4-C5	-5.58	1.38	1.43
23	A	848	G	C6-N1	-5.56	1.35	1.39
23	A	2224	C	N1-C6	-5.54	1.33	1.37
23	A	906	C	C4-C5	-5.51	1.38	1.43
23	A	2766	A	C6-N6	-5.50	1.29	1.33
23	A	949	C	N1-C6	-5.47	1.33	1.37
23	A	1866	C	N1-C6	-5.46	1.33	1.37
23	A	678	A	N9-C8	-5.43	1.33	1.37
23	A	675	G	N9-C8	-5.41	1.34	1.37
23	A	1856	C	C4-C5	-5.40	1.38	1.43
23	A	2870	C	C4-C5	-5.40	1.38	1.43
23	A	725	A	N9-C4	-5.38	1.34	1.37
23	A	852	C	C4-C5	-5.38	1.38	1.43
23	A	1874	C	C4-C5	-5.38	1.38	1.43
23	A	2235	C	C4-C5	-5.37	1.38	1.43
23	A	2218	C	C4-C5	-5.30	1.38	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
23	A	2274	C	C4-C5	-5.27	1.38	1.43
23	A	939	C	C4-C5	-5.26	1.38	1.43
23	A	2043	C	N1-C6	-5.23	1.34	1.37
23	A	2220	C	N1-C6	-5.22	1.34	1.37
23	A	1311	C	C4-C5	-5.22	1.38	1.43
23	A	847	C	N1-C6	-5.21	1.34	1.37
23	A	1441	C	C4-C5	-5.21	1.38	1.43
23	A	2049	C	N1-C6	-5.20	1.34	1.37
23	A	788	C	N1-C6	-5.20	1.34	1.37
23	A	1277	C	C4-C5	-5.20	1.38	1.43
23	A	2230	C	C4-C5	-5.18	1.38	1.43
23	A	879	A	C6-N6	-5.18	1.29	1.33
23	A	924	G	N9-C8	-5.18	1.34	1.37
23	A	1466	C	N1-C6	-5.18	1.34	1.37
23	A	2948	C	N1-C6	-5.17	1.34	1.37
25	C	34	VAL	C-N	-5.16	1.22	1.34
23	A	807	C	C4-C5	-5.16	1.38	1.43
23	A	2295	C	N1-C6	-5.16	1.34	1.37
23	A	2260	C	C4-C5	-5.15	1.38	1.43
23	A	2274	C	N3-C4	-5.14	1.30	1.33
23	A	2218	C	N1-C6	-5.14	1.34	1.37
23	A	2234	G	N9-C8	-5.13	1.34	1.37
23	A	678	A	C5-C6	-5.12	1.36	1.41
23	A	932	C	C4-C5	-5.11	1.38	1.43
23	A	939	C	N1-C6	-5.10	1.34	1.37
23	A	2739	C	N1-C6	-5.10	1.34	1.37
23	A	2915	C	N1-C6	-5.09	1.34	1.37
23	A	1445	C	N1-C6	-5.09	1.34	1.37
23	A	1124	C	N1-C6	-5.09	1.34	1.37
23	A	2289	C	C4-C5	-5.08	1.38	1.43
23	A	1272	C	N1-C6	-5.08	1.34	1.37
23	A	1413	C	N1-C6	-5.07	1.34	1.37
23	A	657	C	N1-C6	-5.07	1.34	1.37
23	A	1104	C	N1-C6	-5.07	1.34	1.37
23	A	672	C	C4-C5	-5.07	1.38	1.43
23	A	1124	C	C4-C5	-5.07	1.38	1.43
23	A	806	C	N1-C6	-5.06	1.34	1.37
23	A	2848	C	C4-C5	-5.05	1.39	1.43
23	A	2004	A	N7-C5	-5.04	1.36	1.39
23	A	2253	A	N9-C4	-5.03	1.34	1.37
23	A	1429	C	C4-C5	-5.02	1.39	1.43
23	A	2830	C	C4-C5	-5.02	1.39	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
23	A	807	C	N1-C6	-5.02	1.34	1.37
23	A	1856	C	N1-C6	-5.01	1.34	1.37
23	A	2004	A	C5-C6	-5.01	1.36	1.41
23	A	2816	G	N9-C8	-5.01	1.34	1.37

All (447) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
19	8	213	LEU	CA-CB-CG	14.81	149.37	115.30
1	h	1081	A	O4'-C1'-N9	11.00	117.00	108.20
23	A	2509	C	O4'-C1'-N1	10.71	116.77	108.20
23	A	1012	C	C2-N1-C1'	10.54	130.39	118.80
23	A	2245	C	C2-N1-C1'	10.28	130.10	118.80
19	8	213	LEU	CB-CG-CD2	9.79	127.64	111.00
23	A	1012	C	N1-C2-O2	9.62	124.67	118.90
23	A	2245	C	N1-C2-O2	9.13	124.38	118.90
19	8	187	LEU	C-N-CA	9.07	144.38	121.70
23	A	2025	C	C6-N1-C2	-9.04	116.68	120.30
23	A	2274	C	N1-C2-O2	8.99	124.30	118.90
23	A	2025	C	N3-C2-O2	-8.61	115.88	121.90
23	A	2025	C	N1-C2-O2	8.20	123.82	118.90
19	8	18	HIS	C-N-CA	7.96	141.60	121.70
23	A	2245	C	C6-N1-C1'	-7.88	111.34	120.80
23	A	1441	C	C5-C4-N4	-7.85	114.70	120.20
24	B	87	U	N3-C2-O2	-7.75	116.78	122.20
1	h	85	C	N1-C2-O2	7.72	123.53	118.90
23	A	2468	U	N3-C4-O4	7.66	124.76	119.40
23	A	197	C	C6-N1-C2	-7.65	117.24	120.30
23	A	2491	A	N1-C6-N6	-7.63	114.02	118.60
23	A	1012	C	N3-C2-O2	-7.61	116.57	121.90
23	A	848	G	N1-C2-N2	-7.58	109.38	116.20
23	A	2511	A	O4'-C1'-N9	7.57	114.25	108.20
23	A	1012	C	C6-N1-C1'	-7.53	111.77	120.80
23	A	1421	C	C5-C4-N4	-7.52	114.94	120.20
23	A	336	C	N3-C2-O2	-7.52	116.64	121.90
23	A	2521	C	C6-N1-C2	-7.47	117.31	120.30
23	A	2248	C	N1-C2-O2	7.43	123.36	118.90
1	h	841	U	C5'-C4'-O4'	7.41	117.99	109.10
23	A	1888	C	C5-C4-N4	-7.39	115.02	120.20
23	A	3045	C	C5-C4-N4	-7.38	115.03	120.20
23	A	1747	C	N3-C2-O2	-7.36	116.75	121.90
1	h	544	C	C6-N1-C2	-7.33	117.37	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
19	8	212	LEU	CA-CB-CG	7.32	132.13	115.30
23	A	962	U	C2-N1-C1'	7.31	126.47	117.70
1	h	85	C	C2-N1-C1'	7.30	126.83	118.80
23	A	2944	U	C5-C4-O4	-7.29	121.53	125.90
19	8	92	VAL	CG1-CB-CG2	7.25	122.51	110.90
23	A	1992	U	C5-C4-O4	-7.24	121.56	125.90
23	A	2245	C	N3-C2-O2	-7.23	116.84	121.90
23	A	597	C	C5-C4-N4	-7.21	115.15	120.20
23	A	2185	C	C5-C4-N4	-7.19	115.16	120.20
1	h	1139	C	C2-N1-C1'	7.19	126.71	118.80
23	A	318	U	C2-N1-C1'	7.18	126.31	117.70
23	A	1429	C	C6-N1-C2	-7.14	117.44	120.30
23	A	318	U	N1-C2-O2	7.14	127.80	122.80
1	h	415	C	N1-C2-O2	7.13	123.18	118.90
23	A	2730	U	C2-N1-C1'	7.09	126.21	117.70
23	A	932	C	C5-C4-N4	-7.08	115.24	120.20
23	A	2509	C	C6-N1-C2	-7.08	117.47	120.30
23	A	1277	C	C5-C4-N4	-7.06	115.26	120.20
23	A	726	A	C5-C6-N6	-7.05	118.06	123.70
23	A	652	C	C5-C4-N4	-7.03	115.28	120.20
19	8	183	VAL	CG1-CB-CG2	7.01	122.12	110.90
23	A	2944	U	N3-C4-O4	7.01	124.31	119.40
23	A	2900	C	N1-C2-O2	6.97	123.08	118.90
23	A	336	C	N1-C2-O2	6.94	123.06	118.90
1	h	560	C	C5-C4-N4	-6.94	115.34	120.20
19	8	178	LYS	C-N-CA	6.93	139.03	121.70
1	h	1326	C	N3-C2-O2	-6.88	117.09	121.90
19	8	3	VAL	CG1-CB-CG2	6.83	121.82	110.90
23	A	2766	A	C5-C6-N6	-6.82	118.24	123.70
1	h	415	C	N3-C2-O2	-6.82	117.13	121.90
1	h	1383	C	C2-N1-C1'	6.82	126.30	118.80
19	8	50	ILE	CG1-CB-CG2	6.82	126.39	111.40
23	A	879	A	C5-C6-N1	6.81	121.10	117.70
1	h	1299	C	C2-N1-C1'	6.80	126.28	118.80
1	h	1383	C	N1-C2-O2	6.77	122.96	118.90
23	A	673	C	N1-C2-O2	6.77	122.96	118.90
23	A	2519	C	C5-C4-N4	-6.77	115.46	120.20
23	A	1513	C	C5-C4-N4	-6.73	115.49	120.20
23	A	197	C	C5-C6-N1	6.71	124.36	121.00
23	A	318	U	N3-C2-O2	-6.69	117.52	122.20
23	A	557	G	C2-N3-C4	-6.69	108.56	111.90
1	h	1012	U	C2-N1-C1'	6.68	125.72	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	h	1299	C	N1-C2-O2	6.67	122.90	118.90
23	A	2905	C	C5-C4-N4	-6.65	115.54	120.20
23	A	2468	U	C5-C4-O4	-6.63	121.92	125.90
23	A	1843	C	C5-C4-N4	-6.60	115.58	120.20
19	8	195	VAL	CG1-CB-CG2	6.60	121.46	110.90
19	8	80	ILE	CG1-CB-CG2	6.58	125.88	111.40
19	8	181	ILE	CG1-CB-CG2	6.58	125.88	111.40
39	Q	93	ARG	C-N-CA	6.58	138.14	121.70
23	A	2825	C	C5-C4-N4	-6.57	115.60	120.20
23	A	1030	C	C5-C4-N4	-6.57	115.60	120.20
23	A	2870	C	C5-C4-N4	-6.56	115.61	120.20
23	A	1893	C	C5-C4-N4	-6.53	115.63	120.20
23	A	3046	C	C2-N1-C1'	6.52	125.97	118.80
1	h	842	A	C5'-C4'-O4'	6.50	116.90	109.10
23	A	939	C	C5-C4-N4	-6.47	115.67	120.20
23	A	1272	C	N1-C2-O2	6.47	122.78	118.90
23	A	2223	C	C5-C4-N4	-6.46	115.68	120.20
1	h	734	C	C2-N1-C1'	6.45	125.90	118.80
23	A	2676	C	C5-C4-N4	-6.44	115.69	120.20
23	A	597	C	N3-C4-N4	6.43	122.50	118.00
23	A	1562	C	C6-N1-C2	-6.42	117.73	120.30
38	P	24	ARG	NE-CZ-NH1	6.42	123.51	120.30
23	A	2287	C	C5-C4-N4	-6.40	115.72	120.20
23	A	2288	C	C5-C4-N4	-6.40	115.72	120.20
23	A	1473	G	C2-N3-C4	-6.38	108.71	111.90
23	A	197	C	N1-C2-O2	6.37	122.72	118.90
24	B	87	U	N1-C2-O2	6.37	127.26	122.80
1	h	1299	C	C6-N1-C2	-6.36	117.76	120.30
23	A	2830	C	C5-C4-N4	-6.36	115.75	120.20
23	A	804	A	C5-C6-N1	6.34	120.87	117.70
1	h	1012	U	N1-C2-O2	6.34	127.24	122.80
1	h	1299	C	N3-C2-O2	-6.34	117.47	121.90
23	A	1429	C	C2-N1-C1'	6.33	125.76	118.80
19	8	217	ILE	CG1-CB-CG2	6.33	125.31	111.40
23	A	481	C	N1-C2-O2	6.32	122.69	118.90
1	h	85	C	N3-C2-O2	-6.31	117.48	121.90
1	h	415	C	C6-N1-C2	-6.30	117.78	120.30
19	8	200	ILE	CG1-CB-CG2	6.30	125.26	111.40
23	A	1012	C	C6-N1-C2	-6.30	117.78	120.30
23	A	2915	C	C5-C4-N4	-6.28	115.81	120.20
25	C	221	VAL	C-N-CA	6.28	137.39	121.70
23	A	197	C	N3-C4-N4	6.25	122.38	118.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
23	A	1458	G	C4-N9-C1'	6.25	134.63	126.50
1	h	791	C	C5-C4-N4	-6.23	115.84	120.20
23	A	2775	C	N1-C2-O2	6.22	122.63	118.90
1	h	1080	C	C2'-C3'-O3'	6.18	123.59	113.70
23	A	1298	C	N1-C2-O2	6.17	122.61	118.90
54	g	4	GLY	N-CA-C	-6.17	97.68	113.10
23	A	1311	C	C5-C4-N4	-6.16	115.89	120.20
23	A	1874	C	C5-C4-N4	-6.13	115.91	120.20
23	A	29	C	N1-C2-O2	6.11	122.57	118.90
1	h	1081	A	N9-C1'-C2'	6.11	121.94	114.00
1	h	544	C	N1-C2-O2	6.10	122.56	118.90
23	A	1458	G	C8-N9-C1'	-6.10	119.08	127.00
19	8	67	VAL	CG1-CB-CG2	6.09	120.65	110.90
19	8	70	VAL	CG1-CB-CG2	6.09	120.64	110.90
19	8	4	VAL	CG1-CB-CG2	6.07	120.62	110.90
23	A	1992	U	N3-C4-O4	6.07	123.65	119.40
23	A	1428	U	C2-N1-C1'	6.07	124.98	117.70
23	A	853	C	N1-C2-O2	6.06	122.54	118.90
23	A	2870	C	N3-C4-N4	6.06	122.24	118.00
23	A	804	A	C5-C6-N6	-6.05	118.86	123.70
1	h	1012	U	N3-C2-O2	-6.03	117.98	122.20
19	8	187	LEU	CB-CG-CD2	6.02	121.24	111.00
23	A	793	C	N1-C2-O2	6.02	122.51	118.90
23	A	799	G	C2-N3-C4	-6.01	108.89	111.90
23	A	599	G	O4'-C1'-N9	5.99	112.99	108.20
1	h	544	C	C2-N1-C1'	5.98	125.38	118.80
23	A	1234	U	C6-N1-C2	-5.98	117.41	121.00
23	A	848	G	C4-N9-C1'	5.97	134.26	126.50
23	A	2003	A	C5'-C4'-O4'	5.97	116.27	109.10
23	A	1747	C	N1-C2-O2	5.97	122.48	118.90
1	h	1406	G	C4-N9-C1'	5.97	134.26	126.50
23	A	933	G	N1-C2-N2	-5.96	110.83	116.20
1	h	328	U	N1-C2-O2	5.96	126.97	122.80
23	A	1856	C	C5-C4-N4	-5.96	116.03	120.20
23	A	2725	C	N1-C2-O2	5.96	122.48	118.90
23	A	2005	C	C5-C4-N4	-5.96	116.03	120.20
23	A	3074	C	C5-C4-N4	-5.96	116.03	120.20
1	h	1083	C	C5'-C4'-O4'	5.95	116.25	109.10
19	8	100	MET	C-N-CA	5.95	136.57	121.70
23	A	2869	C	C2-N1-C1'	5.95	125.34	118.80
23	A	2870	C	C5-C6-N1	5.95	123.97	121.00
24	B	87	U	C6-N1-C2	-5.95	117.43	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
23	A	2004	A	N1-C6-N6	5.94	122.17	118.60
23	A	2556	C	N1-C2-O2	5.94	122.46	118.90
23	A	1492	G	C2-N3-C4	-5.93	108.94	111.90
23	A	2023	C	N1-C2-O2	5.92	122.45	118.90
23	A	2262	C	N1-C2-O2	5.91	122.45	118.90
23	A	556	G	C6-C5-N7	-5.91	126.86	130.40
23	A	1122	C	N1-C2-O2	5.90	122.44	118.90
23	A	1788	G	C8-N9-C1'	5.89	134.65	127.00
1	h	614	C	N3-C2-O2	-5.88	117.78	121.90
23	A	1384	G	C6-C5-N7	-5.88	126.87	130.40
23	A	1843	C	N3-C4-N4	5.88	122.11	118.00
23	A	2235	C	C5-C4-N4	-5.87	116.09	120.20
23	A	2925	C	N1-C2-O2	5.85	122.41	118.90
1	h	544	C	N3-C2-O2	-5.85	117.80	121.90
23	A	848	G	C6-C5-N7	-5.85	126.89	130.40
23	A	174	G	C5-C6-O6	-5.84	125.09	128.60
23	A	848	G	N3-C2-N2	5.83	123.98	119.90
1	h	1482	U	P-O3'-C3'	5.83	126.69	119.70
51	d	9	GLN	N-CA-C	-5.82	95.29	111.00
23	A	390	G	N1-C2-N2	-5.81	110.97	116.20
23	A	1124	C	C5-C4-N4	-5.80	116.14	120.20
1	h	895	A	P-O3'-C3'	5.80	126.66	119.70
1	h	1395	C	C5-C4-N4	-5.80	116.14	120.20
23	A	799	G	N3-C4-C5	5.80	131.50	128.60
1	h	942	U	C2-N1-C1'	5.80	124.66	117.70
23	A	556	G	C4-C5-N7	5.80	113.12	110.80
23	A	2749	G	N3-C4-N9	-5.79	122.53	126.00
23	A	2047	C	N3-C4-N4	5.79	122.05	118.00
23	A	2734	C	C5-C4-N4	-5.79	116.15	120.20
23	A	812	C	C5-C4-N4	-5.78	116.15	120.20
23	A	2874	C	C5-C4-N4	-5.78	116.16	120.20
23	A	851	C	N1-C2-O2	5.76	122.35	118.90
23	A	1234	U	N3-C2-O2	-5.75	118.17	122.20
23	A	1571	C	N1-C2-O2	-5.75	115.45	118.90
23	A	912	C	N1-C2-O2	5.75	122.35	118.90
23	A	1298	C	C2-N1-C1'	5.74	125.11	118.80
19	8	159	SER	C-N-CA	5.74	136.04	121.70
23	A	2749	G	N3-C4-C5	5.72	131.46	128.60
1	h	614	C	N1-C2-O2	5.71	122.33	118.90
23	A	1788	G	C4-N9-C1'	-5.71	119.08	126.50
23	A	2047	C	C5-C4-N4	-5.70	116.21	120.20
23	A	197	C	C2-N1-C1'	5.69	125.06	118.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	h	328	U	N3-C2-O2	-5.68	118.22	122.20
23	A	1092	G	O4'-C1'-N9	5.67	112.74	108.20
23	A	2818	C	N1-C2-O2	5.67	122.30	118.90
23	A	2841	C	C5-C4-N4	-5.67	116.23	120.20
23	A	2004	A	C5-C6-N6	-5.67	119.16	123.70
23	A	848	G	C2-N3-C4	-5.67	109.06	111.90
23	A	386	C	C5-C4-N4	-5.66	116.24	120.20
23	A	1260	C	C2-N1-C1'	5.66	125.03	118.80
23	A	2181	C	C5-C4-N4	-5.66	116.24	120.20
23	A	2274	C	N3-C2-O2	-5.66	117.94	121.90
23	A	2723	C	C5-C4-N4	-5.65	116.24	120.20
1	h	1406	G	C8-N9-C1'	-5.65	119.65	127.00
23	A	1409	C	N3-C4-N4	5.63	121.94	118.00
23	A	1302	G	N1-C6-O6	5.62	123.27	119.90
23	A	1089	C	N1-C2-O2	5.61	122.26	118.90
23	A	472	C	C6-N1-C2	-5.60	118.06	120.30
23	A	2508	C	N1-C2-O2	5.60	122.26	118.90
23	A	2766	A	C5-C6-N1	5.59	120.50	117.70
1	h	749	G	N1-C2-N2	-5.59	111.17	116.20
23	A	1968	U	C5-C4-O4	-5.58	122.55	125.90
23	A	1830	C	C5-C4-N4	-5.57	116.30	120.20
1	h	422	C	P-O3'-C3'	5.57	126.38	119.70
23	A	932	C	N1-C2-O2	5.57	122.24	118.90
23	A	2626	U	C2-N1-C1'	5.57	124.38	117.70
23	A	2725	C	N3-C2-O2	-5.56	118.01	121.90
23	A	2218	C	C5-C4-N4	-5.56	116.31	120.20
23	A	1119	A	N1-C6-N6	-5.54	115.27	118.60
23	A	2230	C	C5-C4-N4	-5.54	116.32	120.20
23	A	852	C	C5-C4-N4	-5.53	116.33	120.20
23	A	657	C	C5-C4-N4	-5.53	116.33	120.20
25	C	213	ARG	NE-CZ-NH1	5.53	123.06	120.30
23	A	848	G	C8-N9-C1'	-5.52	119.82	127.00
23	A	1472	C	N1-C2-O2	5.52	122.21	118.90
23	A	1486	G	C2-N3-C4	-5.52	109.14	111.90
23	A	2198	C	C5-C4-N4	-5.52	116.34	120.20
1	h	623	C	N3-C2-O2	-5.52	118.04	121.90
23	A	898	A	C4-N9-C1'	5.52	136.23	126.30
1	h	439	U	C6-N1-C2	-5.50	117.70	121.00
23	A	726	A	N1-C6-N6	5.50	121.90	118.60
1	h	1494	C	N1-C2-O2	5.50	122.20	118.90
23	A	336	C	C6-N1-C2	-5.49	118.10	120.30
1	h	749	G	N3-C2-N2	5.48	123.74	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
23	A	1120	G	C4-C5-N7	5.47	112.99	110.80
23	A	1273	G	C2-N3-C4	-5.47	109.16	111.90
1	h	1243	U	N3-C2-O2	-5.46	118.38	122.20
1	h	925	C	N1-C2-O2	5.46	122.18	118.90
23	A	2419	C	C6-N1-C2	-5.46	118.11	120.30
23	A	2004	A	C4-C5-N7	5.46	113.43	110.70
23	A	3046	C	N3-C2-O2	-5.46	118.08	121.90
1	h	885	G	C4-N9-C1'	5.45	133.59	126.50
1	h	942	U	N3-C2-O2	-5.45	118.38	122.20
23	A	472	C	C2-N1-C1'	5.45	124.79	118.80
23	A	2004	A	N9-C4-C5	-5.45	103.62	105.80
23	A	2124	A	N1-C6-N6	5.45	121.87	118.60
23	A	2610	C	N1-C2-O2	5.45	122.17	118.90
23	A	2848	C	C5-C4-N4	-5.44	116.39	120.20
1	h	1383	C	N3-C2-O2	-5.44	118.09	121.90
23	A	1384	G	N7-C8-N9	5.44	115.82	113.10
23	A	2005	C	N3-C4-N4	5.44	121.81	118.00
1	h	1152	C	C6-N1-C2	-5.44	118.12	120.30
1	h	1395	C	N3-C4-N4	5.43	121.80	118.00
23	A	1104	C	N1-C2-O2	5.43	122.16	118.90
23	A	501	C	C5-C4-N4	-5.43	116.40	120.20
23	A	2290	C	N1-C2-O2	5.42	122.16	118.90
23	A	546	G	O4'-C1'-N9	5.42	112.54	108.20
23	A	467	C	C5-C4-N4	-5.42	116.41	120.20
23	A	2260	C	N3-C4-N4	5.42	121.79	118.00
23	A	2249	G	N7-C8-N9	5.42	115.81	113.10
23	A	3045	C	N3-C4-N4	5.42	121.79	118.00
23	A	2605	C	C5-C4-N4	-5.41	116.41	120.20
23	A	2185	C	N3-C4-N4	5.41	121.79	118.00
23	A	974	G	P-O3'-C3'	5.41	126.19	119.70
23	A	1311	C	N3-C4-N4	5.41	121.79	118.00
23	A	2184	A	N9-C4-C5	-5.41	103.64	105.80
29	G	65	LEU	CA-CB-CG	5.41	127.74	115.30
1	h	558	C	C5-C4-N4	-5.41	116.42	120.20
23	A	191	G	C4-N9-C1'	5.41	133.53	126.50
1	h	791	C	N3-C4-N4	5.40	121.78	118.00
19	8	8	GLN	CA-CB-CG	5.40	125.29	113.40
23	A	1123	C	C6-N1-C2	-5.40	118.14	120.30
23	A	2296	C	N1-C2-O2	5.40	122.14	118.90
1	h	1237	C	N3-C2-O2	-5.40	118.12	121.90
1	h	1117	U	P-O3'-C3'	5.40	126.18	119.70
55	y	29	ASP	C-N-CD	5.40	139.73	128.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
23	A	726	A	C4-C5-N7	5.39	113.40	110.70
23	A	860	G	N1-C2-N2	-5.39	111.35	116.20
23	A	1303	U	C5-C4-O4	-5.39	122.66	125.90
23	A	1413	C	C2-N1-C1'	5.39	124.73	118.80
19	8	207	ILE	CG1-CB-CG2	5.39	123.25	111.40
23	A	726	A	N9-C4-C5	-5.39	103.64	105.80
23	A	2419	C	C2-N1-C1'	5.39	124.73	118.80
1	h	828	G	C6-C5-N7	-5.38	127.17	130.40
25	C	222	ARG	NE-CZ-NH1	5.38	122.99	120.30
23	A	851	C	C5-C4-N4	-5.38	116.43	120.20
23	A	1901	C	C5-C4-N4	-5.38	116.43	120.20
23	A	2203	C	N1-C2-O2	5.38	122.13	118.90
23	A	1035	G	C2-N3-C4	-5.37	109.22	111.90
1	h	415	C	C2-N1-C1'	5.36	124.70	118.80
23	A	2249	G	C6-C5-N7	-5.36	127.19	130.40
47	Z	51	ARG	NE-CZ-NH1	5.35	122.97	120.30
1	h	942	U	N1-C2-O2	5.35	126.54	122.80
1	h	975	G	C8-N9-C1'	-5.34	120.05	127.00
23	A	2016	G	C2-N3-C4	-5.34	109.23	111.90
23	A	1561	C	C6-N1-C2	-5.34	118.17	120.30
23	A	1902	C	C5-C4-N4	-5.33	116.47	120.20
23	A	1823	C	N1-C2-O2	5.33	122.10	118.90
1	h	85	C	C6-N1-C1'	-5.33	114.41	120.80
23	A	799	G	N3-C4-N9	-5.33	122.80	126.00
23	A	2521	C	C2-N1-C1'	5.33	124.66	118.80
23	A	2339	G	O4'-C1'-N9	-5.32	103.94	108.20
23	A	2561	G	N1-C6-O6	5.32	123.09	119.90
23	A	896	A	C5'-C4'-O4'	5.32	115.48	109.10
23	A	1012	C	C5-C6-N1	5.32	123.66	121.00
23	A	534	G	C2-N3-C4	-5.31	109.24	111.90
23	A	1436	C	C6-N1-C2	-5.31	118.17	120.30
12	u	7	LEU	CB-CG-CD2	5.31	120.02	111.00
23	A	1027	C	N1-C2-O2	5.31	122.08	118.90
23	A	1638	C	C5-C4-N4	-5.30	116.49	120.20
51	d	9	GLN	C-N-CD	5.29	139.52	128.40
23	A	43	C	C5-C4-N4	-5.29	116.50	120.20
23	A	1030	C	N3-C4-N4	5.29	121.70	118.00
23	A	1509	U	O4'-C1'-N1	-5.29	103.97	108.20
1	h	788	C	N3-C2-O2	-5.28	118.20	121.90
23	A	1413	C	N1-C2-O2	5.28	122.07	118.90
23	A	2230	C	C6-N1-C2	-5.27	118.19	120.30
19	8	228	ARG	N-CA-C	5.27	125.23	111.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
23	A	1298	C	N3-C2-O2	-5.26	118.22	121.90
23	A	1775	C	N1-C2-O2	5.26	122.05	118.90
23	A	2169	G	C5-C6-O6	-5.25	125.45	128.60
19	8	87	VAL	CG1-CB-CG2	5.25	119.29	110.90
23	A	617	U	C2-N1-C1'	5.24	123.98	117.70
23	A	2398	C	N1-C2-O2	-5.24	115.76	118.90
23	A	2510	A	N1-C6-N6	5.24	121.74	118.60
23	A	390	G	N3-C2-N2	5.23	123.56	119.90
23	A	2818	C	C5-C4-N4	-5.23	116.54	120.20
23	A	667	A	C5-C6-N1	5.22	120.31	117.70
23	A	1378	U	C5-C4-O4	-5.22	122.77	125.90
23	A	1788	G	N3-C4-N9	-5.22	122.87	126.00
23	A	81	A	C5'-C4'-O4'	5.22	115.36	109.10
23	A	1409	C	C6-N1-C2	-5.22	118.21	120.30
23	A	939	C	N3-C4-N4	5.21	121.65	118.00
23	A	436	C	N3-C2-O2	-5.21	118.25	121.90
23	A	2730	U	N3-C2-O2	-5.20	118.56	122.20
23	A	2248	C	C2-N1-C1'	5.20	124.52	118.80
23	A	1022	C	N1-C2-O2	5.20	122.02	118.90
23	A	1276	G	C4-N9-C1'	5.20	133.26	126.50
23	A	2841	C	N3-C4-N4	5.20	121.64	118.00
23	A	631	C	N1-C2-O2	5.20	122.02	118.90
23	A	1082	C	C5-C4-N4	-5.20	116.56	120.20
23	A	2900	C	N3-C2-O2	-5.20	118.26	121.90
1	h	886	C	C5-C4-N4	-5.19	116.56	120.20
1	h	419	C	N1-C2-O2	-5.19	115.79	118.90
23	A	1874	C	N3-C4-N4	5.19	121.63	118.00
23	A	202	C	C5-C4-N4	-5.19	116.57	120.20
1	h	1326	C	N1-C2-O2	5.18	122.01	118.90
23	A	617	U	N1-C2-O2	5.18	126.43	122.80
23	A	1251	A	O4'-C1'-N9	5.18	112.35	108.20
23	A	2249	G	C4-C5-N7	5.18	112.87	110.80
23	A	2005	C	C5'-C4'-O4'	5.18	115.32	109.10
23	A	2260	C	C5-C6-N1	5.18	123.59	121.00
23	A	2574	C	C5-C4-N4	-5.18	116.57	120.20
23	A	1458	G	C6-C5-N7	-5.18	127.29	130.40
23	A	1570	C	C6-N1-C2	-5.18	118.23	120.30
36	N	45	ARG	NE-CZ-NH1	5.17	122.89	120.30
1	h	975	G	C4-N9-C1'	5.17	133.22	126.50
23	A	974	G	C8-N9-C4	-5.17	104.33	106.40
23	A	357	U	P-O3'-C3'	5.17	125.90	119.70
23	A	2843	C	C5-C4-N4	-5.17	116.58	120.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
23	A	1022	C	N3-C2-O2	-5.16	118.29	121.90
1	h	385	C	N1-C2-O2	5.16	122.00	118.90
19	8	214	THR	OG1-CB-CG2	5.16	121.86	110.00
23	A	97	U	P-O3'-C3'	5.16	125.89	119.70
23	A	2775	C	C2-N1-C1'	5.16	124.47	118.80
23	A	734	C	C5-C4-N4	-5.16	116.59	120.20
23	A	1393	C	C5-C4-N4	-5.16	116.59	120.20
23	A	652	C	N3-C4-N4	5.15	121.61	118.00
26	D	160	VAL	N-CA-CB	-5.15	100.16	111.50
23	A	2899	A	C5-C6-N6	-5.14	119.58	123.70
23	A	902	C	N1-C2-O2	5.14	121.98	118.90
23	A	73	C	C5-C4-N4	-5.13	116.61	120.20
23	A	962	U	C6-N1-C1'	-5.13	114.02	121.20
23	A	1752	C	C5-C4-N4	-5.13	116.61	120.20
23	A	1171	C	C5-C4-N4	-5.13	116.61	120.20
24	B	85	C	C5-C4-N4	-5.13	116.61	120.20
24	B	87	U	C5-C6-N1	5.12	125.26	122.70
23	A	1793	G	C6-C5-N7	-5.12	127.33	130.40
1	h	1139	C	C6-N1-C1'	-5.11	114.66	120.80
23	A	853	C	C2-N1-C1'	5.11	124.42	118.80
23	A	2665	C	C5-C4-N4	-5.11	116.62	120.20
1	h	975	G	C5-C6-O6	-5.11	125.53	128.60
19	8	225	LEU	CB-CG-CD2	5.10	119.68	111.00
50	c	30	ASP	C-N-CD	5.10	139.12	128.40
23	A	174	G	N1-C6-O6	5.10	122.96	119.90
23	A	2230	C	C5-C6-N1	5.10	123.55	121.00
1	h	367	U	C5-C6-N1	5.10	125.25	122.70
23	A	174	G	C4-C5-N7	5.10	112.84	110.80
19	8	170	HIS	C-N-CA	5.09	134.44	121.70
49	b	3	VAL	C-N-CD	5.09	139.10	128.40
1	h	885	G	C8-N9-C1'	-5.09	120.38	127.00
23	A	115	A	C8-N9-C4	-5.09	103.77	105.80
23	A	869	U	C5-C4-O4	-5.08	122.85	125.90
23	A	2561	G	C5-C6-O6	-5.08	125.55	128.60
23	A	1091	A	C5-C6-N1	5.08	120.24	117.70
54	g	90	ARG	N-CA-C	-5.08	97.28	111.00
23	A	161	U	N1-C2-O2	5.08	126.36	122.80
23	A	340	A	N9-C4-C5	-5.08	103.77	105.80
23	A	872	G	N3-C4-C5	5.08	131.14	128.60
1	h	623	C	N1-C2-O2	5.07	121.94	118.90
23	A	139	U	C2-N1-C1'	5.07	123.78	117.70
23	A	946	G	N1-C2-N2	-5.07	111.64	116.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
23	A	113	C	N1-C2-O2	5.07	121.94	118.90
27	E	101	ARG	NE-CZ-NH2	-5.06	117.77	120.30
1	h	273	A	C4-C5-N7	5.05	113.23	110.70
1	h	1117	U	OP1-P-O3'	5.05	116.32	105.20
23	A	1638	C	N3-C4-N4	5.05	121.54	118.00
23	A	357	U	OP2-P-O3'	5.05	116.31	105.20
23	A	501	C	N3-C4-N4	5.05	121.53	118.00
23	A	2626	U	N1-C2-O2	5.05	126.33	122.80
1	h	1383	C	C6-N1-C1'	-5.05	114.74	120.80
23	A	957	C	N1-C2-O2	5.05	121.93	118.90
23	A	1894	A	C5-N7-C8	-5.04	101.38	103.90
23	A	1971	C	C5-C4-N4	-5.04	116.67	120.20
23	A	1384	G	C4-N9-C1'	5.04	133.05	126.50
12	u	9	ARG	NE-CZ-NH1	5.04	122.82	120.30
23	A	2610	C	C2-N1-C1'	5.03	124.34	118.80
36	N	10	ARG	NE-CZ-NH1	5.03	122.81	120.30
23	A	1410	C	C6-N1-C2	-5.03	118.29	120.30
23	A	2249	G	C5-N7-C8	-5.03	101.79	104.30
35	M	21	ARG	NE-CZ-NH1	5.03	122.81	120.30
23	A	150	C	C5-C4-N4	-5.02	116.68	120.20
1	h	930	C	N1-C2-O2	5.02	121.91	118.90
23	A	2003	A	C5'-C4'-C3'	5.02	124.03	116.00
23	A	191	G	C8-N9-C1'	-5.01	120.48	127.00
23	A	197	C	C5-C4-N4	-5.01	116.69	120.20
23	A	1473	G	N1-C2-N2	-5.01	111.69	116.20
23	A	303	G	N3-C2-N2	-5.01	116.39	119.90
23	A	709	U	N1-C2-O2	5.01	126.31	122.80
23	A	1234	U	C2-N1-C1'	5.01	123.71	117.70
25	C	218	ARG	NE-CZ-NH2	-5.01	117.80	120.30
8	q	42	ARG	NE-CZ-NH1	5.01	122.80	120.30
23	A	895	G	C2-N3-C4	-5.01	109.40	111.90
1	h	469	G	N3-C4-N9	5.00	129.00	126.00
23	A	898	A	N7-C8-N9	5.00	116.30	113.80
23	A	726	A	C5-N7-C8	-5.00	101.40	103.90
23	A	1102	G	N7-C8-N9	5.00	115.60	113.10

There are no chirality outliers.

All (14) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
19	8	159	SER	Peptide
19	8	160	ALA	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
19	8	181	ILE	Peptide
19	8	192	ASP	Peptide
19	8	193	PRO	Peptide
19	8	24	ASN	Peptide
19	8	34	ASP	Peptide
19	8	4	VAL	Peptide
19	8	5	THR	Peptide
19	8	8	GLN	Peptide
26	D	147	ARG	Peptide
32	J	21	ASN	Peptide
45	W	153	ALA	Peptide
4	l	189	PRO	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	j	30/32 (94%)	29 (97%)	1 (3%)	0	100	100
3	k	206/208 (99%)	182 (88%)	24 (12%)	0	100	100
4	l	198/200 (99%)	178 (90%)	19 (10%)	1 (0%)	29	66
5	m	178/180 (99%)	154 (86%)	22 (12%)	2 (1%)	14	50
6	n	94/96 (98%)	86 (92%)	8 (8%)	0	100	100
7	p	153/155 (99%)	146 (95%)	7 (5%)	0	100	100
8	q	129/131 (98%)	113 (88%)	16 (12%)	0	100	100
9	4	124/126 (98%)	111 (90%)	12 (10%)	1 (1%)	19	57
10	s	97/99 (98%)	89 (92%)	8 (8%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
11	t	113/115 (98%)	100 (88%)	13 (12%)	0	100	100
12	u	120/122 (98%)	102 (85%)	18 (15%)	0	100	100
13	v	114/116 (98%)	100 (88%)	14 (12%)	0	100	100
14	x	86/88 (98%)	81 (94%)	5 (6%)	0	100	100
15	z	111/113 (98%)	98 (88%)	13 (12%)	0	100	100
16	5	92/94 (98%)	86 (94%)	6 (6%)	0	100	100
17	6	80/82 (98%)	77 (96%)	3 (4%)	0	100	100
18	7	83/85 (98%)	82 (99%)	1 (1%)	0	100	100
19	8	226/228 (99%)	196 (87%)	23 (10%)	7 (3%)	4	29
20	r	82/84 (98%)	75 (92%)	7 (8%)	0	100	100
21	Y	101/103 (98%)	87 (86%)	14 (14%)	0	100	100
22	9	98/100 (98%)	91 (93%)	7 (7%)	0	100	100
25	C	273/275 (99%)	232 (85%)	41 (15%)	0	100	100
26	D	212/214 (99%)	182 (86%)	28 (13%)	2 (1%)	17	54
27	E	207/209 (99%)	192 (93%)	15 (7%)	0	100	100
28	F	180/182 (99%)	165 (92%)	14 (8%)	1 (1%)	25	62
29	G	174/176 (99%)	157 (90%)	17 (10%)	0	100	100
30	H	149/151 (99%)	139 (93%)	10 (7%)	0	100	100
31	I	124/126 (98%)	117 (94%)	6 (5%)	1 (1%)	19	57
32	J	131/133 (98%)	116 (88%)	15 (12%)	0	100	100
33	K	144/146 (99%)	135 (94%)	9 (6%)	0	100	100
34	L	120/122 (98%)	109 (91%)	11 (9%)	0	100	100
35	M	143/145 (99%)	120 (84%)	21 (15%)	2 (1%)	11	44
36	N	134/136 (98%)	119 (89%)	15 (11%)	0	100	100
37	O	116/118 (98%)	107 (92%)	9 (8%)	0	100	100
38	P	124/126 (98%)	116 (94%)	8 (6%)	0	100	100
39	Q	111/113 (98%)	94 (85%)	15 (14%)	2 (2%)	8	39
40	R	122/124 (98%)	117 (96%)	5 (4%)	0	100	100
41	S	98/100 (98%)	93 (95%)	5 (5%)	0	100	100
42	T	112/114 (98%)	105 (94%)	7 (6%)	0	100	100
43	U	95/97 (98%)	81 (85%)	14 (15%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
44	V	93/105 (89%)	87 (94%)	6 (6%)	0	100	100
45	W	190/192 (99%)	169 (89%)	20 (10%)	1 (0%)	29	66
46	X	77/79 (98%)	69 (90%)	8 (10%)	0	100	100
47	Z	62/64 (97%)	62 (100%)	0	0	100	100
48	a	57/59 (97%)	54 (95%)	3 (5%)	0	100	100
49	b	52/54 (96%)	47 (90%)	4 (8%)	1 (2%)	8	38
50	c	51/53 (96%)	26 (51%)	15 (29%)	10 (20%)	0	1
51	d	44/46 (96%)	40 (91%)	4 (9%)	0	100	100
52	e	61/63 (97%)	56 (92%)	5 (8%)	0	100	100
53	f	35/37 (95%)	31 (89%)	4 (11%)	0	100	100
54	g	71/82 (87%)	50 (70%)	16 (22%)	5 (7%)	1	11
55	y	75/77 (97%)	56 (75%)	8 (11%)	11 (15%)	0	2
56	3	21/23 (91%)	18 (86%)	3 (14%)	0	100	100
All	All	6173/6298 (98%)	5524 (90%)	602 (10%)	47 (1%)	24	57

All (47) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
5	m	103	GLY
19	8	16	PHE
19	8	25	PRO
19	8	161	VAL
26	D	156	THR
28	F	131	GLY
49	b	9	SER
50	c	10	LYS
50	c	12	ARG
50	c	33	ARG
50	c	34	ILE
50	c	36	LEU
54	g	3	PRO
55	y	16	SER
55	y	24	THR
55	y	27	ARG
55	y	31	ASN
9	4	147	TYR
19	8	15	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
50	c	32	ASP
50	c	37	ARG
50	c	46	HIS
55	y	23	ARG
55	y	30	PRO
19	8	18	HIS
19	8	193	PRO
31	I	125	ASP
54	g	47	PRO
55	y	14	GLY
55	y	15	ASN
5	m	104	SER
35	M	45	ASN
50	c	43	LEU
54	g	30	THR
26	D	162	LYS
35	M	70	ARG
39	Q	93	ARG
50	c	35	VAL
55	y	4	CYS
55	y	26	ARG
55	y	29	ASP
19	8	21	ARG
39	Q	3	THR
54	g	5	ILE
4	l	189	PRO
45	W	154	GLY
54	g	11	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
2	j	30/30 (100%)	30 (100%)	0	100 100
3	k	170/170 (100%)	168 (99%)	2 (1%)	71 87
4	l	175/175 (100%)	175 (100%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
5	m	127/127 (100%)	126 (99%)	1 (1%)	81	92
6	n	85/85 (100%)	83 (98%)	2 (2%)	49	76
7	p	131/131 (100%)	130 (99%)	1 (1%)	81	92
8	q	107/107 (100%)	106 (99%)	1 (1%)	78	91
9	4	102/102 (100%)	99 (97%)	3 (3%)	42	71
10	s	89/89 (100%)	89 (100%)	0	100	100
11	t	89/89 (100%)	88 (99%)	1 (1%)	73	88
12	u	103/103 (100%)	102 (99%)	1 (1%)	76	89
13	v	99/99 (100%)	99 (100%)	0	100	100
14	x	76/76 (100%)	75 (99%)	1 (1%)	69	86
15	z	92/92 (100%)	92 (100%)	0	100	100
16	5	80/80 (100%)	77 (96%)	3 (4%)	33	64
17	6	73/73 (100%)	73 (100%)	0	100	100
18	7	69/69 (100%)	65 (94%)	4 (6%)	20	52
19	8	191/191 (100%)	185 (97%)	6 (3%)	40	70
20	r	70/70 (100%)	70 (100%)	0	100	100
21	Y	91/91 (100%)	91 (100%)	0	100	100
22	9	85/85 (100%)	85 (100%)	0	100	100
25	C	215/215 (100%)	215 (100%)	0	100	100
26	D	160/160 (100%)	159 (99%)	1 (1%)	86	95
27	E	169/169 (100%)	168 (99%)	1 (1%)	86	95
28	F	151/151 (100%)	149 (99%)	2 (1%)	69	86
29	G	148/148 (100%)	148 (100%)	0	100	100
30	H	116/116 (100%)	115 (99%)	1 (1%)	78	91
31	I	89/89 (100%)	89 (100%)	0	100	100
32	J	102/102 (100%)	101 (99%)	1 (1%)	76	89
33	K	119/119 (100%)	119 (100%)	0	100	100
34	L	100/100 (100%)	100 (100%)	0	100	100
35	M	112/112 (100%)	112 (100%)	0	100	100
36	N	114/114 (100%)	113 (99%)	1 (1%)	78	91
37	O	97/97 (100%)	97 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
38	P	93/93 (100%)	92 (99%)	1 (1%)	73	88
39	Q	100/100 (100%)	99 (99%)	1 (1%)	76	89
40	R	97/97 (100%)	97 (100%)	0	100	100
41	S	81/81 (100%)	80 (99%)	1 (1%)	71	87
42	T	90/90 (100%)	87 (97%)	3 (3%)	38	68
43	U	83/83 (100%)	83 (100%)	0	100	100
44	V	81/86 (94%)	80 (99%)	1 (1%)	71	87
45	W	155/155 (100%)	155 (100%)	0	100	100
46	X	58/58 (100%)	56 (97%)	2 (3%)	37	67
47	Z	58/58 (100%)	58 (100%)	0	100	100
48	a	52/52 (100%)	52 (100%)	0	100	100
49	b	43/43 (100%)	42 (98%)	1 (2%)	50	76
50	c	49/49 (100%)	48 (98%)	1 (2%)	55	79
51	d	35/35 (100%)	35 (100%)	0	100	100
52	e	53/53 (100%)	53 (100%)	0	100	100
53	f	35/35 (100%)	35 (100%)	0	100	100
54	g	64/70 (91%)	63 (98%)	1 (2%)	62	83
55	y	64/64 (100%)	61 (95%)	3 (5%)	26	59
56	3	18/18 (100%)	18 (100%)	0	100	100
All	All	5135/5146 (100%)	5087 (99%)	48 (1%)	79	91

All (48) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	k	169	ARG
3	k	179	ARG
5	m	101	LEU
6	n	47	ARG
6	n	77	ARG
7	p	41	ARG
8	q	78	ARG
9	4	100	ARG
9	4	126	ARG
9	4	133	ARG
11	t	137	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
12	u	83	ARG
14	x	88	ARG
16	5	17	ARG
16	5	54	ARG
16	5	89	ARG
18	7	18	ARG
18	7	20	ARG
18	7	33	ARG
18	7	56	ARG
19	8	16	PHE
19	8	18	HIS
19	8	19	GLN
19	8	177	ARG
19	8	212	LEU
19	8	213	LEU
26	D	201	ARG
27	E	46	ARG
28	F	78	ARG
28	F	95	ARG
30	H	57	LYS
32	J	52	ARG
36	N	10	ARG
38	P	26	ARG
39	Q	38	ARG
41	S	81	LYS
42	T	90	LYS
42	T	93	ARG
42	T	104	ARG
44	V	1	MET
46	X	14	ARG
46	X	85	ARG
49	b	6	ARG
50	c	12	ARG
54	g	64	SER
55	y	26	ARG
55	y	45	ARG
55	y	56	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
10	s	70	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
14	x	28	GLN
17	6	29	GLN
21	Y	50	ASN
25	C	53	HIS
25	C	91	ASN
27	E	182	GLN
28	F	31	ASN
30	H	46	GLN
38	P	41	ASN
54	g	58	HIS
55	y	19	HIS
55	y	21	HIS
55	y	33	GLN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	h	1510/1511 (99%)	391 (25%)	0
23	A	3118/3119 (99%)	771 (24%)	32 (1%)
24	B	117/118 (99%)	23 (19%)	1 (0%)
All	All	4745/4748 (99%)	1185 (24%)	33 (0%)

All (1185) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	h	9	U
1	h	10	G
1	h	11	G
1	h	12	A
1	h	13	G
1	h	18	U
1	h	26	G
1	h	36	A
1	h	43	G
1	h	51	C
1	h	52	U
1	h	54	A
1	h	55	A
1	h	59	A
1	h	70	A
1	h	82	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	h	87	G
1	h	89	G
1	h	91	U
1	h	92	A
1	h	93	C
1	h	101	G
1	h	117	C
1	h	118	A
1	h	126	G
1	h	127	A
1	h	128	U
1	h	133	C
1	h	136	G
1	h	160	C
1	h	174	G
1	h	179	C
1	h	193	C
1	h	196	G
1	h	200	U
1	h	201	G
1	h	207	G
1	h	211	A
1	h	213	C
1	h	214	U
1	h	215	U
1	h	217	U
1	h	218	G
1	h	219	C
1	h	220	G
1	h	231	G
1	h	240	C
1	h	243	A
1	h	245	C
1	h	247	G
1	h	251	G
1	h	254	G
1	h	258	G
1	h	266	G
1	h	267	C
1	h	268	C
1	h	279	A
1	h	280	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	h	281	G
1	h	289	G
1	h	298	A
1	h	300	A
1	h	306	A
1	h	329	A
1	h	330	C
1	h	332	G
1	h	340	U
1	h	345	C
1	h	347	G
1	h	350	G
1	h	351	G
1	h	352	C
1	h	353	A
1	h	359	G
1	h	367	U
1	h	369	G
1	h	372	C
1	h	373	A
1	h	381	C
1	h	382	A
1	h	388	G
1	h	389	A
1	h	390	U
1	h	392	C
1	h	393	A
1	h	397	A
1	h	398	C
1	h	406	G
1	h	412	U
1	h	413	G
1	h	414	A
1	h	421	U
1	h	422	C
1	h	423	G
1	h	424	G
1	h	428	G
1	h	429	U
1	h	430	A
1	h	432	A
1	h	434	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	h	438	U
1	h	440	C
1	h	445	C
1	h	449	C
1	h	452	A
1	h	453	G
1	h	456	C
1	h	458	A
1	h	459	G
1	h	461	G
1	h	464	G
1	h	466	U
1	h	469	G
1	h	472	C
1	h	477	G
1	h	478	A
1	h	479	A
1	h	485	G
1	h	486	G
1	h	489	A
1	h	491	C
1	h	492	U
1	h	497	G
1	h	498	C
1	h	499	C
1	h	505	C
1	h	507	G
1	h	509	G
1	h	510	G
1	h	511	U
1	h	512	A
1	h	513	A
1	h	514	U
1	h	516	C
1	h	519	A
1	h	520	G
1	h	525	C
1	h	527	A
1	h	540	A
1	h	542	U
1	h	544	C
1	h	545	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	h	552	A
1	h	553	A
1	h	555	G
1	h	556	A
1	h	557	G
1	h	567	G
1	h	576	C
1	h	590	A
1	h	600	U
1	h	603	C
1	h	611	G
1	h	612	U
1	h	629	G
1	h	633	A
1	h	643	A
1	h	645	G
1	h	660	C
1	h	666	U
1	h	668	G
1	h	680	G
1	h	683	G
1	h	694	G
1	h	695	A
1	h	698	A
1	h	701	G
1	h	702	G
1	h	703	U
1	h	711	G
1	h	713	G
1	h	728	A
1	h	729	A
1	h	732	G
1	h	735	G
1	h	739	A
1	h	761	A
1	h	772	A
1	h	773	U
1	h	776	C
1	h	785	C
1	h	790	C
1	h	793	U
1	h	794	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	h	797	C
1	h	800	U
1	h	801	G
1	h	808	A
1	h	812	G
1	h	818	U
1	h	821	C
1	h	822	U
1	h	824	C
1	h	826	U
1	h	827	U
1	h	828	G
1	h	840	G
1	h	841	U
1	h	854	A
1	h	855	A
1	h	858	A
1	h	859	C
1	h	867	G
1	h	871	A
1	h	872	G
1	h	882	A
1	h	884	G
1	h	896	A
1	h	908	G
1	h	909	G
1	h	913	C
1	h	914	C
1	h	916	C
1	h	917	A
1	h	921	G
1	h	924	G
1	h	927	G
1	h	930	C
1	h	938	U
1	h	940	A
1	h	942	U
1	h	943	U
1	h	948	G
1	h	950	A
1	h	951	A
1	h	953	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	h	956	A
1	h	957	A
1	h	958	G
1	h	959	A
1	h	960	A
1	h	964	U
1	h	965	A
1	h	971	G
1	h	973	U
1	h	974	U
1	h	975	G
1	h	976	A
1	h	982	A
1	h	985	G
1	h	987	A
1	h	988	C
1	h	989	G
1	h	990	C
1	h	992	G
1	h	1003	C
1	h	1008	C
1	h	1009	C
1	h	1010	C
1	h	1012	U
1	h	1014	U
1	h	1019	U
1	h	1021	U
1	h	1024	G
1	h	1025	C
1	h	1026	A
1	h	1027	G
1	h	1030	G
1	h	1033	G
1	h	1034	C
1	h	1036	U
1	h	1045	U
1	h	1047	A
1	h	1048	G
1	h	1054	G
1	h	1059	G
1	h	1074	G
1	h	1075	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	h	1079	G
1	h	1080	C
1	h	1081	A
1	h	1084	G
1	h	1089	C
1	h	1092	C
1	h	1104	G
1	h	1106	U
1	h	1107	G
1	h	1112	C
1	h	1113	A
1	h	1115	G
1	h	1117	U
1	h	1118	A
1	h	1120	G
1	h	1121	G
1	h	1124	G
1	h	1125	G
1	h	1126	G
1	h	1129	U
1	h	1133	G
1	h	1136	A
1	h	1138	A
1	h	1139	C
1	h	1140	U
1	h	1148	U
1	h	1149	C
1	h	1150	A
1	h	1151	A
1	h	1155	G
1	h	1160	A
1	h	1162	G
1	h	1163	G
1	h	1165	G
1	h	1168	G
1	h	1177	A
1	h	1178	A
1	h	1182	A
1	h	1193	U
1	h	1194	A
1	h	1200	A
1	h	1206	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	h	1218	C
1	h	1219	A
1	h	1220	A
1	h	1221	U
1	h	1222	G
1	h	1234	G
1	h	1237	C
1	h	1238	U
1	h	1239	G
1	h	1241	G
1	h	1244	G
1	h	1248	U
1	h	1249	G
1	h	1255	G
1	h	1258	C
1	h	1259	G
1	h	1261	A
1	h	1265	U
1	h	1266	U
1	h	1267	U
1	h	1268	C
1	h	1270	A
1	h	1279	U
1	h	1280	C
1	h	1282	G
1	h	1283	U
1	h	1284	U
1	h	1287	G
1	h	1299	C
1	h	1300	A
1	h	1301	A
1	h	1304	C
1	h	1313	G
1	h	1320	G
1	h	1322	G
1	h	1326	C
1	h	1327	U
1	h	1328	A
1	h	1329	G
1	h	1332	A
1	h	1343	G
1	h	1345	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	h	1346	A
1	h	1348	G
1	h	1353	G
1	h	1357	A
1	h	1360	A
1	h	1361	C
1	h	1362	G
1	h	1364	U
1	h	1381	A
1	h	1382	C
1	h	1383	C
1	h	1405	G
1	h	1407	U
1	h	1409	A
1	h	1423	U
1	h	1425	G
1	h	1426	C
1	h	1429	A
1	h	1433	C
1	h	1434	U
1	h	1435	U
1	h	1436	G
1	h	1438	G
1	h	1451	G
1	h	1477	A
1	h	1478	G
1	h	1481	G
1	h	1483	A
1	h	1486	A
1	h	1487	A
1	h	1488	G
1	h	1490	U
1	h	1491	A
1	h	1501	G
1	h	1502	A
1	h	1503	A
1	h	1504	G
1	h	1513	G
1	h	1514	G
23	A	7	U
23	A	11	A
23	A	19	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
23	A	20	G
23	A	23	G
23	A	25	A
23	A	29	C
23	A	31	U
23	A	32	G
23	A	43	C
23	A	47	U
23	A	60	A
23	A	68	A
23	A	71	A
23	A	72	G
23	A	81	A
23	A	82	G
23	A	85	G
23	A	94	G
23	A	98	U
23	A	99	G
23	A	107	G
23	A	115	A
23	A	117	U
23	A	125	C
23	A	126	C
23	A	128	G
23	A	136	U
23	A	138	A
23	A	148	A
23	A	150	C
23	A	151	A
23	A	159	A
23	A	161	U
23	A	162	A
23	A	180	A
23	A	188	G
23	A	195	A
23	A	198	A
23	A	203	A
23	A	204	G
23	A	212	A
23	A	214	G
23	A	215	A
23	A	220	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
23	A	221	A
23	A	227	A
23	A	229	U
23	A	230	G
23	A	232	G
23	A	233	A
23	A	241	A
23	A	248	G
23	A	265	A
23	A	267	G
23	A	279	U
23	A	282	A
23	A	285	U
23	A	286	G
23	A	287	A
23	A	288	U
23	A	289	A
23	A	290	C
23	A	291	C
23	A	292	G
23	A	298	G
23	A	299	G
23	A	300	G
23	A	301	U
23	A	303	G
23	A	305	G
23	A	315	U
23	A	316	U
23	A	317	G
23	A	318	U
23	A	319	G
23	A	323	C
23	A	324	C
23	A	327	U
23	A	329	U
23	A	330	U
23	A	331	U
23	A	335	G
23	A	336	C
23	A	337	U
23	A	338	C
23	A	340	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
23	A	342	C
23	A	348	G
23	A	351	G
23	A	352	G
23	A	357	U
23	A	358	G
23	A	361	A
23	A	363	A
23	A	369	G
23	A	370	U
23	A	376	G
23	A	383	U
23	A	384	G
23	A	391	G
23	A	393	U
23	A	404	A
23	A	412	A
23	A	413	G
23	A	417	C
23	A	428	A
23	A	433	C
23	A	434	G
23	A	437	G
23	A	441	G
23	A	444	U
23	A	445	U
23	A	446	G
23	A	448	U
23	A	449	G
23	A	450	G
23	A	452	G
23	A	460	G
23	A	467	C
23	A	474	G
23	A	475	U
23	A	482	U
23	A	489	A
23	A	491	U
23	A	493	U
23	A	494	G
23	A	500	A
23	A	505	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
23	A	509	U
23	A	512	G
23	A	514	C
23	A	517	A
23	A	523	U
23	A	531	A
23	A	539	C
23	A	543	U
23	A	544	U
23	A	552	U
23	A	553	G
23	A	556	G
23	A	561	G
23	A	562	G
23	A	563	U
23	A	565	A
23	A	566	A
23	A	567	A
23	A	569	G
23	A	578	G
23	A	585	G
23	A	589	A
23	A	591	G
23	A	592	A
23	A	594	U
23	A	595	A
23	A	596	C
23	A	597	C
23	A	605	G
23	A	614	C
23	A	617	U
23	A	618	C
23	A	619	C
23	A	620	G
23	A	633	A
23	A	634	C
23	A	636	U
23	A	637	G
23	A	638	U
23	A	639	C
23	A	640	G
23	A	642	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
23	A	644	G
23	A	646	U
23	A	648	A
23	A	654	U
23	A	655	G
23	A	661	U
23	A	665	G
23	A	666	A
23	A	667	A
23	A	679	G
23	A	684	G
23	A	685	G
23	A	696	A
23	A	697	G
23	A	706	G
23	A	707	G
23	A	708	G
23	A	714	U
23	A	721	A
23	A	725	A
23	A	731	A
23	A	740	A
23	A	747	A
23	A	756	A
23	A	757	G
23	A	758	A
23	A	760	U
23	A	763	G
23	A	764	U
23	A	766	G
23	A	767	U
23	A	768	G
23	A	784	G
23	A	801	U
23	A	830	A
23	A	832	G
23	A	845	C
23	A	862	U
23	A	863	G
23	A	868	C
23	A	880	G
23	A	890	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
23	A	897	A
23	A	898	A
23	A	899	G
23	A	905	U
23	A	907	A
23	A	909	A
23	A	915	U
23	A	916	G
23	A	920	G
23	A	927	C
23	A	942	U
23	A	943	U
23	A	945	G
23	A	954	U
23	A	960	G
23	A	961	U
23	A	973	G
23	A	974	G
23	A	975	U
23	A	976	A
23	A	981	U
23	A	982	A
23	A	983	C
23	A	995	U
23	A	997	G
23	A	1001	C
23	A	1002	C
23	A	1003	A
23	A	1004	C
23	A	1005	A
23	A	1006	G
23	A	1007	G
23	A	1008	G
23	A	1011	A
23	A	1012	C
23	A	1013	U
23	A	1015	A
23	A	1025	A
23	A	1027	C
23	A	1028	U
23	A	1029	C
23	A	1030	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
23	A	1034	U
23	A	1046	C
23	A	1047	A
23	A	1049	G
23	A	1058	A
23	A	1062	A
23	A	1063	G
23	A	1075	U
23	A	1076	A
23	A	1078	G
23	A	1084	U
23	A	1085	G
23	A	1091	A
23	A	1092	G
23	A	1101	A
23	A	1103	C
23	A	1114	G
23	A	1121	G
23	A	1130	C
23	A	1131	G
23	A	1140	G
23	A	1141	U
23	A	1143	G
23	A	1144	A
23	A	1151	U
23	A	1152	G
23	A	1153	U
23	A	1157	G
23	A	1164	A
23	A	1165	G
23	A	1173	G
23	A	1178	U
23	A	1179	U
23	A	1180	G
23	A	1184	U
23	A	1185	A
23	A	1186	G
23	A	1187	A
23	A	1188	A
23	A	1189	G
23	A	1190	C
23	A	1191	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
23	A	1192	G
23	A	1200	U
23	A	1201	G
23	A	1202	A
23	A	1203	A
23	A	1205	G
23	A	1206	A
23	A	1207	G
23	A	1208	U
23	A	1209	G
23	A	1212	U
23	A	1213	A
23	A	1214	A
23	A	1215	U
23	A	1216	A
23	A	1219	U
23	A	1223	U
23	A	1224	G
23	A	1226	U
23	A	1230	G
23	A	1234	U
23	A	1235	U
23	A	1238	G
23	A	1240	G
23	A	1244	A
23	A	1246	A
23	A	1251	A
23	A	1253	C
23	A	1260	C
23	A	1261	A
23	A	1267	A
23	A	1270	G
23	A	1290	C
23	A	1292	U
23	A	1293	G
23	A	1294	U
23	A	1320	U
23	A	1325	U
23	A	1332	G
23	A	1339	G
23	A	1343	G
23	A	1344	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
23	A	1345	G
23	A	1352	A
23	A	1353	G
23	A	1359	G
23	A	1362	A
23	A	1365	G
23	A	1370	U
23	A	1371	G
23	A	1380	A
23	A	1386	G
23	A	1387	A
23	A	1389	U
23	A	1404	C
23	A	1408	C
23	A	1415	A
23	A	1416	A
23	A	1435	C
23	A	1437	A
23	A	1440	C
23	A	1444	U
23	A	1445	C
23	A	1456	G
23	A	1457	A
23	A	1462	G
23	A	1465	C
23	A	1480	A
23	A	1481	C
23	A	1499	A
23	A	1501	C
23	A	1507	G
23	A	1508	A
23	A	1510	A
23	A	1511	U
23	A	1518	A
23	A	1522	G
23	A	1524	G
23	A	1525	U
23	A	1529	U
23	A	1530	G
23	A	1531	C
23	A	1534	C
23	A	1536	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
23	A	1537	U
23	A	1538	G
23	A	1540	U
23	A	1544	U
23	A	1546	A
23	A	1547	G
23	A	1550	G
23	A	1551	U
23	A	1552	A
23	A	1553	C
23	A	1554	U
23	A	1555	A
23	A	1556	A
23	A	1558	C
23	A	1559	A
23	A	1561	C
23	A	1564	A
23	A	1565	A
23	A	1567	C
23	A	1570	C
23	A	1571	C
23	A	1572	G
23	A	1574	G
23	A	1579	C
23	A	1580	A
23	A	1584	U
23	A	1587	G
23	A	1588	G
23	A	1589	G
23	A	1595	G
23	A	1598	U
23	A	1599	U
23	A	1600	G
23	A	1604	G
23	A	1605	G
23	A	1607	C
23	A	1608	U
23	A	1611	A
23	A	1616	A
23	A	1617	C
23	A	1623	U
23	A	1625	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
23	A	1627	U
23	A	1629	G
23	A	1630	U
23	A	1631	A
23	A	1632	G
23	A	1637	G
23	A	1638	C
23	A	1639	G
23	A	1640	A
23	A	1648	A
23	A	1649	C
23	A	1650	G
23	A	1658	G
23	A	1674	G
23	A	1679	A
23	A	1680	A
23	A	1681	U
23	A	1688	G
23	A	1696	G
23	A	1703	G
23	A	1710	A
23	A	1711	G
23	A	1713	U
23	A	1716	A
23	A	1717	U
23	A	1720	G
23	A	1724	G
23	A	1727	A
23	A	1728	U
23	A	1730	U
23	A	1731	A
23	A	1736	G
23	A	1737	A
23	A	1738	G
23	A	1746	G
23	A	1751	G
23	A	1754	G
23	A	1755	A
23	A	1756	G
23	A	1757	U
23	A	1760	G
23	A	1767	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
23	A	1778	A
23	A	1787	A
23	A	1789	A
23	A	1791	A
23	A	1801	C
23	A	1802	G
23	A	1803	A
23	A	1813	C
23	A	1820	U
23	A	1825	C
23	A	1834	A
23	A	1835	C
23	A	1852	A
23	A	1857	U
23	A	1864	U
23	A	1865	A
23	A	1866	C
23	A	1871	G
23	A	1872	A
23	A	1878	G
23	A	1890	C
23	A	1892	G
23	A	1895	A
23	A	1909	C
23	A	1912	C
23	A	1916	A
23	A	1917	G
23	A	1918	A
23	A	1921	G
23	A	1925	A
23	A	1931	A
23	A	1946	U
23	A	1947	U
23	A	1948	A
23	A	1950	G
23	A	1973	C
23	A	1975	A
23	A	1979	A
23	A	1980	G
23	A	1981	U
23	A	1990	A
23	A	1998	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
23	A	2003	A
23	A	2004	A
23	A	2017	C
23	A	2018	G
23	A	2024	G
23	A	2025	C
23	A	2026	A
23	A	2027	A
23	A	2033	U
23	A	2036	A
23	A	2046	A
23	A	2047	C
23	A	2050	C
23	A	2052	G
23	A	2064	A
23	A	2065	A
23	A	2066	G
23	A	2086	U
23	A	2088	C
23	A	2089	C
23	A	2090	U
23	A	2092	U
23	A	2093	G
23	A	2094	G
23	A	2095	G
23	A	2096	G
23	A	2106	A
23	A	2107	G
23	A	2112	U
23	A	2130	G
23	A	2136	A
23	A	2138	C
23	A	2140	A
23	A	2141	U
23	A	2152	A
23	A	2153	G
23	A	2154	G
23	A	2155	U
23	A	2161	A
23	A	2162	A
23	A	2163	U
23	A	2164	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
23	A	2165	C
23	A	2166	C
23	A	2167	U
23	A	2178	G
23	A	2179	U
23	A	2191	C
23	A	2194	A
23	A	2195	U
23	A	2196	G
23	A	2197	G
23	A	2199	G
23	A	2215	U
23	A	2217	U
23	A	2221	A
23	A	2241	U
23	A	2246	U
23	A	2255	A
23	A	2256	G
23	A	2257	A
23	A	2267	C
23	A	2276	G
23	A	2279	C
23	A	2280	G
23	A	2284	A
23	A	2285	G
23	A	2286	A
23	A	2293	G
23	A	2300	A
23	A	2315	U
23	A	2316	G
23	A	2325	U
23	A	2327	C
23	A	2329	G
23	A	2331	U
23	A	2334	U
23	A	2335	G
23	A	2336	U
23	A	2338	G
23	A	2339	G
23	A	2341	U
23	A	2342	A
23	A	2343	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
23	A	2346	G
23	A	2347	G
23	A	2348	G
23	A	2350	G
23	A	2351	A
23	A	2352	C
23	A	2353	U
23	A	2354	G
23	A	2355	U
23	A	2356	G
23	A	2358	A
23	A	2359	G
23	A	2363	A
23	A	2367	G
23	A	2368	C
23	A	2373	G
23	A	2375	G
23	A	2380	G
23	A	2381	A
23	A	2382	G
23	A	2383	U
23	A	2384	C
23	A	2385	G
23	A	2387	U
23	A	2388	G
23	A	2389	U
23	A	2390	U
23	A	2392	A
23	A	2394	A
23	A	2395	U
23	A	2399	A
23	A	2401	U
23	A	2402	C
23	A	2403	U
23	A	2407	C
23	A	2408	G
23	A	2411	U
23	A	2413	G
23	A	2421	A
23	A	2434	A
23	A	2436	A
23	A	2437	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
23	A	2449	A
23	A	2450	C
23	A	2454	G
23	A	2462	G
23	A	2463	G
23	A	2490	A
23	A	2492	A
23	A	2503	G
23	A	2507	C
23	A	2508	C
23	A	2510	A
23	A	2511	A
23	A	2520	U
23	A	2521	C
23	A	2528	G
23	A	2529	A
23	A	2530	C
23	A	2532	G
23	A	2534	A
23	A	2549	G
23	A	2559	A
23	A	2566	C
23	A	2571	C
23	A	2574	C
23	A	2585	U
23	A	2596	G
23	A	2601	A
23	A	2607	G
23	A	2609	A
23	A	2626	U
23	A	2627	C
23	A	2639	G
23	A	2643	U
23	A	2647	U
23	A	2649	A
23	A	2653	G
23	A	2654	A
23	A	2655	U
23	A	2658	A
23	A	2659	A
23	A	2664	C
23	A	2665	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
23	A	2672	A
23	A	2673	U
23	A	2693	A
23	A	2694	G
23	A	2699	C
23	A	2707	C
23	A	2715	U
23	A	2722	C
23	A	2726	G
23	A	2728	U
23	A	2729	G
23	A	2730	U
23	A	2742	A
23	A	2749	G
23	A	2750	G
23	A	2753	G
23	A	2755	A
23	A	2759	G
23	A	2767	G
23	A	2778	U
23	A	2788	A
23	A	2790	A
23	A	2791	G
23	A	2796	A
23	A	2797	C
23	A	2802	G
23	A	2806	G
23	A	2810	U
23	A	2826	A
23	A	2827	G
23	A	2833	U
23	A	2835	U
23	A	2837	U
23	A	2853	C
23	A	2854	A
23	A	2857	A
23	A	2860	U
23	A	2862	G
23	A	2870	C
23	A	2871	U
23	A	2878	A
23	A	2884	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
23	A	2893	G
23	A	2906	U
23	A	2912	A
23	A	2913	U
23	A	2926	A
23	A	2929	A
23	A	2936	C
23	A	2937	G
23	A	2938	G
23	A	2957	A
23	A	2959	A
23	A	2963	U
23	A	2968	G
23	A	2972	A
23	A	2974	A
23	A	2979	C
23	A	2982	A
23	A	2985	G
23	A	2989	A
23	A	2990	A
23	A	3002	A
23	A	3013	C
23	A	3014	A
23	A	3015	C
23	A	3020	U
23	A	3021	A
23	A	3023	G
23	A	3024	A
23	A	3029	U
23	A	3039	C
23	A	3042	A
23	A	3047	A
23	A	3053	U
23	A	3054	U
23	A	3055	G
23	A	3068	U
23	A	3070	G
23	A	3079	U
23	A	3080	A
23	A	3082	U
23	A	3087	G
23	A	3088	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
23	A	3089	A
23	A	3093	A
23	A	3095	C
23	A	3100	A
23	A	3101	C
23	A	3104	A
23	A	3105	C
23	A	3106	C
23	A	3107	G
23	A	3112	A
23	A	3115	A
23	A	3117	U
24	B	4	A
24	B	5	C
24	B	9	G
24	B	11	U
24	B	12	C
24	B	13	C
24	B	14	A
24	B	26	A
24	B	30	G
24	B	36	U
24	B	37	C
24	B	41	U
24	B	42	C
24	B	43	C
24	B	45	G
24	B	56	C
24	B	67	A
24	B	87	U
24	B	89	C
24	B	90	G
24	B	103	G
24	B	107	A
24	B	114	A

All (33) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
23	A	81	A
23	A	97	U
23	A	228	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
23	A	316	U
23	A	336	C
23	A	357	U
23	A	445	U
23	A	552	U
23	A	641	U
23	A	643	G
23	A	899	G
23	A	974	G
23	A	1002	C
23	A	1004	C
23	A	1006	G
23	A	1014	G
23	A	1046	C
23	A	1084	U
23	A	1186	G
23	A	1293	G
23	A	1436	C
23	A	1510	A
23	A	2003	A
23	A	2005	C
23	A	2088	C
23	A	2094	G
23	A	2139	U
23	A	2165	C
23	A	2350	G
23	A	2384	C
23	A	2389	U
23	A	2626	U
24	B	10	G

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-8932. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 227



Y Index: 227




Z Index: 227


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 255



Y Index: 216




Z Index: 238


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.02. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 2059 nm³; this corresponds to an approximate mass of 1860 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.289 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.289 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.46	-	-
Author-provided FSC curve	3.46	4.27	3.56
Unmasked-calculated*	-	-	-

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-8932 and PDB model 6DZI. Per-residue inclusion information can be found in section 3 on page 14.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.02 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.02).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 94% of all backbone atoms, 93% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary













































The table lists the average atom inclusion at the recommended contour level (0.02) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9280	 0.4380
3	 0.9110	 0.5190
4	 0.8930	 0.3240
5	 0.8730	 0.4370
6	 0.7960	 0.3270
7	 0.8870	 0.3630
8	 0.5220	 0.1690
9	 0.8690	 0.3250
A	 0.9620	 0.4760
B	 0.9830	 0.4620
C	 0.8920	 0.5100
D	 0.9330	 0.5100
E	 0.9210	 0.4830
F	 0.9160	 0.4010
G	 0.9260	 0.4290
H	 0.5670	 0.2940
I	 0.6280	 0.2350
J	 0.7940	 0.2780
K	 0.9380	 0.5090
L	 0.8930	 0.5020
M	 0.9290	 0.4940
N	 0.9110	 0.5050
O	 0.9250	 0.5030
P	 0.9470	 0.4560
Q	 0.8920	 0.4730
R	 0.9120	 0.5060
S	 0.9500	 0.5090
T	 0.9110	 0.4950
U	 0.9110	 0.4620
V	 0.9030	 0.4270
W	 0.8950	 0.4510
X	 0.9330	 0.5160
Y	 0.5180	 0.2720
Z	 0.9330	 0.4440
a	 0.9350	 0.4990



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
b	 0.9350	 0.4940
c	 0.7620	 0.3500
d	 0.9000	 0.5200
e	 0.9150	 0.5140
f	 0.9370	 0.5230
g	 0.8480	 0.2800
h	 0.9640	 0.4050
j	 0.7820	 0.4360
k	 0.8210	 0.3330
l	 0.8410	 0.3100
m	 0.8560	 0.3790
n	 0.8550	 0.3930
p	 0.8080	 0.3130
q	 0.9250	 0.4160
r	 0.7210	 0.3310
s	 0.8310	 0.3250
t	 0.8560	 0.4150
u	 0.8750	 0.4180
v	 0.8500	 0.3210
x	 0.8850	 0.4130
y	 0.8740	 0.4340
z	 0.8540	 0.3830