



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 8, 2024 – 04:06 am GMT

PDB ID : 6GX7
Title : Tubulin-CopN-alphaRep complex
Authors : Gigant, B.; Campanacci, V.
Deposited on : 2018-06-26
Resolution : 3.19 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.19 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1133 (3.20-3.20)
Clashscore	141614	1253 (3.20-3.20)
Ramachandran outliers	138981	1234 (3.20-3.20)
Sidechain outliers	138945	1233 (3.20-3.20)
RSRZ outliers	127900	1095 (3.20-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	451	74% 19% • 5%
1	C	451	79% 14% • 5%
2	B	445	72% 22% • 5%
2	D	445	72% 22% • 5%
3	E	201	4% 76% 14% • 8%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	F	201	
4	G	336	
4	H	336	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	SO4	C	503	-	-	-	X

2 Entry composition

There are 10 unique types of molecules in this entry. The entry contains 20365 atoms, of which 24 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tubulin alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	428	3291	2079	561	630	21	0	0	0
1	C	428	3288	2077	561	630	20	0	0	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	232	SER	GLY	conflict	UNP D0VWZ0
A	340	SER	THR	conflict	UNP D0VWZ0
C	232	SER	GLY	conflict	UNP D0VWZ0
C	340	SER	THR	conflict	UNP D0VWZ0

- Molecule 2 is a protein called Tubulin beta chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	423	3296	2075	559	636	26	0	0	0
2	D	423	3298	2076	559	637	26	0	0	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	203	CYS	SER	conflict	UNP D0VWY9
B	318	ILE	VAL	conflict	UNP D0VWY9
D	203	CYS	SER	conflict	UNP D0VWY9
D	318	ILE	VAL	conflict	UNP D0VWY9

- Molecule 3 is a protein called iiiA5 ALPHAREP.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	E	184	Total	C	N	O	S	0	0	0
			1334	835	239	258	2			
3	F	184	Total	C	N	O	S	0	0	0
			1338	837	239	260	2			

- Molecule 4 is a protein called Low calcium response E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	G	285	Total	C	N	O	S	0	0	0
			2132	1326	358	441	7			
4	H	290	Total	C	N	O	S	0	0	0
			2146	1335	362	442	7			

There are 42 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
G	64	MET	-	initiating methionine	UNP Q9Z8L4
G	65	GLY	-	expression tag	UNP Q9Z8L4
G	66	SER	-	expression tag	UNP Q9Z8L4
G	67	SER	-	expression tag	UNP Q9Z8L4
G	68	HIS	-	expression tag	UNP Q9Z8L4
G	69	HIS	-	expression tag	UNP Q9Z8L4
G	70	HIS	-	expression tag	UNP Q9Z8L4
G	71	HIS	-	expression tag	UNP Q9Z8L4
G	72	HIS	-	expression tag	UNP Q9Z8L4
G	73	HIS	-	expression tag	UNP Q9Z8L4
G	74	SER	-	expression tag	UNP Q9Z8L4
G	75	SER	-	expression tag	UNP Q9Z8L4
G	76	GLY	-	expression tag	UNP Q9Z8L4
G	77	LEU	-	expression tag	UNP Q9Z8L4
G	78	VAL	-	expression tag	UNP Q9Z8L4
G	79	PRO	-	expression tag	UNP Q9Z8L4
G	80	ARG	-	expression tag	UNP Q9Z8L4
G	81	GLY	-	expression tag	UNP Q9Z8L4
G	82	SER	-	expression tag	UNP Q9Z8L4
G	83	HIS	-	expression tag	UNP Q9Z8L4
G	84	MET	-	expression tag	UNP Q9Z8L4
H	64	MET	-	initiating methionine	UNP Q9Z8L4
H	65	GLY	-	expression tag	UNP Q9Z8L4
H	66	SER	-	expression tag	UNP Q9Z8L4
H	67	SER	-	expression tag	UNP Q9Z8L4
H	68	HIS	-	expression tag	UNP Q9Z8L4
H	69	HIS	-	expression tag	UNP Q9Z8L4

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	70	HIS	-	expression tag	UNP Q9Z8L4
H	71	HIS	-	expression tag	UNP Q9Z8L4
H	72	HIS	-	expression tag	UNP Q9Z8L4
H	73	HIS	-	expression tag	UNP Q9Z8L4
H	74	SER	-	expression tag	UNP Q9Z8L4
H	75	SER	-	expression tag	UNP Q9Z8L4
H	76	GLY	-	expression tag	UNP Q9Z8L4
H	77	LEU	-	expression tag	UNP Q9Z8L4
H	78	VAL	-	expression tag	UNP Q9Z8L4
H	79	PRO	-	expression tag	UNP Q9Z8L4
H	80	ARG	-	expression tag	UNP Q9Z8L4
H	81	GLY	-	expression tag	UNP Q9Z8L4
H	82	SER	-	expression tag	UNP Q9Z8L4
H	83	HIS	-	expression tag	UNP Q9Z8L4
H	84	MET	-	expression tag	UNP Q9Z8L4

- Molecule 5 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula: $C_{10}H_{16}N_5O_{14}P_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	N	O			P
5	A	1	32	10	5	14	3	0	0
5	B	1	32	10	5	14	3	0	0
5	C	1	32	10	5	14	3	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
5	D	1	32	10	5	14	3	0	0

- Molecule 6 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	Mg	0	0
			1	1		
6	B	1	Total	Mg	0	0
			1	1		
6	C	1	Total	Mg	0	0
			1	1		
6	D	1	Total	Mg	0	0
			1	1		

- Molecule 7 is SULFATE ION (three-letter code: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	O	S	0	0
			5	4	1		
7	C	1	Total	O	S	0	0
			5	4	1		

- Molecule 8 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (three-letter code: MES) (formula: C₆H₁₃NO₄S).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
8	B	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
8	B	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
8	D	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
8	D	1	Total	C	N	O	S	0	0
			12	6	1	4	1		

- Molecule 9 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
9	B	1	Total	C	H	O	0	0
			14	3	8	3		
9	D	1	Total	C	H	O	0	0
			14	3	8	3		
9	D	1	Total	C	H	O	0	0
			14	3	8	3		

- Molecule 10 is TRIETHYLENE GLYCOL (three-letter code: PGE) (formula: C₆H₁₄O₄).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	D	1	Total	C	O	0	0
			10	6	4		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Tubulin alpha chain

Chain A: 74% 19% • 5%




- Molecule 1: Tubulin alpha chain


Chain C: 79% 14% • 5%



- Molecule 2: Tubulin beta chain


Chain B: 72% 22% • 5%






- Molecule 2: Tubulin beta chain

Chain D: 72% 22% 5%




- Molecule 3: iiiA5 ALPHAREP

Chain E: 4% 76% 14% 8%





- Molecule 3: iiiA5 ALPHAREP


Chain F: 2% 80% 10% 8%



- Molecule 4: Low calcium response E



• Molecule 4: Low calcium response E



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	148.06Å 95.85Å 158.06Å 90.00° 101.49° 90.00°	Depositor
Resolution (Å)	49.03 – 3.19 49.03 – 3.19	Depositor EDS
% Data completeness (in resolution range)	99.2 (49.03-3.19) 99.2 (49.03-3.19)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.47 (at 3.19Å)	Xtrriage
Refinement program	BUSTER 2.10.3	Depositor
R, R_{free}	0.173 , 0.210 0.197 , 0.234	Depositor DCC
R_{free} test set	3606 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	95.2	Xtrriage
Anisotropy	0.357	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 101.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.27$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	20365	wwPDB-VP
Average B, all atoms (Å ²)	115.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.36% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, GOL, SO4, GTP, PGE, MES

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.52	0/3364	0.75	0/4575
1	C	0.52	0/3361	0.74	0/4572
2	B	0.55	0/3369	0.74	0/4567
2	D	0.57	0/3371	0.76	0/4570
3	E	0.54	0/1348	0.67	0/1830
3	F	0.53	0/1352	0.66	0/1835
4	G	0.39	0/2158	0.57	0/2937
4	H	0.40	0/2174	0.57	0/2962
All	All	0.51	0/20497	0.70	0/27848

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3291	0	3149	46	0
1	C	3288	0	3142	36	0
2	B	3296	0	3168	42	0
2	D	3298	0	3167	46	0
3	E	1334	0	1294	9	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	F	1338	0	1298	5	0
4	G	2132	0	2055	19	0
4	H	2146	0	2053	26	0
5	A	32	0	12	0	0
5	B	32	0	12	0	0
5	C	32	0	12	0	0
5	D	32	0	12	0	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0
6	C	1	0	0	0	0
6	D	1	0	0	0	0
7	A	5	0	0	0	0
7	C	5	0	0	0	0
8	B	24	0	26	2	0
8	D	24	0	26	4	0
9	B	6	8	8	0	0
9	D	12	16	16	0	0
10	D	10	0	14	0	0
All	All	20341	24	19464	222	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (222) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:66:ILE:HD13	2:D:122:VAL:HG22	1.65	0.78
2:D:195:VAL:HG22	2:D:264:ARG:HG2	1.64	0.77
1:A:288:VAL:HG22	1:A:323:VAL:HG12	1.67	0.76
2:D:267:PHE:O	2:D:384:ILE:HD13	1.88	0.73
2:B:195:VAL:HG22	2:B:264:ARG:HG2	1.70	0.73
1:C:176:GLN:HE22	1:C:207:GLU:HG3	1.56	0.70
2:D:67:LEU:HD22	2:D:78:VAL:HG11	1.70	0.70
2:B:56:ALA:HB3	2:B:60:LYS:HB2	1.74	0.70
1:C:319:TYR:HB3	1:C:323:VAL:HG21	1.75	0.69
3:E:189:ALA:O	3:E:193:LEU:HB2	1.96	0.66
2:B:248:LEU:HD23	2:B:354:ALA:HB2	1.76	0.66
1:C:265:ILE:HG23	1:C:432:TYR:CE2	2.31	0.65
2:B:267:PHE:O	2:B:384:ILE:HD13	1.96	0.65
2:B:67:LEU:HD22	2:B:78:VAL:HG11	1.78	0.65
2:B:161:TYR:HB3	2:B:164:ARG:HG3	1.79	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:319:TYR:HB3	1:A:323:VAL:HG21	1.81	0.62
1:A:328:VAL:HG11	1:A:353:VAL:HG11	1.80	0.62
1:A:344:VAL:HG11	1:A:435:VAL:HG12	1.82	0.61
1:A:265:ILE:HG23	1:A:432:TYR:CE2	2.36	0.61
4:G:276:SER:OG	4:G:312:HIS:HE1	1.84	0.60
3:E:16:VAL:HG22	3:E:41:ILE:HG21	1.82	0.60
4:H:337:VAL:HG23	4:H:379:VAL:HG12	1.83	0.60
1:C:328:VAL:HG11	1:C:353:VAL:HG11	1.85	0.59
3:F:42:GLY:HA2	3:F:72:ILE:HG12	1.84	0.59
2:B:313:LEU:HD23	2:B:344:VAL:HG21	1.84	0.59
2:D:8:GLN:NE2	2:D:67:LEU:HD23	2.17	0.58
2:D:296:PHE:HB3	8:D:504:MES:H51	1.86	0.58
1:A:161:TYR:HB3	1:A:164:LYS:HG3	1.84	0.58
1:A:431:ASP:O	1:A:435:VAL:HG23	2.04	0.58
1:C:167:LEU:HD21	1:C:202:PHE:HE1	1.68	0.58
1:C:288:VAL:HG22	1:C:323:VAL:HG12	1.87	0.57
1:A:167:LEU:HD21	1:A:202:PHE:CE1	2.41	0.56
4:H:333:ILE:HG12	4:H:339:SER:HB3	1.88	0.55
1:A:323:VAL:HG23	1:A:355:ILE:HG23	1.88	0.55
4:G:256:PRO:HB2	4:G:259:GLN:HB3	1.88	0.55
2:B:106:GLY:O	2:B:111:GLY:HA3	2.07	0.55
1:A:26:LEU:HD21	1:A:364:PRO:HD2	1.88	0.54
1:A:167:LEU:HD21	1:A:202:PHE:HE1	1.72	0.54
4:G:284:VAL:HG21	4:G:304:PHE:HA	1.89	0.54
2:D:165:ILE:HD11	2:D:253:ARG:HG3	1.90	0.54
1:A:203:MET:O	1:A:302:MET:HE3	2.08	0.54
1:C:167:LEU:HD21	1:C:202:PHE:CE1	2.44	0.53
2:D:234:THR:O	2:D:238:VAL:HG13	2.07	0.53
4:H:128:ILE:HG21	4:H:164:LEU:HD23	1.90	0.53
1:A:204:VAL:HG11	1:A:231:ILE:HG12	1.90	0.53
2:D:158:ARG:HG3	8:D:503:MES:H62	1.90	0.53
2:D:115:VAL:HG23	2:D:153:LEU:HG	1.91	0.52
1:C:109:THR:HG21	1:C:411:GLU:OE2	2.08	0.52
1:C:176:GLN:NE2	1:C:207:GLU:HG3	2.23	0.52
2:D:137:LEU:HB3	2:D:168:THR:HG22	1.91	0.52
2:D:66:ILE:HG12	2:D:121:VAL:HG12	1.91	0.52
4:H:221:LEU:HB2	4:H:270:LEU:HD13	1.90	0.52
4:H:252:GLY:H	4:H:255:VAL:HG12	1.73	0.52
2:B:28:HIS:HA	2:B:43:GLN:HG2	1.90	0.52
1:C:287:SER:HA	1:C:373:ARG:HE	1.73	0.52
2:B:234:THR:O	2:B:238:VAL:HG13	2.10	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:H:311:TYR:OH	4:H:351:LEU:HA	2.09	0.52
2:D:269:MET:HG3	2:D:303:ALA:HB3	1.91	0.52
1:C:81:GLY:O	1:C:84:ARG:HG2	2.10	0.51
2:D:56:ALA:HB3	2:D:60:LYS:HB2	1.91	0.51
2:B:42:LEU:HD13	2:B:358:ILE:HD11	1.92	0.51
1:C:71:GLU:HB3	1:C:98:ASP:HB3	1.91	0.51
2:B:324:SER:HB3	2:B:327:GLU:HB2	1.92	0.51
4:G:128:ILE:HG21	4:G:164:LEU:HD23	1.92	0.51
2:D:324:SER:HB3	2:D:327:GLU:HB2	1.93	0.51
4:G:192:TYR:CG	4:G:239:PHE:HB2	2.46	0.51
1:C:204:VAL:HG11	1:C:231:ILE:HG12	1.92	0.51
2:B:119:LEU:HD11	2:B:156:LYS:HB3	1.92	0.50
2:B:385:GLN:HB2	2:B:429:VAL:HG13	1.93	0.50
1:A:176:GLN:HE22	1:A:207:GLU:HG3	1.76	0.50
3:E:29:LEU:HD23	3:E:32:TYR:HE2	1.77	0.50
1:C:100:ALA:HA	2:D:254:LYS:HE2	1.93	0.50
2:B:165:ILE:HD11	2:B:253:ARG:HG3	1.92	0.50
3:E:105:ASP:OD1	3:E:107:ARG:HD3	2.12	0.50
1:C:179:THR:HG21	2:D:247:GLN:HE21	1.77	0.50
4:G:337:VAL:HG23	4:G:379:VAL:HG12	1.94	0.49
2:B:66:ILE:HG12	2:B:121:VAL:HG12	1.94	0.49
2:B:137:LEU:HB3	2:B:168:THR:HG22	1.93	0.49
4:G:311:TYR:OH	4:G:351:LEU:HA	2.13	0.49
4:H:221:LEU:HD12	4:H:233:MET:HE1	1.94	0.49
2:D:12:CYS:SG	2:D:171:VAL:HG21	2.52	0.49
2:B:62:VAL:HG11	2:B:88:ARG:HG3	1.95	0.49
2:D:381:SER:O	2:D:384:ILE:HD12	2.13	0.49
1:A:209:ILE:HD11	1:A:302:MET:HB3	1.95	0.48
2:B:136:GLN:HA	2:B:167:ASN:O	2.13	0.48
2:D:136:GLN:HA	2:D:167:ASN:O	2.12	0.48
1:C:397:LEU:HD12	2:D:348:PRO:HG3	1.95	0.48
2:D:167:ASN:OD1	2:D:200:GLU:HG3	2.12	0.48
4:G:141:LEU:HD23	4:G:186:LEU:HD21	1.95	0.48
1:A:409:VAL:HA	1:A:413:MET:O	2.12	0.48
4:H:107:ILE:HG23	4:H:141:LEU:HD22	1.95	0.48
4:G:321:THR:O	4:G:325:VAL:HG23	2.13	0.48
4:H:182:ALA:HB2	4:H:208:LEU:HD11	1.96	0.48
2:D:161:TYR:HB3	2:D:164:ARG:HG3	1.95	0.48
3:F:35:ALA:HB3	3:F:64:GLU:HB3	1.95	0.48
1:A:203:MET:O	1:A:302:MET:CE	2.62	0.48
1:A:224:TYR:HA	1:A:227:LEU:HD12	1.95	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:274:PRO:HD3	1:C:374:ALA:HA	1.96	0.47
2:D:297:ASP:OD1	2:D:299:LYS:HD2	2.14	0.47
4:H:232:ASP:HA	4:H:235:ILE:HD12	1.96	0.47
2:B:154:ILE:HG22	2:B:197:ASN:HB3	1.96	0.47
2:D:176:LYS:HD2	2:D:207:GLU:HG3	1.97	0.47
2:D:297:ASP:HA	8:D:504:MES:O2S	2.15	0.47
1:C:210:TYR:CE2	1:C:222:PRO:HD2	2.49	0.47
4:G:219:GLN:O	4:G:223:MET:HB2	2.14	0.47
1:A:141:PHE:O	1:A:147:SER:HB3	2.14	0.47
1:C:275:VAL:HG23	1:C:368:LEU:HD21	1.96	0.47
1:A:249:ASN:HA	1:A:254:GLU:HB3	1.97	0.47
1:A:93:ILE:HG22	1:A:114:ILE:HD11	1.97	0.47
1:A:261:PRO:HG2	1:A:313:MET:HB3	1.97	0.47
1:C:323:VAL:HG23	1:C:355:ILE:HG23	1.96	0.47
4:H:376:LEU:O	4:H:380:ASN:HB2	2.15	0.47
3:E:35:ALA:HB3	3:E:64:GLU:HB3	1.97	0.46
2:B:308:ARG:HD2	8:B:504:MES:H82	1.98	0.46
2:D:106:GLY:O	2:D:111:GLY:HA3	2.15	0.46
2:D:295:MET:HG3	2:D:377:PHE:HB2	1.97	0.46
1:A:71:GLU:CG	1:A:73:THR:HG23	2.45	0.46
1:A:66:VAL:HG23	1:A:125:LEU:HD22	1.98	0.46
2:B:295:MET:HG3	2:B:377:PHE:HB2	1.97	0.46
4:G:107:ILE:HG23	4:G:141:LEU:HD22	1.96	0.46
1:A:56:THR:HG21	3:E:63:ARG:HH12	1.79	0.46
2:D:318:ILE:HG13	2:D:354:ALA:HB3	1.96	0.46
1:A:270:ALA:H	1:A:302:MET:HE2	1.80	0.46
1:C:69:ASP:O	1:C:94:THR:HA	2.15	0.46
1:A:234:ILE:HD13	1:A:302:MET:HG2	1.98	0.46
1:A:278:ALA:HA	1:A:369:ALA:HB2	1.98	0.45
2:D:399:PHE:HE1	2:D:405:LEU:HD21	1.82	0.45
3:F:82:ILE:HG22	3:F:83:LYS:HE2	1.96	0.45
2:B:16:ILE:HD11	2:B:138:THR:HB	1.99	0.45
2:B:66:ILE:HD13	2:B:122:VAL:HG22	1.99	0.45
1:C:202:PHE:CE2	1:C:378:LEU:HD22	2.51	0.45
2:D:313:LEU:HD23	2:D:344:VAL:HG21	1.98	0.45
1:A:202:PHE:CE2	1:A:378:LEU:HD22	2.52	0.45
4:G:333:ILE:HG12	4:G:339:SER:HB3	1.98	0.45
4:H:284:VAL:HG21	4:H:304:PHE:HA	1.97	0.45
1:A:105:ARG:HA	1:A:109:THR:HB	1.99	0.45
1:C:317:LEU:HD13	1:C:332:ILE:HD11	1.98	0.45
2:D:42:LEU:HB2	2:D:358:ILE:HD11	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:G:149:LEU:HB3	4:G:164:LEU:HD22	1.98	0.45
2:D:2:ARG:H	2:D:133:GLN:HG3	1.82	0.45
2:B:36:TYR:CZ	2:B:38:GLY:HA3	2.52	0.44
2:B:88:ARG:NH1	2:B:90:ASP:HB2	2.32	0.44
4:G:115:LEU:HD21	4:G:132:VAL:HG22	1.98	0.44
2:B:172:MET:HB2	2:B:205:ASP:HA	1.99	0.44
2:D:295:MET:CG	2:D:377:PHE:HB2	2.48	0.44
4:H:336:ASP:HB3	4:H:339:SER:HB2	2.00	0.44
2:B:269:MET:CE	2:B:381:SER:HB3	2.48	0.44
2:D:2:ARG:HB3	2:D:3:GLU:H	1.65	0.44
4:H:143:SER:HB2	4:H:179:ALA:HB1	2.00	0.44
4:H:332:LEU:HD23	4:H:343:VAL:HG11	1.99	0.44
2:D:6:HIS:CD2	2:D:21:TRP:HE1	2.36	0.44
3:E:147:LEU:O	3:E:155:ARG:HD3	2.18	0.44
4:G:355:SER:OG	4:G:357:ARG:HG2	2.18	0.44
2:B:332:MET:O	2:B:335:VAL:HG12	2.18	0.44
2:D:16:ILE:HD11	2:D:138:THR:HB	2.00	0.44
4:H:149:LEU:HB3	4:H:164:LEU:HD22	2.00	0.44
4:H:192:TYR:CG	4:H:239:PHE:HB2	2.53	0.43
1:C:167:LEU:HD13	1:C:252:LEU:HD22	1.99	0.43
2:D:305:CYS:SG	2:D:384:ILE:HA	2.58	0.43
2:B:67:LEU:CD2	2:B:78:VAL:HG11	2.46	0.43
1:A:159:VAL:HG22	1:C:159:VAL:HG22	2.00	0.43
4:H:106:GLU:HB3	4:H:141:LEU:HD11	1.99	0.43
1:A:179:THR:HG21	2:B:247:GLN:HG3	2.00	0.43
4:H:141:LEU:HD23	4:H:186:LEU:HD21	2.01	0.43
1:A:172:TYR:HB3	1:A:205:ASP:HA	2.00	0.43
1:A:370:LYS:H	1:A:370:LYS:HG3	1.71	0.43
1:C:205:ASP:HB3	1:C:303:VAL:HA	2.00	0.43
2:B:6:HIS:CD2	2:B:21:TRP:HE1	2.37	0.43
3:F:120:ASP:OD1	3:F:123:VAL:HG23	2.18	0.43
4:G:233:MET:HB3	4:G:233:MET:HE2	1.81	0.43
1:A:263:PRO:O	1:A:266:HIS:HD2	2.02	0.43
2:B:269:MET:HG3	2:B:303:ALA:HB3	1.99	0.43
2:D:120:ASP:O	2:D:124:LYS:HD2	2.19	0.43
4:G:281:GLU:HA	4:G:304:PHE:CG	2.54	0.43
1:A:147:SER:HB2	1:A:190:THR:HB	2.01	0.42
1:A:370:LYS:HE2	1:A:370:LYS:O	2.19	0.42
1:A:180:ALA:O	1:A:183:GLU:HG3	2.19	0.42
1:C:401:LYS:HD2	2:D:346:TRP:CG	2.53	0.42
1:A:176:GLN:NE2	1:A:207:GLU:HG3	2.34	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:171:VAL:HA	2:B:204:ILE:O	2.19	0.42
1:C:56:THR:HG23	1:C:60:LYS:HB2	2.00	0.42
2:D:1:MET:HA	2:D:133:GLN:HG2	2.01	0.42
3:F:151:ASP:OD2	3:F:153:THR:HG23	2.19	0.42
2:B:23:VAL:HG11	2:B:236:SER:HB2	2.01	0.42
1:A:69:ASP:O	1:A:94:THR:HA	2.20	0.42
1:A:139:HIS:CD2	1:A:150:THR:HG21	2.54	0.42
4:G:332:LEU:HD23	4:G:343:VAL:HG11	2.00	0.42
2:D:398:MET:HG2	2:D:403:ALA:HB3	2.01	0.42
4:H:206:LEU:O	4:H:210:VAL:HG23	2.20	0.42
1:A:415:GLU:O	1:A:418:PHE:HB2	2.20	0.42
4:H:177:ARG:HH12	4:H:255:VAL:HG23	1.84	0.42
1:C:415:GLU:O	1:C:418:PHE:HB2	2.20	0.42
2:D:165:ILE:HG21	2:D:252:LEU:HB3	2.01	0.42
4:H:247:GLU:CB	4:H:255:VAL:HG21	2.50	0.42
1:A:85:GLN:NE2	1:A:85:GLN:HA	2.35	0.41
2:B:32:PRO:HB3	2:B:83:PHE:HA	2.02	0.41
2:B:381:SER:O	2:B:384:ILE:HD12	2.21	0.41
1:C:244:PHE:HB2	1:C:356:ASN:HD21	1.85	0.41
2:B:115:VAL:HG23	2:B:153:LEU:HG	2.02	0.41
1:C:319:TYR:CB	1:C:323:VAL:HG21	2.47	0.41
1:A:136:LEU:HD23	1:A:167:LEU:HB3	2.01	0.41
1:C:139:HIS:CD2	1:C:150:THR:HG21	2.56	0.41
4:G:106:GLU:HB3	4:G:141:LEU:HD11	2.01	0.41
4:H:255:VAL:HG22	4:H:260:LEU:HD11	2.02	0.41
3:E:116:LEU:O	3:E:124:ARG:HD2	2.20	0.41
4:H:115:LEU:HD21	4:H:132:VAL:HG22	2.03	0.41
2:B:291:LEU:HD23	2:B:291:LEU:HA	1.96	0.41
1:C:426:ALA:O	1:C:430:LYS:HG3	2.21	0.41
2:B:12:CYS:SG	2:B:171:VAL:HG21	2.60	0.41
2:B:296:PHE:HB3	8:B:504:MES:H52	2.02	0.41
1:C:102:ASN:HD21	1:C:104:ALA:HB3	1.86	0.41
2:D:147:SER:HB2	2:D:190:SER:OG	2.21	0.41
3:E:69:LEU:HD22	3:E:77:ALA:HB2	2.03	0.41
4:H:321:THR:O	4:H:325:VAL:HG23	2.21	0.41
1:A:292:THR:HG22	1:A:335:ILE:HD13	2.02	0.40
2:D:342:TYR:CD2	8:D:504:MES:H22	2.56	0.40
4:H:272:ALA:HB3	4:H:358:LEU:HD21	2.02	0.40
1:C:141:PHE:O	1:C:147:SER:HB3	2.20	0.40
1:C:295:CYS:SG	1:C:375:VAL:HG13	2.61	0.40
2:B:63:PRO:HD3	2:B:86:ILE:HG12	2.03	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:2:ARG:HG2	1:A:3:GLU:N	2.37	0.40
2:D:248:LEU:HD23	2:D:354:ALA:HB2	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	424/451 (94%)	402 (95%)	18 (4%)	4 (1%)	17	56
1	C	424/451 (94%)	403 (95%)	17 (4%)	4 (1%)	17	56
2	B	419/445 (94%)	403 (96%)	15 (4%)	1 (0%)	47	79
2	D	419/445 (94%)	402 (96%)	16 (4%)	1 (0%)	47	79
3	E	182/201 (90%)	180 (99%)	2 (1%)	0	100	100
3	F	182/201 (90%)	180 (99%)	2 (1%)	0	100	100
4	G	281/336 (84%)	276 (98%)	4 (1%)	1 (0%)	34	69
4	H	288/336 (86%)	282 (98%)	6 (2%)	0	100	100
All	All	2619/2866 (91%)	2528 (96%)	80 (3%)	11 (0%)	34	69

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	366	GLY
2	D	2	ARG
1	A	48	SER
1	A	109	THR
2	B	99	ALA
1	C	245	ASP
1	C	366	GLY
1	C	109	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	162	GLY
1	C	162	GLY
4	G	379	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	348/379 (92%)	317 (91%)	31 (9%)	9	35
1	C	347/379 (92%)	329 (95%)	18 (5%)	23	59
2	B	359/383 (94%)	322 (90%)	37 (10%)	7	29
2	D	359/383 (94%)	319 (89%)	40 (11%)	6	25
3	E	120/157 (76%)	103 (86%)	17 (14%)	3	15
3	F	121/157 (77%)	104 (86%)	17 (14%)	3	16
4	G	230/291 (79%)	221 (96%)	9 (4%)	32	67
4	H	228/291 (78%)	209 (92%)	19 (8%)	11	40
All	All	2112/2420 (87%)	1924 (91%)	188 (9%)	9	35

All (188) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	ARG
1	A	23	LEU
1	A	48	SER
1	A	54	SER
1	A	56	THR
1	A	71	GLU
1	A	73	THR
1	A	82	THR
1	A	102	ASN
1	A	123	ARG
1	A	158	SER
1	A	188	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	191	THR
1	A	236	SER
1	A	250	VAL
1	A	251	ASP
1	A	252	LEU
1	A	253	THR
1	A	256	GLN
1	A	297	GLU
1	A	302	MET
1	A	335	ILE
1	A	347	CYS
1	A	352	LYS
1	A	356	ASN
1	A	367	ASP
1	A	368	LEU
1	A	370	LYS
1	A	401	LYS
1	A	414	GLU
1	A	419	SER
2	B	1	MET
2	B	2	ARG
2	B	11	GLN
2	B	19	LYS
2	B	26	ASP
2	B	33	THR
2	B	35	SER
2	B	47	GLU
2	B	85	GLN
2	B	90	ASP
2	B	117	SER
2	B	120	ASP
2	B	124	LYS
2	B	139	HIS
2	B	164	ARG
2	B	167	ASN
2	B	179	ASP
2	B	215	ARG
2	B	241	CYS
2	B	254	LYS
2	B	272	PHE
2	B	286	LEU
2	B	291	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	322	ARG
2	B	325	MET
2	B	326	LYS
2	B	329	ASP
2	B	333	LEU
2	B	335	VAL
2	B	337	ASN
2	B	344	VAL
2	B	349	ASN
2	B	411	GLU
2	B	414	ASP
2	B	417	GLU
2	B	430	SER
2	B	434	GLN
1	C	2	ARG
1	C	23	LEU
1	C	54	SER
1	C	56	THR
1	C	71	GLU
1	C	73	THR
1	C	84	ARG
1	C	96	LYS
1	C	102	ASN
1	C	236	SER
1	C	245	ASP
1	C	315	CYS
1	C	320	ARG
1	C	336	LYS
1	C	345	ASP
1	C	370	LYS
1	C	401	LYS
1	C	414	GLU
2	D	2	ARG
2	D	15	GLN
2	D	19	LYS
2	D	26	ASP
2	D	33	THR
2	D	35	SER
2	D	64	ARG
2	D	67	LEU
2	D	85	GLN
2	D	88	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	117	SER
2	D	123	ARG
2	D	124	LYS
2	D	139	HIS
2	D	160	GLU
2	D	164	ARG
2	D	179	ASP
2	D	181	VAL
2	D	195	VAL
2	D	215	ARG
2	D	241	CYS
2	D	254	LYS
2	D	264	ARG
2	D	276	THR
2	D	286	LEU
2	D	291	LEU
2	D	322	ARG
2	D	325	MET
2	D	335	VAL
2	D	337	ASN
2	D	340	SER
2	D	344	VAL
2	D	349	ASN
2	D	353	THR
2	D	392	SER
2	D	402	LYS
2	D	411	GLU
2	D	422	GLU
2	D	430	SER
2	D	434	GLN
3	E	17	GLU
3	E	21	LYS
3	E	32	TYR
3	E	44	GLU
3	E	57	GLU
3	E	64	GLU
3	E	83	LYS
3	E	88	GLU
3	E	91	TYR
3	E	94	ARG
3	E	133	GLN
3	E	144	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	E	150	GLU
3	E	153	THR
3	E	156	LEU
3	E	179	GLU
3	E	193	LEU
3	F	15	LYS
3	F	18	MET
3	F	26	ASP
3	F	32	TYR
3	F	48	GLU
3	F	64	GLU
3	F	71	GLN
3	F	76	ARG
3	F	83	LYS
3	F	91	TYR
3	F	94	ARG
3	F	126	ASP
3	F	133	GLN
3	F	144	ILE
3	F	150	GLU
3	F	153	THR
3	F	193	LEU
4	G	185	ILE
4	G	208	LEU
4	G	265	THR
4	G	274	LEU
4	G	315	ILE
4	G	327	ARG
4	G	356	SER
4	G	363	ASP
4	G	371	MET
4	H	185	ILE
4	H	197	ASN
4	H	217	CYS
4	H	226	ASP
4	H	229	THR
4	H	237	SER
4	H	248	LEU
4	H	250	ARG
4	H	255	VAL
4	H	259	GLN
4	H	274	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	H	301	ASP
4	H	310	SER
4	H	315	ILE
4	H	319	PHE
4	H	363	ASP
4	H	364	LYS
4	H	371	MET
4	H	380	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (34) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	11	GLN
1	A	85	GLN
1	A	102	ASN
1	A	107	HIS
1	A	197	HIS
1	A	256	GLN
1	A	301	GLN
1	A	358	GLN
2	B	8	GLN
2	B	11	GLN
2	B	59	ASN
2	B	136	GLN
2	B	247	GLN
2	B	293	GLN
2	B	433	GLN
1	C	15	GLN
1	C	31	GLN
1	C	102	ASN
1	C	107	HIS
1	C	197	HIS
1	C	300	ASN
1	C	301	GLN
1	C	356	ASN
2	D	247	GLN
2	D	293	GLN
2	D	385	GLN
2	D	436	GLN
4	G	215	HIS
4	G	219	GLN
4	G	312	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	H	215	HIS
4	H	219	GLN
4	H	380	ASN
4	H	383	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 18 ligands modelled in this entry, 4 are monoatomic - leaving 14 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
8	MES	B	503	-	12,12,12	0.69	0	14,16,16	0.40	0
9	GOL	B	505	-	5,5,5	0.75	0	5,5,5	0.46	0
5	GTP	D	501	6	26,34,34	0.74	0	32,54,54	0.81	2 (6%)
5	GTP	C	501	6	26,34,34	0.74	1 (3%)	32,54,54	0.64	0
8	MES	D	504	-	12,12,12	0.58	0	14,16,16	0.67	0
5	GTP	B	501	6	26,34,34	0.70	2 (7%)	32,54,54	0.74	1 (3%)
10	PGE	D	505	-	9,9,9	0.24	0	8,8,8	0.19	0
7	SO4	A	503	-	4,4,4	0.14	0	6,6,6	0.29	0
8	MES	B	504	-	12,12,12	0.66	0	14,16,16	0.33	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	MES	D	503	-	12,12,12	0.70	0	14,16,16	0.42	0
9	GOL	D	507	-	5,5,5	0.36	0	5,5,5	0.29	0
9	GOL	D	506	-	5,5,5	0.57	0	5,5,5	0.35	0
5	GTP	A	501	6	26,34,34	0.91	3 (11%)	32,54,54	0.68	0
7	SO4	C	503	-	4,4,4	0.13	0	6,6,6	0.29	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	MES	B	503	-	-	2/6/14/14	0/1/1/1
9	GOL	B	505	-	-	1/4/4/4	-
5	GTP	D	501	6	-	7/18/38/38	0/3/3/3
5	GTP	C	501	6	-	8/18/38/38	0/3/3/3
8	MES	D	504	-	-	2/6/14/14	0/1/1/1
5	GTP	B	501	6	-	4/18/38/38	0/3/3/3
10	PGE	D	505	-	-	1/7/7/7	-
8	MES	B	504	-	-	5/6/14/14	0/1/1/1
8	MES	D	503	-	-	2/6/14/14	0/1/1/1
9	GOL	D	507	-	-	1/4/4/4	-
9	GOL	D	506	-	-	2/4/4/4	-
5	GTP	A	501	6	-	9/18/38/38	0/3/3/3

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	501	GTP	PG-O2G	2.25	1.63	1.54
5	C	501	GTP	C8-N7	-2.21	1.31	1.35
5	A	501	GTP	C8-N7	-2.07	1.31	1.35
5	B	501	GTP	C5-C4	-2.06	1.37	1.43
5	B	501	GTP	C8-N7	-2.06	1.31	1.35
5	A	501	GTP	C5-C6	-2.00	1.43	1.47

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	D	501	GTP	O5'-PA-O1A	2.32	118.13	109.07
5	B	501	GTP	O5'-PA-O1A	2.10	117.26	109.07

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	D	501	GTP	PB-O3B-PG	-2.03	125.84	132.83

There are no chirality outliers.

All (44) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	501	GTP	PB-O3B-PG-O2G
5	A	501	GTP	C5'-O5'-PA-O1A
5	B	501	GTP	C5'-O5'-PA-O1A
5	C	501	GTP	PB-O3B-PG-O2G
5	C	501	GTP	C5'-O5'-PA-O1A
5	C	501	GTP	C5'-O5'-PA-O2A
5	D	501	GTP	PB-O3B-PG-O2G
5	D	501	GTP	C5'-O5'-PA-O1A
8	B	504	MES	C7-C8-S-O1S
8	D	503	MES	C8-C7-N4-C5
9	D	506	GOL	O1-C1-C2-C3
8	B	503	MES	C8-C7-N4-C3
8	B	503	MES	C8-C7-N4-C5
8	D	503	MES	C8-C7-N4-C3
8	B	504	MES	C7-C8-S-O3S
5	D	501	GTP	PB-O3B-PG-O3G
5	A	501	GTP	C5'-O5'-PA-O3A
5	D	501	GTP	C5'-O5'-PA-O3A
9	B	505	GOL	O1-C1-C2-O2
5	A	501	GTP	PB-O3A-PA-O2A
5	A	501	GTP	C5'-O5'-PA-O2A
5	B	501	GTP	C5'-O5'-PA-O2A
5	D	501	GTP	C5'-O5'-PA-O2A
8	B	504	MES	C7-C8-S-O2S
5	D	501	GTP	PB-O3A-PA-O2A
5	C	501	GTP	C4'-C5'-O5'-PA
8	B	504	MES	C8-C7-N4-C3
8	B	504	MES	C8-C7-N4-C5
8	D	504	MES	C8-C7-N4-C3
8	D	504	MES	C8-C7-N4-C5
9	D	507	GOL	C1-C2-C3-O3
5	A	501	GTP	PB-O3B-PG-O1G
5	C	501	GTP	PB-O3B-PG-O1G
5	A	501	GTP	PB-O3B-PG-O3G
5	B	501	GTP	C5'-O5'-PA-O3A
5	C	501	GTP	C5'-O5'-PA-O3A

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
9	D	506	GOL	O1-C1-C2-O2
5	A	501	GTP	PB-O3A-PA-O1A
5	B	501	GTP	PB-O3A-PA-O2A
5	C	501	GTP	PB-O3A-PA-O1A
5	C	501	GTP	PB-O3A-PA-O2A
5	D	501	GTP	PB-O3A-PA-O1A
10	D	505	PGE	O2-C3-C4-O3
5	A	501	GTP	C4'-C5'-O5'-PA


There are no ring outliers.

3 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	D	504	MES	3	0
8	B	504	MES	2	0
8	D	503	MES	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	428/451 (94%)	-0.19	1 (0%) 95 94	55, 96, 156, 183	2 (0%)
1	C	428/451 (94%)	-0.14	2 (0%) 91 86	58, 94, 152, 176	2 (0%)
2	B	423/445 (95%)	-0.07	1 (0%) 95 94	64, 92, 124, 153	0
2	D	423/445 (95%)	-0.08	1 (0%) 95 94	62, 86, 121, 165	0
3	E	184/201 (91%)	0.22	9 (4%) 29 17	77, 109, 182, 191	0
3	F	184/201 (91%)	0.07	5 (2%) 54 39	77, 110, 187, 200	0
4	G	285/336 (84%)	1.22	72 (25%) 0 0	104, 164, 269, 279	0
4	H	290/336 (86%)	0.96	66 (22%) 0 0	92, 166, 250, 270	0
All	All	2645/2866 (92%)	0.18	157 (5%) 22 13	55, 103, 218, 279	4 (0%)

All (157) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
4	G	153	THR	13.1
4	H	153	THR	9.5
4	G	119	ILE	8.2
4	H	154	PRO	8.0
4	G	122	ASP	7.1
4	G	164	LEU	6.7
4	H	122	ASP	6.5
4	G	159	LYS	6.5
4	G	127	ASP	6.4
4	G	115	LEU	6.4
4	G	154	PRO	6.4
4	G	96	LEU	6.2
4	H	123	ALA	6.1
4	H	164	LEU	6.0
4	G	112	LEU	6.0
4	G	123	ALA	5.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	G	100	TYR	5.8
4	G	160	LEU	5.8
4	G	118	ALA	5.8
4	G	157	GLN	5.6
4	G	132	VAL	5.2
4	G	152	THR	5.1
4	H	112	LEU	5.1
4	G	108	SER	4.9
4	H	94	THR	4.9
4	G	107	ILE	4.8
4	H	155	PRO	4.8
4	G	158	GLY	4.7
4	H	119	ILE	4.6
4	G	120	GLY	4.5
4	G	124	SER	4.5
4	H	115	LEU	4.3
4	H	159	LYS	4.3
4	H	156	SER	4.2
4	G	128	ILE	4.1
4	H	157	GLN	4.1
4	H	132	VAL	4.0
4	H	158	GLY	4.0
4	H	118	ALA	3.9
4	G	133	GLN	3.9
4	H	108	SER	3.9
4	H	127	ASP	3.9
4	H	296	ILE	3.8
4	G	141	LEU	3.7
4	H	107	ILE	3.7
3	E	12	ASP	3.7
4	H	344	LEU	3.7
4	G	134	GLU	3.6
4	H	150	VAL	3.6
4	G	129	LEU	3.5
4	H	97	ALA	3.4
4	G	98	ASP	3.4
4	H	109	GLY	3.4
4	G	101	ALA	3.4
4	H	96	LEU	3.4
4	G	97	ALA	3.4
4	G	99	LYS	3.3
4	G	111	GLU	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	H	100	TYR	3.3
4	H	295	GLY	3.3
4	H	372	ILE	3.3
4	H	342	GLY	3.3
3	F	177	LEU	3.2
4	G	149	LEU	3.2
4	G	179	ALA	3.1
4	G	146	LEU	3.1
4	H	120	GLY	3.1
4	G	177	ARG	3.1
4	G	131	LEU	3.1
4	G	136	ILE	3.0
4	G	155	PRO	3.0
4	G	217	CYS	3.0
4	G	135	LYS	3.0
4	H	128	ILE	3.0
4	H	152	THR	3.0
1	A	335	ILE	2.9
4	G	375	ALA	2.9
4	H	341	THR	2.9
4	H	133	GLN	2.9
4	H	149	LEU	2.9
4	G	175	PHE	2.9
4	H	129	LEU	2.9
3	E	177	LEU	2.9
4	G	109	GLY	2.9
4	G	103	GLY	2.8
4	G	102	SER	2.8
4	H	339	SER	2.8
4	H	146	LEU	2.8
1	C	351	PHE	2.8
3	E	181	GLY	2.7
4	H	161	LYS	2.7
4	G	125	PRO	2.7
4	G	95	ASP	2.7
4	H	348	PHE	2.7
4	H	95	ASP	2.6
3	E	77	ALA	2.6
4	H	136	ILE	2.5
4	G	296	ILE	2.5
4	G	182	ALA	2.5
4	G	140	ALA	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	H	141	LEU	2.5
4	H	294	GLU	2.5
4	G	166	GLN	2.5
3	F	179	GLU	2.5
3	E	72	ILE	2.5
4	H	335	ASP	2.5
4	H	340	VAL	2.4
4	H	125	PRO	2.4
4	H	124	SER	2.4
4	H	333	ILE	2.4
3	E	195	THR	2.4
4	H	380	ASN	2.4
4	G	137	LYS	2.4
4	G	150	VAL	2.4
4	H	160	LEU	2.4
4	H	334	GLY	2.4
3	E	190	VAL	2.4
4	G	255	VAL	2.4
4	H	135	LYS	2.4
4	H	148	TYR	2.4
4	G	144	THR	2.4
3	F	72	ILE	2.3
4	H	98	ASP	2.3
4	H	376	LEU	2.3
4	G	156	SER	2.3
4	G	185	ILE	2.3
4	G	291	LEU	2.3
4	H	293	ALA	2.3
2	D	439	THR	2.3
4	H	252	GLY	2.3
4	G	117	ASP	2.2
4	H	134	GLU	2.2
4	H	163	ALA	2.2
2	B	440	ALA	2.2
4	H	101	ALA	2.2
4	G	359	PHE	2.2
4	G	210	VAL	2.2
4	H	255	VAL	2.2
4	G	215	HIS	2.2
1	C	355	ILE	2.2
4	G	121	ASP	2.2
4	G	224	LEU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	G	161	LYS	2.2
3	F	185	ALA	2.1
4	G	338	ASP	2.1
4	G	110	GLN	2.1
4	H	371	MET	2.1
3	E	178	ALA	2.1
4	G	106	GLU	2.1
3	F	36	ASP	2.1
4	G	94	THR	2.1
4	H	111	GLU	2.1
3	E	74	ASP	2.1
4	G	126	GLU	2.0
4	H	359	PHE	2.0
4	H	315	ILE	2.0
4	G	163	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
10	PGE	D	505	10/10	0.65	0.25	129,136,140,140	0
7	SO4	A	503	5/5	0.70	0.33	172,174,174,175	0
7	SO4	C	503	5/5	0.71	0.42	168,169,170,171	0
6	MG	B	502	1/1	0.79	0.30	85,85,85,85	0
9	GOL	D	506	6/6	0.81	0.27	58,65,72,75	0
6	MG	D	502	1/1	0.81	0.18	76,76,76,76	0
9	GOL	D	507	6/6	0.87	0.57	63,69,77,78	0
9	GOL	B	505	6/6	0.92	0.23	49,55,63,69	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
8	MES	B	503	12/12	0.94	0.22	104,107,118,118	0
8	MES	D	503	12/12	0.94	0.18	92,99,121,122	0
8	MES	D	504	12/12	0.95	0.35	88,91,111,112	0
6	MG	A	502	1/1	0.96	0.28	60,60,60,60	0
8	MES	B	504	12/12	0.96	0.33	104,107,111,112	0
6	MG	C	502	1/1	0.97	0.26	61,61,61,61	0
5	GTP	D	501	32/32	0.97	0.23	78,88,117,121	0
5	GTP	A	501	32/32	0.98	0.23	71,81,93,95	0
5	GTP	B	501	32/32	0.98	0.22	73,88,123,126	0
5	GTP	C	501	32/32	0.98	0.22	77,81,85,87	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around GTP A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around GTP B 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.