



Full wwPDB EM Validation Report ⓘ

Mar 19, 2024 – 08:21 PM JST

PDB ID : 6JBQ
EMDB ID : EMD-9792
Title : CryoEM structure of Escherichia coli sigmaE transcription initiation complex containing 5nt of RNA
Authors : Fang, C.L.; Zhang, Y.
Deposited on : 2019-01-26
Resolution : 4.02 Å (reported)
Based on initial models : 4LUP, 4MEY, 2H27

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev70
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 4.02 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	329	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: right;">11%</div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red, orange, yellow, green, grey);"></div> <div style="text-align: left;">60%</div> <div style="text-align: right;">5%</div> <div style="text-align: right;">34%</div> </div>
1	B	329	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: right;">•</div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red, orange, yellow, green, grey);"></div> <div style="text-align: left;">58%</div> <div style="text-align: right;">8%</div> <div style="text-align: right;">33%</div> </div>
2	C	1342	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: right;">9%</div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red, orange, yellow, green, grey);"></div> <div style="text-align: left;">87%</div> <div style="text-align: right;">11%</div> <div style="text-align: right;">•</div> </div>
3	D	1416	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: right;">17%</div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red, orange, yellow, green, grey);"></div> <div style="text-align: left;">83%</div> <div style="text-align: right;">10%</div> <div style="text-align: right;">6%</div> </div>
4	E	91	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: right;">15%</div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red, orange, yellow, green, grey);"></div> <div style="text-align: left;">84%</div> <div style="text-align: right;">•</div> <div style="text-align: right;">13%</div> </div>
5	F	219	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: right;">5%</div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red, orange, yellow, green, grey);"></div> <div style="text-align: left;">75%</div> <div style="text-align: right;">10%</div> <div style="text-align: right;">15%</div> </div>
6	G	48	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: right;">8%</div> <div style="width: 100%; height: 15px; background: linear-gradient(to right, red, orange, yellow, green, grey);"></div> <div style="text-align: left;">96%</div> <div style="text-align: right;">•</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
7	H	48	
8	I	5	

2 Entry composition [i](#)

There are 10 unique types of molecules in this entry. The entry contains 28163 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA-directed RNA polymerase subunit alpha.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	216	Total	C	N	O	S	0	0
			1659	1037	295	321	6		
1	B	219	Total	C	N	O	S	0	0
			1687	1057	301	323	6		

- Molecule 2 is a protein called DNA-directed RNA polymerase subunit beta.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	C	1312	Total	C	N	O	S	0	0
			10320	6479	1797	2001	43		

- Molecule 3 is a protein called DNA-directed RNA polymerase subunit beta'.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	D	1335	Total	C	N	O	S	0	0
			10331	6492	1843	1946	50		

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	1408	LEU	-	expression tag	UNP P0A8T7
D	1409	GLU	-	expression tag	UNP P0A8T7
D	1410	VAL	-	expression tag	UNP P0A8T7
D	1411	HIS	-	expression tag	UNP P0A8T7
D	1412	HIS	-	expression tag	UNP P0A8T7
D	1413	HIS	-	expression tag	UNP P0A8T7
D	1414	HIS	-	expression tag	UNP P0A8T7
D	1415	HIS	-	expression tag	UNP P0A8T7
D	1416	HIS	-	expression tag	UNP P0A8T7

- Molecule 4 is a protein called DNA-directed RNA polymerase subunit omega.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	E	79	627	382	118	126	1	0	0

- Molecule 5 is a protein called ECF RNA polymerase sigma-E factor.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	F	186	1483	936	262	281	4	0	0

There are 28 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
F	-27	MET	-	expression tag	UNP P0AGB6
F	-26	SER	-	expression tag	UNP P0AGB6
F	-25	SER	-	expression tag	UNP P0AGB6
F	-24	TYR	-	expression tag	UNP P0AGB6
F	-23	TYR	-	expression tag	UNP P0AGB6
F	-22	HIS	-	expression tag	UNP P0AGB6
F	-21	HIS	-	expression tag	UNP P0AGB6
F	-20	HIS	-	expression tag	UNP P0AGB6
F	-19	HIS	-	expression tag	UNP P0AGB6
F	-18	HIS	-	expression tag	UNP P0AGB6
F	-17	HIS	-	expression tag	UNP P0AGB6
F	-16	ASP	-	expression tag	UNP P0AGB6
F	-15	TYR	-	expression tag	UNP P0AGB6
F	-14	ASP	-	expression tag	UNP P0AGB6
F	-13	ILE	-	expression tag	UNP P0AGB6
F	-12	PRO	-	expression tag	UNP P0AGB6
F	-11	THR	-	expression tag	UNP P0AGB6
F	-10	THR	-	expression tag	UNP P0AGB6
F	-9	GLU	-	expression tag	UNP P0AGB6
F	-8	ASN	-	expression tag	UNP P0AGB6
F	-7	LEU	-	expression tag	UNP P0AGB6
F	-6	TYR	-	expression tag	UNP P0AGB6
F	-5	PHE	-	expression tag	UNP P0AGB6
F	-4	GLN	-	expression tag	UNP P0AGB6
F	-3	GLY	-	expression tag	UNP P0AGB6
F	-2	ALA	-	expression tag	UNP P0AGB6
F	-1	MET	-	expression tag	UNP P0AGB6
F	0	ALA	-	expression tag	UNP P0AGB6

- Molecule 6 is a DNA chain called DNA (48-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
6	G	48	976	465	176	287	48	0	0

- Molecule 7 is a DNA chain called DNA (48-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
7	H	48	975	466	172	289	48	0	0

- Molecule 8 is a RNA chain called RNA (5'-R(*CP*UP*CP*GP*A)-3').


Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
8	I	5	102	47	18	33	4	0	0

- Molecule 9 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).



Mol	Chain	Residues	Atoms		AltConf
			Total	Mg	
9	D	1	1	1	0


- Molecule 10 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
			Total	Zn	
10	D	2	2	2	0





• Molecule 3: DNA-directed RNA polymerase subunit beta'








• Molecule 4: DNA-directed RNA polymerase subunit omega




• Molecule 5: ECF RNA polymerase sigma-E factor




• Molecule 6: DNA (48-MER)



• Molecule 7: DNA (48-MER)



- Molecule 8: RNA (5'-R(*CP*UP*CP*GP*A)-3')



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	195058	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	1.665	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.214	Depositor
Minimum map value	-0.138	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.009	Depositor
Recommended contour level	0.03	Depositor
Map size (\AA)	212.94002, 212.94002, 212.94002	wwPDB
Map dimensions	210, 210, 210	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.014, 1.014, 1.014	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.24	0/1678	0.47	0/2274
1	B	0.24	0/1707	0.48	0/2313
2	C	0.25	0/10485	0.47	0/14151
3	D	0.26	0/10485	0.49	2/14160 (0.0%)
4	E	0.24	0/629	0.45	0/847
5	F	0.26	0/1507	0.49	0/2040
6	G	0.63	0/1094	1.01	0/1686
7	H	0.67	0/1092	1.07	1/1683 (0.1%)
8	I	0.18	0/113	0.80	0/174
All	All	0.30	0/28790	0.55	3/39328 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
7	H	14	DG	O5'-P-OP1	7.37	119.55	110.70
3	D	1344	LEU	CA-CB-CG	6.62	130.52	115.30
3	D	472	LEU	CA-CB-CG	6.22	129.60	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1659	0	1690	12	0
1	B	1687	0	1730	14	0
2	C	10320	0	10321	91	0
3	D	10331	0	10533	95	0
4	E	627	0	634	2	0
5	F	1483	0	1494	13	0
6	G	976	0	537	1	0
7	H	975	0	539	12	0
8	I	102	0	56	1	0
9	D	1	0	0	0	0
10	D	2	0	0	0	0
All	All	28163	0	27534	219	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (219) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:905:ILE:HG22	2:C:906:PHE:HD1	1.18	1.02
2:C:905:ILE:HG22	2:C:906:PHE:CD1	2.03	0.93
3:D:816:THR:HG21	3:D:889:ASP:HB2	1.60	0.79
2:C:905:ILE:CG2	2:C:906:PHE:CD1	2.73	0.71
3:D:890:THR:HG22	3:D:891:ASP:N	2.06	0.70
3:D:85:CYS:HB2	3:D:88:CYS:SG	2.33	0.68
3:D:890:THR:HG22	3:D:891:ASP:H	1.55	0.67
3:D:527:LEU:HD23	3:D:548:VAL:HG11	1.79	0.63
3:D:58:CYS:SG	3:D:59:ALA:N	2.73	0.62
3:D:70:CYS:SG	3:D:71:LEU:N	2.72	0.61
3:D:888:CYS:SG	3:D:894:VAL:HG23	2.41	0.61
3:D:824:PRO:HD3	3:D:835:LEU:HD12	1.84	0.60
3:D:975:ILE:HG22	3:D:977:SER:H	1.66	0.59
2:C:160:ASP:HB2	2:C:171:LEU:HB2	1.85	0.59
5:F:117:ASN:HB2	5:F:120:ASN:HB2	1.85	0.59
3:D:70:CYS:SG	3:D:72:CYS:N	2.75	0.58
2:C:26:TYR:HB3	2:C:29:SER:HB2	1.86	0.57
2:C:144:VAL:HG21	2:C:527:LYS:HG2	1.85	0.57
5:F:80:ASN:ND2	7:H:25:DT:O2	2.38	0.57
2:C:1246:ARG:HH11	2:C:1266:GLY:HA2	1.70	0.57
2:C:65:ASN:HB3	2:C:105:TYR:HB2	1.86	0.57
3:D:1175:LEU:HD12	3:D:1190:ILE:HD11	1.87	0.56
2:C:836:LEU:HB3	2:C:918:LEU:HD21	1.86	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:H:8:DT:H2''	7:H:9:DT:H5''	1.88	0.56
2:C:175:ARG:NH2	7:H:36:DG:OP1	2.38	0.56
3:D:1026:PRO:HB2	3:D:1028:ILE:HG23	1.88	0.56
2:C:176:ILE:HD12	2:C:184:LEU:HD23	1.89	0.55
3:D:278:ARG:NH1	5:F:48:ASP:OD1	2.37	0.55
2:C:909:LYS:O	2:C:910:ALA:HB3	2.06	0.55
3:D:506:VAL:HG23	3:D:628:GLY:HA3	1.88	0.54
3:D:926:PRO:HG2	3:D:1248:ILE:HD11	1.89	0.54
2:C:897:PRO:HA	2:C:900:LYS:HB2	1.90	0.54
3:D:85:CYS:CB	3:D:88:CYS:SG	2.96	0.54
2:C:836:LEU:HD13	2:C:1054:LEU:HD13	1.89	0.54
2:C:1244:HIS:NE2	2:C:1266:GLY:O	2.42	0.53
2:C:1287:LEU:HD22	3:D:1357:ILE:HD11	1.91	0.53
3:D:275:ARG:NH1	3:D:298:MET:O	2.42	0.53
3:D:973:LEU:HB3	3:D:1003:LEU:HB3	1.90	0.53
3:D:362:ARG:H	3:D:365:GLN:HE21	1.55	0.53
3:D:576:ARG:NH1	3:D:593:ASN:OD1	2.41	0.53
3:D:1044:GLN:HE21	3:D:1071:GLY:HA2	1.74	0.53
2:C:805:MET:HB3	2:C:1225:VAL:HG11	1.91	0.53
1:A:182:ARG:HE	1:A:206:GLU:HG3	1.73	0.53
3:D:279:LEU:HD13	3:D:299:LEU:HD13	1.91	0.53
2:C:804:PHE:HB3	2:C:1100:PRO:HB3	1.90	0.52
2:C:1269:ARG:HA	3:D:346:ARG:HA	1.92	0.52
3:D:1022:PRO:O	3:D:1126:GLN:NE2	2.43	0.52
3:D:339:ARG:NH2	3:D:1324:SER:O	2.42	0.52
1:A:178:SER:OG	3:D:535:ARG:NH1	2.43	0.52
2:C:1142:ARG:NH1	2:C:1161:LEU:O	2.43	0.52
3:D:799:ARG:NH1	3:D:1146:GLU:OE2	2.43	0.51
2:C:349:GLU:HA	2:C:352:ARG:HG2	1.93	0.51
2:C:633:LEU:HD11	2:C:644:LEU:HD23	1.92	0.51
2:C:694:ARG:O	2:C:798:GLN:NE2	2.43	0.51
3:D:896:ALA:O	3:D:898:CYS:N	2.44	0.51
2:C:18:ARG:NH2	2:C:620:ASN:O	2.44	0.50
3:D:973:LEU:HD23	3:D:1003:LEU:HD23	1.94	0.50
3:D:890:THR:CG2	3:D:891:ASP:N	2.75	0.50
3:D:425:ARG:HG3	3:D:427:PRO:HD2	1.94	0.50
2:C:180:ARG:HB3	2:C:396:ASP:HB2	1.94	0.50
2:C:844:LYS:HB3	2:C:845:LEU:HD12	1.93	0.50
3:D:890:THR:CG2	3:D:891:ASP:H	2.24	0.49
2:C:72:SER:OG	2:C:73:TYR:N	2.45	0.49
3:D:1075:ARG:HE	3:D:1100:PHE:HB3	1.76	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:907:GLY:O	2:C:908:GLU:CB	2.61	0.49
1:A:90:VAL:HG11	1:A:146:VAL:HG11	1.95	0.49
2:C:1255:THR:HG21	3:D:341:ASN:HD22	1.77	0.49
2:C:576:SER:OG	2:C:577:VAL:N	2.44	0.49
3:D:1183:SER:OG	3:D:1184:ASP:N	2.46	0.48
2:C:12:ARG:NH2	2:C:793:GLU:OE2	2.42	0.48
2:C:646:SER:OG	2:C:648:ASP:OD1	2.31	0.48
3:D:847:ASP:N	3:D:847:ASP:OD1	2.47	0.48
2:C:86:GLN:NE2	2:C:142:GLU:OE2	2.46	0.48
2:C:271:ALA:HA	2:C:274:ILE:HD12	1.95	0.48
3:D:295:GLU:HB2	5:F:51:GLN:HE22	1.79	0.48
3:D:930:LEU:HD11	3:D:1241:TYR:HE1	1.77	0.48
3:D:160:LEU:HD22	3:D:164:GLN:HB3	1.96	0.48
3:D:1108:GLN:HE21	3:D:1123:ARG:HH22	1.62	0.48
1:B:192:VAL:HG12	1:B:195:ARG:H	1.79	0.48
3:D:1305:ASP:N	3:D:1305:ASP:OD1	2.47	0.48
5:F:173:ARG:NH2	7:H:2:DG:OP1	2.46	0.48
1:B:100:LEU:HB2	1:B:144:ILE:HB	1.96	0.48
3:D:460:ASP:OD1	3:D:460:ASP:N	2.45	0.48
5:F:141:ASP:OD2	5:F:173:ARG:NE	2.46	0.48
2:C:714:VAL:HB	2:C:787:PRO:HD2	1.96	0.47
3:D:755:ILE:HG12	3:D:757:THR:H	1.78	0.47
5:F:23:ASN:HA	5:F:26:VAL:HG12	1.95	0.47
2:C:27:LEU:O	2:C:528:ARG:NH1	2.42	0.47
2:C:596:ASP:OD1	2:C:596:ASP:N	2.47	0.47
1:B:91:ARG:NH2	1:B:209:GLY:O	2.48	0.47
1:B:84:ASN:ND2	1:B:130:ILE:O	2.47	0.47
1:A:60:GLU:OE2	1:A:170:ARG:NH1	2.48	0.47
2:C:1101:LEU:HD21	3:D:508:LEU:HD22	1.95	0.47
1:B:45:ARG:HD2	2:C:1083:GLU:HB2	1.97	0.47
2:C:143:ARG:HA	2:C:514:PHE:HA	1.97	0.47
2:C:200:ARG:NH1	7:H:36:DG:OP1	2.48	0.47
2:C:678:ARG:NH1	2:C:1071:GLY:O	2.48	0.47
2:C:1260:GLY:O	2:C:1264:GLN:NE2	2.47	0.47
5:F:147:THR:HA	5:F:151:LEU:HD13	1.96	0.47
1:A:15:ASP:OD1	1:A:15:ASP:N	2.47	0.47
3:D:54:ASP:N	3:D:54:ASP:OD1	2.46	0.47
3:D:1184:ASP:N	3:D:1184:ASP:OD1	2.46	0.47
2:C:672:GLU:HG3	3:D:767:LEU:H	1.79	0.46
3:D:47:ARG:HA	3:D:47:ARG:HD3	1.80	0.46
3:D:584:PRO:HG2	3:D:587:LEU:HD13	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:F:168:GLY:HA2	5:F:171:ARG:HE	1.81	0.46
1:A:32:GLU:OE2	1:A:195:ARG:NH2	2.49	0.46
3:D:218:THR:HA	3:D:221:ILE:HG22	1.98	0.46
5:F:37:VAL:HG13	5:F:82:ALA:HB2	1.96	0.46
2:C:20:GLN:OE1	2:C:1156:ARG:NH1	2.49	0.46
2:C:850:ILE:HG13	2:C:1048:LYS:HD2	1.98	0.46
7:H:38:DC:H2'	7:H:39:DA:C8	2.51	0.46
1:B:229:GLU:HA	1:B:232:VAL:HG12	1.97	0.46
3:D:964:LYS:HD3	3:D:964:LYS:HA	1.80	0.46
2:C:520:PRO:HG3	2:C:714:VAL:HG11	1.96	0.46
2:C:1072:ASN:ND2	2:C:1111:GLN:OE1	2.49	0.46
2:C:1103:VAL:HG11	2:C:1112:ILE:HD11	1.97	0.46
3:D:966:VAL:HG11	3:D:1030:GLU:HA	1.99	0.45
2:C:513:GLN:OE1	8:I:1:C:O2'	2.34	0.45
3:D:1061:VAL:HG11	3:D:1076:PRO:HG3	1.98	0.45
3:D:1063:ASP:HB3	3:D:1104:LYS:HG3	1.98	0.45
3:D:1368:ASP:HA	3:D:1371:ARG:HD3	1.97	0.45
2:C:1211:ARG:HA	2:C:1224:PRO:HB3	1.98	0.45
7:H:40:DC:H2'	7:H:41:DG:C8	2.51	0.45
2:C:678:ARG:NH2	2:C:681:MET:SD	2.90	0.45
4:E:25:ARG:NH2	4:E:68:GLU:OE1	2.45	0.45
1:B:31:LEU:HD13	1:B:36:GLY:HA2	1.99	0.45
2:C:594:VAL:HG22	2:C:599:VAL:HG13	1.98	0.45
3:D:191:SER:O	3:D:191:SER:OG	2.32	0.45
3:D:429:LEU:HD23	3:D:925:GLU:HA	1.98	0.45
3:D:872:LEU:HD11	3:D:880:VAL:HG21	1.98	0.45
3:D:363:LEU:HD11	3:D:500:ILE:HD11	1.99	0.45
1:A:83:LEU:HD21	3:D:526:VAL:HB	2.00	0.44
2:C:1246:ARG:NH1	2:C:1265:PHE:O	2.50	0.44
5:F:149:ARG:NH1	5:F:154:LEU:O	2.50	0.44
7:H:13:DT:H2'	7:H:14:DG:C8	2.52	0.44
1:A:197:ASP:OD1	1:A:197:ASP:N	2.45	0.44
1:B:112:ALA:N	1:B:128:HIS:O	2.46	0.44
2:C:417:SER:OG	2:C:418:GLY:N	2.49	0.44
2:C:1272:GLU:OE2	3:D:339:ARG:NH1	2.47	0.44
1:B:74:VAL:HG12	1:B:76:GLU:H	1.82	0.44
2:C:1072:ASN:OD1	2:C:1072:ASN:N	2.50	0.44
5:F:172:SER:OG	5:F:176:ARG:NH1	2.50	0.44
2:C:185:ASP:OD2	2:C:200:ARG:NH2	2.47	0.44
3:D:84:ILE:HB	3:D:89:GLY:HA2	1.99	0.44
3:D:698:MET:HG3	3:D:702:GLN:HE21	1.83	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:742:TYR:HB2	2:C:746:ALA:HB2	1.99	0.44
3:D:437:PHE:HZ	3:D:453:VAL:HG21	1.82	0.44
3:D:1221:LEU:HD22	3:D:1306:LEU:HB2	2.00	0.44
2:C:568:ASN:OD1	2:C:568:ASN:N	2.50	0.43
2:C:960:LEU:HB3	2:C:1025:PHE:HE1	1.83	0.43
1:B:58:GLU:OE1	1:B:170:ARG:NH2	2.47	0.43
2:C:14:ASP:HA	2:C:1183:ALA:HB3	1.99	0.43
2:C:444:ASP:N	2:C:444:ASP:OD1	2.47	0.43
3:D:412:LEU:HD23	3:D:441:LEU:HD21	2.00	0.43
3:D:1073:ASP:OD1	3:D:1073:ASP:N	2.46	0.43
2:C:210:LEU:HD22	2:C:220:ILE:HG12	2.00	0.43
3:D:111:THR:HG21	3:D:303:VAL:HG21	2.00	0.43
1:A:191:ARG:NH2	3:D:413:ASP:OD2	2.43	0.43
3:D:49:PHE:CE1	3:D:254:PRO:HB3	2.54	0.43
2:C:156:PHE:HE1	2:C:450:ASN:HB3	1.82	0.43
1:A:112:ALA:HB3	1:A:126:PRO:HA	2.01	0.43
1:B:43:LEU:HD13	1:B:217:ILE:HD11	2.00	0.43
2:C:806:PRO:HA	2:C:811:ASN:HD21	1.82	0.43
2:C:808:ASN:H	3:D:633:ALA:HB2	1.84	0.43
3:D:886:VAL:HA	3:D:1258:ARG:HG3	2.00	0.43
2:C:476:LYS:O	2:C:480:SER:OG	2.33	0.42
2:C:29:SER:O	2:C:33:ASP:HB2	2.19	0.42
2:C:150:HIS:CE1	2:C:454:ARG:HE	2.37	0.42
2:C:227:LYS:HE2	2:C:227:LYS:HB2	1.83	0.42
5:F:11:VAL:HA	5:F:14:VAL:HG12	1.99	0.42
2:C:802:VAL:HG21	2:C:1230:MET:HB3	2.01	0.42
7:H:37:DT:H2'	7:H:38:DC:C6	2.55	0.42
3:D:475:GLU:OE2	4:E:28:ARG:NH2	2.47	0.42
2:C:972:PHE:HA	2:C:975:ILE:HG22	2.02	0.42
3:D:279:LEU:HD12	3:D:295:GLU:HG3	2.01	0.42
3:D:749:LYS:HG3	3:D:751:ASP:H	1.85	0.42
1:A:62:ASP:N	1:A:62:ASP:OD1	2.50	0.42
2:C:870:ILE:HG13	2:C:884:VAL:HG23	2.01	0.42
2:C:99:LYS:HA	2:C:121:GLU:HA	2.02	0.41
2:C:241:LEU:HD13	2:C:285:ILE:HG21	2.01	0.41
3:D:353:SER:OG	3:D:372:MET:SD	2.75	0.41
2:C:607:SER:OG	2:C:608:ALA:N	2.53	0.41
3:D:99:ARG:HG3	3:D:248:ASP:HB3	2.02	0.41
3:D:1234:VAL:O	3:D:1238:GLN:HB2	2.20	0.41
3:D:1279:GLN:NE2	3:D:1305:ASP:OD2	2.53	0.41
1:B:61:ILE:HG12	1:B:142:MET:HG2	2.01	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:420:LEU:HD23	2:C:420:LEU:HA	1.97	0.41
3:D:129:ASP:HB3	3:D:220:ARG:HH12	1.84	0.41
3:D:36:GLY:HA3	3:D:61:ILE:HG23	2.01	0.41
1:B:62:ASP:OD1	1:B:62:ASP:N	2.53	0.41
3:D:683:ILE:HD13	3:D:683:ILE:HA	1.95	0.41
2:C:320:ASP:OD1	2:C:320:ASP:N	2.52	0.41
2:C:1277:ALA:HA	3:D:921:GLN:HE22	1.84	0.41
3:D:1239:ASP:OD1	3:D:1242:ARG:NH1	2.53	0.41
7:H:15:DC:H2''	7:H:16:DT:C6	2.55	0.41
1:A:83:LEU:HD13	1:A:86:LYS:HD3	2.02	0.41
2:C:468:LEU:HD23	2:C:468:LEU:HA	1.95	0.41
3:D:825:VAL:HB	3:D:832:LYS:HB2	2.02	0.41
7:H:10:DT:H2''	7:H:11:DA:H5''	2.03	0.41
2:C:1274:GLU:HG2	3:D:424:ASN:HD21	1.85	0.41
3:D:381:ILE:HD11	3:D:412:LEU:HD13	2.03	0.41
2:C:714:VAL:HG23	2:C:715:THR:HG23	2.03	0.41
2:C:676:ALA:O	2:C:680:LEU:HB2	2.20	0.41
2:C:893:THR:HG22	2:C:894:GLN:H	1.86	0.41
3:D:74:LYS:NZ	7:H:12:DG:OP1	2.49	0.41
2:C:347:ILE:HD11	2:C:433:ILE:HD11	2.03	0.40
3:D:573:THR:OG1	3:D:574:VAL:N	2.54	0.40
1:B:70:THR:OG1	1:B:71:LYS:N	2.55	0.40
2:C:12:ARG:HD3	2:C:1183:ALA:HB2	2.02	0.40
2:C:1288:GLN:HE22	2:C:1317:PRO:HA	1.86	0.40
2:C:524:ILE:HG21	2:C:708:VAL:HG13	2.03	0.40
3:D:1002:VAL:HB	3:D:1019:ASN:HB3	2.02	0.40
3:D:1029:THR:HG21	3:D:1115:ILE:HD12	2.03	0.40
3:D:1233:ILE:HD13	3:D:1233:ILE:HA	1.99	0.40
6:G:11:DG:H2'	6:G:12:DA:C8	2.56	0.40
2:C:785:ASP:OD2	2:C:791:LEU:N	2.55	0.40
2:C:1122:LYS:HD2	2:C:1122:LYS:HA	1.84	0.40
3:D:1271:SER:OG	3:D:1298:VAL:O	2.40	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM

entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	212/329 (64%)	209 (99%)	3 (1%)	0	100	100
1	B	215/329 (65%)	212 (99%)	3 (1%)	0	100	100
2	C	1308/1342 (98%)	1248 (95%)	60 (5%)	0	100	100
3	D	1329/1416 (94%)	1272 (96%)	56 (4%)	1 (0%)	51	84
4	E	77/91 (85%)	74 (96%)	3 (4%)	0	100	100
5	F	184/219 (84%)	179 (97%)	5 (3%)	0	100	100
All	All	3325/3726 (89%)	3194 (96%)	130 (4%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	D	897	HIS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	182/286 (64%)	182 (100%)	0	100	100
1	B	185/286 (65%)	184 (100%)	1 (0%)	88	93
2	C	1126/1157 (97%)	1123 (100%)	3 (0%)	92	95
3	D	1107/1177 (94%)	1097 (99%)	10 (1%)	78	88
4	E	67/75 (89%)	67 (100%)	0	100	100
5	F	161/191 (84%)	161 (100%)	0	100	100
All	All	2828/3172 (89%)	2814 (100%)	14 (0%)	89	93

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	111	THR
2	C	878	THR
2	C	908	GLU
2	C	909	LYS
3	D	70	CYS
3	D	88	CYS
3	D	553	THR
3	D	814	CYS
3	D	888	CYS
3	D	889	ASP
3	D	895	CYS
3	D	898	CYS
3	D	1175	LEU
3	D	1194	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	132	HIS
2	C	139	ASN
2	C	604	HIS
2	C	737	ASN
2	C	760	ASN
2	C	798	GLN
2	C	1009	ASN
2	C	1268	GLN
3	D	341	ASN
3	D	365	GLN
3	D	702	GLN
3	D	805	GLN
3	D	861	ASN
3	D	921	GLN
3	D	954	ASN
3	D	1023	HIS
3	D	1044	GLN
3	D	1108	GLN
3	D	1114	GLN
3	D	1367	GLN
4	E	43	ASN
5	F	51	GLN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
8	I	4/5 (80%)	0	0

There are no RNA backbone outliers to report.

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 3 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-9792. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 105




Y Index: 105




Z Index: 105


6.2.2 Raw map



X Index: 105



Y Index: 105




Z Index: 105


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 87




Y Index: 83




Z Index: 108


6.3.2 Raw map



X Index: 101



Y Index: 82




Z Index: 92


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.03. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 184 nm³; this corresponds to an approximate mass of 166 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [\(i\)](#)




*Reported resolution corresponds to spatial frequency of 0.249 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.249 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	4.02	-	-
Author-provided FSC curve	4.00	4.49	4.07
Unmasked-calculated*	4.14	4.89	4.22

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-9792 and PDB model 6JBQ. Per-residue inclusion information can be found in section 3 on page 7.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.03 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.03).





















9.4 Atom inclusion [i](#)



At the recommended contour level, 79% of all backbone atoms, 68% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.03) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.6750	 0.3920
A	 0.6220	 0.3820
B	 0.7400	 0.4370
C	 0.6980	 0.4100
D	 0.6400	 0.3910
E	 0.6110	 0.3900
F	 0.7140	 0.3880
G	 0.7210	 0.2800
H	 0.7110	 0.2880
I	 0.5490	 0.2930

