



# Full wwPDB X-ray Structure Validation Report ⓘ

May 21, 2020 – 02:27 am BST

PDB ID : 6OE5  
Title : Splayed open prefusion RSV F captured by CR9501 and motavizumab Fabs  
Authors : Gilman, M.S.A.; McLellan, J.S.  
Deposited on : 2019-03-27  
Resolution : 4.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity : 4.02b-467  
Xtrriage (Phenix) : 1.13  
EDS : 2.11  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11

# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:  
*X-RAY DIFFRACTION*

The reported resolution of this entry is 4.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1193 (4.50-3.70)
Clashscore	141614	1003 (4.44-3.76)
Ramachandran outliers	138981	1005 (4.48-3.72)
Sidechain outliers	138945	1199 (4.50-3.70)
RSRZ outliers	127900	1034 (4.50-3.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	553	
2	B	225	
3	C	213	
4	H	230	
5	L	214	

## 2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 8527 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Fusion glycoprotein F0,Fibritin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	252	1975	1257	328	379	11	0	0	0

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	67	ILE	ASN	engineered mutation	UNP P03420
A	215	PRO	SER	engineered mutation	UNP P03420
A	514	SER	-	linker	UNP P03420
A	515	ALA	-	linker	UNP P03420
A	516	ILE	-	linker	UNP P03420
A	517	GLY	-	linker	UNP P03420
A	539	LEU	PHE	conflict	UNP P10104
A	545	GLY	-	expression tag	UNP P10104
A	546	SER	-	expression tag	UNP P10104
A	547	LEU	-	expression tag	UNP P10104
A	548	GLU	-	expression tag	UNP P10104
A	549	VAL	-	expression tag	UNP P10104
A	550	LEU	-	expression tag	UNP P10104
A	551	PHE	-	expression tag	UNP P10104
A	552	GLN	-	expression tag	UNP P10104
A	553	GLY	-	expression tag	UNP P10104

- Molecule 2 is a protein called Motavizumab Fab Heavy Chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	213	1626	1039	266	314	7	0	0	0

- Molecule 3 is a protein called Motavizumab Fab Light Chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	211	1611	1012	268	325	6	0	0	0

- Molecule 4 is a protein called CR9501 Fab Heavy Chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	H	225	1674	1058	279	330	7	0	0	0


- Molecule 5 is a protein called CR9501 Fab Light Chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
5	L	212	1641	1032	270	334	5	0	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: Fusion glycoprotein F0,Fibrin





- Molecule 2: Motavizumab Fab Heavy Chain





- Molecule 3: Motavizumab Fab Light Chain



- Molecule 4: CR9501 Fab Heavy Chain



- Molecule 5: CR9501 Fab Light Chain



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 61	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	219.84Å 219.84Å 68.81Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	43.68 – 4.10 43.68 – 4.10	Depositor EDS
% Data completeness (in resolution range)	99.8 (43.68-4.10) 99.8 (43.68-4.10)	Depositor EDS
$R_{merge}$	0.29	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.44 (at 4.13Å)	Xtrriage
Refinement program	PHENIX 1.12_2829	Depositor
R, $R_{free}$	0.262 , 0.306 0.261 , 0.305	Depositor DCC
$R_{free}$ test set	748 reflections (4.92%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	138.1	Xtrriage
Anisotropy	0.323	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.28 , 112.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.44$ , $\langle L^2 \rangle = 0.26$	Xtrriage
Estimated twinning fraction	0.065 for h,-h-k,-l	Xtrriage
$F_o, F_c$ correlation	0.85	EDS
Total number of atoms	8527	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	174.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.47% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup> Intensities estimated from amplitudes.

<sup>2</sup> Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.24	0/1993	0.43	0/2690
2	B	0.28	0/1669	0.49	1/2283 (0.0%)
3	C	0.25	0/1648	0.43	0/2235
4	H	0.25	0/1717	0.45	0/2349
5	L	0.26	0/1678	0.44	0/2285
All	All	0.26	0/8705	0.45	1/11842 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	111	VAL	CG1-CB-CG2	-5.65	101.86	110.90

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1975	0	2054	33	0
2	B	1626	0	1610	41	0
3	C	1611	0	1564	18	0
4	H	1674	0	1635	29	0
5	L	1641	0	1590	12	0
All	All	8527	0	8453	125	0



The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (125) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:39:LYS:NZ	3:C:81:ASP:O	2.07	0.88
3:C:108:ARG:NH1	3:C:109:THR:OG1	2.09	0.85
1:A:59:ILE:HG23	1:A:193:LEU:HB3	1.68	0.75
1:A:176:LYS:NZ	1:A:259:SER:O	2.19	0.74
1:A:62:SER:HB2	1:A:196:LYS:HA	1.70	0.72
1:A:246:PRO:HB3	1:A:283:GLN:HA	1.74	0.67
1:A:171:LEU:HD13	1:A:191:LYS:HB2	1.77	0.66
2:B:144:ASP:HB2	2:B:175:LEU:HD22	1.78	0.65
2:B:12:VAL:HG11	2:B:111:VAL:HG12	1.81	0.63
5:L:2:ILE:HG23	5:L:26:SER:HB3	1.81	0.62
2:B:115:SER:OG	2:B:117:LYS:NZ	2.33	0.62
1:A:272:LYS:HE3	2:B:99:ASN:HA	1.81	0.61
4:H:151:THR:HB	4:H:199:ASN:HB3	1.82	0.61
1:A:64:ILE:HB	4:H:99:VAL:HB	1.83	0.61
3:C:113:PRO:HB3	3:C:139:PHE:HB3	1.83	0.60
2:B:193:THR:HG23	2:B:210:LYS:HE3	1.84	0.60
4:H:143:LYS:NZ	4:H:171:GLN:HE22	2.00	0.60
2:B:199:ASN:HD21	2:B:201:LYS:HE2	1.66	0.59
4:H:167:PRO:HD3	5:L:164:THR:HG22	1.85	0.59
4:H:171:GLN:HG2	5:L:160:GLN:HE22	1.68	0.59
3:C:116:PHE:HB2	3:C:135:LEU:HB3	1.85	0.58
4:H:143:LYS:HZ2	4:H:171:GLN:HE22	1.51	0.58
1:A:314:TRP:CD1	1:A:342:TYR:HB2	2.38	0.58
2:B:51:ILE:HD13	2:B:71:LYS:HB3	1.85	0.58
4:H:59:TYR:HB3	4:H:67:LEU:HD12	1.86	0.57
2:B:84:PRO:HA	2:B:111:VAL:HG23	1.87	0.57
3:C:16:GLY:HA2	3:C:77:SER:HB2	1.85	0.56
5:L:5:THR:HB	5:L:24:GLN:HB3	1.87	0.56
5:L:29:ILE:HG21	5:L:90:GLN:HB2	1.86	0.56
2:B:145:TYR:HB2	2:B:200:HIS:CE1	2.41	0.56
2:B:99:ASN:HB2	2:B:100(A):TYR:CE2	2.40	0.56
2:B:4:LEU:HD23	2:B:24:PHE:HB3	1.87	0.56
2:B:126:PRO:HG3	2:B:138:LEU:HB3	1.87	0.56
4:H:6:GLN:OE1	4:H:92:CYS:N	2.40	0.55
4:H:17:THR:HG22	4:H:82(A):THR:HA	1.89	0.54
2:B:159:LEU:HD21	2:B:182:VAL:HG21	1.88	0.54
2:B:168:ALA:HA	2:B:178:LEU:HB3	1.90	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:87:THR:OG1	2:B:111:VAL:HG22	2.08	0.53
1:A:407:ILE:HG23	1:A:459:VAL:HG12	1.91	0.53
2:B:83:ASP:O	2:B:111:VAL:HG21	2.09	0.53
4:H:36:TRP:CE2	4:H:80:LEU:HB2	2.44	0.53
1:A:208:ASN:OD1	5:L:56:THR:OG1	2.24	0.52
3:C:61:ARG:NH1	3:C:82:ASP:OD1	2.42	0.52
4:H:108:GLN:HB3	4:H:149:PRO:HD3	1.90	0.52
4:H:66:ARG:NH2	4:H:86:ASP:OD2	2.42	0.52
1:A:292:ILE:HD11	1:A:297:LEU:HD13	1.92	0.52
2:B:120:SER:HB2	2:B:143:LYS:HB3	1.90	0.51
4:H:6:GLN:NE2	4:H:107:THR:OG1	2.42	0.51
5:L:37:GLN:O	5:L:45:ARG:N	2.42	0.51
1:A:206:ILE:HG21	1:A:215:PRO:HB3	1.91	0.51
2:B:195:ILE:HG12	2:B:210:LYS:HA	1.93	0.51
1:A:295:GLU:HA	4:H:100(A):ILE:HD12	1.93	0.51
2:B:125:ALA:HB1	2:B:213:PRO:HA	1.93	0.51
3:C:120:PRO:HD3	3:C:132:VAL:HG22	1.93	0.51
1:A:80:LYS:NZ	1:A:80:LYS:HB3	2.27	0.50
1:A:197:ASN:O	1:A:201:LYS:HB2	2.12	0.49
3:C:50:ASP:O	3:C:52:SER:N	2.45	0.49
4:H:18:LEU:HD11	4:H:109:VAL:HG11	1.94	0.49
3:C:138:ASN:HA	3:C:172:THR:HB	1.94	0.49
2:B:101:ASP:OD1	2:B:101:ASP:N	2.44	0.49
2:B:143:LYS:HD2	2:B:177:SER:HB2	1.95	0.49
2:B:30:SER:HB3	2:B:73:THR:HG21	1.95	0.48
4:H:168:ALA:HA	4:H:178:LEU:HB3	1.94	0.48
1:A:79:ILE:HD11	1:A:220:VAL:HG22	1.94	0.48
4:H:70:SER:HG	4:H:79:SER:HG	1.46	0.48
2:B:12:VAL:HG21	2:B:82(C):MET:HG3	1.95	0.48
3:C:136:LEU:HD21	3:C:196:VAL:HG21	1.96	0.48
4:H:47:TRP:CH2	4:H:49:GLY:HA2	2.48	0.48
2:B:13:LYS:HE2	2:B:114:ALA:O	2.14	0.48
2:B:12:VAL:CG1	2:B:111:VAL:HG12	2.44	0.47
3:C:151:ASP:OD2	3:C:189:HIS:HB3	2.13	0.47
4:H:98:TYR:HD1	4:H:99:VAL:HG23	1.79	0.47
2:B:138:LEU:HD13	2:B:211:VAL:HG11	1.96	0.47
1:A:75:LYS:HE2	1:A:217:ILE:HD11	1.95	0.47
1:A:48:LEU:HB2	1:A:308:VAL:HB	1.97	0.46
4:H:163:VAL:HG13	4:H:182:VAL:HG22	1.97	0.46
2:B:146:PHE:CZ	2:B:175:LEU:HA	2.51	0.46
4:H:123:PRO:HA	4:H:140:CYS:HA	1.98	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:167:ILE:HG23	1:A:189:THR:HG21	1.98	0.45
3:C:211:ARG:HB3	3:C:211:ARG:NH1	2.32	0.45
1:A:252:LEU:O	1:A:282:ARG:NH2	2.39	0.45
4:H:100(E):GLY:HA3	5:L:91:TYR:CG	2.51	0.45
4:H:6:GLN:HB2	4:H:105:GLN:NE2	2.32	0.44
2:B:6:GLU:OE2	2:B:92:CYS:N	2.43	0.44
2:B:99:ASN:OD1	2:B:99:ASN:N	2.50	0.44
2:B:199:ASN:ND2	2:B:201:LYS:HE2	2.31	0.44
1:A:240:ASN:HB2	1:A:244:THR:HG22	1.99	0.44
2:B:35:SER:HB2	2:B:52:TRP:CE3	2.53	0.44
4:H:143:LYS:HZ3	4:H:171:GLN:CD	2.21	0.44
4:H:29:ILE:HG21	4:H:73:THR:HA	2.00	0.44
1:A:53:TYR:CE1	1:A:265:PRO:HD2	2.53	0.43
1:A:57:ILE:HD13	1:A:57:ILE:HA	1.88	0.43
3:C:48:ILE:HG13	3:C:73:LEU:HD13	2.01	0.43
4:H:47:TRP:HH2	4:H:58:TYR:HD2	1.66	0.43
2:B:12:VAL:HG13	2:B:111:VAL:HA	2.01	0.43
5:L:5:THR:O	5:L:24:GLN:N	2.50	0.43
2:B:148:GLU:OE2	2:B:168:ALA:HB3	2.19	0.43
4:H:39:GLN:O	4:H:88:ALA:HB1	2.18	0.43
2:B:99:ASN:HB2	2:B:100(A):TYR:CZ	2.54	0.42
3:C:39:LYS:HB2	3:C:42:LYS:HD2	2.00	0.42
5:L:50:GLY:O	5:L:52:SER:N	2.48	0.42
1:A:290:SER:OG	1:A:298:ALA:O	2.27	0.42
3:C:147:GLN:HB3	3:C:154:LEU:HD11	2.02	0.42
1:A:89:ALA:HB2	1:A:231:LEU:HD23	2.01	0.42
2:B:84:PRO:HA	2:B:111:VAL:CG2	2.49	0.42
2:B:3:THR:OG1	2:B:25:SER:OG	2.36	0.42
1:A:53:TYR:HE1	1:A:265:PRO:HD2	1.84	0.42
3:C:61:ARG:HH11	3:C:82:ASP:CG	2.23	0.42
3:C:89:PHE:HE1	3:C:96:PHE:HB3	1.84	0.42
1:A:153:ALA:O	1:A:157:VAL:HG23	2.20	0.42
4:H:35:TYR:HD2	4:H:50:HIS:CD2	2.38	0.41
5:L:66:GLY:HA3	5:L:71:PHE:HA	2.03	0.41
1:A:340:GLY:HA3	1:A:351:PHE:CE1	2.56	0.41
1:A:152:VAL:HG22	1:A:288:ILE:HD13	2.01	0.41
1:A:62:SER:HB3	1:A:199:ILE:HD12	2.02	0.41
2:B:170:LEU:HD12	2:B:175:LEU:O	2.20	0.41
1:A:260:LEU:O	1:A:264:MET:HG3	2.21	0.41
2:B:17:THR:HG22	2:B:82(A):THR:HG22	2.02	0.41
4:H:124:LEU:HB3	5:L:118:PHE:CG	2.56	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:210:LYS:HE2	2:B:212:GLU:OE2	2.21	0.40
2:B:144:ASP:CB	2:B:175:LEU:HD22	2.50	0.40
1:A:231:LEU:O	1:A:235:ARG:HB2	2.21	0.40
2:B:168:ALA:HB2	2:B:178:LEU:HD23	2.04	0.40
1:A:57:ILE:O	1:A:298:ALA:HA	2.21	0.40
3:C:136:LEU:HB2	3:C:175:LEU:HB3	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	236/553 (43%)	218 (92%)	18 (8%)	0	100	100
2	B	209/225 (93%)	200 (96%)	9 (4%)	0	100	100
3	C	209/213 (98%)	199 (95%)	10 (5%)	0	100	100
4	H	223/230 (97%)	206 (92%)	17 (8%)	0	100	100
5	L	210/214 (98%)	200 (95%)	10 (5%)	0	100	100
All	All	1087/1435 (76%)	1023 (94%)	64 (6%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	233/498 (47%)	231 (99%)	2 (1%)	78	87
2	B	187/197 (95%)	186 (100%)	1 (0%)	88	93
3	C	183/185 (99%)	183 (100%)	0	100	100
4	H	191/196 (97%)	189 (99%)	2 (1%)	76	85
5	L	187/189 (99%)	187 (100%)	0	100	100
All	All	981/1265 (78%)	976 (100%)	5 (0%)	88	93

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	314	TRP
1	A	367	CYS
2	B	55	ASP
4	H	16	GLN
4	H	100(D)	CYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	252/553 (45%)	-0.01	2 (0%) 86 79	123, 156, 203, 227	0
2	B	213/225 (94%)	0.20	9 (4%) 36 29	141, 198, 245, 256	0
3	C	211/213 (99%)	0.32	10 (4%) 31 26	146, 179, 271, 290	0
4	H	225/230 (97%)	-0.11	1 (0%) 92 87	127, 155, 206, 230	0
5	L	212/214 (99%)	0.06	2 (0%) 84 77	117, 155, 195, 209	0
All	All	1113/1435 (77%)	0.09	24 (2%) 62 52	117, 165, 245, 290	0

All (24) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	C	212	GLY	6.4
2	B	210	LYS	3.3
1	A	215	PRO	3.2
3	C	119	PRO	3.1
2	B	212	GLU	3.0
2	B	209	LYS	2.9
2	B	213	PRO	2.7
1	A	44	TYR	2.7
3	C	132	VAL	2.6
3	C	200	GLY	2.6
3	C	207	LYS	2.5
3	C	115	VAL	2.4
5	L	192	TYR	2.3
2	B	190	GLY	2.3
2	B	125	ALA	2.3
3	C	112	ALA	2.3
2	B	77	GLN	2.2
3	C	192	TYR	2.2
5	L	131	SER	2.2
2	B	75	LYS	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
3	C	149	LYS	2.2
4	H	212	GLU	2.1
3	C	131	SER	2.1
2	B	123	PRO	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.