



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 3, 2023 – 03:10 AM EDT

PDB ID : 6PF8  
Title : Crystal structure of TS-DHFR from *Cryptosporidium hominis* in complex with NADPH, FdUMP and 2-(4-((2-amino-4-oxo-4,7-dihydro-3H-pyrrolo[2,3-d]pyrimidin-5-yl)methyl)benzamido)-4-chlorobenzoic acid  
Authors : Czyzyk, D.J.; Valhondo, M.; Jorgensen, W.L.; Anderson, K.S.  
Deposited on : 2019-06-21  
Resolution : 2.53 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : **FAILED**  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : **FAILED**  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35.1

## 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.53 Å.

There are no overall percentile quality scores available for this entry.

MolProbity and EDS failed to run properly - the sequence quality summary graphics cannot be shown.

## 2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 21656 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Bifunctional dihydrofolate reductase-thymidylate synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	506	Total	C	N	O	S	0	0	0
			4085	2612	687	765	21			
1	B	506	Total	C	N	O	S	0	0	0
			4085	2612	687	765	21			
1	C	505	Total	C	N	O	S	0	0	0
			4072	2605	685	761	21			
1	D	506	Total	C	N	O	S	0	0	0
			4081	2609	686	765	21			
1	E	506	Total	C	N	O	S	0	0	0
			4056	2594	681	760	21			

- Molecule 2 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NDP) (formula: C<sub>21</sub>H<sub>30</sub>N<sub>7</sub>O<sub>17</sub>P<sub>3</sub>).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	N	O			P
2	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

*Continued on next page...*

Continued from previous page...


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	C	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	D	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	E	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 3 is 5-FLUORO-2'-DEOXYURIDINE-5'-MONOPHOSPHATE (three-letter code: UFP) (formula: C<sub>9</sub>H<sub>12</sub>FN<sub>2</sub>O<sub>8</sub>P).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
3	A	1	Total	C	F	N	O	P	0	0
			21	9	1	2	8	1		
3	B	1	Total	C	F	N	O	P	0	0
			21	9	1	2	8	1		
3	C	1	Total	C	F	N	O	P	0	0
			21	9	1	2	8	1		
3	D	1	Total	C	F	N	O	P	0	0
			21	9	1	2	8	1		
3	E	1	Total	C	F	N	O	P	0	0
			21	9	1	2	8	1		

- Molecule 4 is 2-({4-[(2-amino-4-oxo-4,7-dihydro-3H-pyrrolo[2,3-d]pyrimidin-5-yl)methyl]benzene-1-carbonyl}amino)-4-chlorobenzoic acid (three-letter code: OE7) (formula: C<sub>21</sub>H<sub>16</sub>ClN<sub>5</sub>O<sub>4</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	Cl	N			O
4	A	1	Total	C	Cl	N	O	0	0
			31	21	1	5	4		
4	B	1	Total	C	Cl	N	O	0	0
			31	21	1	5	4		
4	C	1	Total	C	Cl	N	O	0	0
			31	21	1	5	4		
4	D	1	Total	C	Cl	N	O	0	0
			31	21	1	5	4		
4	E	1	Total	C	Cl	N	O	0	0
			31	21	1	5	4		

- Molecule 5 is METHOTREXATE (three-letter code: MTX) (formula:  $C_{20}H_{22}N_8O_5$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			33	20	8	5		
5	B	1	Total	C	N	O	0	0
			33	20	8	5		
5	C	1	Total	C	N	O	0	0
			33	20	8	5		
5	D	1	Total	C	N	O	0	0
			33	20	8	5		
5	E	1	Total	C	N	O	0	0
			33	20	8	5		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	161	Total	O	0	0
			161	161		
6	B	171	Total	O	0	0
			171	171		
6	C	109	Total	O	0	0
			109	109		
6	D	125	Total	O	0	0
			125	125		
6	E	46	Total	O	0	0
			46	46		

MolProbity and EDS failed to run properly - this section is therefore empty.

### 3 Data and refinement statistics

EDS failed to run properly - this section is therefore incomplete.

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	214.78Å 117.54Å 222.82Å 90.00° 95.65° 90.00°	Depositor
Resolution (Å)	47.88 – 2.53	Depositor
% Data completeness (in resolution range)	98.5 (47.88-2.53)	Depositor
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.12	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.33 (at 2.54Å)	Xtrriage
Refinement program	PHENIX (1.15.2_3472: 000)	Depositor
R, $R_{free}$	0.202 , 0.226	Depositor
Wilson B-factor (Å <sup>2</sup> )	45.5	Xtrriage
Anisotropy	0.313	Xtrriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	21656	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	49.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.08% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 4 Model quality [i](#)

### 4.1 Standard geometry [i](#)

MolProbity failed to run properly - this section is therefore empty.

### 4.2 Too-close contacts [i](#)

MolProbity failed to run properly - this section is therefore empty.

### 4.3 Torsion angles [i](#)

#### 4.3.1 Protein backbone [i](#)

MolProbity failed to run properly - this section is therefore empty.

#### 4.3.2 Protein sidechains [i](#)

MolProbity failed to run properly - this section is therefore empty.

#### 4.3.3 RNA [i](#)

MolProbity failed to run properly - this section is therefore empty.

### 4.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 4.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 4.6 Ligand geometry [i](#)

20 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond



length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	UFP	B	602	-	22,22,22	1.05	0	33,33,33	2.66	12 (36%)
3	UFP	C	602	-	22,22,22	1.03	0	33,33,33	2.63	12 (36%)
3	UFP	A	602	-	22,22,22	1.25	2 (9%)	33,33,33	2.67	12 (36%)
4	OE7	A	603	-	33,34,34	1.42	4 (12%)	38,49,49	1.09	5 (13%)
2	NDP	C	601	-	45,52,52	1.94	11 (24%)	53,80,80	1.09	5 (9%)
5	MTX	D	604	-	35,35,35	1.61	5 (14%)	46,49,49	1.89	11 (23%)
4	OE7	C	603	-	33,34,34	1.37	3 (9%)	38,49,49	1.00	2 (5%)
5	MTX	E	604	-	35,35,35	1.62	5 (14%)	46,49,49	1.84	11 (23%)
2	NDP	A	601	-	45,52,52	1.94	11 (24%)	53,80,80	1.09	6 (11%)
4	OE7	B	603	-	33,34,34	1.43	4 (12%)	38,49,49	1.19	5 (13%)
3	UFP	E	602	-	22,22,22	1.04	0	33,33,33	2.63	12 (36%)
2	NDP	E	601	-	45,52,52	1.94	11 (24%)	53,80,80	1.12	6 (11%)
5	MTX	B	604	-	35,35,35	1.62	5 (14%)	46,49,49	1.98	10 (21%)
3	UFP	D	602	-	22,22,22	1.04	0	33,33,33	2.64	12 (36%)
4	OE7	D	603	-	33,34,34	1.42	3 (9%)	38,49,49	1.13	5 (13%)
5	MTX	C	604	-	35,35,35	1.60	5 (14%)	46,49,49	1.92	12 (26%)
5	MTX	A	604	-	35,35,35	1.61	5 (14%)	46,49,49	1.88	12 (26%)
2	NDP	D	601	-	45,52,52	1.94	11 (24%)	53,80,80	1.12	6 (11%)
4	OE7	E	603	-	33,34,34	1.38	3 (9%)	38,49,49	1.09	5 (13%)
2	NDP	B	601	-	45,52,52	1.95	12 (26%)	53,80,80	1.09	6 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	UFP	B	602	-	-	5/10/22/22	0/2/2/2
3	UFP	C	602	-	-	5/10/22/22	0/2/2/2
3	UFP	A	602	-	-	5/10/22/22	0/2/2/2
4	OE7	A	603	-	-	6/16/16/16	0/4/4/4
2	NDP	C	601	-	-	3/30/77/77	0/5/5/5
5	MTX	D	604	-	-	7/25/25/25	0/3/3/3

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	OE7	C	603	-	-	6/16/16/16	0/4/4/4
5	MTX	E	604	-	-	7/25/25/25	0/3/3/3
2	NDP	A	601	-	-	3/30/77/77	0/5/5/5
4	OE7	B	603	-	-	6/16/16/16	0/4/4/4
3	UFP	E	602	-	-	5/10/22/22	0/2/2/2
2	NDP	E	601	-	-	4/30/77/77	0/5/5/5
5	MTX	B	604	-	-	6/25/25/25	0/3/3/3
3	UFP	D	602	-	-	5/10/22/22	0/2/2/2
4	OE7	D	603	-	-	6/16/16/16	0/4/4/4
5	MTX	C	604	-	-	5/25/25/25	0/3/3/3
5	MTX	A	604	-	-	7/25/25/25	0/3/3/3
2	NDP	D	601	-	-	5/30/77/77	0/5/5/5
4	OE7	E	603	-	-	6/16/16/16	0/4/4/4
2	NDP	B	601	-	-	3/30/77/77	0/5/5/5

All (100) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	604	MTX	C2-NA2	5.30	1.44	1.33
5	A	604	MTX	C2-NA2	5.27	1.44	1.33
5	E	604	MTX	C2-NA2	5.25	1.44	1.33
5	C	604	MTX	C2-NA2	5.25	1.44	1.33
5	D	604	MTX	C2-NA2	5.25	1.44	1.33
5	E	604	MTX	C-N	5.00	1.45	1.34
5	D	604	MTX	C-N	4.99	1.45	1.34
5	A	604	MTX	C-N	4.91	1.44	1.34
5	B	604	MTX	C-N	4.91	1.44	1.34
5	C	604	MTX	C-N	4.91	1.44	1.34
2	A	601	NDP	C4N-C3N	-4.49	1.41	1.49
2	C	601	NDP	C4N-C3N	-4.49	1.41	1.49
2	E	601	NDP	C4N-C3N	-4.49	1.41	1.49
2	D	601	NDP	C4N-C3N	-4.48	1.41	1.49
2	B	601	NDP	C4N-C3N	-4.43	1.41	1.49
2	E	601	NDP	C6A-N6A	4.08	1.49	1.34
2	D	601	NDP	C6A-N6A	4.07	1.48	1.34
2	C	601	NDP	C6A-N6A	4.05	1.48	1.34
2	B	601	NDP	C7N-N7N	4.05	1.44	1.33
2	D	601	NDP	C7N-N7N	4.04	1.44	1.33
2	B	601	NDP	C6A-N6A	4.04	1.48	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	NDP	C6A-N6A	4.04	1.48	1.34
2	E	601	NDP	C7N-N7N	4.01	1.44	1.33
2	A	601	NDP	C7N-N7N	4.00	1.44	1.33
2	C	601	NDP	C7N-N7N	3.96	1.43	1.33
2	C	601	NDP	C2D-C3D	-3.95	1.42	1.53
2	D	601	NDP	C2D-C3D	-3.93	1.42	1.53
2	E	601	NDP	C2D-C3D	-3.93	1.42	1.53
2	C	601	NDP	C3B-C2B	-3.86	1.44	1.52
2	A	601	NDP	C2D-C3D	-3.84	1.42	1.53
2	B	601	NDP	C2D-C3D	-3.83	1.42	1.53
2	A	601	NDP	C3B-C2B	-3.80	1.44	1.52
2	D	601	NDP	C3B-C2B	-3.77	1.44	1.52
2	B	601	NDP	C3B-C2B	-3.74	1.44	1.52
2	E	601	NDP	C3B-C2B	-3.72	1.44	1.52
2	B	601	NDP	C6N-C5N	3.55	1.39	1.33
2	E	601	NDP	C6N-C5N	3.53	1.39	1.33
2	D	601	NDP	C6N-C5N	3.48	1.39	1.33
2	C	601	NDP	C6N-C5N	3.44	1.39	1.33
2	A	601	NDP	C6N-C5N	3.44	1.39	1.33
4	A	603	OE7	C2-C1	-3.33	1.37	1.42
4	D	603	OE7	C2-C1	-3.31	1.37	1.42
4	C	603	OE7	C2-C1	-3.29	1.37	1.42
4	E	603	OE7	C2-C1	-3.25	1.37	1.42
2	D	601	NDP	C4N-C5N	-3.25	1.40	1.48
3	A	602	UFP	P-O1P	3.25	1.61	1.50
2	A	601	NDP	C4N-C5N	-3.22	1.40	1.48
2	C	601	NDP	C4N-C5N	-3.20	1.40	1.48
2	E	601	NDP	C4N-C5N	-3.20	1.40	1.48
4	B	603	OE7	C2-C1	-3.18	1.37	1.42
2	B	601	NDP	C4N-C5N	-3.18	1.40	1.48
5	B	604	MTX	C4-NA4	2.54	1.43	1.34
5	D	604	MTX	C4-NA4	2.53	1.43	1.34
5	E	604	MTX	C4-NA4	2.52	1.43	1.34
5	C	604	MTX	C4-NA4	2.52	1.43	1.34
5	A	604	MTX	C4-NA4	2.50	1.43	1.34
5	D	604	MTX	C14-N10	2.49	1.46	1.39
2	C	601	NDP	C3B-C4B	-2.49	1.46	1.53
5	E	604	MTX	C14-N10	2.46	1.46	1.39
5	B	604	MTX	C7-N8	2.43	1.35	1.31
2	B	601	NDP	C3B-C4B	-2.42	1.46	1.53
5	B	604	MTX	C14-N10	2.41	1.46	1.39
5	A	604	MTX	C14-N10	2.41	1.46	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	603	OE7	C2-C5	2.41	1.44	1.39
2	D	601	NDP	C3B-C4B	-2.40	1.46	1.53
5	C	604	MTX	C14-N10	2.40	1.46	1.39
2	E	601	NDP	C3B-C4B	-2.40	1.46	1.53
2	E	601	NDP	C4A-N3A	2.38	1.38	1.35
4	E	603	OE7	C2-C5	2.38	1.44	1.39
5	C	604	MTX	C7-N8	2.38	1.35	1.31
2	A	601	NDP	C3B-C4B	-2.37	1.46	1.53
4	D	603	OE7	C2-C5	2.36	1.44	1.39
4	B	603	OE7	C2-C5	2.36	1.44	1.39
5	A	604	MTX	C7-N8	2.35	1.35	1.31
2	A	601	NDP	C4A-N3A	2.34	1.38	1.35
2	C	601	NDP	C4A-N3A	2.31	1.38	1.35
2	B	601	NDP	C4A-N3A	2.31	1.38	1.35
5	E	604	MTX	C7-N8	2.30	1.35	1.31
2	B	601	NDP	C3D-C4D	-2.28	1.47	1.53
2	C	601	NDP	C3D-C4D	-2.28	1.47	1.53
2	D	601	NDP	C3D-C4D	-2.27	1.47	1.53
2	E	601	NDP	C3D-C4D	-2.27	1.47	1.53
2	D	601	NDP	C4A-N3A	2.27	1.38	1.35
5	D	604	MTX	C7-N8	2.27	1.35	1.31
4	C	603	OE7	C2-C5	2.26	1.43	1.39
2	A	601	NDP	C3D-C4D	-2.22	1.47	1.53
4	C	603	OE7	O3-C21	2.15	1.37	1.30
2	B	601	NDP	C2N-C3N	2.14	1.40	1.34
4	A	603	OE7	O3-C21	2.10	1.36	1.30
2	E	601	NDP	C2N-C3N	2.10	1.40	1.34
4	B	603	OE7	C20-C15	2.09	1.44	1.41
4	D	603	OE7	O3-C21	2.09	1.36	1.30
2	D	601	NDP	C2N-C3N	2.09	1.40	1.34
2	A	601	NDP	C2N-C3N	2.08	1.40	1.34
4	E	603	OE7	O3-C21	2.07	1.36	1.30
4	B	603	OE7	O3-C21	2.05	1.36	1.30
2	C	601	NDP	C2N-C3N	2.05	1.40	1.34
4	A	603	OE7	C20-C15	2.02	1.44	1.41
2	B	601	NDP	C5D-C4D	-2.02	1.45	1.51
3	A	602	UFP	C4-N3	-2.01	1.35	1.38

All (167) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	602	UFP	C5-C4-N3	6.55	119.01	112.56

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	602	UFP	C5-C4-N3	6.53	118.99	112.56
3	E	602	UFP	C5-C4-N3	6.45	118.91	112.56
3	A	602	UFP	C5-C4-N3	6.43	118.89	112.56
3	B	602	UFP	C5-C4-N3	6.43	118.89	112.56
3	B	602	UFP	O4-C4-C5	-6.07	120.24	125.72
3	D	602	UFP	O4-C4-C5	-5.87	120.42	125.72
3	E	602	UFP	O4-C4-C5	-5.83	120.46	125.72
3	C	602	UFP	O4-C4-C5	-5.83	120.46	125.72
3	A	602	UFP	O4-C4-C5	-5.65	120.62	125.72
3	E	602	UFP	F5-C5-C4	5.00	121.03	116.40
3	C	602	UFP	F5-C5-C4	4.92	120.95	116.40
5	B	604	MTX	C6-C7-N8	-4.90	118.33	123.13
3	B	602	UFP	C4-N3-C2	-4.79	121.15	127.35
3	D	602	UFP	C4-N3-C2	-4.77	121.18	127.35
3	C	602	UFP	C4-N3-C2	-4.71	121.25	127.35
3	A	602	UFP	C4-N3-C2	-4.69	121.28	127.35
3	E	602	UFP	C4-N3-C2	-4.67	121.30	127.35
3	D	602	UFP	F5-C5-C4	4.67	120.73	116.40
3	A	602	UFP	F5-C5-C4	4.66	120.71	116.40
5	C	604	MTX	C6-C7-N8	-4.57	118.65	123.13
5	D	604	MTX	C6-C7-N8	-4.56	118.66	123.13
5	C	604	MTX	CG-CB-CA	4.55	121.67	113.16
3	B	602	UFP	F5-C5-C4	4.52	120.59	116.40
5	E	604	MTX	C6-C7-N8	-4.49	118.73	123.13
3	B	602	UFP	N3-C2-N1	4.47	120.83	114.89
3	A	602	UFP	N3-C2-N1	4.43	120.77	114.89
3	D	602	UFP	C1'-N1-C2	4.42	126.35	117.64
3	B	602	UFP	C1'-N1-C2	4.41	126.32	117.64
3	A	602	UFP	C1'-N1-C2	4.38	126.27	117.64
5	A	604	MTX	C6-C7-N8	-4.37	118.84	123.13
3	D	602	UFP	N3-C2-N1	4.33	120.64	114.89
3	E	602	UFP	N3-C2-N1	4.29	120.58	114.89
5	A	604	MTX	CG-CB-CA	4.22	121.05	113.16
3	C	602	UFP	N3-C2-N1	4.22	120.49	114.89
3	C	602	UFP	C1'-N1-C2	4.19	125.89	117.64
5	D	604	MTX	CG-CB-CA	4.18	120.97	113.16
3	E	602	UFP	C6-C5-C4	-4.14	118.74	122.60
3	C	602	UFP	C6-C5-C4	-4.12	118.75	122.60
5	B	604	MTX	N8-C8A-N1	4.11	120.51	115.82
3	E	602	UFP	C1'-N1-C2	4.10	125.71	117.64
3	A	602	UFP	C6-C5-C4	-4.04	118.83	122.60
3	D	602	UFP	C6-C5-C4	-4.04	118.83	122.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	E	604	MTX	CG-CB-CA	4.02	120.67	113.16
5	A	604	MTX	N8-C8A-N1	3.98	120.37	115.82
3	B	602	UFP	C6-C5-C4	-3.96	118.91	122.60
5	B	604	MTX	CG-CB-CA	3.92	120.49	113.16
2	B	601	NDP	N3A-C2A-N1A	-3.84	122.68	128.68
5	E	604	MTX	N8-C8A-N1	3.79	120.15	115.82
3	E	602	UFP	P-O5'-C5'	-3.78	107.88	118.30
3	C	602	UFP	P-O5'-C5'	-3.77	107.90	118.30
3	A	602	UFP	P-O5'-C5'	-3.77	107.91	118.30
5	C	604	MTX	N8-C8A-N1	3.76	120.12	115.82
2	E	601	NDP	N3A-C2A-N1A	-3.75	122.81	128.68
2	A	601	NDP	N3A-C2A-N1A	-3.74	122.84	128.68
5	E	604	MTX	N1-C2-N3	-3.73	122.24	127.22
5	B	604	MTX	N1-C2-N3	-3.72	122.26	127.22
5	C	604	MTX	N1-C2-N3	-3.71	122.28	127.22
5	B	604	MTX	C7-N8-C8A	3.70	120.42	116.69
5	B	604	MTX	C13-C14-N10	-3.70	116.31	121.62
5	D	604	MTX	N1-C2-N3	-3.68	122.31	127.22
5	A	604	MTX	N1-C2-N3	-3.65	122.35	127.22
5	D	604	MTX	N8-C8A-N1	3.65	119.99	115.82
3	D	602	UFP	P-O5'-C5'	-3.65	108.24	118.30
5	E	604	MTX	C7-N8-C8A	3.65	120.36	116.69
2	C	601	NDP	N3A-C2A-N1A	-3.64	122.99	128.68
2	D	601	NDP	N3A-C2A-N1A	-3.64	123.00	128.68
3	D	602	UFP	C1'-N1-C6	-3.60	114.56	120.77
5	B	604	MTX	C2-N1-C8A	3.57	119.44	115.36
5	C	604	MTX	C7-N8-C8A	3.52	120.23	116.69
5	D	604	MTX	C7-N8-C8A	3.52	120.23	116.69
5	E	604	MTX	C2-N1-C8A	3.51	119.36	115.36
5	C	604	MTX	C2-N1-C8A	3.46	119.31	115.36
3	C	602	UFP	C1'-N1-C6	-3.44	114.84	120.77
3	B	602	UFP	C1'-N1-C6	-3.44	114.84	120.77
3	A	602	UFP	C1'-N1-C6	-3.43	114.86	120.77
5	D	604	MTX	C2-N1-C8A	3.41	119.25	115.36
5	A	604	MTX	C2-N1-C8A	3.38	119.22	115.36
5	A	604	MTX	C7-N8-C8A	3.37	120.08	116.69
3	E	602	UFP	C1'-N1-C6	-3.26	115.16	120.77
3	B	602	UFP	P-O5'-C5'	-3.19	109.51	118.30
5	D	604	MTX	C11-C-N	3.17	123.13	117.06
3	A	602	UFP	O2-C2-N3	-3.11	115.70	121.50
3	B	602	UFP	O4'-C1'-C2'	-3.11	100.37	106.25
3	A	602	UFP	O4'-C1'-C2'	-3.10	100.39	106.25

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	604	MTX	C11-C-N	3.09	122.99	117.06
4	B	603	OE7	C20-C15-N5	3.01	124.13	118.69
4	B	603	OE7	C15-C20-C21	3.00	125.26	121.72
5	A	604	MTX	C13-C14-N10	-2.97	117.34	121.62
3	B	602	UFP	O2-C2-N3	-2.97	115.97	121.50
3	D	602	UFP	O2-C2-N3	-2.97	115.97	121.50
5	C	604	MTX	C11-C-N	2.96	122.73	117.06
2	D	601	NDP	PN-O3-PA	-2.93	122.77	132.83
5	A	604	MTX	C11-C-N	2.92	122.66	117.06
2	E	601	NDP	PN-O3-PA	-2.90	122.86	132.83
2	C	601	NDP	PN-O3-PA	-2.88	122.94	132.83
4	D	603	OE7	C20-C15-N5	2.77	123.69	118.69
5	E	604	MTX	C11-C-N	2.77	122.37	117.06
4	B	603	OE7	N4-C4-N2	-2.75	110.86	116.71
3	C	602	UFP	O2-C2-N3	-2.74	116.40	121.50
5	C	604	MTX	C13-C14-N10	-2.70	117.74	121.62
3	E	602	UFP	O4'-C1'-C2'	-2.69	101.17	106.25
2	E	601	NDP	O5D-C5D-C4D	2.69	118.25	108.99
5	D	604	MTX	C4A-C4-N3	-2.68	119.25	121.01
2	A	601	NDP	PN-O3-PA	-2.68	123.62	132.83
4	D	603	OE7	C15-C20-C21	2.68	124.88	121.72
3	E	602	UFP	O2-C2-N3	-2.65	116.56	121.50
2	C	601	NDP	O5D-C5D-C4D	2.64	118.09	108.99
4	A	603	OE7	C15-C20-C21	2.64	124.83	121.72
4	C	603	OE7	N4-C4-N2	-2.63	111.11	116.71
5	C	604	MTX	C4A-C4-N3	-2.62	119.29	121.01
2	B	601	NDP	PN-O3-PA	-2.62	123.84	132.83
4	E	603	OE7	N4-C4-N2	-2.60	111.17	116.71
4	D	603	OE7	N4-C4-N2	-2.59	111.20	116.71
4	E	603	OE7	C20-C15-N5	2.57	123.33	118.69
4	B	603	OE7	N4-C4-N1	2.55	124.70	119.74
5	B	604	MTX	C4A-C4-N3	-2.55	119.33	121.01
5	A	604	MTX	C4A-C4-N3	-2.54	119.34	121.01
3	D	602	UFP	O4'-C1'-C2'	-2.54	101.45	106.25
5	D	604	MTX	C13-C14-N10	-2.54	117.97	121.62
3	C	602	UFP	O4'-C1'-C2'	-2.53	101.47	106.25
2	D	601	NDP	O5D-C5D-C4D	2.51	117.63	108.99
4	A	603	OE7	N4-C4-N2	-2.49	111.41	116.71
4	A	603	OE7	C20-C15-N5	2.46	123.13	118.69
3	B	602	UFP	C6-N1-C2	-2.43	118.83	121.30
4	D	603	OE7	N4-C4-N1	2.41	124.43	119.74
2	B	601	NDP	C3N-C7N-N7N	2.41	121.94	117.67

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	603	OE7	N4-C4-N1	2.40	124.40	119.74
3	A	602	UFP	C6-N1-C2	-2.39	118.87	121.30
4	A	603	OE7	N4-C4-N1	2.36	124.34	119.74
2	D	601	NDP	O5B-C5B-C4B	2.35	117.07	108.99
4	E	603	OE7	N4-C4-N1	2.33	124.28	119.74
2	D	601	NDP	C4A-C5A-N7A	-2.33	106.97	109.40
4	E	603	OE7	C15-C20-C21	2.33	124.47	121.72
5	E	604	MTX	C13-C14-N10	-2.30	118.32	121.62
5	E	604	MTX	C4A-C4-N3	-2.27	119.52	121.01
2	E	601	NDP	C4A-C5A-N7A	-2.27	107.03	109.40
2	A	601	NDP	O5D-C5D-C4D	2.26	116.75	108.99
2	B	601	NDP	C4A-C5A-N7A	-2.25	107.05	109.40
2	C	601	NDP	C4A-C5A-N7A	-2.23	107.07	109.40
4	D	603	OE7	C5-C7-C8	-2.22	109.21	114.22
3	D	602	UFP	C6-N1-C2	-2.18	119.08	121.30
2	A	601	NDP	C3N-C7N-N7N	2.18	121.54	117.67
4	A	603	OE7	C5-C7-C8	-2.18	109.30	114.22
5	C	604	MTX	O2-CT-CA	2.17	120.63	113.40
3	E	602	UFP	C6-N1-C2	-2.14	119.13	121.30
2	E	601	NDP	C3N-C7N-N7N	2.14	121.46	117.67
5	A	604	MTX	CB-CA-N	-2.14	106.56	110.88
5	D	604	MTX	O-C-N	-2.13	118.52	122.45
2	C	601	NDP	O5B-C5B-C4B	2.12	116.30	108.99
2	A	601	NDP	C4A-C5A-N7A	-2.11	107.20	109.40
5	B	604	MTX	O2-CT-CA	2.11	120.41	113.40
4	B	603	OE7	C5-C7-C8	-2.10	109.47	114.22
2	B	601	NDP	O5B-C5B-C4B	2.09	116.18	108.99
2	B	601	NDP	O5D-C5D-C4D	2.08	116.16	108.99
5	D	604	MTX	O2-CT-CA	2.08	120.31	113.40
5	E	604	MTX	O2-CT-CA	2.07	120.29	113.40
4	E	603	OE7	C5-C7-C8	-2.06	109.56	114.22
2	D	601	NDP	C3N-C7N-N7N	2.05	121.32	117.67
5	A	604	MTX	O2-CT-CA	2.05	120.22	113.40
5	C	604	MTX	O-C-N	-2.05	118.68	122.45
5	C	604	MTX	CB-CA-N	-2.05	106.73	110.88
5	A	604	MTX	O-C-N	-2.05	118.68	122.45
5	E	604	MTX	O-C-N	-2.04	118.70	122.45
2	A	601	NDP	O5B-C5B-C4B	2.04	116.00	108.99
2	E	601	NDP	O5B-C5B-C4B	2.03	115.98	108.99
3	C	602	UFP	C6-N1-C2	-2.00	119.27	121.30

There are no chirality outliers.



All (105) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	602	UFP	C5'-O5'-P-O1P
3	A	602	UFP	C5'-O5'-P-O2P
3	A	602	UFP	C5'-O5'-P-O3P
3	B	602	UFP	C5'-O5'-P-O1P
3	B	602	UFP	C5'-O5'-P-O2P
3	B	602	UFP	C5'-O5'-P-O3P
3	C	602	UFP	C5'-O5'-P-O1P
3	C	602	UFP	C5'-O5'-P-O2P
3	C	602	UFP	C5'-O5'-P-O3P
3	D	602	UFP	C5'-O5'-P-O1P
3	D	602	UFP	C5'-O5'-P-O2P
3	D	602	UFP	C5'-O5'-P-O3P
3	E	602	UFP	C5'-O5'-P-O1P
3	E	602	UFP	C5'-O5'-P-O2P
3	E	602	UFP	C5'-O5'-P-O3P
5	A	604	MTX	N-CA-CB-CG
5	D	604	MTX	N-CA-CB-CG
5	E	604	MTX	N-CA-CB-CG
5	B	604	MTX	N-CA-CB-CG
5	D	604	MTX	CT-CA-CB-CG
5	E	604	MTX	CT-CA-CB-CG
5	D	604	MTX	C15-C14-N10-CM
3	A	602	UFP	C2'-C1'-N1-C2
5	A	604	MTX	C13-C14-N10-CM
5	A	604	MTX	C15-C14-N10-CM
5	B	604	MTX	C13-C14-N10-CM
5	C	604	MTX	C13-C14-N10-CM
5	C	604	MTX	C15-C14-N10-CM
5	D	604	MTX	C13-C14-N10-CM
5	E	604	MTX	C13-C14-N10-CM
5	E	604	MTX	C15-C14-N10-CM
5	A	604	MTX	CT-CA-CB-CG
5	B	604	MTX	CT-CA-CB-CG
5	B	604	MTX	C15-C14-N10-CM
3	B	602	UFP	C2'-C1'-N1-C2
2	D	601	NDP	C3D-C4D-C5D-O5D
3	A	602	UFP	C2'-C1'-N1-C6
3	D	602	UFP	C2'-C1'-N1-C2
4	A	603	OE7	C16-C15-N5-C14
4	E	603	OE7	C16-C15-N5-C14
4	D	603	OE7	C16-C15-N5-C14
3	C	602	UFP	C2'-C1'-N1-C2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
4	B	603	OE7	C16-C15-N5-C14
4	C	603	OE7	C16-C15-N5-C14
3	B	602	UFP	C2'-C1'-N1-C6
3	D	602	UFP	C2'-C1'-N1-C6
3	E	602	UFP	C2'-C1'-N1-C2
4	A	603	OE7	C15-C20-C21-O4
4	B	603	OE7	C15-C20-C21-O4
4	D	603	OE7	C15-C20-C21-O4
4	E	603	OE7	C15-C20-C21-O4
4	E	603	OE7	C20-C15-N5-C14
4	A	603	OE7	C20-C15-N5-C14
5	A	604	MTX	C6-C9-N10-CM
5	B	604	MTX	C6-C9-N10-CM
5	C	604	MTX	C6-C9-N10-CM
5	D	604	MTX	C6-C9-N10-CM
5	E	604	MTX	C6-C9-N10-CM
4	D	603	OE7	C20-C15-N5-C14
4	C	603	OE7	C15-C20-C21-O3
4	C	603	OE7	C15-C20-C21-O4
4	B	603	OE7	C20-C15-N5-C14
4	C	603	OE7	C20-C15-N5-C14
4	A	603	OE7	C15-C20-C21-O3
4	B	603	OE7	C15-C20-C21-O3
4	D	603	OE7	C15-C20-C21-O3
4	E	603	OE7	C15-C20-C21-O3
2	D	601	NDP	O4D-C4D-C5D-O5D
3	C	602	UFP	C2'-C1'-N1-C6
2	A	601	NDP	O4D-C1D-N1N-C2N
3	E	602	UFP	C2'-C1'-N1-C6
2	C	601	NDP	O4D-C1D-N1N-C2N
2	E	601	NDP	O4D-C1D-N1N-C2N
2	B	601	NDP	O4D-C1D-N1N-C2N
2	D	601	NDP	O4D-C1D-N1N-C2N
2	C	601	NDP	C2D-C1D-N1N-C2N
2	E	601	NDP	C2D-C1D-N1N-C2N
2	B	601	NDP	C2D-C1D-N1N-C2N
2	C	601	NDP	C4D-C5D-O5D-PN
2	E	601	NDP	C4D-C5D-O5D-PN
5	A	604	MTX	OE2-CD-CG-CB
2	A	601	NDP	C2D-C1D-N1N-C2N
2	D	601	NDP	C2D-C1D-N1N-C2N
5	E	604	MTX	OE2-CD-CG-CB

*Continued on next page...*



*Continued from previous page...*



Mol	Chain	Res	Type	Atoms
5	C	604	MTX	OE2-CD-CG-CB
5	D	604	MTX	OE2-CD-CG-CB
2	D	601	NDP	C4D-C5D-O5D-PN
4	C	603	OE7	C19-C20-C21-O3
4	B	603	OE7	C19-C20-C21-O3
4	C	603	OE7	C19-C20-C21-O4
5	B	604	MTX	OE2-CD-CG-CB
4	A	603	OE7	C19-C20-C21-O3
4	A	603	OE7	C19-C20-C21-O4
4	B	603	OE7	C19-C20-C21-O4
4	D	603	OE7	C19-C20-C21-O4
2	A	601	NDP	C4D-C5D-O5D-PN
2	B	601	NDP	C4D-C5D-O5D-PN
4	D	603	OE7	C19-C20-C21-O3
4	E	603	OE7	C19-C20-C21-O3
4	E	603	OE7	C19-C20-C21-O4
5	C	604	MTX	OE1-CD-CG-CB
5	E	604	MTX	OE1-CD-CG-CB
5	A	604	MTX	OE1-CD-CG-CB
5	D	604	MTX	OE1-CD-CG-CB
2	E	601	NDP	C3D-C4D-C5D-O5D


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.












































#### 4.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

#### 4.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 5 Fit of model and data

### 5.1 Protein, DNA and RNA chains

EDS failed to run properly - this section is therefore empty.

### 5.2 Non-standard residues in protein, DNA, RNA chains

EDS failed to run properly - this section is therefore empty.

### 5.3 Carbohydrates

EDS failed to run properly - this section is therefore empty.

### 5.4 Ligands

EDS failed to run properly - this section is therefore empty.

### 5.5 Other polymers

EDS failed to run properly - this section is therefore empty.