



## wwPDB EM Validation Summary Report ⓘ

Dec 10, 2022 – 08:45 pm GMT

PDB ID : 6QXF  
EMDB ID : EMD-4668  
Title : Cas1-Cas2-Csn2-DNA complex from the Type II-A CRISPR-Cas system  
Authors : Wilkinson, M.; Drabavicius, G.; Silanskas, A.; Gasiunas, G.; Siksnyis, V.;  
Wigley, D.B.  
Deposited on : 2019-03-07  
Resolution : 3.60 Å (reported)  
Based on initial models : 3V7F, 5XVN

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.31.3


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	A	219	83%	17%
1	B	219	80%	20%
1	C	219	82%	18%
1	D	219	81%	19%
1	E	219	82%	17%
1	F	219	82%	18%
1	G	219	82%	17%
1	H	219	80%	20%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	I	302	
2	J	302	
2	L	302	
2	M	302	
2	O	302	
2	P	302	
2	R	302	
2	S	302	
3	K	114	
3	N	114	
3	Q	114	
3	T	114	
4	X	25	
5	Y	25	

## 2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 34693 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CRISPR-associated protein Csn2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	218	1787	1162	271	348	6	0	0
1	B	219	1795	1166	273	350	6	0	0
1	C	218	1787	1162	271	348	6	0	0
1	D	219	1795	1166	273	350	6	0	0
1	E	218	1787	1162	271	348	6	0	0
1	F	219	1795	1166	273	350	6	0	0
1	G	218	1787	1162	271	348	6	0	0
1	H	219	1795	1166	273	350	6	0	0

- Molecule 2 is a protein called CRISPR-associated endonuclease Cas1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	I	287	2369	1523	399	435	12	0	0
2	J	287	2369	1523	399	435	12	0	0
2	L	287	2369	1523	399	435	12	0	0
2	M	287	2369	1523	399	435	12	0	0
2	O	287	2369	1523	399	435	12	0	0
2	P	287	2369	1523	399	435	12	0	0
2	R	287	2369	1523	399	435	12	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	S	287	2369	1523	399	435	12	0	0

There are 104 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
I	290	LEU	-	expression tag	UNP G3ECCR2
I	291	GLU	-	expression tag	UNP G3ECCR2
I	292	SER	-	expression tag	UNP G3ECCR2
I	293	GLY	-	expression tag	UNP G3ECCR2
I	294	TRP	-	expression tag	UNP G3ECCR2
I	295	SER	-	expression tag	UNP G3ECCR2
I	296	HIS	-	expression tag	UNP G3ECCR2
I	297	PRO	-	expression tag	UNP G3ECCR2
I	298	GLN	-	expression tag	UNP G3ECCR2
I	299	PHE	-	expression tag	UNP G3ECCR2
I	300	GLU	-	expression tag	UNP G3ECCR2
I	301	LYS	-	expression tag	UNP G3ECCR2
I	302	ALA	-	expression tag	UNP G3ECCR2
J	290	LEU	-	expression tag	UNP G3ECCR2
J	291	GLU	-	expression tag	UNP G3ECCR2
J	292	SER	-	expression tag	UNP G3ECCR2
J	293	GLY	-	expression tag	UNP G3ECCR2
J	294	TRP	-	expression tag	UNP G3ECCR2
J	295	SER	-	expression tag	UNP G3ECCR2
J	296	HIS	-	expression tag	UNP G3ECCR2
J	297	PRO	-	expression tag	UNP G3ECCR2
J	298	GLN	-	expression tag	UNP G3ECCR2
J	299	PHE	-	expression tag	UNP G3ECCR2
J	300	GLU	-	expression tag	UNP G3ECCR2
J	301	LYS	-	expression tag	UNP G3ECCR2
J	302	ALA	-	expression tag	UNP G3ECCR2
L	290	LEU	-	expression tag	UNP G3ECCR2
L	291	GLU	-	expression tag	UNP G3ECCR2
L	292	SER	-	expression tag	UNP G3ECCR2
L	293	GLY	-	expression tag	UNP G3ECCR2
L	294	TRP	-	expression tag	UNP G3ECCR2
L	295	SER	-	expression tag	UNP G3ECCR2
L	296	HIS	-	expression tag	UNP G3ECCR2
L	297	PRO	-	expression tag	UNP G3ECCR2
L	298	GLN	-	expression tag	UNP G3ECCR2
L	299	PHE	-	expression tag	UNP G3ECCR2

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
L	300	GLU	-	expression tag	UNP G3ECR2
L	301	LYS	-	expression tag	UNP G3ECR2
L	302	ALA	-	expression tag	UNP G3ECR2
M	290	LEU	-	expression tag	UNP G3ECR2
M	291	GLU	-	expression tag	UNP G3ECR2
M	292	SER	-	expression tag	UNP G3ECR2
M	293	GLY	-	expression tag	UNP G3ECR2
M	294	TRP	-	expression tag	UNP G3ECR2
M	295	SER	-	expression tag	UNP G3ECR2
M	296	HIS	-	expression tag	UNP G3ECR2
M	297	PRO	-	expression tag	UNP G3ECR2
M	298	GLN	-	expression tag	UNP G3ECR2
M	299	PHE	-	expression tag	UNP G3ECR2
M	300	GLU	-	expression tag	UNP G3ECR2
M	301	LYS	-	expression tag	UNP G3ECR2
M	302	ALA	-	expression tag	UNP G3ECR2
O	290	LEU	-	expression tag	UNP G3ECR2
O	291	GLU	-	expression tag	UNP G3ECR2
O	292	SER	-	expression tag	UNP G3ECR2
O	293	GLY	-	expression tag	UNP G3ECR2
O	294	TRP	-	expression tag	UNP G3ECR2
O	295	SER	-	expression tag	UNP G3ECR2
O	296	HIS	-	expression tag	UNP G3ECR2
O	297	PRO	-	expression tag	UNP G3ECR2
O	298	GLN	-	expression tag	UNP G3ECR2
O	299	PHE	-	expression tag	UNP G3ECR2
O	300	GLU	-	expression tag	UNP G3ECR2
O	301	LYS	-	expression tag	UNP G3ECR2
O	302	ALA	-	expression tag	UNP G3ECR2
P	290	LEU	-	expression tag	UNP G3ECR2
P	291	GLU	-	expression tag	UNP G3ECR2
P	292	SER	-	expression tag	UNP G3ECR2
P	293	GLY	-	expression tag	UNP G3ECR2
P	294	TRP	-	expression tag	UNP G3ECR2
P	295	SER	-	expression tag	UNP G3ECR2
P	296	HIS	-	expression tag	UNP G3ECR2
P	297	PRO	-	expression tag	UNP G3ECR2
P	298	GLN	-	expression tag	UNP G3ECR2
P	299	PHE	-	expression tag	UNP G3ECR2
P	300	GLU	-	expression tag	UNP G3ECR2
P	301	LYS	-	expression tag	UNP G3ECR2
P	302	ALA	-	expression tag	UNP G3ECR2

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
R	290	LEU	-	expression tag	UNP G3ECCR2
R	291	GLU	-	expression tag	UNP G3ECCR2
R	292	SER	-	expression tag	UNP G3ECCR2
R	293	GLY	-	expression tag	UNP G3ECCR2
R	294	TRP	-	expression tag	UNP G3ECCR2
R	295	SER	-	expression tag	UNP G3ECCR2
R	296	HIS	-	expression tag	UNP G3ECCR2
R	297	PRO	-	expression tag	UNP G3ECCR2
R	298	GLN	-	expression tag	UNP G3ECCR2
R	299	PHE	-	expression tag	UNP G3ECCR2
R	300	GLU	-	expression tag	UNP G3ECCR2
R	301	LYS	-	expression tag	UNP G3ECCR2
R	302	ALA	-	expression tag	UNP G3ECCR2
S	290	LEU	-	expression tag	UNP G3ECCR2
S	291	GLU	-	expression tag	UNP G3ECCR2
S	292	SER	-	expression tag	UNP G3ECCR2
S	293	GLY	-	expression tag	UNP G3ECCR2
S	294	TRP	-	expression tag	UNP G3ECCR2
S	295	SER	-	expression tag	UNP G3ECCR2
S	296	HIS	-	expression tag	UNP G3ECCR2
S	297	PRO	-	expression tag	UNP G3ECCR2
S	298	GLN	-	expression tag	UNP G3ECCR2
S	299	PHE	-	expression tag	UNP G3ECCR2
S	300	GLU	-	expression tag	UNP G3ECCR2
S	301	LYS	-	expression tag	UNP G3ECCR2
S	302	ALA	-	expression tag	UNP G3ECCR2

- Molecule 3 is a protein called CRISPR-associated endoribonuclease Cas2.

Mol	Chain	Residues	Atoms				AltConf	Trace
3	K	11	Total	C	N	O	0	0
			95	61	15	19		
3	N	11	Total	C	N	O	0	0
			95	61	15	19		
3	Q	11	Total	C	N	O	0	0
			95	61	15	19		
3	T	11	Total	C	N	O	0	0
			95	61	15	19		

- Molecule 4 is a DNA chain called DNA (25-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
4	X	25	Total	C	N	O	P	0	0
			500	250	50	175	25		

- Molecule 5 is a DNA chain called DNA (25-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
5	Y	25	Total	C	N	O	P	0	0
			525	250	125	125	25		

- Molecule 6 is CALCIUM ION (three-letter code: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		AltConf
6	A	1	Total	Ca	0
			1	1	
6	B	1	Total	Ca	0
			1	1	
6	C	1	Total	Ca	0
			1	1	
6	D	1	Total	Ca	0
			1	1	
6	E	1	Total	Ca	0
			1	1	
6	F	1	Total	Ca	0
			1	1	
6	G	1	Total	Ca	0
			1	1	
6	H	1	Total	Ca	0
			1	1	




### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: CRISPR-associated protein Csn2




- Molecule 1: CRISPR-associated protein Csn2



- Molecule 1: CRISPR-associated protein Csn2




- Molecule 1: CRISPR-associated protein Csn2









• Molecule 1: CRISPR-associated protein Csn2





• Molecule 1: CRISPR-associated protein Csn2




• Molecule 1: CRISPR-associated protein Csn2




• Molecule 1: CRISPR-associated protein Csn2





• Molecule 2: CRISPR-associated endonuclease Cas1









• Molecule 2: CRISPR-associated endonuclease Cas1




• Molecule 2: CRISPR-associated endonuclease Cas1





• Molecule 2: CRISPR-associated endonuclease Cas1









• Molecule 2: CRISPR-associated endonuclease Cas1




• Molecule 2: CRISPR-associated endonuclease Cas1




• Molecule 2: CRISPR-associated endonuclease Cas1





• Molecule 2: CRISPR-associated endonuclease Cas1









• Molecule 3: CRISPR-associated endoribonuclease Cas2





• Molecule 3: CRISPR-associated endoribonuclease Cas2




• Molecule 3: CRISPR-associated endoribonuclease Cas2




• Molecule 3: CRISPR-associated endoribonuclease Cas2



• Molecule 4: DNA (25-MER)



• Molecule 5: DNA (25-MER)



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	306470	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	92.8	Depositor
Minimum defocus (nm)	1300	Depositor
Maximum defocus (nm)	2800	Depositor
Magnification	129032	Depositor
Image detector	FEI FALCON III (4k x 4k)	Depositor
Maximum map value	0.143	Depositor
Minimum map value	-0.045	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.006	Depositor
Recommended contour level	0.03	Depositor
Map size (Å)	321.16, 321.16, 321.16	wwPDB
Map dimensions	296, 296, 296	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.085, 1.085, 1.085	Depositor

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.24	0/1812	0.38	0/2451
1	B	0.24	0/1820	0.38	0/2462
1	C	0.24	0/1812	0.38	0/2451
1	D	0.24	0/1820	0.38	0/2462
1	E	0.24	0/1812	0.38	0/2451
1	F	0.24	0/1820	0.38	0/2462
1	G	0.24	0/1812	0.38	0/2451
1	H	0.24	0/1820	0.38	0/2462
2	I	0.24	0/2420	0.39	0/3271
2	J	0.24	0/2420	0.38	0/3271
2	L	0.24	0/2420	0.39	0/3271
2	M	0.24	0/2420	0.38	0/3271
2	O	0.24	0/2420	0.38	0/3271
2	P	0.24	0/2420	0.38	0/3271
2	R	0.24	0/2420	0.39	0/3271
2	S	0.24	0/2420	0.38	0/3271
3	K	0.25	0/96	0.41	0/128
3	N	0.26	0/96	0.41	0/128
3	Q	0.26	0/96	0.41	0/128
3	T	0.26	0/96	0.41	0/128
4	X	0.59	0/549	1.29	0/846
5	Y	0.49	0/599	0.74	0/921
All	All	0.25	0/35420	0.42	0/48099

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.



## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1787	0	1838	23	0
1	B	1795	0	1844	31	0
1	C	1787	0	1838	25	0
1	D	1795	0	1844	29	0
1	E	1787	0	1838	25	0
1	F	1795	0	1844	27	0
1	G	1787	0	1838	26	0
1	H	1795	0	1844	30	0
2	I	2369	0	2356	31	0
2	J	2369	0	2356	43	0
2	L	2369	0	2356	33	0
2	M	2369	0	2356	39	0
2	O	2369	0	2356	31	0
2	P	2369	0	2356	41	0
2	R	2369	0	2356	31	0
2	S	2369	0	2356	41	0
3	K	95	0	86	3	0
3	N	95	0	86	2	0
3	Q	95	0	86	3	0
3	T	95	0	86	2	0
4	X	500	0	301	0	0
5	Y	525	0	276	24	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0
6	C	1	0	0	0	0
6	D	1	0	0	0	0
6	E	1	0	0	0	0
6	F	1	0	0	0	0
6	G	1	0	0	0	0
6	H	1	0	0	0	0
All	All	34693	0	34497	479	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

The worst 5 of 479 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:41:GLN:HE22	1:H:44:LEU:HB3	1.51	0.75
1:F:41:GLN:HE22	1:F:44:LEU:HB3	1.52	0.75
1:B:41:GLN:HE22	1:B:44:LEU:HB3	1.51	0.74
1:D:41:GLN:HE22	1:D:44:LEU:HB3	1.51	0.73
2:J:5:ARG:O	2:J:39:ASP:N	2.20	0.72

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	216/219 (99%)	210 (97%)	6 (3%)	0	100	100
1	B	217/219 (99%)	212 (98%)	4 (2%)	1 (0%)	29	68
1	C	216/219 (99%)	210 (97%)	6 (3%)	0	100	100
1	D	217/219 (99%)	212 (98%)	4 (2%)	1 (0%)	29	68
1	E	216/219 (99%)	210 (97%)	6 (3%)	0	100	100
1	F	217/219 (99%)	212 (98%)	4 (2%)	1 (0%)	29	68
1	G	216/219 (99%)	210 (97%)	6 (3%)	0	100	100
1	H	217/219 (99%)	212 (98%)	4 (2%)	1 (0%)	29	68
2	I	285/302 (94%)	278 (98%)	7 (2%)	0	100	100
2	J	285/302 (94%)	280 (98%)	5 (2%)	0	100	100
2	L	285/302 (94%)	278 (98%)	7 (2%)	0	100	100
2	M	285/302 (94%)	280 (98%)	5 (2%)	0	100	100
2	O	285/302 (94%)	278 (98%)	7 (2%)	0	100	100
2	P	285/302 (94%)	280 (98%)	5 (2%)	0	100	100
2	R	285/302 (94%)	278 (98%)	7 (2%)	0	100	100
2	S	285/302 (94%)	280 (98%)	5 (2%)	0	100	100

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	K	9/114 (8%)	9 (100%)	0	0	100	100
3	N	9/114 (8%)	9 (100%)	0	0	100	100
3	Q	9/114 (8%)	9 (100%)	0	0	100	100
3	T	9/114 (8%)	9 (100%)	0	0	100	100
All	All	4048/4624 (88%)	3956 (98%)	88 (2%)	4 (0%)	54	83

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	51	ILE
1	D	51	ILE
1	F	51	ILE
1	H	51	ILE

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	210/211 (100%)	208 (99%)	2 (1%)	76	88
1	B	211/211 (100%)	210 (100%)	1 (0%)	88	95
1	C	210/211 (100%)	208 (99%)	2 (1%)	76	88
1	D	211/211 (100%)	210 (100%)	1 (0%)	88	95
1	E	210/211 (100%)	208 (99%)	2 (1%)	76	88
1	F	211/211 (100%)	210 (100%)	1 (0%)	88	95
1	G	210/211 (100%)	208 (99%)	2 (1%)	76	88
1	H	211/211 (100%)	210 (100%)	1 (0%)	88	95
2	I	264/276 (96%)	263 (100%)	1 (0%)	91	97
2	J	264/276 (96%)	263 (100%)	1 (0%)	91	97
2	L	264/276 (96%)	263 (100%)	1 (0%)	91	97
2	M	264/276 (96%)	263 (100%)	1 (0%)	91	97

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	O	264/276 (96%)	263 (100%)	1 (0%)	91	97
2	P	264/276 (96%)	263 (100%)	1 (0%)	91	97
2	R	264/276 (96%)	263 (100%)	1 (0%)	91	97
2	S	264/276 (96%)	263 (100%)	1 (0%)	91	97
3	K	10/102 (10%)	10 (100%)	0	100	100
3	N	10/102 (10%)	10 (100%)	0	100	100
3	Q	10/102 (10%)	10 (100%)	0	100	100
3	T	10/102 (10%)	10 (100%)	0	100	100
All	All	3836/4304 (89%)	3816 (100%)	20 (0%)	89	95

5 of 20 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	L	227	ASP
2	P	82	TYR
2	S	82	TYR
2	R	227	ASP
1	E	72	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 48 such sidechains are listed below:

Mol	Chain	Res	Type
2	M	174	ASN
2	P	62	ASN
2	M	233	ASN
2	O	174	ASN
2	P	233	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 8 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-4668. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

### 6.2 Central slices [i](#)


#### 6.2.1 Primary map



X Index: 148



Y Index: 148




Z Index: 148


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 150



Y Index: 178




Z Index: 165


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal surface views [i](#)

### 6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.03. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

## 6.5 Mask visualisation


This section was not generated. No masks/segmentation were deposited.



## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 389  $\text{nm}^3$ ; this corresponds to an approximate mass of 351 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [\(i\)](#)




\*Reported resolution corresponds to spatial frequency of 0.278 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.278 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.60	-	-
Author-provided FSC curve	3.59	4.12	3.71
Unmasked-calculated*	-	-	-

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.

## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-4668 and PDB model 6QXF. Per-residue inclusion information can be found in section 3 on page 9.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.03 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.03).

## 9.4 Atom inclusion [i](#)

















































At the recommended contour level, 94% of all backbone atoms, 78% of all non-hydrogen atoms, are inside the map.



## 9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.03) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7842	 0.3090
A	 0.8477	 0.3940
B	 0.8608	 0.4290
C	 0.8454	 0.3860
D	 0.8641	 0.4310
E	 0.8516	 0.3990
F	 0.8709	 0.4360
G	 0.8528	 0.3940
H	 0.8687	 0.4290
I	 0.7480	 0.2350
J	 0.7798	 0.2530
K	 0.8478	 0.2990
L	 0.6807	 0.2340
M	 0.7910	 0.2550
N	 0.8478	 0.3410
O	 0.6842	 0.2310
P	 0.7350	 0.2340
Q	 0.8478	 0.2900
R	 0.7273	 0.2460
S	 0.7966	 0.2490
T	 0.7935	 0.3280
X	 0.5000	 0.1060
Y	 0.4971	 0.1150

