



wwPDB X-ray Structure Validation Summary Report

Mar 24, 2022 – 03:46 pm GMT

PDB ID : 6THG
Title : Cedar Virus attachment glycoprotein (G) in complex with human ephrin-B1
Authors : Pryce, R.; Rissanen, I.; Harlos, K.; Bowden, T.
Deposited on : 2019-11-20
Resolution : 4.07 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the  symbol.

The following versions of software and data (see [references](#) ) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.27
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0267
CCP4 : 7.1.010 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.27


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 4.07 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1133 (4.46-3.70)
Clashscore	141614	1013 (4.42-3.74)
Ramachandran outliers	138981	1151 (4.46-3.70)
Sidechain outliers	138945	1139 (4.46-3.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	426	74% (green), 23% (yellow), 3% (orange), 2% (red), 0% (grey)
1	B	426	72% (green), 25% (yellow), 3% (orange), 2% (red), 0% (grey)
1	E	426	71% (green), 25% (yellow), 3% (orange), 2% (red), 0% (grey)
1	G	426	74% (green), 23% (yellow), 3% (orange), 2% (red), 0% (grey)
1	I	426	70% (green), 25% (yellow), 3% (orange), 2% (red), 0% (grey)
2	C	151	63% (green), 25% (yellow), 10% (orange), 2% (red), 0% (grey)
2	D	151	54% (green), 36% (yellow), 10% (orange), 2% (red), 0% (grey)

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	151	 60% 29% 9%
2	H	151	 54% 32% 11%
2	J	151	 62% 27% 10%
3	K	3	 100%
3	M	3	 33% 67%
3	N	3	 67% 33%
3	O	3	 33% 67%
3	Q	3	 100%
3	U	3	 33% 33% 33%
4	L	2	 100%
4	P	2	 50% 50%
4	R	2	 100%
4	S	2	 50% 50%
4	T	2	 50% 50%
4	V	2	 100%
4	W	2	 50% 50%

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 22772 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Attachment glycoprotein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	B	419	3358	2131	555	648	24	0	0	0
1	A	418	3351	2127	554	646	24	0	0	0
1	E	415	3330	2113	550	643	24	0	0	0
1	G	415	3330	2113	550	643	24	0	0	0
1	I	417	3347	2125	553	645	24	0	0	0

There are 60 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	206	GLU	-	expression tag	UNP A0A185KRV2
B	207	THR	-	expression tag	UNP A0A185KRV2
B	208	GLY	-	expression tag	UNP A0A185KRV2
B	623	GLY	-	expression tag	UNP A0A185KRV2
B	624	THR	-	expression tag	UNP A0A185KRV2
B	625	LYS	-	expression tag	UNP A0A185KRV2
B	626	HIS	-	expression tag	UNP A0A185KRV2
B	627	HIS	-	expression tag	UNP A0A185KRV2
B	628	HIS	-	expression tag	UNP A0A185KRV2
B	629	HIS	-	expression tag	UNP A0A185KRV2
B	630	HIS	-	expression tag	UNP A0A185KRV2
B	631	HIS	-	expression tag	UNP A0A185KRV2
A	206	GLU	-	expression tag	UNP A0A185KRV2
A	207	THR	-	expression tag	UNP A0A185KRV2
A	208	GLY	-	expression tag	UNP A0A185KRV2
A	623	GLY	-	expression tag	UNP A0A185KRV2
A	624	THR	-	expression tag	UNP A0A185KRV2
A	625	LYS	-	expression tag	UNP A0A185KRV2
A	626	HIS	-	expression tag	UNP A0A185KRV2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	627	HIS	-	expression tag	UNP A0A185KRV2
A	628	HIS	-	expression tag	UNP A0A185KRV2
A	629	HIS	-	expression tag	UNP A0A185KRV2
A	630	HIS	-	expression tag	UNP A0A185KRV2
A	631	HIS	-	expression tag	UNP A0A185KRV2
E	206	GLU	-	expression tag	UNP A0A185KRV2
E	207	THR	-	expression tag	UNP A0A185KRV2
E	208	GLY	-	expression tag	UNP A0A185KRV2
E	623	GLY	-	expression tag	UNP A0A185KRV2
E	624	THR	-	expression tag	UNP A0A185KRV2
E	625	LYS	-	expression tag	UNP A0A185KRV2
E	626	HIS	-	expression tag	UNP A0A185KRV2
E	627	HIS	-	expression tag	UNP A0A185KRV2
E	628	HIS	-	expression tag	UNP A0A185KRV2
E	629	HIS	-	expression tag	UNP A0A185KRV2
E	630	HIS	-	expression tag	UNP A0A185KRV2
E	631	HIS	-	expression tag	UNP A0A185KRV2
G	206	GLU	-	expression tag	UNP A0A185KRV2
G	207	THR	-	expression tag	UNP A0A185KRV2
G	208	GLY	-	expression tag	UNP A0A185KRV2
G	623	GLY	-	expression tag	UNP A0A185KRV2
G	624	THR	-	expression tag	UNP A0A185KRV2
G	625	LYS	-	expression tag	UNP A0A185KRV2
G	626	HIS	-	expression tag	UNP A0A185KRV2
G	627	HIS	-	expression tag	UNP A0A185KRV2
G	628	HIS	-	expression tag	UNP A0A185KRV2
G	629	HIS	-	expression tag	UNP A0A185KRV2
G	630	HIS	-	expression tag	UNP A0A185KRV2
G	631	HIS	-	expression tag	UNP A0A185KRV2
I	206	GLU	-	expression tag	UNP A0A185KRV2
I	207	THR	-	expression tag	UNP A0A185KRV2
I	208	GLY	-	expression tag	UNP A0A185KRV2
I	623	GLY	-	expression tag	UNP A0A185KRV2
I	624	THR	-	expression tag	UNP A0A185KRV2
I	625	LYS	-	expression tag	UNP A0A185KRV2
I	626	HIS	-	expression tag	UNP A0A185KRV2
I	627	HIS	-	expression tag	UNP A0A185KRV2
I	628	HIS	-	expression tag	UNP A0A185KRV2
I	629	HIS	-	expression tag	UNP A0A185KRV2
I	630	HIS	-	expression tag	UNP A0A185KRV2
I	631	HIS	-	expression tag	UNP A0A185KRV2

- Molecule 2 is a protein called Ephrin-B1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	D	136	1089	695	186	201	7	0	0	0
2	C	136	1076	686	183	200	7	0	0	0
2	F	137	1084	690	184	203	7	0	0	0
2	H	134	1063	679	180	197	7	0	0	0
2	J	136	1076	686	183	200	7	0	0	0

There are 60 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
D	26	GLU	-	expression tag	UNP P98172
D	27	THR	-	expression tag	UNP P98172
D	28	GLY	-	expression tag	UNP P98172
D	168	GLY	-	expression tag	UNP P98172
D	169	THR	-	expression tag	UNP P98172
D	170	LYS	-	expression tag	UNP P98172
D	171	HIS	-	expression tag	UNP P98172
D	172	HIS	-	expression tag	UNP P98172
D	173	HIS	-	expression tag	UNP P98172
D	174	HIS	-	expression tag	UNP P98172
D	175	HIS	-	expression tag	UNP P98172
D	176	HIS	-	expression tag	UNP P98172
C	26	GLU	-	expression tag	UNP P98172
C	27	THR	-	expression tag	UNP P98172
C	28	GLY	-	expression tag	UNP P98172
C	168	GLY	-	expression tag	UNP P98172
C	169	THR	-	expression tag	UNP P98172
C	170	LYS	-	expression tag	UNP P98172
C	171	HIS	-	expression tag	UNP P98172
C	172	HIS	-	expression tag	UNP P98172
C	173	HIS	-	expression tag	UNP P98172
C	174	HIS	-	expression tag	UNP P98172
C	175	HIS	-	expression tag	UNP P98172
C	176	HIS	-	expression tag	UNP P98172
F	26	GLU	-	expression tag	UNP P98172
F	27	THR	-	expression tag	UNP P98172
F	28	GLY	-	expression tag	UNP P98172
F	168	GLY	-	expression tag	UNP P98172
F	169	THR	-	expression tag	UNP P98172
F	170	LYS	-	expression tag	UNP P98172

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	171	HIS	-	expression tag	UNP P98172
F	172	HIS	-	expression tag	UNP P98172
F	173	HIS	-	expression tag	UNP P98172
F	174	HIS	-	expression tag	UNP P98172
F	175	HIS	-	expression tag	UNP P98172
F	176	HIS	-	expression tag	UNP P98172
H	26	GLU	-	expression tag	UNP P98172
H	27	THR	-	expression tag	UNP P98172
H	28	GLY	-	expression tag	UNP P98172
H	168	GLY	-	expression tag	UNP P98172
H	169	THR	-	expression tag	UNP P98172
H	170	LYS	-	expression tag	UNP P98172
H	171	HIS	-	expression tag	UNP P98172
H	172	HIS	-	expression tag	UNP P98172
H	173	HIS	-	expression tag	UNP P98172
H	174	HIS	-	expression tag	UNP P98172
H	175	HIS	-	expression tag	UNP P98172
H	176	HIS	-	expression tag	UNP P98172
J	26	GLU	-	expression tag	UNP P98172
J	27	THR	-	expression tag	UNP P98172
J	28	GLY	-	expression tag	UNP P98172
J	168	GLY	-	expression tag	UNP P98172
J	169	THR	-	expression tag	UNP P98172
J	170	LYS	-	expression tag	UNP P98172
J	171	HIS	-	expression tag	UNP P98172
J	172	HIS	-	expression tag	UNP P98172
J	173	HIS	-	expression tag	UNP P98172
J	174	HIS	-	expression tag	UNP P98172
J	175	HIS	-	expression tag	UNP P98172
J	176	HIS	-	expression tag	UNP P98172

- Molecule 3 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace	
			Total	C	N				O
3	K	3	39	22	2	15	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	M	3	Total	C	N	O	0	0	0
			39	22	2	15			
3	N	3	Total	C	N	O	0	0	0
			39	22	2	15			
3	O	3	Total	C	N	O	0	0	0
			39	22	2	15			
3	Q	3	Total	C	N	O	0	0	0
			39	22	2	15			
3	U	3	Total	C	N	O	0	0	0
			39	22	2	15			

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	L	2	Total	C	N	O	0	0	0
			28	16	2	10			
4	P	2	Total	C	N	O	0	0	0
			28	16	2	10			
4	R	2	Total	C	N	O	0	0	0
			28	16	2	10			
4	S	2	Total	C	N	O	0	0	0
			28	16	2	10			
4	T	2	Total	C	N	O	0	0	0
			28	16	2	10			
4	V	2	Total	C	N	O	0	0	0
			28	16	2	10			
4	W	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
5	B	1	Total 14	8	1	5	0	0
5	B	1	Total 14	8	1	5	0	0
5	B	1	Total 14	8	1	5	0	0
5	D	1	Total 14	8	1	5	0	0
5	A	1	Total 14	8	1	5	0	0
5	A	1	Total 14	8	1	5	0	0
5	A	1	Total 14	8	1	5	0	0
5	A	1	Total 14	8	1	5	0	0
5	E	1	Total 14	8	1	5	0	0
5	G	1	Total 14	8	1	5	0	0
5	G	1	Total 14	8	1	5	0	0
5	G	1	Total 14	8	1	5	0	0
5	I	1	Total 14	8	1	5	0	0
5	I	1	Total 14	8	1	5	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	F	1	Total	C	N	O	0	0
			14	8	1	5		
5	H	1	Total	C	N	O	0	0
			14	8	1	5		
5	J	1	Total	C	N	O	0	0
			14	8	1	5		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Attachment glycoprotein




- Molecule 1: Attachment glycoprotein




- Molecule 1: Attachment glycoprotein







• Molecule 1: Attachment glycoprotein




• Molecule 1: Attachment glycoprotein



• Molecule 2: Ephrin-B1







- Molecule 2: Ephrin-B1




- Molecule 2: Ephrin-B1



- Molecule 2: Ephrin-B1



- Molecule 2: Ephrin-B1



- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



MAG1
MAG2
BMA3

- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:  33% 67%

MAG1
MAG2
BMA3

- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N:  67% 33%

MAG1
MAG2
BMA3

- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain O:  33% 67%


MAG1
MAG2
BMA3

- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Q:  100%

MAG1
MAG2
BMA3

- Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain U:  33% 33% 33%

MAG1
MAG2
BMA3

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L:  100%

MAG1
MAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P:  50% 50%

MAG1
MAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R:  100%

MAG1
MAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain S:  50% 50%

MAG1
MAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T:  50% 50%

MAG1
MAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain V:  100%

MAG1
MAG2

- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain W:  50% 50%

MAG1
MAG2

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	112.80Å 138.44Å 235.39Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	69.22 – 4.07 70.19 – 4.07	Depositor EDS
% Data completeness (in resolution range)	99.6 (69.22-4.07) 99.6 (70.19-4.07)	Depositor EDS
R_{merge}	0.41	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.04 (at 4.01Å)	Xtriage
Refinement program	PHENIX 1.14_3260	Depositor
R, R_{free}	0.276 , 0.314 0.276 , 0.314	Depositor DCC
R_{free} test set	1474 reflections (4.90%)	wwPDB-VP
Wilson B-factor (Å ²)	118.1	Xtriage
Anisotropy	0.382	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	(Not available) , (Not available)	EDS
L-test for twinning ²	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.26$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.71	EDS
Total number of atoms	22772	wwPDB-VP
Average B, all atoms (Å ²)	152.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.94% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.28	0/3434	0.55	0/4657
1	B	0.28	0/3441	0.56	0/4667
1	E	0.30	0/3413	0.56	0/4630
1	G	0.28	0/3413	0.53	0/4630
1	I	0.27	0/3430	0.53	1/4652 (0.0%)
2	C	0.26	0/1100	0.50	0/1487
2	D	0.27	0/1114	0.49	0/1505
2	F	0.26	0/1108	0.48	0/1498
2	H	0.27	0/1087	0.49	0/1470
2	J	0.28	0/1100	0.52	0/1487
All	All	0.28	0/22640	0.53	1/30683 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	I	239	CYS	CA-CB-SG	5.63	124.14	114.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3351	0	3233	60	0
1	B	3358	0	3240	76	0
1	E	3330	0	3206	79	0
1	G	3330	0	3208	64	0
1	I	3347	0	3233	79	0
2	C	1076	0	1069	30	0
2	D	1089	0	1087	39	0
2	F	1084	0	1073	36	0
2	H	1063	0	1058	40	0
2	J	1076	0	1069	29	0
3	K	39	0	34	1	0
3	M	39	0	34	3	0
3	N	39	0	34	3	0
3	O	39	0	34	7	0
3	Q	39	0	34	1	0
3	U	39	0	34	1	0
4	L	28	0	25	0	0
4	P	28	0	25	2	0
4	R	28	0	25	0	0
4	S	28	0	25	2	0
4	T	28	0	25	1	0
4	V	28	0	25	0	0
4	W	28	0	25	1	0
5	A	56	0	52	1	0
5	B	42	0	39	0	0
5	D	14	0	13	1	0
5	E	14	0	13	1	0
5	F	14	0	13	1	0
5	G	42	0	39	2	0
5	H	14	0	13	1	0
5	I	28	0	26	4	0
5	J	14	0	13	2	0
All	All	22772	0	22076	499	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

The worst 5 of 499 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:242:ASN:HB2	1:G:265:LYS:HZ2	1.27	1.00
1:B:209:LYS:H	2:H:34:PRO:HG2	1.42	0.83

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:439:GLN:OE1	1:B:442:MET:N	2.13	0.82
1:G:241:ASN:OD1	1:G:265:LYS:NZ	2.15	0.80
1:G:439:GLN:OE1	1:G:442:MET:N	2.14	0.79

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	416/426 (98%)	395 (95%)	21 (5%)	0	100	100
1	B	417/426 (98%)	396 (95%)	20 (5%)	1 (0%)	47	80
1	E	413/426 (97%)	393 (95%)	20 (5%)	0	100	100
1	G	413/426 (97%)	394 (95%)	19 (5%)	0	100	100
1	I	415/426 (97%)	395 (95%)	19 (5%)	1 (0%)	47	80
2	C	134/151 (89%)	114 (85%)	20 (15%)	0	100	100
2	D	134/151 (89%)	114 (85%)	20 (15%)	0	100	100
2	F	135/151 (89%)	115 (85%)	20 (15%)	0	100	100
2	H	132/151 (87%)	112 (85%)	20 (15%)	0	100	100
2	J	134/151 (89%)	115 (86%)	19 (14%)	0	100	100
All	All	2743/2885 (95%)	2543 (93%)	198 (7%)	2 (0%)	51	84

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	345	ILE
1	I	607	LYS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	390/398 (98%)	379 (97%)	11 (3%)	43	65
1	B	391/398 (98%)	377 (96%)	14 (4%)	35	60
1	E	388/398 (98%)	379 (98%)	9 (2%)	50	70
1	G	388/398 (98%)	380 (98%)	8 (2%)	53	72
1	I	390/398 (98%)	379 (97%)	11 (3%)	43	65
2	C	119/133 (90%)	112 (94%)	7 (6%)	19	48
2	D	121/133 (91%)	118 (98%)	3 (2%)	47	68
2	F	120/133 (90%)	113 (94%)	7 (6%)	20	48
2	H	118/133 (89%)	112 (95%)	6 (5%)	24	52
2	J	119/133 (90%)	112 (94%)	7 (6%)	19	48
All	All	2544/2655 (96%)	2461 (97%)	83 (3%)	38	62

5 of 83 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	C	71	ARG
2	H	71	ARG
2	C	121	TYR
2	F	85	GLN
2	H	135	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 15 such sidechains are listed below:

Mol	Chain	Res	Type
1	G	242	ASN
1	I	578	ASN
1	G	578	ASN
1	I	605	ASN
1	I	323	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

32 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	K	1	3,1	14,14,15	0.62	0	17,19,21	0.89	0
3	NAG	K	2	3	14,14,15	0.45	0	17,19,21	1.29	2 (11%)
3	BMA	K	3	3	11,11,12	0.83	0	15,15,17	0.85	1 (6%)
4	NAG	L	1	4,1	14,14,15	0.17	0	17,19,21	0.52	0
4	NAG	L	2	4	14,14,15	0.29	0	17,19,21	0.38	0
3	NAG	M	1	3,1	14,14,15	0.88	1 (7%)	17,19,21	0.80	0
3	NAG	M	2	3	14,14,15	0.63	0	17,19,21	0.78	1 (5%)
3	BMA	M	3	3	11,11,12	0.54	0	15,15,17	1.05	1 (6%)
3	NAG	N	1	3,1	14,14,15	0.31	0	17,19,21	0.58	0
3	NAG	N	2	3	14,14,15	0.46	0	17,19,21	1.00	1 (5%)
3	BMA	N	3	3	11,11,12	0.69	0	15,15,17	1.03	1 (6%)
3	NAG	O	1	3,1	14,14,15	0.46	0	17,19,21	0.68	0
3	NAG	O	2	3	14,14,15	0.80	1 (7%)	17,19,21	0.72	1 (5%)
3	BMA	O	3	3	11,11,12	0.83	1 (9%)	15,15,17	1.33	1 (6%)
4	NAG	P	1	4,1	14,14,15	0.39	0	17,19,21	0.79	1 (5%)
4	NAG	P	2	4	14,14,15	0.23	0	17,19,21	0.37	0
3	NAG	Q	1	3,1	14,14,15	0.25	0	17,19,21	0.78	1 (5%)
3	NAG	Q	2	3	14,14,15	0.30	0	17,19,21	0.69	0
3	BMA	Q	3	3	11,11,12	0.42	0	15,15,17	0.86	1 (6%)
4	NAG	R	1	4,1	14,14,15	0.36	0	17,19,21	0.47	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	R	2	4	14,14,15	0.26	0	17,19,21	0.39	0
4	NAG	S	1	4,1	14,14,15	0.61	0	17,19,21	0.63	0
4	NAG	S	2	4	14,14,15	0.67	1 (7%)	17,19,21	0.50	0
4	NAG	T	1	4,1	14,14,15	0.56	0	17,19,21	1.27	1 (5%)
4	NAG	T	2	4	14,14,15	0.34	0	17,19,21	0.29	0
3	NAG	U	1	3,1	14,14,15	0.24	0	17,19,21	1.04	2 (11%)
3	NAG	U	2	3	14,14,15	0.45	0	17,19,21	0.91	1 (5%)
3	BMA	U	3	3	11,11,12	0.66	0	15,15,17	0.82	0
4	NAG	V	1	4,1	14,14,15	0.19	0	17,19,21	0.48	0
4	NAG	V	2	4	14,14,15	0.30	0	17,19,21	0.51	0
4	NAG	W	1	4,2	14,14,15	0.62	1 (7%)	17,19,21	1.37	3 (17%)
4	NAG	W	2	4	14,14,15	0.37	0	17,19,21	0.47	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	K	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	K	2	3	-	3/6/23/26	0/1/1/1
3	BMA	K	3	3	-	2/2/19/22	0/1/1/1
4	NAG	L	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	L	2	4	-	4/6/23/26	0/1/1/1
3	NAG	M	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	M	2	3	-	0/6/23/26	0/1/1/1
3	BMA	M	3	3	-	1/2/19/22	0/1/1/1
3	NAG	N	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	N	2	3	-	3/6/23/26	0/1/1/1
3	BMA	N	3	3	-	0/2/19/22	0/1/1/1
3	NAG	O	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	O	2	3	-	2/6/23/26	0/1/1/1
3	BMA	O	3	3	-	2/2/19/22	0/1/1/1
4	NAG	P	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	P	2	4	-	3/6/23/26	0/1/1/1
3	NAG	Q	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	Q	2	3	-	2/6/23/26	0/1/1/1
3	BMA	Q	3	3	-	1/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	R	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	R	2	4	-	3/6/23/26	0/1/1/1
4	NAG	S	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	S	2	4	-	4/6/23/26	0/1/1/1
4	NAG	T	1	4,1	-	3/6/23/26	0/1/1/1
4	NAG	T	2	4	-	2/6/23/26	0/1/1/1
3	NAG	U	1	3,1	-	1/6/23/26	0/1/1/1
3	NAG	U	2	3	-	2/6/23/26	0/1/1/1
3	BMA	U	3	3	-	0/2/19/22	0/1/1/1
4	NAG	V	1	4,1	-	3/6/23/26	0/1/1/1
4	NAG	V	2	4	-	4/6/23/26	0/1/1/1
4	NAG	W	1	4,2	-	4/6/23/26	0/1/1/1
4	NAG	W	2	4	-	3/6/23/26	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	M	1	NAG	O5-C1	-2.42	1.39	1.43
3	O	2	NAG	O5-C1	2.23	1.47	1.43
4	W	1	NAG	C1-C2	2.08	1.55	1.52
4	S	2	NAG	O5-C1	2.05	1.47	1.43
3	O	3	BMA	C1-C2	2.01	1.56	1.52

The worst 5 of 19 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	W	1	NAG	C2-N2-C7	4.32	129.05	122.90
4	T	1	NAG	C2-N2-C7	4.18	128.85	122.90
3	K	2	NAG	C2-N2-C7	4.15	128.81	122.90
3	O	3	BMA	C1-O5-C5	4.11	117.76	112.19
3	U	1	NAG	O4-C4-C5	-3.07	101.67	109.30

There are no chirality outliers.

5 of 68 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	K	2	NAG	C3-C2-N2-C7
3	O	1	NAG	C1-C2-N2-C7
3	Q	2	NAG	C1-C2-N2-C7

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
4	S	2	NAG	C4-C5-C6-O6
4	S	2	NAG	O5-C5-C6-O6



There are no ring outliers.



15 monomers are involved in 22 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	U	2	NAG	1	0
4	S	2	NAG	1	0
3	Q	2	NAG	1	0
3	K	1	NAG	1	0
3	M	1	NAG	3	0
3	O	1	NAG	6	0
3	O	2	NAG	1	0
3	M	2	NAG	1	0
3	O	3	BMA	1	0
4	T	1	NAG	1	0
4	P	1	NAG	2	0
3	N	2	NAG	3	0
3	N	1	NAG	3	0
4	S	1	NAG	2	0
4	W	1	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.


























5.6 Ligand geometry [i](#)

17 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	NAG	G	705	1	14,14,15	0.44	0	17,19,21	0.52	0
5	NAG	B	702	1	14,14,15	0.21	0	17,19,21	0.51	0
5	NAG	F	201	2	14,14,15	0.57	0	17,19,21	1.29	2 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	NAG	A	708	1	14,14,15	0.66	1 (7%)	17,19,21	0.59	0
5	NAG	B	701	1	14,14,15	0.30	0	17,19,21	0.67	0
5	NAG	J	201	2	14,14,15	0.55	0	17,19,21	1.30	1 (5%)
5	NAG	A	709	1	14,14,15	0.27	0	17,19,21	0.52	0
5	NAG	G	706	1	14,14,15	0.17	0	17,19,21	0.52	0
5	NAG	A	701	1	14,14,15	0.28	0	17,19,21	0.61	1 (5%)
5	NAG	E	701	1	14,14,15	0.21	0	17,19,21	0.70	0
5	NAG	D	201	2	14,14,15	0.62	0	17,19,21	1.31	2 (11%)
5	NAG	H	201	2	14,14,15	0.53	0	17,19,21	1.31	1 (5%)
5	NAG	I	704	1	14,14,15	0.30	0	17,19,21	0.48	0
5	NAG	A	710	1	14,14,15	0.18	0	17,19,21	0.46	0
5	NAG	G	701	1	14,14,15	0.24	0	17,19,21	0.71	1 (5%)
5	NAG	I	701	1	14,14,15	0.32	0	17,19,21	0.68	0
5	NAG	B	711	1	14,14,15	0.23	0	17,19,21	0.44	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	G	705	1	-	4/6/23/26	0/1/1/1
5	NAG	B	702	1	-	1/6/23/26	0/1/1/1
5	NAG	F	201	2	-	4/6/23/26	0/1/1/1
5	NAG	A	708	1	-	2/6/23/26	0/1/1/1
5	NAG	B	701	1	-	3/6/23/26	0/1/1/1
5	NAG	J	201	2	-	4/6/23/26	0/1/1/1
5	NAG	A	709	1	-	3/6/23/26	0/1/1/1
5	NAG	G	706	1	-	3/6/23/26	0/1/1/1
5	NAG	A	701	1	-	3/6/23/26	0/1/1/1
5	NAG	E	701	1	-	4/6/23/26	0/1/1/1
5	NAG	D	201	2	-	5/6/23/26	0/1/1/1
5	NAG	H	201	2	-	4/6/23/26	0/1/1/1
5	NAG	I	704	1	-	3/6/23/26	0/1/1/1
5	NAG	A	710	1	-	2/6/23/26	0/1/1/1
5	NAG	G	701	1	-	0/6/23/26	0/1/1/1
5	NAG	I	701	1	-	3/6/23/26	0/1/1/1
5	NAG	B	711	1	-	3/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	708	NAG	O5-C1	2.30	1.47	1.43

The worst 5 of 8 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	D	201	NAG	C2-N2-C7	4.27	128.98	122.90
5	H	201	NAG	C2-N2-C7	4.26	128.96	122.90
5	J	201	NAG	C2-N2-C7	4.25	128.95	122.90
5	F	201	NAG	C2-N2-C7	4.21	128.90	122.90
5	G	701	NAG	C1-O5-C5	2.44	115.50	112.19

There are no chirality outliers.

5 of 51 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	E	701	NAG	O5-C5-C6-O6
5	A	708	NAG	C4-C5-C6-O6
5	A	709	NAG	O5-C5-C6-O6
5	D	201	NAG	O5-C5-C6-O6
5	E	701	NAG	C4-C5-C6-O6


There are no ring outliers.



10 monomers are involved in 13 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	G	705	NAG	1	0
5	F	201	NAG	1	0
5	A	708	NAG	1	0
5	J	201	NAG	2	0
5	G	706	NAG	1	0
5	E	701	NAG	1	0
5	D	201	NAG	1	0
5	H	201	NAG	1	0
5	I	704	NAG	3	0
5	I	701	NAG	1	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.



Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



























5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.


6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.3 Carbohydrates [i](#)




Unable to reproduce the depositors R factor - this section is therefore empty.

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around Chain M:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain N:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain O:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain Q:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain U:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain L:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain P:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain R:




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around Chain T:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain V:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








6.4 Ligands [i](#)

Unable to reproduce the depositor's R factor - this section is therefore empty.




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around NAG B 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAG B 702:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAG B 711:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAG D 201:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAG A 701:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAG A 708:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around NAG A 709:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAG A 710:**




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around NAG G 705:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAG G 706:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around NAG I 701:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAG I 704:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







6.5 Other polymers [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.