

## wwPDB EM Validation Summary Report (i)

Apr 16, 2024 – 07:23 am BST

PDB ID	:	7PJU
EMDB ID	:	EMD-13460
Title	:	Structure of the 70S ribosome with tRNAs in hybrid state $2$ (H2)
Authors	:	Petrychenko, V.; Peng, B.Z.; Schwarzer, A.C.; Peske, F.; Rodnina, M.V.;
		Fischer, N.
Deposited on		
Resolution	:	9.50  Å(reported)
Based on initial models	:	5LZD, 6YSS, 4AQY

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/EMValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity buster-report Percentile statistics MapQ Ideal geometry (proteins) Ideal geometry (DNA, RNA)	:::::::::::::::::::::::::::::::::::::::	<ul> <li>1.8.4, CSD as541be (2020)</li> <li>FAILED</li> <li>1.1.7 (2018)</li> <li>20191225.v01 (using entries in the PDB archive December 25th 2019)</li> <li>FAILED</li> <li>Engh &amp; Huber (2001)</li> <li>Parkinson et al. (1996)</li> </ul>
J 1 1	:	S ( )
1 ( )		

## 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $ELECTRON\ MICROSCOPY$ 

The reported resolution of this entry is 9.50 Å.

There are no overall percentile quality scores available for this entry.

MolProbity failed to run properly - the sequence quality summary graphics cannot be shown.



## 2 Entry composition (i)

There are 60 unique types of molecules in this entry. The entry contains 147243 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	0	56	Total 444	C 269	N 94	O 80	S 1	0	0

• Molecule 2 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
2	1	50	Total 409	C 263	N 75	O 71	0	0

• Molecule 3 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	2	46	Total 377	C 228	N 90	O 57	$\begin{array}{c} \mathrm{S} \\ \mathrm{2} \end{array}$	0	0

• Molecule 4 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	3	64	Total 504	C 323	N 105	0 74	$\begin{array}{c} \mathrm{S} \\ \mathrm{2} \end{array}$	0	0

• Molecule 5 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	4	38	Total 302	C 185	N 65	0 48	${ m S}$	0	0

• Molecule 6 is a protein called 50S ribosomal protein L10.

Mol	Chain	Residues		Ato	ms	AltConf	Trace	
6	5	131	Total 647	C 385	N 131	0 131	0	0



• Molecule 7 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	6	66	Total 522	C 323	N 99	0 94	S 6	0	0

• Molecule 8 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues			AltConf	Trace			
8	А	2903	Total 62339	C 27816	N 11471	O 20149	Р 2903	0	0

• Molecule 9 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues		A	AltConf	Trace			
9	В	120	Total 2570	C 1144	N 468	O 838	Р 120	0	0

• Molecule 10 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	С	271	Total 2082	C 1288	N 423	0 364	S 7	0	0

• Molecule 11 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues		At	oms	AltConf	Trace		
11	D	209	Total 1565	C 979	N 288	0 294	$\frac{S}{4}$	0	0

• Molecule 12 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues		At	oms		AltConf	Trace	
12	Е	201	Total 1552	C 974	N 283	O 290	${S \atop 5}$	0	0

• Molecule 13 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues		At	oms		AltConf	Trace	
13	F	177	Total 1410	C 899	N 249	O 256	S 6	0	0

• Molecule 14 is a protein called 50S ribosomal protein L6.



Mol	Chain	Residues		At	oms	AltConf	Trace		
14	G	176	Total 1323	C 832	N 243	O 246	${ m S} { m 2}$	0	0

• Molecule 15 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues		At	oms	AltConf	Trace		
15	Ц	149	Total	С	Ν	Ο	S	0	0
10	11	149	1111	699	197	214	1	0	0

• Molecule 16 is a protein called Ribosomal protein L11.

Mol	Chain	Residues		Ato	ms	AltConf	Trace	
16	Ι	141	Total 693	C 411	N 141	0 141	0	0

• Molecule 17 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues		At	oms	AltConf	Trace		
17	Т	142	Total	С	Ν	Ο	S	0	0
11	J	142	1129	714	212	199	4	0	0

• Molecule 18 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues		At	oms	AltConf	Trace		
18	K	122	Total 938	C 587	N 180	0 165	S 6	0	0

• Molecule 19 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues		At	oms		AltConf	Trace	
10	т	143	Total	С	Ν	0	S	0	0
19		140	1045	649	206	189	1	0	0

• Molecule 20 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues		At	oms	AltConf	Trace		
20	М	136	Total 1074		N 205	0 177	S 6	0	0

• Molecule 21 is a protein called 50S ribosomal protein L17.



Mol	Chain	Residues		At	oms	AltConf	Trace		
21	Ν	120	Total 960	C 593	N 196	O 166	${ m S}{ m 5}$	0	0

• Molecule 22 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues		Ato	ms	AltConf	Trace	
22	О	116	Total 892	C 552	N 178	O 162	0	0

• Molecule 23 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues		At	oms	AltConf	Trace		
23	Р	114	Total 917	C 574	N 179	0 163	S 1	0	0

• Molecule 24 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues		Ato	ms	AltConf	Trace	
24	Q	117	Total 947	C 604	N 192	O 151	0	0

• Molecule 25 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues		At	oms	AltConf	Trace		
25	R	103	Total 816	C 516	N 153	0 145	${S \over 2}$	0	0

• Molecule 26 is a protein called Ribosomal protein L22.

Mol	Chain	Residues		At	oms		AltConf	Trace	
26	S	110	Total 857	C 532	N 166	0 156	${ m S} { m 3}$	0	0

• Molecule 27 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	Т	93	Total 738	C 466	N 139	0 131	$\begin{array}{c} \mathrm{S} \\ \mathrm{2} \end{array}$	0	0

• Molecule 28 is a protein called Ribosomal protein L24.



Mol	Chain	Residues		Ato	ms	AltConf	Trace	
28	U	102	Total 779	C 492	N 146	O 141	0	0

• Molecule 29 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	V	94	Total 753	C 479	N 137	0 134	${ m S} { m 3}$	0	0

• Molecule 30 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues		At	oms		AltConf	Trace	
30	W	75	Total 575		N 116	0 102	S 1	0	0

• Molecule 31 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues		At	oms			AltConf	Trace
31	X	77	Total 625	C 388	N 129	O 106	${ m S} { m 2}$	0	0

• Molecule 32 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	Y	63	Total 509	C 313	N 99	O 95	$\begin{array}{c} \mathrm{S} \\ \mathrm{2} \end{array}$	0	0

• Molecule 33 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	Z	58	Total	С	Ν	Ο	$\mathbf{S}$	0	0
- 33		50	449	281	87	79	2	0	0

• Molecule 34 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues		1	Atoms			AltConf	Trace
34	a	1540	Total 33050	C 14748	N 6057	O 10705	Р 1540	0	0

• Molecule 35 is a protein called 30S ribosomal protein S2.



Mol	Chain	Residues		At	oms			AltConf	Trace
35	b	218	Total 1704	C 1081	N 305	0 311	${ m S} 7$	0	0

• Molecule 36 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues		Ate	AltConf	Trace			
36	с	206	Total 1624	C 1028	N 305	0 288	${ m S} { m 3}$	0	0

• Molecule 37 is a protein called Ribosomal protein S4.

Mol	Chain	Residues		Ate	oms			AltConf	Trace
37	d	205	Total 1643	C 1026	N 315	0 298	$\frac{S}{4}$	0	0

• Molecule 38 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues		At	oms			AltConf	Trace
38	e	157	Total	С	Ν	0	$\mathbf{S}$	0	0
00	C	101	1141	709	218	208	6	0	U

• Molecule 39 is a protein called 30S ribosomal protein S6, fully modified isoform.

Mol	Chain	Residues		At	oms			AltConf	Trace
39	f	100	Total	С	Ν	Ο	S	0	0
- 55	1	100	817	515	148	148	6	0	0

• Molecule 40 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues		At	oms			AltConf	Trace
40	<i>c</i> r	151	Total	С	Ν	0	S	0	0
40	g	101	1181	735	227	215	4	0	0

• Molecule 41 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues		At	oms			AltConf	Trace
41	h	129	Total 979	C 616	N 173	0 184	S 6	0	0

• Molecule 42 is a protein called 30S ribosomal protein S9.



Mol	Chain	Residues		At	oms			AltConf	Trace
42	i	127	Total 1022	C 634	N 206	O 179	$\frac{S}{3}$	0	0

• Molecule 43 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues		At	oms	AltConf	Trace		
12	;	98	Total	С	Ν	0	S	0	0
43	J	90	786	493	150	142	1	0	0

• Molecule 44 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues		At	oms			AltConf	Trace
44	k	116	Total 869	C 535	N 173	0 158	${ m S} { m 3}$	0	0

• Molecule 45 is a protein called 30S ribosomal protein S12.

Mo	Chain	Residues		At	oms			AltConf	Trace
45	1	123	Total 955	$\begin{array}{c} \mathrm{C} \\ 590 \end{array}$	N 196	0 165	${f S}$ $4$	0	0

• Molecule 46 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues		At	oms			AltConf	Trace
46	m	114	Total 883	C 546	N 178	0 156	${ m S} { m 3}$	0	0

• Molecule 47 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Total C N O S				AltConf	Trace	
47	n	101	Total 799	C 498	N 165	0 133	${ m S} { m 3}$	0	0

• Molecule 48 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	AtomsTotalCNOS7144201441201					AltConf	Trace
48	О	88	Total 714	C 439	N 144	0 130	S 1	0	0

• Molecule 49 is a protein called 30S ribosomal protein S16.



Mol	Chain	Residues	Atoms           Total         C         N         O         S           649         406         128         114         1					AltConf	Trace
49	n	20	Total	С	Ν	0	S	0	0
49	р	02	649	406	128	114	1	0	0

• Molecule 50 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues		At	oms			AltConf	Trace
50	a	80	Total	С	Ν	0	S	0	0
50	q	80	648	411	121	113	3	0	0

• Molecule 51 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues		AtomsTotalCNOS				AltConf	Trace
51	r	65	Total 535	C 339	N 100	O 95	S 1	0	0

• Molecule 52 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues		AtomsTotalCNOS6584211251102				AltConf	Trace
52	s	82	Total 658	C 421	N 125	0 110	S 2	0	0
			000	421	120	110	L		

• Molecule 53 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues		At	oms	AltConf	Trace		
53	t	85	Total 665	C 411	N 137	0 114	${ m S} { m 3}$	0	0

• Molecule 54 is a protein called 30S ribosomal protein S21.

Mo	l Chain	Residues		Total C N O S				AltConf	Trace
54	u	65	Total 506	C 313	N 105	0 87	S 1	0	0

• Molecule 55 is a RNA chain called P-site tRNA(fMet).

Mol	Chain	Residues			Atom		AltConf	Trace		
55	V	77	Total 1642	C 733	N 297	0 534	Р 77	S 1	0	0

• Molecule 56 is a RNA chain called P-site fMet-Phe-tRNA(Phe).



Mol	Chain	Residues		Total C N O P S						Trace
56	W	76	Total 1631	С 731	N 291	O 531	Р 76	$\begin{array}{c} \mathrm{S} \\ \mathrm{2} \end{array}$	0	0

• Molecule 57 is a protein called Dipeptide (FME-PHE).


Mol	Chain	Residues		Ato	$\mathbf{ms}$	AltConf	Trace		
57	V	2	Total	С	Ν	0	S	0	0
	<i>y</i>	-	20	15	2	2	1		

• Molecule 58 is a RNA chain called mRNA.

Mol	Chain	Residues	AtomsTotalCNOP					AltConf	Trace
58	Z	11		C	N	0	Р	0	0
			230	103	35	81	11		

• Molecule 59 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	AltConf
59	4	1	Total Zn 1 1	0
59	6	1	Total Zn 1 1	0





M	ol	Chain	Residues	Atoms			AltConf	
60	)	0	1	Total	С	Ν	Ο	0
	)	a	1	37	21	5	11	0

MolProbity failed to run properly - this section is therefore empty.



# 3 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	1737	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE	Depositor
	CORRECTION	
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose $(e^-/\text{\AA}^2)$	30	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	1200	Depositor
Magnification	59000	Depositor
Image detector	FEI FALCON III (4k x 4k)	Depositor



## 4 Model quality (i)

### 4.1 Standard geometry (i)

MolProbity failed to run properly - this section is therefore empty.

#### 4.2 Too-close contacts (i)

MolProbity failed to run properly - this section is therefore empty.

#### 4.3 Torsion angles (i)

#### 4.3.1 Protein backbone (i)

MolProbity failed to run properly - this section is therefore empty.

#### 4.3.2 Protein sidechains (i)

MolProbity failed to run properly - this section is therefore empty.

#### 4.3.3 RNA (i)

MolProbity failed to run properly - this section is therefore empty.

#### 4.4 Non-standard residues in protein, DNA, RNA chains (i)

46 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Turne	Chain	Res	Link	B	Bond lengths			Bond angles		
NIOI	Type	Unam	nes	LIIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2	
8	5MU	А	1939	8	19,22,23	4.61	7 (36%)	28,32,35	<mark>3.82</mark>	10 (35%)	
8	6MZ	А	1618	8	18,25,26	2.12	4 (22%)	16,36,39	2.30	3 (18%)	
34	MA6	a	1518	34	18,26,27	0.97	1 (5%)	19,38,41	2.80	2 (10%)	



		~ .	_		В	ond leng	rths	B	Bond ang	rles
Mol	Type	Chain	Res	Link	Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
8	PSU	А	2504	8	18,21,22	1.05	1 (5%)	22,30,33	1.92	4 (18%)
34	PSU	a	516	34	18,21,22	0.90	1 (5%)	22,30,33	1.66	<mark>5 (22%)</mark>
34	G7M	a	527	34	20,26,27	<mark>5.61</mark>	14 (70%)	17,39,42	1.87	<mark>5 (29%)</mark>
34	2MG	a	1207	34	18,26,27	2.58	7 (38%)	16,38,41	1.45	4 (25%)
8	5MC	А	1962	8	18,22,23	<mark>3.52</mark>	7 (38%)	26,32,35	1.08	2 (7%)
56	PSU	W	32	56	18,21,22	1.39	2 (11%)	22,30,33	1.93	4 (18%)
55	4SU	V	8	55	18,21,22	<mark>3.58</mark>	7 (38%)	26,30,33	2.26	<mark>5 (19%)</mark>
8	5MC	А	747	8	18,22,23	<mark>3.58</mark>	7 (38%)	26,32,35	1.20	2 (7%)
8	OMU	А	2552	8	19,22,23	2.76	7 (36%)	26,31,34	1.83	5 (19%)
8	6MZ	А	2030	8	18,25,26	2.15	3 (16%)	16,36,39	2.51	3 (18%)
34	UR3	a	1498	34	19,22,23	2.44	6 (31%)	26,32,35	1.30	1 (3%)
8	PSU	А	2580	8	18,21,22	1.11	3 (16%)	22,30,33	1.94	<mark>6 (27%)</mark>
8	PSU	А	2457	8	18,21,22	1.06	3 (16%)	22,30,33	1.81	4 (18%)
8	PSU	А	2605	8	18,21,22	1.11	2 (11%)	22,30,33	1.88	2 (9%)
34	5MC	a	1407	34	18,22,23	<mark>3.57</mark>	7 (38%)	26,32,35	1.03	1 (3%)
8	PSU	А	746	8	18,21,22	1.07	2 (11%)	22,30,33	1.81	4 (18%)
55	PSU	V	55	55	18,21,22	1.06	1 (5%)	22,30,33	1.75	4 (18%)
56	G7M	W	46	56	20,26,27	2.47	7 (35%)	17,39,42	1.10	1 (5%)
56	4SU	W	8	56	18,21,22	3.45	7 (38%)	26,30,33	2.20	4 (15%)
34	MA6	a	1519	34	18,26,27	1.04	1 (5%)	19,38,41	2.69	2(10%)
55	H2U	V	20	55	18,21,22	3.01	5 (27%)	21,30,33	1.94	<mark>5 (23%)</mark>
8	PSU	А	1917	8	18,21,22	1.36	3 (16%)	22,30,33	1.99	<mark>5 (22%)</mark>
56	PSU	W	39	56	18,21,22	1.44	3 (16%)	22,30,33	1.97	<mark>5 (22%)</mark>
56	5MU	W	54	56	19,22,23	1.33	5 (26%)	28,32,35	2.18	8 (28%)
34	4OC	a	1402	34	$20,\!23,\!24$	2.86	8 (40%)	$26,\!32,\!35$	0.93	2 (7%)
34	2MG	a	1516	34	$18,\!26,\!27$	2.60	7 (38%)	$16,\!38,\!41$	1.48	4 (25%)
56	PSU	W	55	56	18,21,22	1.36	3 (16%)	22,30,33	2.13	<mark>5 (22%)</mark>
8	PSU	А	955	8	$18,\!21,\!22$	1.07	2 (11%)	22,30,33	1.87	4 (18%)
57	FME	У	101	57	8,9,10	0.60	0	$7,\!9,\!11$	1.29	1 (14%)
8	3TD	А	1915	8	22,23,23	6.55	11 (50%)	29,35,35	3.49	10 (34%)
34	5MC	a	967	34	18,22,23	3.62	7 (38%)	26,32,35	1.00	1 (3%)
8	PSU	А	1911	8	18,21,22	1.40	2 (11%)	22,30,33	2.03	4 (18%)
8	OMC	А	2498	8	19,22,23	2.79	7 (36%)	26,31,34	0.81	0
8	OMG	А	2251	8,56	18,26,27	1.00	1 (5%)	19,38,41	1.09	2 (10%)
34	2MG	a	966	34	18,26,27	2.54	7 (38%)	16,38,41	1.54	4 (25%)



Mol	Type	Chain	Res	Link	B	ond leng	gths	Bond angles		
MIOI	Type	Ullalli	nes	LIIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2
8	2MG	А	2445	8,12	$18,\!26,\!27$	2.47	7 (38%)	16,38,41	1.60	4 (25%)
8	PSU	А	2604	8	18,21,22	1.06	2 (11%)	22,30,33	2.01	5 (22%)
8	2MG	А	1835	8	18,26,27	2.51	7 (38%)	16,38,41	1.47	4 (25%)
8	G7M	А	2069	8	20,26,27	2.29	7 (35%)	17,39,42	1.14	1 (5%)
8	1MG	А	745	8	18,26,27	2.53	4 (22%)	19,39,42	1.40	2 (10%)
56	MIA	W	37	56	24,31,32	2.35	4 (16%)	26,44,47	2.54	9 (34%)
55	5MU	V	54	55	19,22,23	4.66	7 (36%)	28,32,35	<mark>3.69</mark>	9 (32%)
8	2MA	А	2503	8	17,25,26	2.31	4 (23%)	17,37,40	1.31	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	5MU	А	1939	8	-	4/7/25/26	0/2/2/2
8	6MZ	А	1618	8	-	0/5/27/28	0/3/3/3
34	MA6	a	1518	34	-	0/7/29/30	0/3/3/3
8	PSU	А	2504	8	-	0/7/25/26	0/2/2/2
34	PSU	a	516	34	-	0/7/25/26	0/2/2/2
34	G7M	a	527	34	-	1/3/25/26	0/3/3/3
34	2MG	a	1207	34	-	0/5/27/28	0/3/3/3
8	5MC	А	1962	8	-	1/7/25/26	0/2/2/2
56	PSU	W	32	56	-	2/7/25/26	0/2/2/2
55	4SU	V	8	55	-	0/7/25/26	0/2/2/2
8	5MC	А	747	8	-	2/7/25/26	0/2/2/2
8	OMU	А	2552	8	-	3/9/27/28	0/2/2/2
8	6MZ	А	2030	8	-	2/5/27/28	0/3/3/3
34	UR3	a	1498	34	-	2/7/25/26	0/2/2/2
8	PSU	А	2580	8	-	0/7/25/26	0/2/2/2
8	PSU	А	2457	8	-	0/7/25/26	0/2/2/2
8	PSU	А	2605	8	-	0/7/25/26	0/2/2/2
34	5MC	a	1407	34	-	0/7/25/26	0/2/2/2
8	PSU	А	746	8	-	3/7/25/26	0/2/2/2
55	PSU	V	55	55	-	3/7/25/26	0/2/2/2
56	G7M	W	46	56	-	3/3/25/26	0/3/3/3
56	4SU	W	8	56	-	0/7/25/26	0/2/2/2
34	MA6	a	1519	34	-	3/7/29/30	0/3/3/3

Continued on next page...



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
55	H2U	V	20	55	-	5/7/38/39	0/2/2/2
8	PSU	А	1917	8	-	0/7/25/26	0/2/2/2
56	PSU	W	39	56	-	2/7/25/26	0/2/2/2
56	5MU	W	54	56	-	0/7/25/26	0/2/2/2
34	4OC	а	1402	34	-	1/9/29/30	0/2/2/2
34	2MG	a	1516	34	-	0/5/27/28	0/3/3/3
56	PSU	W	55	56	-	2/7/25/26	0/2/2/2
8	PSU	А	955	8	-	0/7/25/26	0/2/2/2
57	FME	У	101	57	-	4/7/9/11	-
8	3TD	А	1915	8	-	9/10/26/26	0/2/2/2
34	5MC	a	967	34	-	0/7/25/26	0/2/2/2
8	PSU	А	1911	8	-	0/7/25/26	0/2/2/2
8	OMC	А	2498	8	-	2/9/27/28	0/2/2/2
8	OMG	А	2251	8,56	-	1/5/27/28	0/3/3/3
34	2MG	a	966	34	-	2/5/27/28	0/3/3/3
8	2MG	А	2445	8,12	-	2/5/27/28	0/3/3/3
8	PSU	А	2604	8	-	1/7/25/26	0/2/2/2
8	2MG	А	1835	8	-	2/5/27/28	0/3/3/3
8	G7M	А	2069	8	-	1/3/25/26	0/3/3/3
8	1MG	А	745	8	-	0/3/25/26	0/3/3/3
56	MIA	W	37	56	-	5/11/33/34	0/3/3/3
55	5MU	v	54	55	-	0/7/25/26	0/2/2/2
8	2MA	А	2503	8	-	1/3/25/26	0/3/3/3

Continued from previous page...

The worst 5 of 220 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\operatorname{\AA})$	Ideal(Å)
8	А	1915	3TD	O4'-C1'	16.96	1.67	1.43
34	a	527	G7M	C2'-C1'	-16.91	1.28	1.53
8	А	1915	3TD	C2'-C1'	-15.15	1.34	1.53
8	А	1915	3TD	C6-C5	13.18	1.50	1.35
55	V	54	5MU	C2-N1	10.25	1.54	1.38

The worst 5 of 179 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
8	А	1939	5MU	C5-C4-N3	12.04	125.59	115.31
55	V	54	5MU	C5-C4-N3	11.82	125.40	115.31
8	А	1939	5MU	C5-C6-N1	-11.07	111.95	123.34
8	А	1915	3TD	O9-P-O5'	-10.97	77.55	106.73

Continued on next page...



Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
34	a	1518	MA6	N1-C6-N6	-10.56	105.95	117.06

There are no chirality outliers.

5 of 69 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
55	V	20	H2U	O4'-C1'-N1-C6
55	V	20	H2U	C2'-C1'-N1-C2
55	V	20	H2U	C2'-C1'-N1-C6
55	V	55	PSU	O4'-C1'-C5-C6
8	А	746	PSU	C2'-C1'-C5-C4

There are no ring outliers.

No monomer is involved in short contacts.

#### 4.5 Carbohydrates (i)

There are no monosaccharides in this entry.

### 4.6 Ligand geometry (i)

Of 3 ligands modelled in this entry, 2 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z >2	Counts	RMSZ	# Z  > 2
60	AM2	a	2001	-	40,40,40	1.63	10 (25%)	53,60,60	1.26	2 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
60	AM2	a	2001	-	-	3/12/84/84	0/4/4/4

The worst 5 of 10 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
60	a	2001	AM2	OA4-CA1	4.20	1.52	1.41
60	a	2001	AM2	CB3-CB4	-3.50	1.49	1.53
60	a	2001	AM2	OB1-CB1	3.29	1.50	1.41
60	a	2001	AM2	OA5-CA8	3.25	1.50	1.41
60	a	2001	AM2	OA5-CA4	2.82	1.51	1.44

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
60	a	2001	AM2	CA9-NA7-CA7	-4.89	107.26	114.38
60	a	2001	AM2	OA5-CA4-CA5	2.11	114.19	109.75

There are no chirality outliers.

All (3) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
60	a	2001	AM2	OB1-CB5-CB6-OB6
60	а	2001	AM2	CB4-CB5-CB6-OB6
60	a	2001	AM2	OA4-CA1-OA1-CC1

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and sufficient the outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 4.7 Other polymers (i)

There are no such residues in this entry.

## 4.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



## 5 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-13460. These allow visual inspection of the internal detail of the map and identification of artifacts.

Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 5.1 Orthogonal projections (i)

This section was not generated.

### 5.2 Central slices (i)

This section was not generated.

#### 5.3 Largest variance slices (i)

This section was not generated.

#### 5.4 Orthogonal standard-deviation projections (False-color) (i)

This section was not generated.

### 5.5 Orthogonal surface views (i)

This section was not generated.

#### 5.6 Mask visualisation (i)

This section was not generated. No masks/segmentation were deposited.



## 6 Map analysis (i)

This section contains the results of statistical analysis of the map.

### 6.1 Map-value distribution (i)

This section was not generated.

#### 6.2 Volume estimate versus contour level (i)

This section was not generated.

#### 6.3 Rotationally averaged power spectrum (i)

This section was not generated. The rotationally averaged power spectrum had issues being displayed.



# 7 Fourier-Shell correlation (i)

This section was not generated. No FSC curve or half-maps provided.



# 8 Map-model fit (i)

This section was not generated.

